



Abus

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Abus Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Abus Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
5270 /K:	Contactor Te 230V 12A 2HS2HÖ1S1Ö LC1-D128P7
695 /K:	Contactor Te 48V 12A 2HS2HÖ1S1Ö LC1-D128E7
7726 /K:	Contactor Te 110V 12A 2HS2HÖ1S1Ö LC1-D128F7
GE3Z500-A	Rectifier as a replacement for item no. 542 (GE3Z220_, GE3Z400_)
310497 /K:	Rectifier GE3Z500-A as a replacement for item no. 542 (GE3Z220_, GE3Z400_)
GE3Z 500-A AN 310497	
128226 /K	Load indicator system LIS-SV 230V / 50-60Hz replaces part 17790E
GM2 200.8-1	SZ2500.210
GM2 500.4-2	296G016
GE3Z500-A 310497 /K:	rectifier as a replacement for item no. 542 (GE3Z220_, GE3Z400_)
H0T-2B1214D-N200-B24	70268 /K: pendant control for connection to a control line with a 24-pin bayonet connector Function: 2-stage lifting/lowering Emergency stop switch for use with direct control
BJS24/10-SC10X1-BJB24/10	70339 /K: Control line SC10X1 L=4000mm
	Use on a HB system Chain hoist type GM 4 500.6-2, 2 strands painted in color RAL 5017 traffic blue Load capacity

GM 4 500.6-2/HB ES 6	500 kg Hook path 3000 mm Place of operation indoor operation Calculation basis FEM 9.901 Engine group 4m / M7 Operating voltage 3~50Hz 400V Direct control type of control Degree of protection IP55 Lifting, two-stage 1.5 / 6 m/min Lifting power 0.22 / 0.9 kW Duty cycle 60% ED Circuits 360 c/h Trolley, manually available from the customer Crane driving, by hand provided by the customer Operation from the hallway using a pendant control The pendant control with 2-stage pushbuttons is attached to the trolley and moves with it. Make: ABUS Length of control cable including pendant control: 3810 mm Control line calculation according to specification (mm accurate) overload protection Mechanical slip clutch as overload protection. The slipping clutch is preset. !!!! NOTE The chain hoist series GM3 (available from the customer) is no longer manufactured. The new GM4 series is not fundamentally compatible with the old systems. At the time, the system was delivered without a trolley frame - whether the new one mentioned above It cannot be said whether the chain hoist fits into the customer's construction.
IP65, 500Vmax	HT211-D
S10P-S/10X1/B/24	
HT211-D	IP65, 500Vmax
S10P-S/10X1/B/24	
70337	Control line SC10X1 L=3500mm C10X1-BJB24/10X1-BJB24/10
102282	Fastener BJ24 (set) with assembly instructions
85000	Control line SC10X1 L= 500mm 10S16s-SC10X1-BJB24/10
516-1806011	
516-1806012	
AI070001	
516-1403683	
CL01AB00T	
4/60a -AN127556	10ton
-AN313256	Brake set
GPK 75.3-3	17345 /K: Includes gear limit switch AN5400, adapter AN10580 and connector strip
110-012458	12709 /K: 16347204 single girder overhead crane size 112 cpl. 2000.3/ 1000.4 Lift drive 304148 fan blade size 112 cpl. 2000.3/ 1000.4 Lift drive 304148
11380 /K: 16347204	110-012458 FDB 17 B5 with topping Lift drive 304148 Brake rotor FDB 17 B5
CURRENT Collector SINGLE ASKR 4/60A	

ABUS	(with coal)
11380 /K: 16347204	Brake rotor FDB 17 B5 with covering
12709	Fan blade size. 112 complete 2000.3/ 1000.4 for lifting drive 304148 Hoist GM800, GM1000, GM2000, GM3000
310497 /K	r GE3Z500-A Rectifier GE3Z500-A as a replacement for item no. 542 (GE3Z220_, GE3Z400_)
310497 /K:	GE3Z500-A Rectifier GE3Z500-A
41368 /K: 16347204	Impeller E160 A with bearing integrated gearing
41367 /K: 16347204	Impeller E160 NA with bearings
GT SW K20-A AN 315260	
GE3Z 500-A AN 310497	
41368 K:16347204	
41367 K:16347204	
310497 /K	GE3Z500-A Rectifier GE3Z500-A as a replacement for item no. 542 (GE3Z220_, GE3Z400_)
11382 /K: 16347204	Magnetic body brake FDB 17 BRSP 81-98 VDC
310497 /K:	Rectifier GE3Z500-A as a replacement for item no. 542 (GE3Z220_, GE3Z400_)
5202475	
(Gm7000)-Azf 630	
Tvip71501	
20543 /K	
108691 /K	
5200317	
Rx8ac- Mfshl	
27988	
5582	
Gm35008111	CHAIN HOIST
74047 /K:	
An 21632	
4127	
12350/K / Ht-D/Bj18	

5200326	
Gm 3000.10000 H-192 .41.10000.4.E 160.24	
H0t-6b1214d-N220-B24	Hanging button 70269 /K: for connection to a control cable with 24-pin bayonet connector Function: 2-stage raising / lowering 2-stage cat driving left / right Emergency stop switch for use with direct control
Gm 6 2500.4-2	
30371 /K:	
5553 /K:	
Gpk 75.3-1 Item #2 Obsolete, Replacement 17345 /K:!!!!	
698/K	
19691 /K	
37426/K	
Be 1m400-A	
48018	
Lis-Se 108786 /K: 858937	
4171	
47675	
31027	
An542 Obsolete, Replaced By Ge3z500-A	
7457	
5451	
Nr.5 ,Fab.No:43/193405-1	
Fu9040	
20543	
An30370 – Gm 5000	
Gpk 75.3-1 Item Ã2 , 17345 /K:!!!!	
310497	
13460	
Obsolete Ge1101/Ge1127 Replaced By E130	

47240/K
Gm7000-An47675
Gpk 75.3-1 Item Ą2 Obsolete, Replacement 17345 /K:!!!!
5202605
105583 /K
19446/K
Gm7000 N6
45237
Obsolete Gd 3 Z 400-D Replaced By Ge3z500-A
48737
5956 /K
6373 /K
383 /K
Art.Nr. 105583
Gpk 75.3-3
Gm 3100 F6 161.41.103 De , 5553 /K:
20841
1302-0000114
Gm700 - An 30372
32491
An-19497
12350
Vf1424l
Zr 0,5-B
32490
82293 /K
Khs 6.41-1 - M20r/25f
30369 /K
Gm7000-An47676
19690

5200396	
17345 /K:	
Ge3z500-A	
5581	
Pos No: 025 - Type: Er-300 GI (Kissling)	
70269 /K	
59/12 Mks 110 Black	
108781 /K: 733262	
108786 /K: 858937	
45237 /K	
7483	
Gb1e220-C	
Fu9095	
Ef14 / F= 201-300	
31026	
220-063209	
48385	
18587 /K:	
Ef14 / F= 64-125	
Gm4 / Gm 4 500.8-1	
Hf6	
D775376-0064	MOTOR .45/.75AMP 440/480V 60HZ
Usm 25-3 An 7120/K	
Ge2067	
Hoist Male Pin	
16964	
30372 /K	
310497 / Ge3z500-A	
An 20841	
1060/140 Black	

19497 /K
310497 /K
21556
13190/K:836006
82368 /K
21419 /K
Cobra 10/200
19447/K
Usm 25, An 7120 - Obsolete, Replaced By Lis-Se 306610 /K: 858937
Mfshl V2
2221 /K
Fu9010
Zr 0,3-A
108783 /K: 733262
102258
1000-434
101 289/K:16290825
352-As/452-As
306610 /K: 858937
Ef 14 / F=126-125
Pos No: 035 - Type: Er-300 GI (Kissling)
30262 /K
Ge-3z 400-D, An 542 , 310497/Ge3z500-A!!!
108781 / K:
7484
19845 /K
Pos No: 037 - Type: Er-300 GI (Kissling)
Khs 6.41-2
An 541 Ist Ersetzt Durch An 310497
20841 /K

[F805391 001 191426300](#)
[Fbd23/Gm7000.1.U6/Fl/S14263 3/20kw](#)
[380/415v](#)

[Gpk75-3-2-An5400 Obsolete,](#)
[Replacement Gpk 75.3-3](#)

[Pos No: 036 - Type: Er-300 GI \(Kissling\)](#)

[Usm 25](#)

[120194 /K](#)

[5202479](#)

[21419](#)

[Hac4-N22hug](#)

[Hoist Female Pin](#)

[Gm 3100 F6 161.41.103 De Obsolete,](#)
[Replacement 5553 /K:](#)

[31108 /K](#)

[30491 /K](#)

[Gpk75-3-2-An5400 , Gpk 75.3-3](#)

[Pos No: 024 – Type: Er-300 GI \(Kissling\)](#)

[Usm25, An7120](#)

[Usm 25-3](#)

[17345/K / Gpk 75.3-3](#)

[Art.Nr. 48018](#)

[31135 - Obsolete, Replaced By 45237 /K](#)

[5887](#)

[Khs 6.41-1/An 28250 Obsolete,](#)
[Replaced By Khs 6.41-2](#)

[Gm5000h-6000-7000](#)

[6190 / Gb1e220-C](#)

[Battery For Transmitter Pocket Mfshl V2](#)

[Ef36](#)

[Gtswk30-B](#)

[11466 /K](#)

E130
48550/K
11575
Ht611d-N220-B24
Art.Nr. 110589
Pos No: 026 - Type: Er-300 GI (Kissling)
Pnc N22+hug+kg
Ps-Me06-00406
Ge-3z 400-D, An 542 Obsolete, Replacement 310497/Ge3z500-A!!!
Ht611d
Lis-Se 108786 /K: 858937
6024 /K
Usm 25-1 Obsolete, New Usm 25-3
47676
48103 /K
7120 /K:
Gleichichter Gtswk30-B