



Azcue Pumps

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapılabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Azcue Pumps Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Azcue Pumps Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
2200 Impeller (S/N: 271058)	•HS: 84139100 / CoO: ES
4200.1 Mechanical Seal (S/N: 271058)	
2912 Impeller Nut (S/N: 271057)	•HS: 84139100 / CoO: ES
2200 Impeller (S/N: 271057)	•HS: 84139100 / CoO: ES
1500 Casing Wear Ring - Not In A.M. Pump	1500 Casing wear ring - not in a.m. pump
2100 Shaft (S/N: 271058)	•HS: 84139100 / CoO: ES
2912 Impeller Nut (S/N: 271058)	HS: 84139100 / CoO: ES
2100 Shaft (S/N: 271057)	•HS: 84139100 / CoO: ES
4200 Mechanical Seal (S/N: 271057)	HS: 84139100 / CoO: ES
6544.2 Circlip	HS: 84139100 / CoO: ES Pump type BT-LV100T (S/N: 326499)
7200.1 Coupling Half	
Kit Max (300)	
1680.1 Spacer Bush	
Pump type MO-36/20 monobloc, cast iron body, br-aluminium impeller, with an electric motor of 2,2 kW at 1450 rpm, 400 V; Capacity: 4 m ³ /h	

Mo-36/20	at 40 m.c.a. •HS: 84137045 / CoO: ES Pump type MO-36/20 (S/N: 463804)
Mn-50/160	Pump type Pump type MN-50/160 (S/N: 456861) Pump type MN-50/160 Monobloc, cast iron body, bronze impeller, with an electric motor of 11 kW at 2900 rpm, 380-660 V, 50 Hz; Capacity: 78 m³/h at 32 m.c.a. •HS: 84137045 / CoO: ES
KI-30s40	replacing for ser. 479858 Pump type KL30S40 with and electric motor of 2,2 Kw at 1450 rpm, 50 Hz Capacity: 5 m³/h at 50 m.c.a •HS: 84139100 / CoO: ES (G)
1036 Rotor	Pump type KL30S-40, s/n 293780
KL30 S 40.0	
1037 Stator	Pump type KL30S-40, s/n 293780
4200.1 Mechanical seal	Pump type CM-EP 250/33A, s/n 293746
1500.2 Casing wear ring	Pump type CM-EP 250/33A, s/n 293746
1500.1 Casing wear ring	Pump type CM-EP 250/33A, s/n 293746
4305.2 Shaft seal ring	Pump type CM-EP 250/33A, s/n 293746
4610.2 O-ring	Pump type CM-EP 250/33A, s/n 293746
4610.1 O-ring	Pump type CM-EP 250/33A, s/n 293746
7414 Coupling bush (9pcs/set)	Pump type CM-EP 250/33A, s/n 293746
4200.1 Mechanical seal	Pump type CM250/33A, s/n 293753
4305.1-2 Shaft seal ring	Pump type CM250/33A, s/n 293753
4610.1 O-ring	Pump type CM250/33A, s/n 293753
4610.2 O-ring	Pump type CM250/33A, s/n 293753
7414 Coupling bush (9pcs/set)	Pump type CM250/33A, s/n 293753
2200.1 Impeller	Pump type CM250/33A, s/n 293753
1500.1 Casing wear ring	Pump type CM250/33A, s/n 293753
3210 Grooved ball bearing	Pump type ZENC 040-160 S/B, s/n 293763
4120 O-ring	Pump type ZENC 040-160 S/B, s/n 293763
4123 O-ring	Pump type ZENC 040-160 S/B, s/n 293763
4330 Mechanical seal	Pump type ZENC 040-160 S/B, s/n 293763
5230 Shaft sleeve	Pump type ZENC 040-160 S/B, s/n 293763
5290 Bearing bush	Pump type ZENC 040-160 S/B, s/n 293763
5400 Bush	Pump type ZENC 040-160 S/B, s/n 293763
2100 Shaft	Pump type ZENC 040-160 S/B, s/n 293763
VM50/16A	Pump type VM-50/16 bronze body, with an 1 Stk 2.799,00 2.799,00 electric motor of 5,5 kW at 2900 rpm, V1; Capacity: 20/45 m³/h at 32/24 m.c.a. •HS: 84137045 / CoO: ES
LN-VP40/160	Pump type LN-VP40/160 (S/N: 372004) Pump type LN-VP40/160 vertical, bronze body, motor 7.5 kW at 2900 rpm, 380-660V, 50 Hz; Capacity: 65 m³/h at 30 m.c.a. •HS: 84137045 / CoO: ES
CA-40/1A	Bronze Body

CA-50/5A	Bronze Body
BT-HM38D4	Pump type BT-HM38D4 (S/N: 390401) Pump type BT-HM38D4 monobloc, with an electric motor of 2,2 kW at 1450 rpm, 220-380 V, 50 Hz; Capacity: 4 m³/h at 40 m.c.a. •HS: 84137045 / CoO: ES
LN-VP-125/250	IN BRONZE, WITH MOTOR OF 35 KW, 440-760V, 1750 RPM, 60 HZ, IP55.F SIMILAR TO SERIAL NUMBER 428058
CP-25/130	Pump type CP-25/130 MONOBLOC, cast iron body, with an electric motor of 0,75 kW at 2900 rpm, 220-380 V, 50 Hz; Capacity: 3,6 m³/h, 20 m.c.a. •HS: 84137045 / CoO: ES
7200.1 Coupling half	•HS: 84139100 / CoO: ES
7414 Coupling bush (6pcs/set)	
4200.1 Mechanical seal	
Pump type KL30S40.0	Pump type KL30S40.0 (S/N: 405183) cast iron body, with an electric motor of 5,2 kW at 1500 rpm, 380 V-III, 50 Hz; Capacity: 4 m³/h, 40 m.c.a. •HS: 84137045 / CoO: ES
BT-LV125T-F	Pump type BT-LV125T-F (S/N: 473058) Pump type BT-LV125T-F cast iron body, with an electric motor of 53 kW at 1750 rpm 440- 760 V, 60 Hz; Capacity: 140 m³/h, 70 m.c.a.
WEG W22	LO Pump Electrical Motor / D.No: Electrical Motor: Maker/Model: WEG W22 3 Frame 225S-M-04, 1770rpm, 53 kW Serial No: 1037015655
4610.1 O-ring	
4610.2 O-ring	
4200 Mechanical seal	
CASING WEAR RING CA 50/5A REF NO:1500	
CA80/10A	Type/Model :Azcue Bombas CA80/10A Size:80x65 Capacity: 35meter cube per hour Pressure Head: 30M Serial Number: 364472 , 364473 Power: 10HP Voltage:415V
MO-36/20 RT3-18 4200.1	
MO-36/20 3011	
MO-36/20 7414	
MO-36/20 RT3-18 3300	
MO-36/20 RT3-18 4590.1-4	
VM-65/26A 2200.1 Impeller	
VM-65/26A 4200.1 Mechanical seal	
VM-65/26A 2100.5 Shaft	
VM-80/20A-R 1500.1	1500.1 Casing wear ring
VM-80/20A-R 1500.2	Casing wear ring
VM-80/20A-R 4200.1	Mechanical seal
VM-80/20A-R 4610.1	O-ring
VM-80/20A-R 4610.2	O-ring
VM-80/20A-R 4590.4	Gasket

CM-EP80/26	2200 Impeller
VM-EP80/26A-R	4200.1 Mechanical seal Pump type VM-EP80/26A, s/n 502627, 502632
CA-50/7A	Kit mini (100) -- Pump type CA-50/7A (S/N: 495682)
Pump type LN-32/160 (S/N: 371523)	Pump type LN-32/160 bronze body, with an electric motor of 4 kW at 2900 rpm, 400 V, 50 Hz; Capacity: 20 m³/h at 30 m.c.a. •HS: 84137045 / CoO: ES
Seconder Bulkhead Ball Bearing 6308 2z C3 / D.No:	SKF or FEG
Seconder Bulkhead Shaft Oil Seal 52X40X7 / D.No:	
Spare parts	Können sie uns ihren Angebot für die Ersatzteile schicken. bitte mit ihren besst möglichen Angebot
LN-VP65/250	Pump type LN-VP65/250 bronze body, with an electric motor of 8,6 kW at 1750 rpm, 440-760 V, 60 Hz; Capacity: 60 m³/h, 30 m.c.a. HS: 84137045 / CoO: ES Pump type LN-VP65/250, s/n 313498
KL-30S60.0	Pump type KL-30S60.0 cast iron body, with an electric motor 5,5 kW at 1450 rpm, 400 V, 50 Hz; Capacity: 15 m³/h, 50 m.c.a. HS: 84137045 / CoO: Pump type KL-30S60.0 (S/N: 497608)
B0-31/10 199.178	
CA-50/7 5,5 kW	Pump type CA-50/7 monobloc, horizontal, bronze body and impeller, with an electrical motor of 5,5 kW at 2900 rpm, 400 V-III, 50 Hz; Capacity: 27 m³/h at 35 m
CA-50/7 6,8 kW	Pump type CA-50/7 monobloc, horizontal, bronze body and impeller, with an electrical motor of 6,8 kW at 2900 rpm; Capacity: 21 m³/h at 41 m
BT-IL45D4-F	Pump type BT-IL45D4-F self-priming, with safety valve, with an electric motor of 3 kW at 2900 rpm, 400 V, 50 Hz; Capacity: 9 m³/h at 3 bar
BT-IL45D4-F	Pump type BT-IL45D4-F self-priming, with safety valve, with an electric motor of 3 kW at 2900 rpm, 400 V, 50 Hz; Capacity: 9 m³/h at 3 bar
MR-41/30	Pump type MR-41/30, bronze impeller, with an electric motor of 4 kW at 1450 rpm, 440 VIII, 50 Hz; Capacity: 11,5 m³/h at 40 m
CP-25/160 (S/N: 496477)	4200 Mechanical seal
MA-80 (S/N: 496479)	4200.1 Mechanical seal
CA-50/7A (S/N: 496482)	4200 Mechanical seal
1037 Stator	Pump type KL-30S40.0
2200	
VM-80/20A-R (S/N: 275712)	Pump type VM-80/20A-R vertical, cast iron body, bronze impeller, with an electric motor of 15 kW at 2900 rpm, 380-660 V, 50 Hz; Capacity: 80 m³/h at 34 m.c.a. HS: 84137045 / CoO: ES
Spare set for CA-80/10A (S/N: 388570)	1 CA-80/10A 4200 Mechanical seal 2 Stk 2 CA-80/10A 4610.1 O-ring 0,0 2 Stk 3 CA-80/10A 4610.2 O-ring 0,0 2 Stk 4 CA-80/10A 3011.1-2 Radial ball bearing 2 Stk 5 CA-80/10A 2510 Spacer ring 1 Stk 6 CA-80/10A 2100 Shaft 1,7 1 Stk
Spare Set for CA-80/7A (S/N: 296531)	1 CA-80/7A 1221 casing cover 1 pc 2 CA-80/7A 2510 spacer ring 1 pc 3 CA-80/7A 4200 Mechanical seal 0.1 1 pc 4 CA-80/7A 2100 Shaft 1.7 1 pc
	1 MO-11/20 2100 shaft 1 pc 2 MO-11/20 2200 impeller 1 pc 3 MO-11/20 3011.1 Radial ball bearing 1 pc 4 MO-11/20 4200.1 Mechanical seal 1 pc

Spare Set for MO-11/20 (S/N: 289708)	5 MO-11/20 4263.1-2 Spring plate 1 pc 6 MO-11/20 4590.1-4 Gasket 1 unit 7 MO-11/20 6579.1-2 Socket head cap screw 1 pc 8 MO-11/20 7414 Coupling bush (6pcs/set) 1 set 9 MO-11/20 3011.1 Radial ball bearing 1 pc
1037 Stator	KL30S40 HS: 84139100 / CoO: DE
AN-125/250 with s/n 337494	Kit Max
Pump type MO 36/20 Q-4m3/h, H-40	
VM 80/16 R	
2100 Shaft	
4200.1 Mechanical seal	
2200 Impeller	
4610.1 O-ring	
4610.2 O-ring	
4590.4 Shaft seal ring	
2510 Spacer ring	
1500.1 Casing wear ring	
1500.2 Casing wear ring	
AN-25 , code 4200 AZCUE	
See List	
MN32-160	Steam condensate cooling pump complete with electric motor MARKA: AZCUE TYPE: MN 32/160 Q-20m³/h, H-25
CP-25/130-4200	MECHANICAL SEAL Pump type CP-25/130 (S/N: 458704)
CP-25/130-4610.1	O-RING
CP-25/130-4610.3	O-RING
CP-25/130-2912	IMPELLER NUT
Type: VR 200/33	Liste am anhang
Type: VR - 125/33	Ersatzteile
Type: VR - 125/26	Ersatzteile
Type: CM-EP 100/40	ersatzteile
Type: CM-EP 50/26	ersatzteile
BT-DG110T-F-7414	COUPLING BUSH (9PCS/SET)
CA-50/2A	PUMP TYPE CA-50/2 monobloc, cast iron body, bronze impeller, with electric motor of 3 Kw at 2900 rpm, 220-380 V, 50 Hz, Capacity: 10 m3/h at 18 m.c.a.
CM-EP50/26-A-1500.1	CASING WEAR RING Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-1500.2	CASING WEAR RING Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-2100.1	SHAFT Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-2200.1	IMPELLER Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-2510	SPACER RING Pump type CM-EP50/26-A (S/N: 336834)

CM-EP50/26-A-2912	IMPELLER NUT Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-3011.1	RADIAL BALL BEARING Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-4200.1	MECHANICAL SEAL Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-4305.1	SHAFT SEAL RING Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-4590.1	GASKET Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-4590.4	GASKET Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-4610.1	O-RING Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-4610.2	O-RING Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-7414	COUPLING BUSH (6PCS/SET) Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-X01	MOTOR BALL BEARING Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-4200.3	MECHANICAL SEAL Pump type CM-EP50/26-A (S/N: 336834)
CM-EP50/26-A-X02	MOTOR BALL BEARING PRIMING PUMP Pump type CM-EP50/26-A (S/N: 336834)
CM-EP100/40A-1500.1	CASING WEAR RING Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-1500.2	CASING WEAR RING Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-2100.1	SHAFT Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-2200.1	IMPELLER Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-2510	SPACER RING Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-2912	IMPELLER NUT Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-3011.1	RADIAL BALL BEARING Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-3130.1	BEARING BRACKET Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-4200.1	MECHANICAL SEAL Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-4305.1	SHAFT SEAL RING Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-4590.1	GASKET Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-4590.4	GASKET Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-4610.1	O-RING Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-4610.2	O-RING Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-7414	COUPLING BUSH (9PCS/SET) Pump type CM-EP100/40A (S/N: 336827)
CM-EP100/40A-X01	MOTOR BALL BEARING Pump type CM-EP100/40A (S/N: 336827)
VM-125/26A-1500.1	CASING WEAR RING Pump type VM-125/26A (S/N: 336816)
VM-125/26A-1500.2	CASING WEAR RING Pump type VM-125/26A (S/N: 336816)
VM-125/26A-2100.5	SHAFT Pump type VM-125/26A (S/N: 336816)
VM-125/26A-2200.1	IMPELLER Pump type VM-125/26A (S/N: 336816)
VM-125/26A-2510	SPACER RING Pump type VM-125/26A (S/N: 336816)
VM-125/26A-2912	IMPELLER NUT Pump type VM-125/26A (S/N: 336816)
VM-125/26A-4200.1	MECHANICAL SEAL Pump type VM-125/26A (S/N: 336816)

VM-125/26A-4590.4	GASKET Pump type VM-125/26A (S/N: 336816)
VM-125/26A-4610.1	O-RING Pump type VM-125/26A (S/N: 336816)
VM-125/26A-4610.2	O-RING Pump type VM-125/26A (S/N: 336816)
VM-125/26A-X01	MOTOR BALL BEARING Pump type VM-125/26A (S/N: 336816)
VM-125/26A-X02	MOTOR BALL BEARING Pump type VM-125/26A (S/N: 336816)
VR-200/33-1500.1	CASING WEAR RING Pump type VR-200/33 (S/N: 336812)
VR-200/33-1500.2	CASING WEAR RING Pump type VR-200/33 (S/N: 336812)
VR-200/33-2100.6	SHAFT Pump type VR-200/33 (S/N: 336812)
VR-200/33-2200.1	IMPELLER Pump type VR-200/33 (S/N: 336812)
VR-200/33-2510	SPACER RING Pump type VR-200/33 (S/N: 336812)
VR-200/33-2912	IMPELLER NUT Pump type VR-200/33 (S/N: 336812)
VR-200/33-3011.7	RADIAL BALL BEARING Pump type VR-200/33 (S/N: 336812)
VR-200/33-4200.1	MECHANICAL SEAL Pump type VR-200/33 (S/N: 336812)
VR-200/33-4590.4	GASKET Pump type VR-200/33 (S/N: 336812)
VR-200/33-4610.1-2	O-RING Pump type VR-200/33 (S/N: 336812)
VR-200/33-X01	MOTOR BALL BEARING Pump type VR-200/33 (S/N: 336812)
MN-50/160	PUMP TYPE MN-50/160 monobloc, bronze body, with an electric motor of 2,5 kW at 1.750 rpm, 255-440 V, 60 Hz; Capacity: 50 m³/h 11 m.c.a. (S/N: 225999)
MN-65/200-2200	IMPELLER Pump type MN-65/200
Mechanical seal 4200 22	N.OSA-325-M pump
O-Ring 4610.1 26	N.OSA-325-M pump
O-Ring 4610.2 27	N.OSA-325-M pump
BT-IL45D4-F	PUMP TYPE BT-IL45D4-F Monobloc, with an electric motor of 2,2 kW, 1.450 rpm, 220-380 V, 50 Hz (S/N: 333531)
LN-80/200-1500.1	CASING WEAR RING
LN-80/200-1500.2	CASING WEAR RING
LN-80/200-4590.1	GASKET
LN-80/200-2200	IMPELLER
LN-80/200-2912	IMPELLER NUT
LN-80/200-6700.1	KEY
LN-80/200-4200	MECHANICAL SEAL
LN-80/200-2100	SHAFT
LN-80/200-6579.1-2	SOCKET HEAD CAP SCREW
LN-80/200-2510	SPACER RING
CP 40/160	
CM - 80 / 26 A	

BV, CM - EF 50 / 20	
VM 50 / 26A	
VAC43	
CA-50/7A	DN50 Outlet chrome 316 Equipment Pump 24V 4 amp 501 or 602 model Suction column is 30 m, self priming is enough: 24 units Note: The pump will be used in the sea water circuit.
CA-50/2A	
BT-MB 25D-F	(Q:2m3/h)
CA-50/7A	PUMP TYPE CA-50/7A Monobloc, bronze body, with an electric WEG motor of 5,5 kW at 2.900 rpm, 400 V-III, 50 Hz; Capacity: 30 m3/h at 32 m.c.a.
BT-IL45D4-F	PUMP TYPE BT-IL45D4-F Cast iron body, with an electric WEG motor 1,5 kW at 1.450 rpm, 400 V-III, 50 Hz; Capacity: 4 m3/h at 30 m.c.a.
CA-50/5A	PUMP TYPE CA-50/5A Monobloc, cast iron body, bronze impeller, with an electric WEG motor of 4 kW at 2.900 rpm, 400 V, 50 Hz; Capacity: 5 m3/h at 30 m.c.a.
LN-40/160	PUMP TYPE LN-40/160 Vertical, bronze body, with an electric WEG motor of 5,5 kW at 2.900 rpm, 400 V-III, 50 Hz; Capacity: 25 m3/h at 30 m.c.a.
Hand pump No.5, Q=6m3/h, H=10 m	(medium - seawater, body - cast iron, impeller - brass, shaft - stainless steel). - 1 pcs
Drainage pump LN-VP-40-160,	Q=35 m3/h, H=30 m, with pneumatic self-priming ejector 7 bar - 1 pc. (medium - seawater, version - monoblock, vertical, "in line", body and impeller - bronze, shaft - stainless steel). The standard power supply is 400 V/50 Hz.
An-40/315ht1	2200 Impeller Pump Type: AN-40-315-HT1, S/N: 448747 *****
An-150/250 Rbb3011.1	
4595 Joint Ring Circular	
Model: 4200	
Ca-50/2a-4200	
6m684006mv	MECHANICAL SEAL TYPE AN-43 M/E LT P/P NO.1
Mechanical Seal For Pump Bt-Lv 90t	
Model: 2200	
4610.2 O-Ring	
1500.1 Casing Wear Ring	
Azcue Ca-50-5	40M3/SAAT, 6kW t C DRYING PUMP
??-50-7-?	
O-Ring 4610.1	
4590.1-2 Gasket	
4590.3 Gasket - Not In This Pump	
Vm-100/33 Ms1	
Gasket For Pump Bt-Lv90t2	

Vm-Ep-80/26-A Sr	
An-32/160r-Ht - Å216;135	
An-150/25 T1	
3011.5-6	BALL BEARING
Bt-Lv-100t	SPARES FOR PUMP TYPE: BT-LV-100T, S/N: 326147 BT-LV-100T, CB-A3 Coupling bush set, ref #: 7414 (6 pieces per set) A3
Ln-125/250 Ms	
Vm-Ep-80/26-A Cc1	
Bt-Dg110t-F	
Lloydã39;S	
1500.2 Casing Wear Ring	
Vm/Ep50/26a	
Vm-Ep-80/26-A Cwr2	
7414 Coupling Bush (9pcs/Set)	
An-150/25 T1 (2)	
An-150/250 Rbb3011.2	
Ocm-309-M	BALL BEARING
Model: 2100	
Pump Type Ca-80/10a (S/N: 355841)	Pump type CA-80/10A Monobloc, bronze body, with an electric motor of 7,5 kW at 2900 rpm, 415 V, 50 Hz; Capacity: 70 m³/h at 25 m.c.a. •HS: 84137045 / CoO: ES
Pump Type Cp-25/130	horizontal monobloc, with an electric motor of 0,55 kW at 2900 rpm, 400V-III, 50 Hz; Capacity: 6 m³/h at 10 m •HS: 84137045 / CoO: ES
4200.3 Mechanical Seal	
Bearing 3011.1	
3011.1 Radial Ball Bearing	
Vm-Ep-80/26-A In	
??-50-3-?	
Type: Mn40-200	
4610.1 O-Ring	
Azcue An-Vp-80-315	70LTR/SAN, H=100MTR C TRANSPORT PUMP
An-Vp-100/400 G1	
4200.1 Mechanical Seal	
Type : Bt-Lv 90t	
Vm-Ep-80/26-A Imp1	
An-Vp-100/400 Ms	
Vm-Ep-80/26-A Cwr1	

Ln-32/160	4200 Mechanical seal •HS: 84139100 / CoO: ES For pump type LN-32/160 (S/N: 307702)
??-50-130	
3011.2 Radial Ball Bearing	
An-150/25 Bc1	
Vm-Ep-80/26-A G4	
??-40-1	
Mechanical Seal 4200.1	
Aoha 1201 Cast Iron+bronze	0.55 kW, AA 001.2H.4 / Including Drip Tray Foun
4610.1	O RING ME FW LT P/P
300744 / Type – KI30s.50.0 - Spare Parts Of Sludge Pump	
Bt-Lv 100t (6 Kupplungselemente)	Spares 7414 COUPLING BUSH 6 PCS (A3 POS)
An-150/250 Ms4200	
Vm-Ep-150/26a 50 Hz	400 m3/h, 15 mwc, 22 kW, 1450rpm, 50 Hz-400 V
4305.1-2 Shaft Seal Ring	
Bt-Mb25d	
Vm-Ep-80/26-A Or1-2	
4590.4 Gasket	
Bt-Lv90t2	
Mechanical Seal 4200.2	
Vm-Ep-80/26-A Vc	