

## Bardac

Garanti: 12 ay  
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.  
**Bardac** Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

*Firmamız Bardac Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.*



| Ürün                          | Açıklama                                                                                                                 |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Sp1070f</a>       |                                                                                                                          |
| <a href="#">Odp-62750-Us</a>  | 220/240V, 3-PH IN (1-PH 50% DERATING), 230V, 3-PH OUT FILTER, EXTERNAL LINE CHOKES, BRAKE TRANSISTOR 75 HP 240 AMPS      |
| <a href="#">F3-400</a>        |                                                                                                                          |
| <a href="#">Mq040f2h</a>      | TOTALLY ENCLOSED, RIGID BASE INVERTER AC DUTY MOTORS 40 HP, 1800 RPM AC MOTOR, 460/230 VOLTS, 324T, 10:1 CONSTANT TORQUE |
| <a href="#">Powersl20/51</a>  | 3-PHASE, DC SYSTEM DRIVES 30(10)HP, SYSTEMS POWER DRIVE                                                                  |
| <a href="#">Sle34e</a>        | ENCLOSED SLE-SERIES MINI OEM DRIVE                                                                                       |
| <a href="#">Powerplx400hl</a> | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 400 HP 200 HP 675 AMP 32 AMP                                                |
| <a href="#">Slx115/270</a>    | 3-PHASE, DC CHASSIS DRIVES 150(75)HP, 3PH 4-Q REGEN DRIVE                                                                |

|                                 |                                                                                                                          |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Plx225/480</a>      | DIGITAL 4-QUAD REGEN REVERSING DRIVE                                                                                     |
| <a href="#">Frll36</a>          | CE LINE FILTER, 1PH                                                                                                      |
| <a href="#">Plx185e</a>         | ENCLOSED PLX DIGITAL 4-Q REGEN DRIVE                                                                                     |
| <a href="#">Odp-54150-Us</a>    | 380/480V, 3 PH IN (1-PH 50% DERATING), 380/460V, 3-PH OUT FILTER, LINE CHOKES, BRAKE TRANSISTOR 150 HP @ 460V 180 AMPS   |
| <a href="#">Mq001n2l</a>        |                                                                                                                          |
| <a href="#">Mm100b25</a>        | DC MOTORS, DRIPPROOF, 1750 RPM 100 HP, 1750 RPM, DC MOTOR DPG-FV, 500VDC ARM, 300VDC FIELD, C2515ATZ                     |
| <a href="#">Dw213-04</a>        |                                                                                                                          |
| <a href="#">Powerplx600hl</a>   | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 600 HP 300 HP 960 AMP 32 AMP                                                |
| <a href="#">Dit118**</a>        | 118KVA DRIVE ISO TRANSFMR AL (100HP)                                                                                     |
| <a href="#">Mq025f2h</a>        | TOTALLY ENCLOSED, RIGID BASE INVERTER AC DUTY MOTORS 25 HP, 1800 RPM AC MOTOR, 460/230 VOLTS, 284T, 10:1 CONSTANT TORQUE |
| <a href="#">Od-F2121-Us</a>     |                                                                                                                          |
| <a href="#">Plx185/430</a>      | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 250 HP 125 HP 405 AMPS 32 AMPS                                              |
| <a href="#">57r0307-0002</a>    |                                                                                                                          |
| <a href="#">Dit14**</a>         | 14KVA DRIVE ISO. TRANSFMR AL (10HP)                                                                                      |
| <a href="#">F3-100</a>          |                                                                                                                          |
| <a href="#">Fa3-500</a>         |                                                                                                                          |
| <a href="#">Odp-25010-Us-Is</a> | SENSORLESS VECTOR I55 PHASE INPUT, 500/600V, 3-PHASE OUTPUT                                                              |
| <a href="#">Od-Picon-Us</a>     |                                                                                                                          |
| <a href="#">Db501909</a>        | AC CONTACTOR (3-NO)                                                                                                      |
| <a href="#">Odv-44400-Us</a>    | 380/480V, 3 PH IN, 380/460V, 3-PH OUT FILTER, LINE CHOKES, BRAKE TRANSISTOR 40 HP 61 AMPS                                |
| <a href="#">Sle44</a>           | 3-PHASE MINI OEM DRIVE                                                                                                   |
| <a href="#">Odp-22030-Us-Is</a> | SENSORLESS VECTOR I55 220/240V, SINGLE PHASE INPUT, 230V, 3-PHASE OUTPUT                                                 |
| <a href="#">Powerpl225/480</a>  | 2-QUADRANT, NON-REVERSING DC DRIVES 300 HP 150 HP 480 AMPS 32 AMPS                                                       |
| <a href="#">3200i/48ll</a>      | SINGLE PHASE, DC SYSTEMS DRIVES 7.5(4)HP, 240/415VAC, 180/320VDC                                                         |
|                                 |                                                                                                                          |

|                                     |                                                                                                                                |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">PI85</a>                | DIGITAL REGEN NON-REVERSING DRIVE                                                                                              |
| <a href="#">Ode2-22015-1h042-01</a> |                                                                                                                                |
| <a href="#">Mq150f2h</a>            | TOTALLY ENCLOSED, RIGID BASE INVERTER AC DUTY MOTORS 150 HP, 1800 RPM AC MOTOR, 460 VOLTS, 445T, 10:1 CONSTANT TORQUE          |
| <a href="#">Odp-44300-Us</a>        | 380/480V, 3 PH IN (1-PH 50% DERATING), 380/460V, 3-PH OUT FILTER, LINE CHOKES, BRAKE TRANSISTOR 30 HP @ 460V 46 AMPS           |
| <a href="#">SI20/51</a>             | 3-PHASE, DC CHASSIS DRIVES 30HP, 3-PH SYSTEMS DRIVE                                                                            |
| <a href="#">Mm020b25</a>            | DC MOTORS, DRIPPROOF, 1750 RPM 20 HP, 1750 RPM, DC MOTOR DPG-FV, 500VDC ARM, 300VDC FIELD, SC2113ATZ                           |
| <a href="#">800erb</a>              | SINGLE PHASE, ENCLOSED DC DRIVES ENCLOSED 1.5(0.75)HP, REV. DRIVE + BRK                                                        |
| <a href="#">Chs500v175a</a>         |                                                                                                                                |
| <a href="#">Powerplx50123</a>       | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 75 HP 35 HP 123 AMPS 5(8) AMPS                                                    |
| <a href="#">Mq.50s2f</a>            |                                                                                                                                |
| <a href="#">Odp-32050-Us</a>        | 220/240V, 3-PH IN (1-PH 50% DERATING), 230V, 3-PH OUT FILTER, DC CHOKE, BRAKE TRANSISTOR 5 HP 18 AMPS                          |
| <a href="#">Mq075s2f</a>            | DRIPPROOF RIGID BASE INVERTER DUTY AC MOTORS, 1800 RPM BASE SPEED 75 HP, 1800 RPM AC MOTOR, DPG, VT/2:1CT, 460/230 VOLTS, 365T |
| <a href="#">3600xri/36e</a>         | REGEN REV ENCLOSED DRIVE                                                                                                       |
| <a href="#">Powerplx1000h</a>       | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 1000 HP 500 HP 1600 AMP 32 AMP                                                    |
| <a href="#">Odv-44500-Us</a>        | 380/480V, 3 PH IN, 380/460V, 3-PH OUT FILTER, LINE CHOKES, BRAKE TRANSISTOR 50 HP 72 AMPS                                      |
| <a href="#">Odp-25050-Us</a>        | REQUIRES EXT. LINE CHOKE (CO502269) 5 HP @ 575V 6.1 AMPS                                                                       |
| <a href="#">Mq002f2h</a>            |                                                                                                                                |
| <a href="#">Plx15</a>               | DIGITAL 4-QUAD REGEN REVERSING DRIVE                                                                                           |
| <a href="#">Odp-45300-Us</a>        | 500/600V, 3 PH IN, 500/600V, 3-PH OUT FILTER, LINE CHOKES, BRAKE TRANSISTOR 30 HP @ 575V 39 AMPS                               |
| <a href="#">Mq005s2f</a>            |                                                                                                                                |
| <a href="#">SI145/330</a>           | 3-PHASE, DC CHASSIS DRIVES 200(100)HP, 3-PH SYSTEMS DRIVE                                                                      |
| <a href="#">Odp-24020-Us-I</a>      |                                                                                                                                |
| <a href="#">3600xri/16p</a>         | REGEN OPEN PANEL DRIVE                                                                                                         |

|                                  |                                                                                                                                                            |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Mp.25f28nc</a>       |                                                                                                                                                            |
| <a href="#">Od-48519-Us</a>      |                                                                                                                                                            |
| <a href="#">K680i</a>            |                                                                                                                                                            |
| <a href="#">F3-80</a>            |                                                                                                                                                            |
| <a href="#">Ode2-22020-1h042</a> |                                                                                                                                                            |
| <a href="#">Chs500v15a</a>       |                                                                                                                                                            |
| <a href="#">Powerpl2000h</a>     | 2-QUADRANT, NON-REVERSING DC DRIVES 2000 HP 1000 HP<br>3200 AMP 32 AMP                                                                                     |
| <a href="#">Powersle24/58</a>    | 3-PHASE, DC OEM DRIVES 30(15)HP, OEM POWER DRIVE                                                                                                           |
| <a href="#">3600xri/16</a>       |                                                                                                                                                            |
| <a href="#">Od-Outf4-Us</a>      | OUTPUT SINE FILTER, DRIVE SIZE 4, 480V, 75A                                                                                                                |
| <a href="#">Sle24</a>            | 3-PHASE MINI OEM DRIVE                                                                                                                                     |
| <a href="#">Mq125s2f</a>         | DRIPPROOF RIGID BASE INVERTER DUTY AC MOTORS, 1800<br>RPM BASE SPEED 125 HP, 1800 RPM AC MOTOR, DPG,<br>VT/2:1CT, 460 VOLTS, 405T                          |
| <a href="#">Vapy-50</a>          | DC TACH, 50V/1000RPM, PY MOUNT                                                                                                                             |
| <a href="#">Mq300f2h</a>         | TOTALLY ENCLOSED, RIGID BASE INVERTER AC DUTY<br>MOTORS 300 HP, 1800 RPM AC MOTOR, 460 VOLTS, 445T,<br>10:1 CONSTANT TORQUE                                |
| <a href="#">Ode2-22020-1h04#</a> |                                                                                                                                                            |
| <a href="#">Mq050f2m</a>         | TOTALLY ENCLOSED, SEVERE DUTY, PREMIUM EFFICIENCY,<br>INVERTER RATED AC MOTORS 50 HP, 1800 RPM, SD PE TE AC<br>MOTOR, 460 VOLTS, 326T, 2:1 CONSTANT TORQUE |
| <a href="#">Ode2-24030-3h04#</a> | INDUSTRIAL NEMA 12 / IP55 DRIVES 3, 460V 3, 460V 3HP 5.8<br>AMPS SIZE 2                                                                                    |
| <a href="#">Fr3l120</a>          | CE LINE FILTER, 3PH                                                                                                                                        |
| <a href="#">Mq100f2k</a>         | TOTALLY ENCLOSED VECTOR DUTY AC MOTORS, 1800 RPM<br>BASE SPEED 100 HP, 1800 RPM AC MOTOR, 460/230 VOLTS,<br>405T, 2000:1 CONSTANT TORQUE                   |
| <a href="#">Powerpl700h</a>      | 2-QUADRANT, NON-REVERSING DC DRIVES 700 HP 350 HP<br>1140 AMP 32 AMP                                                                                       |
| <a href="#">Ode2-22030-1h04#</a> | INDUSTRIAL NEMA 12 / IP55 DRIVES 1, 230V 3, 230V 3HP<br>10.5 AMPS SIZE 2                                                                                   |
| <a href="#">Odp-44250-Us</a>     | 380/480V, 3 PH IN (1-PH 50% DERATING), 380/460V, 3-PH<br>OUT FILTER, LINE CHOKES, BRAKE TRANSISTOR 25 HP @<br>460V 39 AMPS                                 |
| <a href="#">Dw118</a>            |                                                                                                                                                            |

|                                 |                                                                                                                                              |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Plx15e</a>          | ENCLOSED PLX DIGITAL 4-Q REGEN DRIVE                                                                                                         |
| <a href="#">Ode1-22150-Us-I</a> |                                                                                                                                              |
| <a href="#">Fa3-30</a>          |                                                                                                                                              |
| <a href="#">Fe101969</a>        |                                                                                                                                              |
| <a href="#">Dit6**</a>          | 6KVA DRIVE ISO. TRANSFORMER CU (5HP)                                                                                                         |
| <a href="#">Plx225/530</a>      | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 300 HP<br>150 HP 480 AMPS 32 AMPS                                                               |
| <a href="#">Mq015n2l</a>        | TOTALLY ENCLOSED VECTOR DUTY AC MOTORS, 1800 RPM<br>BASE SPEED 15 HP, 1800 RPM AC MOTOR, 460/230 VOLTS,<br>254TC, 1000:1 CONSTANT TORQUE     |
| <a href="#">Sle24e</a>          | ENCLOSED SLE-SERIES MINI OEM DRIVE                                                                                                           |
| <a href="#">Fr3h48</a>          | CE LINE FILTER, 3PH                                                                                                                          |
| <a href="#">Od-32040-Us</a>     | 220/240V, 3-PH IN (1-PH 50% DERATING), 230V, 3-PH OUT<br>BRAKE TRANSISTOR 4 HP 14 AMP 5 HP 18 AMP                                            |
| <a href="#">Odp-25020-Us-Is</a> | SENSORLESS VECTOR I55 PHASE INPUT, 500/600V, 3-PHASE<br>OUTPUT                                                                               |
| <a href="#">Fa3-60</a>          |                                                                                                                                              |
| <a href="#">Mm150b25</a>        | DC MOTORS, DRIPPROOF, 1750 RPM 150 HP, 1750 RPM, DC<br>MOTOR DPG-FV, 500VDC ARM, 300VDC FIELD, C2815ATZ                                      |
| <a href="#">Db53060</a>         |                                                                                                                                              |
| <a href="#">Mq020s2f</a>        | DRIPPROOF RIGID BASE INVERTER DUTY AC MOTORS, 1800<br>RPM BASE SPEED 20 HP, 1800 RPM AC MOTOR, DPG,<br>VT/2:1CT, 460/230 VOLTS, 256T         |
| <a href="#">F3-15</a>           |                                                                                                                                              |
| <a href="#">PI40</a>            | DIGITAL REGEN NON-REVERSING DRIVE                                                                                                            |
| <a href="#">Ode-14020-Us-Is</a> |                                                                                                                                              |
| <a href="#">Dit440**</a>        | 440KVA DRIVE ISO TRANSFMR AL (400HP)                                                                                                         |
| <a href="#">Powerplx1500h</a>   | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 1500<br>HP 750 HP 2400 AMP 32 AMP                                                               |
| <a href="#">Dw215-04</a>        |                                                                                                                                              |
| <a href="#">Mq7.5n2n</a>        | TOTALLY ENCLOSED VECTOR DUTY AC BRAKE MOTORS<br>(STANDARD DUTY), 1800 RPM BASE SPEED 7.5 HP, 1800 RPM<br>AC BRAKE MOTOR, 460/230 VOLTS, 213T |
| <a href="#">Odv-64250-Us</a>    | 380/480V, 3 PH IN, 380/460V, 3-PH OUT FILTER, EXTERNAL<br>LINE CHOKES, BRAKE TRANSISTOR 250 HP 300 AMPS                                      |
| <a href="#">Plx15p</a>          | OPEN PANEL PLX DIGITAL REGEN DRIVE                                                                                                           |

|                                  |                                                                                                                                      |
|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">X716</a>             | DRIVE                                                                                                                                |
| <a href="#">Chs250v40a</a>       |                                                                                                                                      |
| <a href="#">Mppya</a>            | TACH KITS FOR 90VDC 180VDC MOTORS TYPE PY TACH, 100V/1000RPM AND PM MOTOR MOUNTING KIT                                               |
| <a href="#">Sle34p</a>           | OPEN PANEL SLE-SERIES MINI OEM DRIVE                                                                                                 |
| <a href="#">PI115/270</a>        | 2-QUADRANT, NON-REVERSING DC DRIVES 150 HP 75 HP 270 AMPS 10(16) AMPS                                                                |
| <a href="#">400imp003</a>        |                                                                                                                                      |
| <a href="#">Odp-52400-Us</a>     | 220/240V, 3-PH IN (1-PH 50% DERATING), 230V, 3-PH OUT FILTER, LINE CHOKES, BRAKE TRANSISTOR 40 HP 110 AMPS                           |
| <a href="#">C0100633</a>         |                                                                                                                                      |
| <a href="#">Odv-32075-Us</a>     | 220/240V, 3-PH IN (1-PH 50% DERATING), 230V, 3-PH OUT FILTER, DC CHOKE, BRAKE TRANSISTOR 7.5 HP 24 AMPS                              |
| <a href="#">Mq002n2n</a>         | TOTALLY ENCLOSED VECTOR DUTY AC BRAKE MOTORS (STANDARD DUTY), 1800 RPM BASE SPEED 2 HP, 1800 RPM AC BRAKE MOTOR, 460/230 VOLTS, 145T |
| <a href="#">PI50e</a>            | ENCLOSED PL DIGITAL DRIVE                                                                                                            |
| <a href="#">Powerplx145/330</a>  | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 200 HP 100 HP 330 AMPS 10(16) AMPS                                                      |
| <a href="#">Mq015f2h</a>         | TOTALLY ENCLOSED, RIGID BASE INVERTER AC DUTY MOTORS 15 HP, 1800 RPM AC MOTOR, 460/230 VOLTS, 254T, 10:1 CONSTANT TORQUE             |
| <a href="#">Od-14020-Us</a>      |                                                                                                                                      |
| <a href="#">Odv-34150-Us</a>     | 380/480V, 3 PH IN, 380/460V, 3-PH OUT FILTER, DC CHOKE, BRAKE TRANSISTOR 15 HP 24 AMPS                                               |
| <a href="#">Ode2-22030-1h042</a> |                                                                                                                                      |
| <a href="#">Lm900</a>            | LINE REACTOR, UP TO 600 HP                                                                                                           |
| <a href="#">Dit51**</a>          | 51KVA DRIVE ISO. TRANSFMR AL (40HP)                                                                                                  |
| <a href="#">Mq040s2f</a>         | DRIPPROOF RIGID BASE INVERTER DUTY AC MOTORS, 1800 RPM BASE SPEED 40 HP, 1800 RPM AC MOTOR, DPG, VT/2:1CT, 460/230 VOLTS, 324T       |
| <a href="#">Odp-12010-Us</a>     |                                                                                                                                      |
| <a href="#">Odv-64160-Us</a>     | 380/480V, 3 PH IN, 380/460V, 3-PH OUT FILTER, EXTERNAL LINE CHOKES, BRAKE TRANSISTOR 160 HP 202 AMPS                                 |
| <a href="#">Plx65</a>            | DIGITAL 4-QUAD REGEN REVERSING DRIVE                                                                                                 |
| <a href="#">FrIn16</a>           |                                                                                                                                      |
| <a href="#">PI265e</a>           | ENCLOSED PL DIGITAL DRIVE                                                                                                            |

|                                  |                                                                                                                          |
|----------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Dw216-42</a>         |                                                                                                                          |
| <a href="#">3600xri/16e</a>      | REGEN REV ENCLOSED DRIVE                                                                                                 |
| <a href="#">300e</a>             |                                                                                                                          |
| <a href="#">PI115</a>            | DIGITAL REGEN NON-REVERSING DRIVE                                                                                        |
| <a href="#">Odv-24050-Us</a>     | 380/480V, 3 PH IN, 380/460V, 3-PH OUT FILTER, BRAKE TRANSISTOR 5 HP 9.5 AMPS                                             |
| <a href="#">Dit34**</a>          | 34KVA DRIVE ISO. TRANSFMR AL (25HP)                                                                                      |
| <a href="#">Mq.25s2f</a>         |                                                                                                                          |
| <a href="#">Odp-22020-Us</a>     |                                                                                                                          |
| <a href="#">Bs-1.6a</a>          |                                                                                                                          |
| <a href="#">Powerpl500h</a>      | 2-QUADRANT, NON-REVERSING DC DRIVES 500 HP 250 HP 800 AMP 32 AMP                                                         |
| <a href="#">Mp.75f21nc</a>       |                                                                                                                          |
| <a href="#">Od-F1121-Us</a>      |                                                                                                                          |
| <a href="#">Odv-54100-Us</a>     | 380/480V, 3 PH IN, 380/460V, 3-PH OUT FILTER, LINE CHOKES, BRAKE TRANSISTOR 100 HP 150 AMPS                              |
| <a href="#">Ode1-21075-Us-Is</a> |                                                                                                                          |
| <a href="#">PI145e</a>           | ENCLOSED PL DIGITAL DRIVE                                                                                                |
| <a href="#">Mq020f2h</a>         | TOTALLY ENCLOSED, RIGID BASE INVERTER AC DUTY MOTORS 20 HP, 1800 RPM AC MOTOR, 460/230 VOLTS, 256T, 10:1 CONSTANT TORQUE |
| <a href="#">Mq003s2f</a>         |                                                                                                                          |
| <a href="#">Mm015b25</a>         | DC MOTORS, DRIPPROOF, 1750 RPM 15 HP, 1750 RPM, DC MOTOR DPG-FV, 500VDC ARM, 300VDC FIELD, SC2113ATZ                     |
| <a href="#">Ode2-11010-1h012</a> |                                                                                                                          |
| <a href="#">Mp.50f21nc</a>       |                                                                                                                          |
| <a href="#">Dpm35s</a>           |                                                                                                                          |
| <a href="#">Odba-32075</a>       | 230 VOLTS AC UNITS INCLUDING DRIVE 7.5 / 10 HP 25 / 29.5 AMP 32" X 24" X 10"                                             |
| <a href="#">Odp-3rout-Us</a>     |                                                                                                                          |
| <a href="#">Mq.33n2c</a>         |                                                                                                                          |
| <a href="#">Mp001f28nc</a>       |                                                                                                                          |
| <a href="#">Ode1-11050-Us</a>    |                                                                                                                          |
|                                  | DRIPPROOF RIGID BASE INVERTER DUTY AC MOTORS, 1800                                                                       |

|                                |                                                                                                                                                        |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Mq050s2f</a>       | RPM BASE SPEED 50 HP, 1800 RPM AC MOTOR, DPG, VT/2:1CT, 460/230 VOLTS, 326T                                                                            |
| <a href="#">Powerplx1000hl</a> | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 1000 HP 500 HP 1600 AMP 32 AMP                                                                            |
| <a href="#">Mq003n2n</a>       | TOTALLY ENCLOSED VECTOR DUTY AC BRAKE MOTORS (STANDARD DUTY), 1800 RPM BASE SPEED 3 HP, 1800 RPM AC BRAKE MOTOR, 460/230 VOLTS, 182T                   |
| <a href="#">Db501907</a>       | AC CONTACTOR (3-NO)                                                                                                                                    |
| <a href="#">Dw210-18</a>       |                                                                                                                                                        |
| <a href="#">Mq020f2m</a>       | TOTALLY ENCLOSED, SEVERE DUTY, PREMIUM EFFICIENCY, INVERTER RATED AC MOTORS 20 HP, 1800 RPM, SD PE TE AC MOTOR, 460/230 VOLTS, 256T, 10:1 CONSTANT TOR |
| <a href="#">Fr3h120</a>        | CE LINE FILTER, 3PH                                                                                                                                    |
| <a href="#">Plx85p</a>         | OPEN PANEL PLX DIGITAL REGEN DRIVE                                                                                                                     |
| <a href="#">Mq005n2l</a>       | TOTALLY ENCLOSED VECTOR DUTY AC MOTORS, 1800 RPM BASE SPEED 5 HP, 1800 RPM AC MOTOR, 460/230 VOLTS, 184TC, 1000:1 CONSTANT TORQUE                      |
| <a href="#">Sle24p</a>         | OPEN PANEL SLE-SERIES MINI OEM DRIVE                                                                                                                   |
| <a href="#">Plx65e</a>         | ENCLOSED PLX DIGITAL 4-Q REGEN DRIVE                                                                                                                   |
| <a href="#">Plx85</a>          | DIGITAL 4-QUAD REGEN REVERSING DRIVE                                                                                                                   |
| <a href="#">Fa3-700</a>        |                                                                                                                                                        |
| <a href="#">Mq020n2n</a>       | TOTALLY ENCLOSED VECTOR DUTY AC BRAKE MOTORS (STANDARD DUTY), 1800 RPM BASE SPEED 20 HP, 1800 RPM AC BRAKE MOTOR, 460/230 VOLTS, 256T                  |
| <a href="#">Mm500b25</a>       | DC MOTORS, DRIPPROOF, 1750 RPM 500 HP, 1750 RPM, DC MOTOR DPG-FV, 500VDC ARM, 300VDC FIELD, C4412ATZ                                                   |
| <a href="#">Lm600</a>          | LINE REACTOR                                                                                                                                           |
| <a href="#">Odba-44250</a>     | 460 VOLTS AC UNITS INCLUDING DRIVE 25 / 30 HP 39 / 46 AMP 40" X 32" X 12"                                                                              |
| <a href="#">Powerpl185/405</a> | 2-QUADRANT, NON-REVERSING DC DRIVES 250 HP 125 HP 405 AMPS 32 AMPS                                                                                     |
| <a href="#">Dit275**</a>       | 275KVA DRIVE ISO TRANSFMR AL (250HP)                                                                                                                   |
| <a href="#">Dw215-05</a>       |                                                                                                                                                        |
| <a href="#">Chs500v60a</a>     |                                                                                                                                                        |
| <a href="#">417077-65</a>      |                                                                                                                                                        |
| <a href="#">Dw210-20</a>       |                                                                                                                                                        |
| <a href="#">Co102950</a>       |                                                                                                                                                        |



|                                 |                                                                                                                                   |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">SI</a>              |                                                                                                                                   |
| <a href="#">Odp-25010-U5-I</a>  | SENSORLESS VECTOR I55 PHASE INPUT, 500/600V, 3-PHASE OUTPUT BASIC KEYS DISPLAY                                                    |
| <a href="#">PI50p</a>           | OPEN PANEL PL DIGITAL SYSTEMS DRIVE                                                                                               |
| <a href="#">Odp-12020-U5</a>    |                                                                                                                                   |
| <a href="#">SI40/99</a>         | 3-PHASE, DC CHASSIS DRIVES 60HP, 3-PH SYSTEMS DRIVE                                                                               |
| <a href="#">Bs-0.6a</a>         |                                                                                                                                   |
| <a href="#">Mq025s2f</a>        | DRIPPROOF RIGID BASE INVERTER DUTY AC MOTORS, 1800 RPM BASE SPEED 25 HP, 1800 RPM AC MOTOR, DPG, VT/2:1CT, 460/230 VOLTS, 284T    |
| <a href="#">Fr3h270</a>         | CE LINE FILTER, 3PH                                                                                                               |
| <a href="#">Mq001f2c</a>        |                                                                                                                                   |
| <a href="#">Mq250f2k</a>        | TOTALLY ENCLOSED VECTOR DUTY AC MOTORS, 1800 RPM BASE SPEED 250 HP, 1800 RPM AC MOTOR, 460 VOLTS, 449T, 2000:1 CONSTANT TORQUE    |
| <a href="#">3200i/48p</a>       | NON-REV. OPEN PANEL DRIVE                                                                                                         |
| <a href="#">Powerpl15/36</a>    | 2-QUADRANT, NON-REVERSING DC DRIVES 20 HP 10 HP 36 AMPS 5(8) AMPS                                                                 |
| <a href="#">Odp-25030-U5</a>    | REQUIRES EXT. LINE CHOKE (CO502268) 3 HP @ 575V 4.1 AMPS                                                                          |
| <a href="#">Dw213-45</a>        |                                                                                                                                   |
| <a href="#">Powersle14/34</a>   | 3-PHASE, DC OEM DRIVES 20(10)HP, OEM POWER DRIVE                                                                                  |
| <a href="#">Odp-25075-U5-Is</a> | SENSORLESS VECTOR I55 PHASE INPUT, 500/600V, 3-PHASE OUTPUT                                                                       |
| <a href="#">200xlv</a>          |                                                                                                                                   |
| <a href="#">Sle14/34</a>        | 3-PHASE, DC CHASSIS DRIVES 20(10)HP, 3-PH OEM MINI DRIVE                                                                          |
| <a href="#">Dw120</a>           |                                                                                                                                   |
| <a href="#">Dw110</a>           |                                                                                                                                   |
| <a href="#">Mq300f2k</a>        | TOTALLY ENCLOSED VECTOR DUTY AC MOTORS, 1800 RPM BASE SPEED 300 HP, 1800 RPM AC MOTOR, 460 VOLTS, 449T, 2000:1 CONSTANT TORQUE    |
| <a href="#">Slx145/330</a>      | 3-PHASE, DC CHASSIS DRIVES 200(100)HP, 3PH 4-Q REGEN DRIVE                                                                        |
| <a href="#">Mq025f2k</a>        | TOTALLY ENCLOSED VECTOR DUTY AC MOTORS, 1800 RPM BASE SPEED 25 HP, 1800 RPM AC MOTOR, 460/230 VOLTS, 284T, 2000:1 CONSTANT TORQUE |
| <a href="#">Ode-14020-U5-I</a>  |                                                                                                                                   |

|                                  |                                                                                                                                                              |
|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">3600xri/36ll</a>     | SINGLE PHASE, DC REGENERATIVE DRIVES 8(5)HP,<br>240/415VAC, 180/320VDC                                                                                       |
| <a href="#">PI50/123</a>         | 2-QUADRANT, NON-REVERSING DC DRIVES 75 HP 35 HP 123<br>AMPS 5(8) AMPS                                                                                        |
| <a href="#">Chs500v40a</a>       |                                                                                                                                                              |
| <a href="#">Odp-24050-U5-Is</a>  | SENSORLESS VECTOR I55 PHASE INPUT, 380/460V, 3-PHASE<br>OUTPUT                                                                                               |
| <a href="#">Mq002x2q</a>         | 2 HP, 1800 RPM, EXP AC MOTOR, 460/230 VOLTS, 145T                                                                                                            |
| <a href="#">Ode1-12100-U5</a>    |                                                                                                                                                              |
| <a href="#">Od-Prodb-U5</a>      | 9 PIN D TYPE)                                                                                                                                                |
| <a href="#">PI65e</a>            | ENCLOSED PL DIGITAL DRIVE                                                                                                                                    |
| <a href="#">Dw180-20</a>         | INDUSTRIAL ETHERNET SWITCHES 5 RJ45 PORTS,<br>10/100BASETX, DIN MT, 10-30VDC, RT REDUNDANT RING                                                              |
| <a href="#">Mq0.5f2h</a>         |                                                                                                                                                              |
| <a href="#">PI225p</a>           | OPEN PANEL PL DIGITAL SYSTEMS DRIVE                                                                                                                          |
| <a href="#">Mq060f2h</a>         | TOTALLY ENCLOSED, RIGID BASE INVERTER AC DUTY<br>MOTORS 60 HP, 1800 RPM AC MOTOR, 460/230 VOLTS, 364T,<br>10:1 CONSTANT TORQUE                               |
| <a href="#">Mq005f2m</a>         | TOTALLY ENCLOSED, SEVERE DUTY, PREMIUM EFFICIENCY,<br>INVERTER RATED AC MOTORS 5 HP, 1800 RPM, SD PE TE AC<br>MOTOR, 460/230 VOLTS, 184T, 10:1 CONSTANT TORQ |
| <a href="#">Ode-14010-U5</a>     |                                                                                                                                                              |
| <a href="#">Mq125f2k</a>         | TOTALLY ENCLOSED VECTOR DUTY AC MOTORS, 1800 RPM<br>BASE SPEED 125 HP, 1800 RPM AC MOTOR, 460 VOLTS, 444T,<br>2000:1 CONSTANT TORQUE                         |
| <a href="#">Mq005f2h</a>         |                                                                                                                                                              |
| <a href="#">Ode2-34100-3h04#</a> | INDUSTRIAL NEMA 12 / IP55 DRIVES 3, 460V 3, 460V 10HP<br>18 AMPS SIZE 3                                                                                      |
| <a href="#">Chs500v125a</a>      |                                                                                                                                                              |
| <a href="#">Mq010x2q</a>         | 10 HP, 1800 RPM, EXP AC MOTOR, 460/230 VOLTS, 254T                                                                                                           |
| <a href="#">Odp-34200-U5</a>     | 380/480V, 3 PH IN (1-PH 50% DERATING), 380/460V, 3-PH<br>OUT FILTER, DC CHOKES, BRAKE TRANSISTOR 20 HP @ 460V<br>29.5 (NOT UL) AMPS                          |
| <a href="#">Dit175**</a>         | 175KVA DRIVE ISO TRANSFMR AL (150HP)                                                                                                                         |
| <a href="#">Odp-25020-U5</a>     |                                                                                                                                                              |
| <a href="#">Powerplx600h</a>     | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 600 HP<br>300 HP 960 AMP 32 AMP                                                                                 |

|                                 |                                                                                                                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Lm375*</a>          | LINE REACTOR*                                                                                                                                         |
| <a href="#">Plx225p</a>         | OPEN PANEL PLX DIGITAL REGEN DRIVE                                                                                                                    |
| <a href="#">Odp-64200-Us</a>    | 380/480V, 3 PH IN (1-PH 50% DERATING), 380/460V, 3-PH OUT FILTER, EXTERNAL LINE CHOKES, BRAKE TRANSISTOR 200 HP @ 460V 240 AMPS                       |
| <a href="#">Slx85/205</a>       | 3-PHASE, DC CHASSIS DRIVES 125(60)HP, 3PH 4-Q REGEN DRIVE                                                                                             |
| <a href="#">Lm480</a>           | LINE REACTOR                                                                                                                                          |
| <a href="#">Mq060s2f</a>        | DRIPPROOF RIGID BASE INVERTER DUTY AC MOTORS, 1800 RPM BASE SPEED 60 HP, 1800 RPM AC MOTOR, DPG, VT/2:1CT, 460/230 VOLTS, 364T                        |
| <a href="#">1600imp005</a>      |                                                                                                                                                       |
| <a href="#">Odv-44600-Us</a>    | 380/480V, 3 PH IN, 380/460V, 3-PH OUT FILTER, LINE CHOKES, BRAKE TRANSISTOR 60 HP 88 AMPS                                                             |
| <a href="#">Rj501183</a>        | ENCODER, HS-35, BI-DIRECTIONAL, 1024PPR, 24VDC                                                                                                        |
| <a href="#">Ode-22030-Us-Is</a> |                                                                                                                                                       |
| <a href="#">Plx40e</a>          | ENCLOSED PLX DIGITAL 4-Q REGEN DRIVE                                                                                                                  |
| <a href="#">SI65/164</a>        | 3-PHASE, DC CHASSIS DRIVES 100(50)HP, 3-PH SYSTEMS DRIVE                                                                                              |
| <a href="#">Mq125f2m</a>        | TOTALLY ENCLOSED, SEVERE DUTY, PREMIUM EFFICIENCY, INVERTER RATED AC MOTORS 125 HP, 1800 RPM, SD PE TE AC MOTOR, 460 VOLTS, 444T, 2:1 CONSTANT TORQUE |
| <a href="#">Odp-25075-Us-I</a>  | SENSORLESS VECTOR I55 PHASE INPUT, 500/600V, 3-PHASE OUTPUT BASIC KEYS DISPLAY                                                                        |
| <a href="#">Sle44p</a>          | OPEN PANEL SLE-SERIES MINI OEM DRIVE                                                                                                                  |
| <a href="#">PI185/430</a>       | 2-QUADRANT, NON-REVERSING DC DRIVES 250 HP 125 HP 405 AMPS 32 AMPS                                                                                    |
| <a href="#">Plx20</a>           | DIGITAL 4-QUAD REGEN REVERSING DRIVE                                                                                                                  |
| <a href="#">400erb</a>          | SINGLE PHASE, ENCLOSED DC DRIVES ENCLOSED 0.75(0.4)HP, REV. DRIVE + BRK                                                                               |
| <a href="#">Cb2-20</a>          |                                                                                                                                                       |
| <a href="#">Cb2-15</a>          |                                                                                                                                                       |
| <a href="#">Dw117</a>           |                                                                                                                                                       |
| <a href="#">Sle14</a>           | 3-PHASE MINI OEM DRIVE                                                                                                                                |
| <a href="#">Fa2-30</a>          |                                                                                                                                                       |
|                                 | TOTALLY ENCLOSED VECTOR DUTY AC MOTORS, 1800 RPM                                                                                                      |

|                                 |                                                                                                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Mq150f2k</a>        | BASE SPEED 150 HP, 1800 RPM AC MOTOR, 460 VOLTS, 445T, 2000:1 CONSTANT TORQUE                                                         |
| <a href="#">Mq003f2h</a>        |                                                                                                                                       |
| <a href="#">Odba-34075</a>      | 460 VOLTS AC UNITS INCLUDING DRIVE 7.5 / 10 HP 14 / 18 AMP 32" X 24" X 10"                                                            |
| <a href="#">Od-Devnet-Us</a>    | 9 PIN D TYPE)                                                                                                                         |
| <a href="#">Odv-44250-Us</a>    | 380/480V, 3 PH IN, 380/460V, 3-PH OUT FILTER, LINE CHOKES, BRAKE TRANSISTOR 25 HP 39 AMPS                                             |
| <a href="#">Mm005b25</a>        | DC MOTORS, DRIPPROOF, 1750 RPM 5 HP, 1750 RPM, DC MOTOR DPG, 500VDC ARM, 300VDC FIELD, C1811ATZ                                       |
| <a href="#">Mq015n2n</a>        | TOTALLY ENCLOSED VECTOR DUTY AC BRAKE MOTORS (STANDARD DUTY), 1800 RPM BASE SPEED 15 HP, 1800 RPM AC BRAKE MOTOR, 460/230 VOLTS, 254T |
| <a href="#">Mm030b25</a>        | DC MOTORS, DRIPPROOF, 1750 RPM 30 HP, 1750 RPM, DC MOTOR DPG-FV, 500VDC ARM, 300VDC FIELD, LC2113ATZ                                  |
| <a href="#">PowersI15/36</a>    | 3-PHASE, DC SYSTEM DRIVES 20(10)HP, SYSTEMS POWER DRIVE                                                                               |
| <a href="#">F3-350</a>          |                                                                                                                                       |
| <a href="#">Odp-62100-Us</a>    | 220/240V, 3-PH IN (1-PH 50% DERATING), 230V, 3-PH OUT FILTER, EXTERNAL LINE CHOKES, BRAKE TRANSISTOR 100 HP 300 AMPS                  |
| <a href="#">Fa3-40</a>          |                                                                                                                                       |
| <a href="#">Dw210-30</a>        |                                                                                                                                       |
| <a href="#">PI40/99</a>         | 2-QUADRANT, NON-REVERSING DC DRIVES 60 HP 25 HP 99 AMPS 5(8) AMPS                                                                     |
| <a href="#">Dw215-10</a>        |                                                                                                                                       |
| <a href="#">Odp-25050-Us-Is</a> | SENSORLESS VECTOR I55 PHASE INPUT, 500/600V, 3-PHASE OUTPUT                                                                           |
| <a href="#">Odba-44400</a>      | 460 VOLTS AC UNITS INCLUDING DRIVE 40 / 50 HP 61 / 72 AMP 40" X 32" X 12"                                                             |
| <a href="#">Mq.13n2c</a>        |                                                                                                                                       |
| <a href="#">Dit145**</a>        | 145KVA DRIVE ISO TRANSFMR AL (125HP)                                                                                                  |
| <a href="#">Od-32050-Us</a>     | 220/240V, 3-PH IN (1-PH 50% DERATING), 230V, 3-PH OUT BRAKE TRANSISTOR 5 HP 18 AMP 7.5 HP 24 AMP                                      |
| <a href="#">B015</a>            |                                                                                                                                       |
| <a href="#">F3-700</a>          | HIGH SPEED SEMICONDUCTOR FUSE KITS (WITH HOLDERS) 700 AMPS, 500V, HIGH SPEED LINE FUSES HOLDERS FOR 3-PHASE DRIVES                    |
| <a href="#">Fln-20</a>          |                                                                                                                                       |

|                                  |                                                                                                                                                       |
|----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Odp-25010-Us</a>     |                                                                                                                                                       |
| <a href="#">Option-Rtx</a>       |                                                                                                                                                       |
| <a href="#">3200i/32c109</a>     | SINGLE PHASE, DC SYSTEMS DRIVES 8(5)HP, 230/460VAC, 180/360VDC                                                                                        |
| <a href="#">La100632</a>         |                                                                                                                                                       |
| <a href="#">Mq200f2k</a>         | TOTALLY ENCLOSED VECTOR DUTY AC MOTORS, 1800 RPM BASE SPEED 200 HP, 1800 RPM AC MOTOR, 460 VOLTS, 445T, 2000:1 CONSTANT TORQUE                        |
| <a href="#">Mq250s2f</a>         | DRIPPROOF RIGID BASE INVERTER DUTY AC MOTORS, 1800 RPM BASE SPEED 250 HP, 1800 RPM AC MOTOR, DPG, VT/2:1CT, 460 VOLTS, 445T                           |
| <a href="#">F3-175</a>           |                                                                                                                                                       |
| <a href="#">Odp-24030-Us-Is</a>  | SENSORLESS VECTOR I55 PHASE INPUT, 380/460V, 3-PHASE OUTPUT                                                                                           |
| <a href="#">Powerplx700hl</a>    | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 700 HP 350 HP 1140 AMP 32 AMP                                                                            |
| <a href="#">FII-20</a>           |                                                                                                                                                       |
| <a href="#">Powerplx800h</a>     | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 800 HP 400 HP 1280 AMP 32 AMP                                                                            |
| <a href="#">Powerpl20/51</a>     | 2-QUADRANT, NON-REVERSING DC DRIVES 30 HP 10 HP 51 AMPS 5(8) AMPS                                                                                     |
| <a href="#">Dit550**</a>         | 550KVA DRIVE ISO TRANSFMR AL (500HP)                                                                                                                  |
| <a href="#">Odv-24020-Us</a>     |                                                                                                                                                       |
| <a href="#">Ode2-32050-3h042</a> | INDUSTRIAL IP20 DRIVES 3, 230V 3, 230V 5HP 18 AMPS SIZE 3                                                                                             |
| <a href="#">K340xri</a>          | SINGLE PHASE, OEM DC DRIVES 0.5 (0.25)HP ISO REGEN 1-PH DC DRIVE                                                                                      |
| <a href="#">Odp-45400-Us</a>     | 500/600V, 3 PH IN, 500/600V, 3-PH OUT FILTER, LINE CHOKES, BRAKE TRANSISTOR 40 HP @ 575V 46 AMPS                                                      |
| <a href="#">Rj501720</a>         | PY TACH, 50 VOLTS/1000RPM                                                                                                                             |
| <a href="#">Mq005n2n</a>         | TOTALLY ENCLOSED VECTOR DUTY AC BRAKE MOTORS (STANDARD DUTY), 1800 RPM BASE SPEED 5 HP, 1800 RPM AC BRAKE MOTOR, 460/230 VOLTS, 184T                  |
| <a href="#">SI85/205</a>         | 3-PHASE, DC CHASSIS DRIVES 125(60)HP, 3-PH SYSTEMS DRIVE                                                                                              |
| <a href="#">Mq040f2m</a>         | TOTALLY ENCLOSED, SEVERE DUTY, PREMIUM EFFICIENCY, INVERTER RATED AC MOTORS 40 HP, 1800 RPM, SD PE TE AC MOTOR, 460 VOLTS, 324T, 10:1 CONSTANT TORQUE |
|                                  |                                                                                                                                                       |

|                                 |                                                                                                                                                        |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Db501906</a>        | AC CONTACTOR (3-NO)                                                                                                                                    |
| <a href="#">Odv-34075-Us</a>    | 380/480V, 3 PH IN, 380/460V, 3-PH OUT FILTER, BRAKE TRANSISTOR 7.5 HP 14 AMPS                                                                          |
| <a href="#">Odv-32050-Us</a>    | 220/240V, 3-PH IN (1-PH 50% DERATING), 230V, 3-PH OUT FILTER, DC CHOKE, BRAKE TRANSISTOR 5 HP 18 AMPS                                                  |
| <a href="#">Dw210-11</a>        |                                                                                                                                                        |
| <a href="#">Odv-64200-Us</a>    | 380/480V, 3 PH IN, 380/460V, 3-PH OUT FILTER, EXTERNAL LINE CHOKES, BRAKE TRANSISTOR 200 HP 240 AMPS                                                   |
| <a href="#">3200imp015</a>      | SINGLE PHASE, DC FIELD CONTROLLERS 32A UP TO 230/460VAC, 200/400 VDC                                                                                   |
| <a href="#">Powerplx1250hl</a>  | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 1250 HP 600 HP 2000 AMP 32 AMP                                                                            |
| <a href="#">Mm060b25</a>        | DC MOTORS, DRIPPROOF, 1750 RPM 60 HP, 1750 RPM, DC MOTOR DPG-FV, 500VDC ARM, 300VDC FIELD, LC2512ATZ                                                   |
| <a href="#">Plx185/405</a>      | DIGITAL 4-QUAD REGEN REVERSING DRIVE                                                                                                                   |
| <a href="#">Dw216-06</a>        |                                                                                                                                                        |
| <a href="#">Ode-11005-Us</a>    |                                                                                                                                                        |
| <a href="#">Pl115p</a>          | OPEN PANEL PL DIGITAL SYSTEMS DRIVE                                                                                                                    |
| <a href="#">Plx115e</a>         | ENCLOSED PLX DIGITAL 4-Q REGEN DRIVE                                                                                                                   |
| <a href="#">Mq010f2c</a>        | TOTALLY ENCLOSED INVERTER DUTY AC MOTORS, 1800 RPM BASE SPEED, C-FACE WITH RIGID BASE 10 HP, 1800 RPM AC MOTOR, TEFC20:1 CONSTANT TORQUE 460/230V, 215 |
| <a href="#">Odp-35100-Us</a>    | 500/600V, 3 PH IN, 500/600V, 3-PH OUT FILTER, DC CHOKES, BRAKE TRANSISTOR 10 HP @ 575V 14 AMPS                                                         |
| <a href="#">Mq0.5n2c</a>        |                                                                                                                                                        |
| <a href="#">Pl65p</a>           | OPEN PANEL PL DIGITAL SYSTEMS DRIVE                                                                                                                    |
| <a href="#">Rj501337</a>        | ENCODER BI-DIRECTIONAL 2048PPR, PY MT.                                                                                                                 |
| <a href="#">Plx15/36</a>        | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 20 HP 10 HP 36 AMPSAMPS                                                                                   |
| <a href="#">Mq1.5n2l</a>        |                                                                                                                                                        |
| <a href="#">Sp1070s</a>         |                                                                                                                                                        |
| <a href="#">Dw216-16</a>        |                                                                                                                                                        |
| <a href="#">Lm195*</a>          |                                                                                                                                                        |
| <a href="#">Ode-14010-Us-Is</a> |                                                                                                                                                        |
| <a href="#">Pl65</a>            | DIGITAL REGEN NON-REVERSING DRIVE                                                                                                                      |

|                                     |                                                                                                                                         |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Odv-42200-Us</a>        | 220/240V, 3-PH IN (1-PH 50% DERATING), 230V, 3-PH OUT<br>FILTER, LINE CHOKES, BRAKE TRANSISTOR 20 HP 61 AMPS                            |
| <a href="#">Powersl50/122</a>       | DC DRIVE ANALOG NON-REVERSING 3PH 460/230VAC BUILT<br>IN FUSE/CONTACTOR                                                                 |
| <a href="#">3200i/32p</a>           | NON-REV. OPEN PANEL DRIVE                                                                                                               |
| <a href="#">Odp-12005-Us</a>        |                                                                                                                                         |
| <a href="#">Od-34075-Us</a>         | 380/480V, 3 PH IN (1-PH 50% DERATING), 380/460V, 3-PH<br>OUT BRAKE TRANSISTOR 7.5 HP 14 AMP 10 HP 18 AMP                                |
| <a href="#">Mq003n2l</a>            | TOTALLY ENCLOSED VECTOR DUTY AC MOTORS, 1800 RPM<br>BASE SPEED 3 HP, 1800 RPM AC MOTOR, 460/230 VOLTS,<br>182TC, 1000:1 CONSTANT TORQUE |
| <a href="#">Db501908</a>            | AC CONTACTOR (3-NO)                                                                                                                     |
| <a href="#">Powerpl1750h</a>        | 2-QUADRANT, NON-REVERSING DC DRIVES 1750 HP 800 HP<br>2800 AMP 32 AMP                                                                   |
| <a href="#">Odv-54750-Us</a>        | 380/480V, 3 PH IN, 380/460V, 3-PH OUT FILTER, LINE<br>CHOKES, BRAKE TRANSISTOR 75 HP 110 AMPS                                           |
| <a href="#">Ode2-24050-3h04#</a>    | INDUSTRIAL NEMA 12 / IP55 DRIVES 3, 460V 3, 460V 5HP 9.5<br>AMPS SIZE 2                                                                 |
| <a href="#">Powerpl1000hl</a>       | 2-QUADRANT, NON-REVERSING DC DRIVES 1000 HP 500 HP<br>1600 AMP 32 AMP                                                                   |
| <a href="#">Dw215-45</a>            |                                                                                                                                         |
| <a href="#">PI50</a>                | DIGITAL REGEN NON-REVERSING DRIVE                                                                                                       |
| <a href="#">Ode2-22015-1h04#-01</a> | E2 SINGLE PHASE NEMA 12 / IP55 DRIVES 1, 230V 1, 230V<br>1.5HP 10.5 AMPS SIZE 2                                                         |
| <a href="#">Ode2-24050-3h042</a>    |                                                                                                                                         |
| <a href="#">3600xri/36p</a>         | REGEN OPEN PANEL DRIVE                                                                                                                  |
| <a href="#">Powerpl900hl</a>        | 2-QUADRANT, NON-REVERSING DC DRIVES 900 HP 450 HP<br>1440 AMP 32 AMP                                                                    |
| <a href="#">Mq001f2h</a>            |                                                                                                                                         |
| <a href="#">F3-450</a>              |                                                                                                                                         |
| <a href="#">Fa3-125</a>             |                                                                                                                                         |
| <a href="#">Ode-24030-Us-I</a>      |                                                                                                                                         |
| <a href="#">Plx145p</a>             | OPEN PANEL PLX DIGITAL REGEN DRIVE                                                                                                      |
| <a href="#">Dw210-46</a>            |                                                                                                                                         |
| <a href="#">Odp-25030-Us-I</a>      | SENSORLESS VECTOR I55 PHASE INPUT, 500/600V, 3-PHASE<br>OUTPUT BASIC KEYS DISPLAY                                                       |

|                                |                                                                                                                                                        |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Powersl40/99</a>   | 3-PHASE, DC SYSTEM DRIVES 60(25)HP, SYSTEMS POWER DRIVE                                                                                                |
| <a href="#">Powerplx500hl</a>  | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 500 HP 250 HP 800 AMP 32 AMP                                                                              |
| <a href="#">Powerpl65/164</a>  | 2-QUADRANT, NON-REVERSING DC DRIVES 100 HP 50 HP 164 AMPS 10(16) AMPS                                                                                  |
| <a href="#">Tcs03001811001</a> | TOUCH SCREEN                                                                                                                                           |
| <a href="#">Cb2-10</a>         |                                                                                                                                                        |
| <a href="#">Chs500v35a</a>     |                                                                                                                                                        |
| <a href="#">Sp1061d</a>        |                                                                                                                                                        |
| <a href="#">Mm400b25</a>       | DC MOTORS, DRIPPROOF, 1750 RPM 400 HP, 1750 RPM, DC MOTOR DPG-FV, 500VDC ARM, 300VDC FIELD, MC4013ATZ                                                  |
| <a href="#">Dit3**</a>         | 3KVA DRIVE ISO. TRANSFORMER CU (2HP)                                                                                                                   |
| <a href="#">Odp-54600-U</a>    | 380/480V, 3 PH IN (1-PH 50% DERATING), 380/460V, 3-PH OUT FILTER, LINE CHOKES, BRAKE TRANSISTOR 60 HP @ 460V 88 AMPS                                   |
| <a href="#">Plx50</a>          | DIGITAL 4-QUAD REGEN REVERSING DRIVE                                                                                                                   |
| <a href="#">Powerpl1500h</a>   | 2-QUADRANT, NON-REVERSING DC DRIVES 1500 HP 750 HP 2400 AMP 32 AMP                                                                                     |
| <a href="#">Powerslx40/99</a>  | 3-PHASE, DC SYSTEM DRIVES 60(25)HP, 4-Q REGEN POWER DRIVE                                                                                              |
| <a href="#">Plx225e</a>        | ENCLOSED PLX DIGITAL 4-Q REGEN DRIVE                                                                                                                   |
| <a href="#">Mq150f2m</a>       | TOTALLY ENCLOSED, SEVERE DUTY, PREMIUM EFFICIENCY, INVERTER RATED AC MOTORS 150 HP, 1800 RPM, SD PE TE AC MOTOR, 460 VOLTS, 445T, 2:1 CONSTANT TORQUE  |
| <a href="#">Mq7.5f2m</a>       | TOTALLY ENCLOSED, SEVERE DUTY, PREMIUM EFFICIENCY, INVERTER RATED AC MOTORS 7.5 HP, 1800 RPM, SD PE TE AC MOTOR, 460/230 VOLTS, 213T, 10:1 CONSTANT TO |
| <a href="#">Od-21010-U</a>     |                                                                                                                                                        |
| <a href="#">Odv-42100-U</a>    | 220/240V, 3-PH IN (1-PH 50% DERATING), 230V, 3-PH OUT FILTER, LINE CHOKES, BRAKE TRANSISTOR 10 HP 39 AMPS                                              |
| <a href="#">Potkit</a>         |                                                                                                                                                        |
| <a href="#">Mq060f2k</a>       | TOTALLY ENCLOSED VECTOR DUTY AC MOTORS, 1800 RPM BASE SPEED 60 HP, 1800 RPM AC MOTOR, 460/230 VOLTS, 364T, 2000:1 CONSTANT TORQUE                      |
| <a href="#">3600xri/32</a>     |                                                                                                                                                        |
| <a href="#">Dit75**</a>        | 75KVA DRIVE ISO. TRANSFMR AL (60HP)                                                                                                                    |
| <a href="#">Me021d54</a>       | DRIVE 3PH 27AMP440-500V 50/60HZ INPUT                                                                                                                  |



|                                  |                                                                                                                              |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Odba-42100</a>       | 230 VOLTS AC UNITS INCLUDING DRIVE 10 / 15 HP 39 / 46 AMP 40" X 32" X 12"                                                    |
| <a href="#">Ode2-32050-3h04#</a> | INDUSTRIAL NEMA 12 / IP55 DRIVES 3, 230V 3, 230V 5HP 18 AMPS SIZE 3                                                          |
| <a href="#">Odp-12005-Us-I</a>   |                                                                                                                              |
| <a href="#">Chs250v10a</a>       |                                                                                                                              |
| <a href="#">Mq075f2h</a>         | TOTALLY ENCLOSED, RIGID BASE INVERTER AC DUTY MOTORS 75 HP, 1800 RPM AC MOTOR, 460/230 VOLTS, 365T, 10:1 CONSTANT TORQUE     |
| <a href="#">1600it</a>           |                                                                                                                              |
| <a href="#">PI185/405</a>        | DRIVE DIGITAL 125HP AT 240V 250HP AT 480V NON-REV                                                                            |
| <a href="#">Mq003x2q</a>         | 3 HP, 1800 RPM, EXP AC MOTOR, 460/230 VOLTS, 182T                                                                            |
| <a href="#">370</a>              |                                                                                                                              |
| <a href="#">Dw180-21</a>         | INDUSTRIAL ETHERNET SWITCHES 8 RJ45 PORTS, 10/100BASETX, DIN MT, 10-30VDC, RT REDUNDANT RING                                 |
| <a href="#">PI265/630</a>        | DIGITAL REGEN NON-REVERSING DRIVE                                                                                            |
| <a href="#">Mq400s2f</a>         | DRIPPROOF RIGID BASE INVERTER DUTY AC MOTORS, 1800 RPM BASE SPEED 400 HP, 1800 RPM AC MOTOR, DPG, VT/2:1CT, 460 VOLTS, 447TS |
| <a href="#">Opt-Logip-23</a>     |                                                                                                                              |
| <a href="#">Od-II263-Us-I55</a>  |                                                                                                                              |
| <a href="#">Odba-44500</a>       | 460 VOLTS AC UNITS INCLUDING DRIVE 50 / 60 HP 72 / 88 AMP 40" X 32" X 12"                                                    |
| <a href="#">Mq7.5x2q</a>         | 7.5 HP, 1800 RPM, EXP AC MOTOR, 460/230 VOLTS, 254T                                                                          |
| <a href="#">Odp-25030-Us-Is</a>  | SENSORLESS VECTOR I55 PHASE INPUT, 500/600V, 3-PHASE OUTPUT                                                                  |
| <a href="#">1200erb</a>          | SINGLE PHASE, ENCLOSED DC DRIVES ENCLOSED 2(1)HP, 1-PH REV. DRIVE + BRK                                                      |
| <a href="#">Slx50/122</a>        | 3-PHASE, DC CHASSIS DRIVES 75(35)HP, 3PH 4-Q REGEN DRIVE                                                                     |
| <a href="#">Odv-44300-Us</a>     | 380/480V, 3 PH IN, 380/460V, 3-PH OUT FILTER, LINE CHOKES, BRAKE TRANSISTOR 30 HP 46 AMPS                                    |
| <a href="#">Lm52*</a>            |                                                                                                                              |
| <a href="#">Lm750</a>            | LINE REACTOR, UP TO 500 HP                                                                                                   |
| <a href="#">Od-34150-Us</a>      | 380/480V, 3 PH IN (1-PH 50% DERATING), 380/460V, 3-PH OUT BRAKE TRANSISTOR 15 HP 24 AMP 20 HP 29.5 * AMP                     |
|                                  |                                                                                                                              |

|                                     |                                                                                                           |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <a href="#">Me18</a>                |                                                                                                           |
| <a href="#">Plx185p</a>             | OPEN PANEL PLX DIGITAL REGEN DRIVE                                                                        |
| <a href="#">Ode2-12005-1h012-01</a> |                                                                                                           |
| <a href="#">Odv-54150-Us</a>        | 380/480V, 3 PH IN, 380/460V, 3-PH OUT FILTER, LINE CHOKES, BRAKE TRANSISTOR 150 HP 180 AMPS               |
| <a href="#">Plx40/99</a>            | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 60 HP 25 HP 99 AMPS 5(8) AMPS                                |
| <a href="#">Ode-24050-Us-Is</a>     | GENERAL PURPOSE VFD I55 PHASE INPUT, 380/460V, 3-PHASE OUTPUT                                             |
| <a href="#">PI20</a>                | DIGITAL REGEN NON-REVERSING DRIVE                                                                         |
| <a href="#">Odp-45600-Us</a>        | 500/600V, 3 PH IN, 500/600V, 3-PH OUT FILTER, LINE CHOKES, BRAKE TRANSISTOR 60 HP @ 575V 62 AMPS          |
| <a href="#">PI15</a>                | DIGITAL REGEN NON-REVERSING DRIVE                                                                         |
| <a href="#">Odp-24030-Us-I</a>      | SENSORLESS VECTOR I55 PHASE INPUT, 380/460V, 3-PHASE OUTPUT BASIC KEYS DISPLAY                            |
| <a href="#">Od-24020-Us</a>         |                                                                                                           |
| <a href="#">K680</a>                |                                                                                                           |
| <a href="#">PI145p</a>              | OPEN PANEL PL DIGITAL SYSTEMS DRIVE                                                                       |
| <a href="#">Fr3l48</a>              | CE LINE FILTER, 3PH                                                                                       |
| <a href="#">Ode-14010-Us-I</a>      |                                                                                                           |
| <a href="#">Powerpl600hl</a>        | 2-QUADRANT, NON-REVERSING DC DRIVES 600 HP 300 HP 960 AMP 32 AMP                                          |
| <a href="#">Dw210-19</a>            |                                                                                                           |
| <a href="#">Odp-42100-Us</a>        | 220/240V, 3-PH IN (1-PH 50% DERATING), 230V, 3-PH OUT FILTER, LINE CHOKES, BRAKE TRANSISTOR 10 HP 39 AMPS |
| <a href="#">Dit63**</a>             | 63KVA DRIVE ISO. TRANSFMR AL (50HP)                                                                       |
| <a href="#">Mp.33f28nc</a>          |                                                                                                           |
| <a href="#">3600xri/32e</a>         | REGEN REV ENCLOSED DRIVE                                                                                  |
| <a href="#">Plx50p</a>              | OPEN PANEL PLX DIGITAL REGEN DRIVE                                                                        |
| <a href="#">Powerpl800hl</a>        | 2-QUADRANT, NON-REVERSING DC DRIVES 800 HP 400 HP 1280 AMP 32 AMP                                         |
| <a href="#">Ode2-34100-3h042</a>    | INDUSTRIAL IP20 DRIVES 3, 460V 3, 460V 10HP 18 AMPS SIZE 3                                                |
| <a href="#">PI20p</a>               | OPEN PANEL PL DIGITAL SYSTEMS DRIVE                                                                       |
| <a href="#">Odv-42250-Us</a>        | 220/240V, 3-PH IN (1-PH 50% DERATING), 230V, 3-PH OUT FILTER, LINE CHOKES, BRAKE TRANSISTOR 25 HP 72 AMPS |

|                                  |                                                                                                                                                              |
|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Plx40p</a>           | OPEN PANEL PLX DIGITAL REGEN DRIVE                                                                                                                           |
| <a href="#">Plx85/205</a>        | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 125 HP<br>60 HP 205 AMPS 10(16) AMPS                                                                            |
| <a href="#">1600ip</a>           | NON-REV. OPEN PANEL DRIVE                                                                                                                                    |
| <a href="#">Flnr-20</a>          |                                                                                                                                                              |
| <a href="#">Ode-21015-Us-I</a>   |                                                                                                                                                              |
| <a href="#">Ode-12005-Us-I</a>   |                                                                                                                                                              |
| <a href="#">Dw210-04</a>         |                                                                                                                                                              |
| <a href="#">Mq001n2n</a>         | TOTALLY ENCLOSED VECTOR DUTY AC BRAKE MOTORS<br>(STANDARD DUTY), 1800 RPM BASE SPEED 1 HP, 1800 RPM<br>AC BRAKE MOTOR, 460/230 VOLTS, 143T                   |
| <a href="#">Odp-12005-Us-Is</a>  |                                                                                                                                                              |
| <a href="#">Mq200s2f</a>         | DRIPPROOF RIGID BASE INVERTER DUTY AC MOTORS, 1800<br>RPM BASE SPEED 200 HP, 1800 RPM AC MOTOR, DPG,<br>VT/2:1CT, 460 VOLTS, 445T                            |
| <a href="#">Odp-24020-Us</a>     |                                                                                                                                                              |
| <a href="#">Mq100s2f</a>         | DRIPPROOF RIGID BASE INVERTER DUTY AC MOTORS, 1800<br>RPM BASE SPEED 100 HP, 1800 RPM AC MOTOR, DPG,<br>VT/2:1CT, 460/230 VOLTS, 404T                        |
| <a href="#">Mm250b25</a>         | DC MOTORS, DRIPPROOF, 1750 RPM 250 HP, 1750 RPM, DC<br>MOTOR DPG-FV, 500VDC ARM, 300VDC FIELD, ULC3612ATZ                                                    |
| <a href="#">Powersle34/82</a>    | 3-PHASE, DC OEM DRIVES 50(20)HP, OEM POWER DRIVE                                                                                                             |
| <a href="#">Mq200f2m</a>         | TOTALLY ENCLOSED, SEVERE DUTY, PREMIUM EFFICIENCY,<br>INVERTER RATED AC MOTORS 200 HP, 1800 RPM, SD PE TE<br>AC MOTOR, 460 VOLTS, 445TS, 2:1 CONSTANT TORQUE |
| <a href="#">Fa3-100</a>          |                                                                                                                                                              |
| <a href="#">Ode2-34150-3h042</a> | INDUSTRIAL IP20 DRIVES 3, 460V 3, 460V 15HP 24 AMPS<br>SIZE 3                                                                                                |
| <a href="#">Od-34100-Us</a>      | 380/480V, 3 PH IN (1-PH 50% DERATING), 380/460V, 3-PH<br>OUT BRAKE TRANSISTOR 10 HP 18 AMP 15 HP 24 AMP                                                      |
| <a href="#">Powerslx20/51</a>    | 3-PHASE, DC SYSTEM DRIVES 30(10)HP, 4-Q REGEN POWER<br>DRIVE                                                                                                 |
| <a href="#">Ode-24030-Us</a>     |                                                                                                                                                              |
| <a href="#">Mm300b25</a>         | DC MOTORS, DRIPPROOF, 1750 RPM 300 HP, 1750 RPM, DC<br>MOTOR DPG-FV, 500VDC ARM, 300VDC FIELD, LC3613ATZ                                                     |
| <a href="#">Odp-34150-Us</a>     | 380/480V, 3 PH IN (1-PH 50% DERATING), 380/460V, 3-PH<br>OUT FILTER, DC CHOKES, BRAKE TRANSISTOR 15 HP @ 460V<br>24 AMPS                                     |

|                                  |                                                                                                           |
|----------------------------------|-----------------------------------------------------------------------------------------------------------|
| <a href="#">Mm125b25</a>         | DC MOTORS, DRIPPROOF, 1750 RPM 125 HP, 1750 RPM, DC MOTOR DPG-FV, 500VDC ARM, 300VDC FIELD, C2813ATZ      |
| <a href="#">Ode-21015-Us</a>     |                                                                                                           |
| <a href="#">Dw216-46</a>         |                                                                                                           |
| <a href="#">Sl15/36</a>          | 3-PHASE, DC CHASSIS DRIVES 20(10)HP, 3-PH SYSTEMS DRIVE                                                   |
| <a href="#">Vapy-100</a>         | DC TACH, 100V/1000RPM, PY MOUNT                                                                           |
| <a href="#">Fa3-200</a>          |                                                                                                           |
| <a href="#">Mq001x2q</a>         | 1 HP, 1800 RPM, EXP AC MOTOR, 460/230 VOLTS, 143T                                                         |
| <a href="#">Powerslx15/36</a>    | 3-PHASE, DC SYSTEM DRIVES 20(10)HP, 4-Q REGEN POWER DRIVE                                                 |
| <a href="#">Pl225e</a>           | ENCLOSED PL DIGITAL DRIVE                                                                                 |
| <a href="#">Dw180-08</a>         |                                                                                                           |
| <a href="#">Lm18*</a>            |                                                                                                           |
| <a href="#">3200i/48e</a>        | NON-REV. ENCLOSED DRIVE                                                                                   |
| <a href="#">Mm7.5b25</a>         | DC MOTORS, DRIPPROOF, 1750 RPM 7.5 HP, 1750 RPM, DC MOTOR DPG, 500VDC ARM, 300VDC FIELD, C1811ATZ         |
| <a href="#">Mq015x2q</a>         | 15 HP, 1800 RPM, EXP AC MOTOR, 460/230 VOLTS, 254T                                                        |
| <a href="#">Dit27**</a>          | 27KVA DRIVE ISO. TRANSFMR AL (20HP)                                                                       |
| <a href="#">Powerplx700h</a>     | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 700 HP 350 HP 1140 AMP 32 AMP                                |
| <a href="#">Odp-22020-Us-Is</a>  | SENSORLESS VECTOR I55 220/240V, SINGLE PHASE INPUT, 230V, 3-PHASE OUTPUT                                  |
| <a href="#">3600xri/36</a>       | 4Q REGEN REVERSING DRIVE                                                                                  |
| <a href="#">Dw111</a>            |                                                                                                           |
| <a href="#">Odp-42250-Us</a>     | 220/240V, 3-PH IN (1-PH 50% DERATING), 230V, 3-PH OUT FILTER, LINE CHOKES, BRAKE TRANSISTOR 25 HP 72 AMPS |
| <a href="#">Odv-34100-Us</a>     | 380/480V, 3 PH IN, 380/460V, 3-PH OUT FILTER, DC CHOKE, BRAKE TRANSISTOR 10 HP 18 AMPS                    |
| <a href="#">Dw180-30</a>         |                                                                                                           |
| <a href="#">Ode2-12010-1h01#</a> |                                                                                                           |
| <a href="#">400ip</a>            | NON-REV. OPEN PANEL DRIVE                                                                                 |
| <a href="#">Pl85e</a>            | ENCLOSED PL DIGITAL DRIVE                                                                                 |
| <a href="#">Mq025f2m</a>         | TOTALLY ENCLOSED, SEVERE DUTY, PREMIUM EFFICIENCY, INVERTER RATED AC MOTORS 25 HP, 1800 RPM, SD PE TE AC  |

|                                  |                                                                                                                                                                                                               |
|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Mq010f2m</a>         | MOTOR, 460/230 VOLTS, 284T, 10:1 CONSTANT TOR<br>TOTALLY ENCLOSED, SEVERE DUTY, PREMIUM EFFICIENCY,<br>INVERTER RATED AC MOTORS 10 HP, 1800 RPM, SD PE TE AC<br>MOTOR, 460/230 VOLTS, 215T, 10:1 CONSTANT TOR |
| <a href="#">Od-485usb-Us</a>     |                                                                                                                                                                                                               |
| <a href="#">Powersle44/106</a>   | 3-PHASE, DC OEM DRIVES 60(30)HP, OEM POWER DRIVE                                                                                                                                                              |
| <a href="#">Od-12005-Us</a>      |                                                                                                                                                                                                               |
| <a href="#">Odba-44300</a>       | 460 VOLTS AC UNITS INCLUDING DRIVE 30 / 40 HP 46 / 61<br>AMP 40" X 32" X 12"                                                                                                                                  |
| <a href="#">Ode2-34075-3h042</a> | INDUSTRIAL IP20 DRIVES 3, 460V 3, 460V 7.5HP 14 AMPS<br>SIZE 3                                                                                                                                                |
| <a href="#">417077-124</a>       |                                                                                                                                                                                                               |
| <a href="#">Plx65164</a>         | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 100 HP<br>50 HP 164 AMPS 10(16) AMPS                                                                                                                             |
| <a href="#">Sle34/82</a>         | 3-PHASE, DC CHASSIS DRIVES 50(20)HP, 3-PH OEM MINI<br>DRIVE                                                                                                                                                   |
| <a href="#">Powerpl900h</a>      | 2-QUADRANT, NON-REVERSING DC DRIVES 900 HP 450 HP<br>1440 AMP 32 AMP                                                                                                                                          |
| <a href="#">Ode2-34075-3h04#</a> | INDUSTRIAL NEMA 12 / IP55 DRIVES 3, 460V 3, 460V 7.5HP<br>14 AMPS SIZE 3                                                                                                                                      |
| <a href="#">Me022d54</a>         |                                                                                                                                                                                                               |
| <a href="#">Plx50e</a>           | ENCLOSED PLX DIGITAL 4-Q REGEN DRIVE                                                                                                                                                                          |
| <a href="#">Mp002f21nc</a>       | DC MOTORS, TOTALLY ENCLOSED, 1750 RPM, 180VDC<br>ARMATURE 2 HP, 1750RPM, 180VDC, PM DC MOTOR,<br>182/145TC WITH REMOVABLE BASE                                                                                |
| <a href="#">Ode1-22150-Us</a>    |                                                                                                                                                                                                               |
| <a href="#">Pl20e</a>            | ENCLOSED PL DIGITAL DRIVE                                                                                                                                                                                     |
| <a href="#">Dw210-42</a>         |                                                                                                                                                                                                               |
| <a href="#">Ode2-11005-1h012</a> |                                                                                                                                                                                                               |
| <a href="#">Dit11**</a>          | 11KVA DRIVE ISO. TRANSFMR AL (7.5HP)                                                                                                                                                                          |
| <a href="#">Od-34200-Us</a>      | 380/480V, 3 PH IN (1-PH 50% DERATING), 380/460V, 3-PH<br>OUT BRAKE TRANSISTOR 20 HP 29.5 * AMP                                                                                                                |
| <a href="#">Mq7.5n2l</a>         | TOTALLY ENCLOSED VECTOR DUTY AC MOTORS, 1800 RPM<br>BASE SPEED 7.5 HP, 1800 RPM AC MOTOR, 460/230 VOLTS,<br>213TC, 1000:1 CONSTANT TORQUE                                                                     |
| <a href="#">Lm1125</a>           | LINE REACTOR, UP TO 750 HP                                                                                                                                                                                    |
| <a href="#">Powerpl115/270</a>   | 2-QUADRANT, NON-REVERSING DC DRIVES 150 HP 75 HP 270<br>AMPS 10(16) AMPS                                                                                                                                      |

|                                  |                                                                                                                                   |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Odp-24050-Us</a>     | 380/480V, 3 PH IN (1-PH 50% DERATING), 380/460V, 3-PH OUT FILTER, BRAKE TRANSISTOR 5 HP @ 460V 9.5 AMPS                           |
| <a href="#">Ode2-11010-1h01#</a> |                                                                                                                                   |
| <a href="#">Plx50123</a>         | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 75 HP 35 HP 123 AMPS 5(8) AMPS                                                       |
| <a href="#">Mp.25f21nc</a>       |                                                                                                                                   |
| <a href="#">3600xri/16lv</a>     | SINGLE PHASE, DC REGENERATIVE DRIVES LOW VOLTAGE 30/60VAC INPUT VERSION                                                           |
| <a href="#">Dw210-45</a>         |                                                                                                                                   |
| <a href="#">Dw181-01</a>         |                                                                                                                                   |
| <a href="#">Dw180-04</a>         |                                                                                                                                   |
| <a href="#">Powerpl1250h</a>     | 2-QUADRANT, NON-REVERSING DC DRIVES 1250 HP 600 HP 2000 AMP 32 AMP                                                                |
| <a href="#">Odp-32075-Us</a>     | 220/240V, 3-PH IN (1-PH 50% DERATING), 230V, 3-PH OUT FILTER, DC CHOKE, BRAKE TRANSISTOR 7.5 HP 24 AMPS                           |
| <a href="#">Pl15/36</a>          | 2-QUADRANT, NON-REVERSING DC DRIVES 20 HP 10 HP 36 AMPS 5(8) AMPS                                                                 |
| <a href="#">Powerpl265/630</a>   | 2-QUADRANT, NON-REVERSING DC DRIVES 400 HP 200 HP 630 AMPS 32 AMPS                                                                |
| <a href="#">Powerplx800hl</a>    | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 800 HP 400 HP 1280 AMP 32 AMP                                                        |
| <a href="#">Mq7.5s2f</a>         |                                                                                                                                   |
| <a href="#">Pl115e</a>           | ENCLOSED PL DIGITAL DRIVE                                                                                                         |
| <a href="#">Rj501184</a>         | KIT SUPPLIED WITH ABOVE MOTORS                                                                                                    |
| <a href="#">Mq040f2k</a>         | TOTALLY ENCLOSED VECTOR DUTY AC MOTORS, 1800 RPM BASE SPEED 40 HP, 1800 RPM AC MOTOR, 460/230 VOLTS, 324T, 2000:1 CONSTANT TORQUE |
| <a href="#">Odba-42200</a>       | 230 VOLTS AC UNITS INCLUDING DRIVE 20 / 25 HP 61 / 72 AMP 40" X 32" X 12"                                                         |
| <a href="#">Chs250v60a</a>       |                                                                                                                                   |
| <a href="#">Pl20/51</a>          | 2-QUADRANT, NON-REVERSING DC DRIVES 30 HP 10 HP 51 AMPS 5(8) AMPS                                                                 |
| <a href="#">Odp-35200-Us</a>     | 500/600V, 3 PH IN, 500/600V, 3-PH OUT FILTER, DC CHOKES, BRAKE TRANSISTOR 20 HP @ 575V 24 AMPS                                    |
| <a href="#">Dw216-04</a>         |                                                                                                                                   |
| <a href="#">Powerplx1750hl</a>   | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 1750 HP 800 HP 2800 AMP 32 AMP                                                       |

|                                 |                                                                                                                                                              |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Odp-52600-Us</a>    | 220/240V, 3-PH IN (1-PH 50% DERATING), 230V, 3-PH OUT<br>FILTER, LINE CHOKES, BRAKE TRANSISTOR 60 HP 150 AMPS                                                |
| <a href="#">Chs500v10a</a>      |                                                                                                                                                              |
| <a href="#">Sle-24/58</a>       | 3-PHASE, DC CHASSIS DRIVES 30(15)HP, 3-PH OEM MINI<br>DRIVE                                                                                                  |
| <a href="#">Dw210-05</a>        |                                                                                                                                                              |
| <a href="#">Od-12020-Us</a>     |                                                                                                                                                              |
| <a href="#">Mq060f2m</a>        | TOTALLY ENCLOSED, SEVERE DUTY, PREMIUM EFFICIENCY,<br>INVERTER RATED AC MOTORS 60 HP, 1800 RPM, SD PE TE AC<br>MOTOR, 460 VOLTS, 364T, 2:1 CONSTANT TORQUE   |
| <a href="#">Od-Outf2-Us</a>     |                                                                                                                                                              |
| <a href="#">Odp-32040-Us</a>    | 220/240V, 3-PH IN (1-PH 50% DERATING), 230V, 3-PH OUT<br>FILTER, BRAKE TRANSISTOR 4 HP 14 AMPS                                                               |
| <a href="#">K-Relay</a>         |                                                                                                                                                              |
| <a href="#">Od-12010-Us</a>     |                                                                                                                                                              |
| <a href="#">Plx115p</a>         | OPEN PANEL PLX DIGITAL REGEN DRIVE                                                                                                                           |
| <a href="#">K1220i</a>          |                                                                                                                                                              |
| <a href="#">Mq005x2q</a>        | 5 HP, 1800 RPM, EXP AC MOTOR, 460/230 VOLTS, 213T                                                                                                            |
| <a href="#">Chs500v400a</a>     |                                                                                                                                                              |
| <a href="#">Mq075f2k</a>        | TOTALLY ENCLOSED VECTOR DUTY AC MOTORS, 1800 RPM<br>BASE SPEED 75 HP, 1800 RPM AC MOTOR, 460/230 VOLTS,<br>365T, 2000:1 CONSTANT TORQUE                      |
| <a href="#">Ode-12005-Us</a>    |                                                                                                                                                              |
| <a href="#">Mq030f2m</a>        | TOTALLY ENCLOSED, SEVERE DUTY, PREMIUM EFFICIENCY,<br>INVERTER RATED AC MOTORS 30 HP, 1800 RPM, SD PE TE AC<br>MOTOR, 460/230 VOLTS, 286T, 10:1 CONSTANT TOR |
| <a href="#">Odv-34200-Us</a>    | 380/480V, 3 PH IN, 380/460V, 3-PH OUT FILTER, DC CHOKE,<br>BRAKE TRANSISTOR 20 HP 29.5 * AMPS                                                                |
| <a href="#">F3-600</a>          | SCR LINE FUSE SET                                                                                                                                            |
| <a href="#">Cb2-30</a>          |                                                                                                                                                              |
| <a href="#">Ode-12020-Us-Is</a> |                                                                                                                                                              |
| <a href="#">Powerpl50/123</a>   | 2-QUADRANT, NON-REVERSING DC DRIVES 75 HP 35 HP 123<br>AMPS 5(8) AMPS                                                                                        |
| <a href="#">Odp-24050-Us-I</a>  | SENSORLESS VECTOR I55 PHASE INPUT, 380/460V, 3-PHASE<br>OUTPUT BASIC KEYS DISPLAY                                                                            |
| <a href="#">Fllr-20</a>         |                                                                                                                                                              |
|                                 |                                                                                                                                                              |

|                                     |                                                                                                                                                        |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Od-F3341-Us</a>         |                                                                                                                                                        |
| <a href="#">La103017</a>            |                                                                                                                                                        |
| <a href="#">Ode2-12010-1h01#-01</a> |                                                                                                                                                        |
| <a href="#">Sle44/106</a>           | 3-PHASE, DC CHASSIS DRIVES 60(30)HP, 3-PH OEM MINI DRIVE                                                                                               |
| <a href="#">1600i-001</a>           |                                                                                                                                                        |
| <a href="#">Mq015s2f</a>            | DRIPPROOF RIGID BASE INVERTER DUTY AC MOTORS, 1800 RPM BASE SPEED 15 HP, 1800 RPM AC MOTOR, DPG, VT/2:1CT, 460/230 VOLTS, 254T                         |
| <a href="#">Mq010n2n</a>            | TOTALLY ENCLOSED VECTOR DUTY AC BRAKE MOTORS (STANDARD DUTY), 1800 RPM BASE SPEED 10 HP, 1800 RPM AC BRAKE MOTOR, 460/230 VOLTS, 215T                  |
| <a href="#">Odba-34100</a>          | 460 VOLTS AC UNITS INCLUDING DRIVE 10 / 15 HP 18 / 25 AMP 32" X 24" X 10"                                                                              |
| <a href="#">1600ie</a>              | NON-REV. ENCLOSED DRIVE                                                                                                                                |
| <a href="#">Powerpl2000hl</a>       | 2-QUADRANT, NON-REVERSING DC DRIVES 2000 HP 1000 HP 3200 AMP 32 AMP                                                                                    |
| <a href="#">Sle14e</a>              | ENCLOSED SLE-SERIES MINI OEM DRIVE                                                                                                                     |
| <a href="#">Pl15e</a>               | ENCLOSED PL DIGITAL DRIVE                                                                                                                              |
| <a href="#">Sp1070pid</a>           |                                                                                                                                                        |
| <a href="#">Dit220**</a>            | 220KVA DRIVE ISO TRANSFMR AL (200HP)                                                                                                                   |
| <a href="#">Od-Owand-Us</a>         |                                                                                                                                                        |
| <a href="#">Powerplx2000hl</a>      | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 2000 HP 1000 HP 3200 AMP 32 AMP                                                                           |
| <a href="#">Ode2-21007-1h01#-01</a> | E2 SINGLE PHASE NEMA 12 / IP55 DRIVES 1, 115V 1, 115V 0.75HP 10.5 AMPS SIZE 2                                                                          |
| <a href="#">Plx20e</a>              | ENCLOSED PLX DIGITAL 4-Q REGEN DRIVE                                                                                                                   |
| <a href="#">Mm040b25</a>            | DC MOTORS, DRIPPROOF, 1750 RPM 40 HP, 1750 RPM, DC MOTOR DPG-FV, 500VDC ARM, 300VDC FIELD, MC2115ATZ                                                   |
| <a href="#">Mq7.5f2c</a>            | TOTALLY ENCLOSED INVERTER DUTY AC MOTORS, 1800 RPM BASE SPEED, C-FACE WITH RIGID BASE 7.5 HP, 1800 RPM AC MOTOR, TEFC20:1 CONSTANT TORQUE 460/230V, 21 |
| <a href="#">Dw213-46</a>            |                                                                                                                                                        |
| <a href="#">Odp-25050-Us-I</a>      | SENSORLESS VECTOR I55 PHASE INPUT, 500/600V, 3-PHASE OUTPUT BASIC KEYS DISPLAY                                                                         |
| <a href="#">Powerplx1250h</a>       | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 1250 HP 600 HP 2000 AMP 32 AMP                                                                            |
|                                     | TOTALLY ENCLOSED, SEVERE DUTY, PREMIUM EFFICIENCY,                                                                                                     |



|                                  |                                                                                                                                   |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Mq250f2m</a>         | INVERTER RATED AC MOTORS 250 HP, 1800 RPM, SD PE TE AC MOTOR, 460 VOLTS, 445T, 2:1 CONSTANT TORQUE                                |
| <a href="#">Mq030f2k</a>         | TOTALLY ENCLOSED VECTOR DUTY AC MOTORS, 1800 RPM BASE SPEED 30 HP, 1800 RPM AC MOTOR, 460/230 VOLTS, 286T, 2000:1 CONSTANT TORQUE |
| <a href="#">Powerplx185/405</a>  | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 250 HP 125 HP 405 AMPS 32 AMPS                                                       |
| <a href="#">F3-20</a>            |                                                                                                                                   |
| <a href="#">Sle44e</a>           | ENCLOSED SLE-SERIES MINI OEM DRIVE                                                                                                |
| <a href="#">Powerplx85/205</a>   | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 125 HP 60 HP 205 AMPS 10(16) AMPS                                                    |
| <a href="#">PI225/480</a>        | DIGITAL REGEN NON-REVERSING DRIVE                                                                                                 |
| <a href="#">Mq100f2h</a>         | TOTALLY ENCLOSED, RIGID BASE INVERTER AC DUTY MOTORS 100 HP, 1800 RPM AC MOTOR, 460/230 VOLTS, 405T, 10:1 CONSTANT TORQUE         |
| <a href="#">Mq020x2q</a>         | 20 HP, 1800 RPM, EXP AC MOTOR, 460/230 VOLTS, 284T                                                                                |
| <a href="#">3200i/48</a>         | NON-REVERSING DRIVE MODEL                                                                                                         |
| <a href="#">Odba-32050</a>       | 230 VOLTS AC UNITS INCLUDING DRIVE 5/7.5 HP 18 / 25 AMP 32" X 24" X 10"                                                           |
| <a href="#">Chs500v100a</a>      |                                                                                                                                   |
| <a href="#">Chs250v30a</a>       |                                                                                                                                   |
| <a href="#">Ode1-22150-Us-Is</a> |                                                                                                                                   |
| <a href="#">Ch0066a3</a>         |                                                                                                                                   |
| <a href="#">PI145/330</a>        | DIGITAL REGEN NON-REVERSING DRIVE                                                                                                 |
| <a href="#">Mm050b25</a>         | DC MOTORS, DRIPPROOF, 1750 RPM 50 HP, 1750 RPM, DC MOTOR DPG-FV, 500VDC ARM, 300VDC FIELD, LC2115ATZ                              |
| <a href="#">Sle14p</a>           | OPEN PANEL SLE-SERIES MINI OEM DRIVE                                                                                              |
| <a href="#">Mq350f2h</a>         | TOTALLY ENCLOSED, RIGID BASE INVERTER AC DUTY MOTORS 350 HP, 1800 RPM AC MOTOR, 460 VOLTS, 447/9T, 10:1 CONSTANT TORQUE           |
| <a href="#">Dit93**</a>          | 93KVA DRIVE ISO. TRANSFMR AL (75HP)                                                                                               |
| <a href="#">Odp-54750-Us</a>     | 380/480V, 3 PH IN (1-PH 50% DERATING), 380/460V, 3-PH OUT FILTER, LINE CHOKES, BRAKE TRANSISTOR 75 HP @ 460V 110 AMPS             |
| <a href="#">Odba-34150</a>       | 460 VOLTS AC UNITS INCLUDING DRIVE 15 / 20 HP 25 / 29.5 AMP 32" X 24" X 10"                                                       |
| <a href="#">Od-32075-Us</a>      | 220/240V, 3-PH IN (1-PH 50% DERATING), 230V, 3-PH OUT BRAKE TRANSISTOR 7.5 HP 24 AMP 10 HP 29.5 * AMP                             |

|                                 |                                                                                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <a href="#">Mq125f2h</a>        | TOTALLY ENCLOSED, RIGID BASE INVERTER AC DUTY MOTORS 125 HP, 1800 RPM AC MOTOR, 460 VOLTS, 444T, 10:1 CONSTANT TORQUE |
| <a href="#">PI265p</a>          | OPEN PANEL PL DIGITAL SYSTEMS DRIVE                                                                                   |
| <a href="#">Ode-11010-Us-Is</a> |                                                                                                                       |
| <a href="#">Ode-22030-Us-I</a>  |                                                                                                                       |
| <a href="#">SI115/270</a>       | 3-PHASE, DC CHASSIS DRIVES 150(75)HP, 3-PH SYSTEMS DRIVE                                                              |
| <a href="#">Powerplx900h</a>    | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 900 HP 450 HP 1440 AMP 32 AMP                                            |
| <a href="#">E-Series</a>        |                                                                                                                       |
| <a href="#">Od-Olink-Us</a>     |                                                                                                                       |
| <a href="#">Ah102341 Iss</a>    |                                                                                                                       |
| <a href="#">Powerpl85/205</a>   | 2-QUADRANT, NON-REVERSING DC DRIVES 125 HP 60 HP 205 AMPS 10(16) AMPS                                                 |
| <a href="#">Mp001f21nc</a>      |                                                                                                                       |
| <a href="#">Powerpl800h</a>     | 2-QUADRANT, NON-REVERSING DC DRIVES 800 HP 400 HP 1280 AMP 32 AMP                                                     |
| <a href="#">Dit40**</a>         | 40KVA DRIVE ISO. TRANSFMR AL (30HP)                                                                                   |
| <a href="#">Lm300*</a>          | LINE REACTOR*                                                                                                         |
| <a href="#">Odp-24010-Us-I</a>  |                                                                                                                       |
| <a href="#">Mq250f2h</a>        | TOTALLY ENCLOSED, RIGID BASE INVERTER AC DUTY MOTORS 250 HP, 1800 RPM AC MOTOR, 460 VOLTS, 445T, 10:1 CONSTANT TORQUE |
| <a href="#">Powerpl145/330</a>  | 2-QUADRANT, NON-REVERSING DC DRIVES 200 HP 100 HP 330 AMPS 10(16) AMPS                                                |
| <a href="#">Od-21015-Us</a>     |                                                                                                                       |
| <a href="#">Odp-42150-Us</a>    | 220/240V, 3-PH IN (1-PH 50% DERATING), 230V, 3-PH OUT FILTER, LINE CHOKES, BRAKE TRANSISTOR 15 HP 46 AMPS             |
| <a href="#">Powerpl500hl</a>    | 2-QUADRANT, NON-REVERSING DC DRIVES 500 HP 250 HP 800 AMP 32 AMP                                                      |
| <a href="#">Plx65p</a>          | OPEN PANEL PLX DIGITAL REGEN DRIVE                                                                                    |
| <a href="#">Slx65/164</a>       | 3-PHASE, DC CHASSIS DRIVES 100(50)HP, 3PH 4-Q REGEN DRIVE                                                             |
| <a href="#">Od-F2341-Us</a>     |                                                                                                                       |
| <a href="#">Powerplx900hl</a>   | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 900 HP                                                                   |

|                                  |                                                                                                                                      |
|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
|                                  | 450 HP 1440 AMP 32 AMP                                                                                                               |
| <a href="#">Lm150*</a>           |                                                                                                                                      |
| <a href="#">Dit330**</a>         | 330KVA DRIVE ISO TRANSFMR AL (300HP)                                                                                                 |
| <a href="#">Powerplx500h</a>     | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 500 HP<br>250 HP 800 AMP 32 AMP                                                         |
| <a href="#">Odp-25075-Us</a>     | REQUIRES EXT. LINE CHOKE (CO502269) 7.5 HP @ 575V 9<br>AMPS                                                                          |
| <a href="#">Odba-32040</a>       | 230 VOLTS AC UNITS INCLUDING DRIVE 4/5 HP 14 / 18 AMP<br>32" X 24" X 10"                                                             |
| <a href="#">3200i/32</a>         | NON-REVERSING DRIVE MODEL                                                                                                            |
| <a href="#">Ode2-12020-1h012</a> |                                                                                                                                      |
| <a href="#">Mm075b25</a>         | DC MOTORS, DRIPPROOF, 1750 RPM 75 HP, 1750 RPM, DC<br>MOTOR DPG-FV, 500VDC ARM, 300VDC FIELD, C2514ATZ                               |
| <a href="#">Mq150s2f</a>         | DRIPPROOF RIGID BASE INVERTER DUTY AC MOTORS, 1800<br>RPM BASE SPEED 150 HP, 1800 RPM AC MOTOR, DPG,<br>VT/2:1CT, 460 VOLTS, 444T    |
| <a href="#">Powerplx400h</a>     | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 400 HP<br>200 HP 675 AMP 32 AMP                                                         |
| <a href="#">Mm003b25</a>         | DC MOTORS, DRIPPROOF, 1750 RPM 3 HP, 1750 RPM, DC<br>MOTOR DPG, 500VDC ARM, 300VDC FIELD, C1811ATZ                                   |
| <a href="#">Mq350g2k</a>         | TOTALLY ENCLOSED VECTOR DUTY AC MOTORS, 1800 RPM<br>BASE SPEED 350 HP, 1800 RPM AC MOTOR, 460 VOLTS, 449T,<br>2000:1 CONSTANT TORQUE |
| <a href="#">Mq001s2f</a>         |                                                                                                                                      |
| <a href="#">Fa2-40</a>           |                                                                                                                                      |
| <a href="#">Pl15p</a>            | OPEN PANEL PL DIGITAL SYSTEMS DRIVE                                                                                                  |
| <a href="#">Powerpl1000h</a>     | 2-QUADRANT, NON-REVERSING DC DRIVES 1000 HP 500 HP<br>1600 AMP 32 AMP                                                                |
| <a href="#">Chs500v200a</a>      |                                                                                                                                      |
| <a href="#">Odp-42200-Us</a>     | 220/240V, 3-PH IN (1-PH 50% DERATING), 230V, 3-PH OUT<br>FILTER, LINE CHOKES, BRAKE TRANSISTOR 20 HP 61 AMPS                         |
| <a href="#">Mq001f2m</a>         |                                                                                                                                      |
| <a href="#">Dw210</a>            |                                                                                                                                      |
| <a href="#">Db51105</a>          |                                                                                                                                      |
| <a href="#">Plx-20/51</a>        |                                                                                                                                      |
| <a href="#">Odp-25020-Us-I</a>   | SENSORLESS VECTOR I55 PHASE INPUT, 500/600V, 3-PHASE<br>OUTPUT BASIC KEYS DISPLAY                                                    |

|                                  |                                                                                                                                                             |
|----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Mppyb</a>            | TACH KITS FOR 90VDC 180VDC MOTORS TYPE PY TACH,<br>50V/1000RPM AND PM MOTORMOUNTING KIT                                                                     |
| <a href="#">Db53025</a>          |                                                                                                                                                             |
| <a href="#">Powerplx1500hl</a>   | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 1500<br>HP 750 HP 2400 AMP 32 AMP                                                                              |
| <a href="#">Mq100f2m</a>         | TOTALLY ENCLOSED, SEVERE DUTY, PREMIUM EFFICIENCY,<br>INVERTER RATED AC MOTORS 100 HP, 1800 RPM, SD PE TE<br>AC MOTOR, 460 VOLTS, 405T, 2:1 CONSTANT TORQUE |
| <a href="#">Od-Outf6-Us</a>      | OUTPUT SINE FILTER, DRIVE SIZE 6, 480V, 250A                                                                                                                |
| <a href="#">400imp004</a>        |                                                                                                                                                             |
| <a href="#">Dit660**</a>         | 660KVA DRIVE ISO TRANSFMR AL (600HP)                                                                                                                        |
| <a href="#">Mq002n2l</a>         |                                                                                                                                                             |
| <a href="#">417077-59</a>        |                                                                                                                                                             |
| <a href="#">Mq030s2f</a>         | DRIPPROOF RIGID BASE INVERTER DUTY AC MOTORS, 1800<br>RPM BASE SPEED 30 HP, 1800 RPM AC MOTOR, DPG,<br>VT/2:1CT, 460/230 VOLTS, 286T                        |
| <a href="#">Powerpl700hl</a>     | 2-QUADRANT, NON-REVERSING DC DRIVES 700 HP 350 HP<br>1140 AMP 32 AMP                                                                                        |
| <a href="#">Mq300s2f</a>         | DRIPPROOF RIGID BASE INVERTER DUTY AC MOTORS, 1800<br>RPM BASE SPEED 300 HP, 1800 RPM AC MOTOR, DPG,<br>VT/2:1CT, 460 VOLTS, 447TS                          |
| <a href="#">400ie</a>            | NON-REV. ENCLOSED DRIVE                                                                                                                                     |
| <a href="#">Odv-22030-Us</a>     |                                                                                                                                                             |
| <a href="#">Powerplx1750h</a>    | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 1750<br>HP 800 HP 2800 AMP 32 AMP                                                                              |
| <a href="#">Od-Outf5-Us</a>      | OUTPUT SINE FILTER, DRIVE SIZE 5, 480V, 180A                                                                                                                |
| <a href="#">F3-250</a>           |                                                                                                                                                             |
| <a href="#">Mm010b25</a>         | DC MOTORS, DRIPPROOF, 1750 RPM 10 HP, 1750 RPM, DC<br>MOTOR DPG, 500VDC ARM, 300VDC FIELD, C1812ATZ                                                         |
| <a href="#">Ode2-14010-3h012</a> |                                                                                                                                                             |
| <a href="#">Powerpl600h</a>      | 2-QUADRANT, NON-REVERSING DC DRIVES 600 HP 300 HP<br>960 AMP 32 AMP                                                                                         |
| <a href="#">Od-485sp-Us</a>      |                                                                                                                                                             |
| <a href="#">Fr3h180</a>          | CE LINE FILTER, 3PH                                                                                                                                         |
| <a href="#">Od-II163-Us-I55</a>  |                                                                                                                                                             |
| <a href="#">Chs500v500a</a>      |                                                                                                                                                             |
|                                  |                                                                                                                                                             |

|                                 |                                                                                                                                    |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Powerslx50/122</a>  | 3-PHASE, DC SYSTEM DRIVES 75(35)HP, 4-Q REGEN POWER DRIVE                                                                          |
| <a href="#">PI85/205</a>        | 2-QUADRANT, NON-REVERSING DC DRIVES 125 HP 60 HP 205 AMPS 10(16) AMPS                                                              |
| <a href="#">K1220xri</a>        | SINGLE PHASE, OEM DC DRIVES 2 (1)HP ISO REGEN 1-PH DC DRIVE                                                                        |
| <a href="#">Mq030f2h</a>        | TOTALLY ENCLOSED, RIGID BASE INVERTER AC DUTY MOTORS 30 HP, 1800 RPM AC MOTOR, 460/230 VOLTS, 286T, 10:1 CONSTANT TORQUE           |
| <a href="#">Plx20p</a>          | OPEN PANEL PLX DIGITAL REGEN DRIVE                                                                                                 |
| <a href="#">Mq050f2h</a>        | TOTALLY ENCLOSED, RIGID BASE INVERTER AC DUTY MOTORS 50 HP, 1800 RPM AC MOTOR, 460/230 VOLTS, 326T, 10:1 CONSTANT TORQUE           |
| <a href="#">Odv-42150-Us</a>    | 220/240V, 3-PH IN (1-PH 50% DERATING), 230V, 3-PH OUT FILTER, LINE CHOKES, BRAKE TRANSISTOR 15 HP 46 AMPS                          |
| <a href="#">Od-Outf1-Us</a>     |                                                                                                                                    |
| <a href="#">Odp-34075-Us</a>    | 380/480V, 3 PH IN (1-PH 50% DERATING), 380/460V, 3-PH OUT FILTER, BRAKE TRANSISTOR 7.5 HP @ 460V 14 AMPS                           |
| <a href="#">F3-500</a>          | HIGH SPEED SEMICONDUCTOR FUSE KITS (WITH HOLDERS) 500 AMPS, 500V, HIGH SPEED LINE FUSES HOLDERS FOR 3-PHASE DRIVES                 |
| <a href="#">Powerplx115/270</a> | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 150 HP 75 HP 270 AMPS 10(16) AMPS                                                     |
| <a href="#">PI85p</a>           | OPEN PANEL PL DIGITAL SYSTEMS DRIVE                                                                                                |
| <a href="#">Odp-24010-Us-Is</a> | SENSORLESS VECTOR I55 PHASE INPUT, 380/460V, 3-PHASE OUTPUT                                                                        |
| <a href="#">Mq020f2k</a>        | TOTALLY ENCLOSED VECTOR DUTY AC MOTORS, 1800 RPM BASE SPEED 20 HP, 1800 RPM AC MOTOR, 460/230 VOLTS, 256TC, 2000:1 CONSTANT TORQUE |
| <a href="#">F2-20</a>           |                                                                                                                                    |
| <a href="#">Od-24050-Us</a>     | 380/480V, 3 PH IN (1-PH 50% DERATING), 380/460V, 3-PH OUT BRAKE TRANSISTOR 5 HP 9.5 AMP                                            |
| <a href="#">Mq010n2l</a>        | TOTALLY ENCLOSED VECTOR DUTY AC MOTORS, 1800 RPM BASE SPEED 10 HP, 1800 RPM AC MOTOR, 460/230 VOLTS, 215TC, 1000:1 CONSTANT TORQUE |
| <a href="#">3600xri/32c132</a>  | SINGLE PHASE, DC REGENERATIVE DRIVES 8(5)HP, 240/460VAC, 180/360VDC                                                                |
| <a href="#">Sle34</a>           | 3-PHASE MINI OEM DRIVE                                                                                                             |
| <a href="#">Slx40/99</a>        | 3-PHASE, DC CHASSIS DRIVES 60HP, 3PH 4-Q REGEN DRIVE                                                                               |
| <a href="#">Od-48503-Us</a>     |                                                                                                                                    |

|                                     |                                                                                                                                                        |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Dit20**</a>             | 20KVA DRIVE ISO. TRANSFMR AL (15HP)                                                                                                                    |
| <a href="#">Mq015f2m</a>            | TOTALLY ENCLOSED, SEVERE DUTY, PREMIUM EFFICIENCY, INVERTER RATED AC MOTORS 15 HP, 1800 RPM, SD PE TE AC MOTOR, 460/230 VOLTS, 254T, 10:1 CONSTANT TOR |
| <a href="#">Ode2-12005-1h01#-01</a> |                                                                                                                                                        |
| <a href="#">Odba-42250</a>          | 230 VOLTS AC UNITS INCLUDING DRIVE 25 / 30 HP 72 / 89 AMP 40" X 32" X 12"                                                                              |
| <a href="#">Powerplx15/36</a>       | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 20 HP 10 HP 36 AMPSAMPS                                                                                   |
| <a href="#">Mq075f2m</a>            | TOTALLY ENCLOSED, SEVERE DUTY, PREMIUM EFFICIENCY, INVERTER RATED AC MOTORS 75 HP, 1800 RPM, SD PE TE AC MOTOR, 460 VOLTS, 365T, 2:1 CONSTANT TORQUE   |
| <a href="#">Odv-32040-Us</a>        | 220/240V, 3-PH IN (1-PH 50% DERATING), 230V, 3-PH OUT FILTER, BRAKE TRANSISTOR 4 HP 14 AMPS                                                            |
| <a href="#">Ode1-21075-Us</a>       |                                                                                                                                                        |
| <a href="#">3200i/32e</a>           | NON-REV. ENCLOSED DRIVE                                                                                                                                |
| <a href="#">Mq350s2f</a>            | DRIPPROOF RIGID BASE INVERTER DUTY AC MOTORS, 1800 RPM BASE SPEED 350 HP, 1800 RPM AC MOTOR, DPG, VT/2:1CT, 460 VOLTS, 447TS                           |
| <a href="#">Od-Outf3-Us</a>         |                                                                                                                                                        |
| <a href="#">Powerplx40/99</a>       | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 60 HP 25 HP 99 AMPS 5(8) AMPS                                                                             |
| <a href="#">3600xri/32p</a>         | REGEN OPEN PANEL DRIVE                                                                                                                                 |
| <a href="#">Odp-64250-Us</a>        | 380/480V, 3 PH IN (1-PH 50% DERATING), 380/460V, 3-PH OUT FILTER, EXTERNAL LINE CHOKES, BRAKE TRANSISTOR 250 HP @ 460V 300 AMPS                        |
| <a href="#">Chs500v25a</a>          |                                                                                                                                                        |
| <a href="#">Fa2-60</a>              |                                                                                                                                                        |
| <a href="#">Powerplx2000h</a>       | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 2000 HP 1000 HP 3200 AMP 32 AMP                                                                           |
| <a href="#">Slx20/51</a>            |                                                                                                                                                        |
| <a href="#">La100863</a>            |                                                                                                                                                        |
| <a href="#">Powerplx65/164</a>      | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 100 HP 50 HP 164 AMPS 10(16) AMPS                                                                         |
| <a href="#">FrlI50</a>              | CE LINE FILTER, 1PH                                                                                                                                    |
| <a href="#">Mm200b25</a>            | DC MOTORS, DRIPPROOF, 1750 RPM 200 HP, 1750 RPM, DC MOTOR DPG-FV, 500VDC ARM, 300VDC FIELD, UC3214ATZ                                                  |
|                                     |                                                                                                                                                        |

|                                  |                                                                                                                                   |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Odp-35150-Us</a>     | 500/600V, 3 PH IN, 500/600V, 3-PH OUT FILTER, DC CHOKES, BRAKE TRANSISTOR 15 HP @ 575V 18 AMPS                                    |
| <a href="#">Odp-52300-Us</a>     | 220/240V, 3-PH IN (1-PH 50% DERATING), 230V, 3-PH OUT FILTER, LINE CHOKES, BRAKE TRANSISTOR 30 HP 90 AMPS                         |
| <a href="#">Odba-34200</a>       | 460 VOLTS AC UNITS INCLUDING DRIVE 20 / NA HP 29.5 / NA AMP 32" X 24" X 10"                                                       |
| <a href="#">Powerplx20/51</a>    | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 30 HP 10 HP 51 AMPS 5(8) AMPS                                                        |
| <a href="#">Plx40</a>            | DIGITAL 4-QUAD REGEN REVERSING DRIVE                                                                                              |
| <a href="#">Pl185e</a>           | ENCLOSED PL DIGITAL DRIVE                                                                                                         |
| <a href="#">Dw213-31</a>         |                                                                                                                                   |
| <a href="#">Pl225/530</a>        | 2-QUADRANT, NON-REVERSING DC DRIVES 300 HP 150 HP 480 AMPS 32 AMPS                                                                |
| <a href="#">Mq050f2k</a>         | TOTALLY ENCLOSED VECTOR DUTY AC MOTORS, 1800 RPM BASE SPEED 50 HP, 1800 RPM AC MOTOR, 460/230 VOLTS, 326T, 2000:1 CONSTANT TORQUE |
| <a href="#">Ode2-24020-3h04#</a> | INDUSTRIAL NEMA 12 / IP55 DRIVES 3, 460V 3, 460V 2HP 4.1 AMPS SIZE 2                                                              |
| <a href="#">Dw210-14</a>         |                                                                                                                                   |
| <a href="#">Odp-44400-Us</a>     | 380/480V, 3 PH IN (1-PH 50% DERATING), 380/460V, 3-PH OUT FILTER, LINE CHOKES, BRAKE TRANSISTOR 40 HP @ 460V 61 AMPS              |
| <a href="#">Plx145e</a>          | ENCLOSED PLX DIGITAL 4-Q REGEN DRIVE                                                                                              |
| <a href="#">Powerplx225/480</a>  | 4-QUADRANT REGENERATIVE, REVERSING DC DRIVES 300 HP 150 HP 480 AMPS 32 AMPS                                                       |
| <a href="#">Pl185p</a>           | OPEN PANEL PL DIGITAL SYSTEMS DRIVE                                                                                               |
| <a href="#">K680xri/Lv</a>       | DRIVE DC 4A 30/60VAC IN/ 24/48VDC OUT LOW VOLTAGE                                                                                 |
| <a href="#">Mq7.5f2h</a>         |                                                                                                                                   |
| <a href="#">Pl65/164</a>         | 2-QUADRANT, NON-REVERSING DC DRIVES 100 HP 50 HP 164 AMPS 10(16) AMPS                                                             |
| <a href="#">Mq002f2c</a>         |                                                                                                                                   |
| <a href="#">Pl40e</a>            | ENCLOSED PL DIGITAL DRIVE                                                                                                         |
| <a href="#">Od-22020-Us</a>      |                                                                                                                                   |
| <a href="#">Odp-44500-Us</a>     | 380/480V, 3 PH IN (1-PH 50% DERATING), 380/460V, 3-PH OUT FILTER, LINE CHOKES, BRAKE TRANSISTOR 50 HP @ 460V 72 AMPS              |
| <a href="#">Odp-54100-Us</a>     | 380/480V, 3 PH IN (1-PH 50% DERATING), 380/460V, 3-PH OUT FILTER, LINE CHOKES, BRAKE TRANSISTOR 100 HP @                          |

|                                     |                                                                                                                                 |
|-------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
|                                     | 460V 150 AMPS                                                                                                                   |
| <a href="#">Mq200f2h</a>            | TOTALLY ENCLOSED, RIGID BASE INVERTER AC DUTY MOTORS 200 HP, 1800 RPM AC MOTOR, 460 VOLTS, 445TS, 10:1 CONSTANT TORQUE          |
| <a href="#">Mq003f2c</a>            |                                                                                                                                 |
| <a href="#">Me041d51</a>            |                                                                                                                                 |
| <a href="#">Mm025b25</a>            | DC MOTORS, DRIPPROOF, 1750 RPM 25 HP, 1750 RPM, DC MOTOR DPG-FV, 500VDC ARM, 300VDC FIELD, MC2113ATZ                            |
| <a href="#">Ode2-11005-1h01#</a>    |                                                                                                                                 |
| <a href="#">Powerpl1500hl</a>       | 2-QUADRANT, NON-REVERSING DC DRIVES 1500 HP 750 HP 2400 AMP 32 AMP                                                              |
| <a href="#">Odp-24020-Us-Is</a>     | SENSORLESS VECTOR I55 PHASE INPUT, 380/460V, 3-PHASE OUTPUT                                                                     |
| <a href="#">Dw215-16</a>            |                                                                                                                                 |
| <a href="#">Ode2-12010-1h012-01</a> |                                                                                                                                 |
| <a href="#">Powerpl1750hl</a>       | 2-QUADRANT, NON-REVERSING DC DRIVES 1750 HP 800 HP 2800 AMP 32 AMP                                                              |
| <a href="#">Ode-12020-Us-I</a>      |                                                                                                                                 |
| <a href="#">Dw210-15</a>            |                                                                                                                                 |
| <a href="#">Powerpl1250hl</a>       | 2-QUADRANT, NON-REVERSING DC DRIVES 1250 HP 600 HP 2000 AMP 32 AMP                                                              |
| <a href="#">Pl40p</a>               | OPEN PANEL PL DIGITAL SYSTEMS DRIVE                                                                                             |
| <a href="#">Ode2-21015-1h042</a>    |                                                                                                                                 |
| <a href="#">Odba-42015</a>          | 230 VOLTS AC UNITS INCLUDING DRIVE 15 / 20 HP 46 / 61 AMP 40" X 32" X 12"                                                       |
| <a href="#">Plx85e</a>              | ENCLOSED PLX DIGITAL 4-Q REGEN DRIVE                                                                                            |
| <a href="#">Odp-64160-Us</a>        | 380/480V, 3 PH IN (1-PH 50% DERATING), 380/460V, 3-PH OUT FILTER, EXTERNAL LINE CHOKES, BRAKE TRANSISTOR 160 HP @ 460V 202 AMPS |