

Bartec

Garanti: 12 ay
 Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Bartec Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Bartec Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
07-7331-2305/1000	PROFIBUS Ex d e [ia Ga] IIC Gb Valve control module output Ex i The offer / order includes documentation (CE declaration and operating instructions or installation and assembly instructions) exclusively in German and English Profibus Interface 4 x digital out Ex i/8 x Ex i digital in
07-7331-2307	PROFIBUS Ex d e [ia Ga] IIC Gb 4x RTD in Ex i The offer / order includes a documentation (CE declaration and operating instructions or Installation and assembly instructions) exclusively in German and English language. no preferential origin
07-7331-2302/0000	PROFIBUS Ex d e IIC Gb 16 digital in The offer / order includes a documentation (CE declaration and operating instructions or Installation and assembly instructions) exclusively in German and English language. Profibus-interface-16-x-digital-in
07-7331-2301/0000	PROFIBUS Ex d e IIC Gb 16 digital out The offer / order includes a documentation (CE declaration and operating instructions or Installation and assembly instructions) exclusively in German and English language. No preferential origin! ***** PROFIBUS Interface 16 x Ex e digital out
07-7331-2304/2000	PROFIBUS Ex d e IIC Gb 8x transmitter in (passive) ### The offer / order includes a documentation (CE declaration and operating instructions or Installation and assembly instructions) exclusively in German and English language PROFIBUS-Interface 8 x 4 to 20 mA in passive
	Miniature switching relay Ex d e IIC Gb UC11.2 - 16V 1 changeover

07-7311-6371/2000	contact The offer / order includes a documentation (CE declaration and operating instructions or Installation and assembly instructions) exclusively in German and English language.
07-7311-97mtba12	Isolating switching amplifier Ex d e [ia Ga] IIC Gb; 4 channels with display; default The offer / order includes a documentation (CE declaration and operating instructions or Installation and assembly instructions) exclusively in German and English language
07-7331-23043000	PROFIBUS Ex d e IIC Gb 8x transmitter in (active) The offer / order includes a documentation (CE declaration and operating instructions or Installation and assembly instructions) exclusively in German and English language.
07-7331-2307/0000	PROFIBUS-Interface 4 x RTD in Ex i
07-7311-6371/.000	
07-7311-97mt/Ba.2	Isolator Amplifier
07-7331-2304/3000	PROFIBUS-Interface 8 Transmitter in (8 x 4 to 20 mA, Transmitter in)
97980	Bad Mergenitheim Profibus Connector
2014.905	560.1 Single switch path / torque Goldk. with pin contacts with 4 wires
2014.907	Tandem switch travel / torque Goldk. with pin contacts 560.1 with 8 wires
07-2511-1330/41	
2014.909	Single switch path / torque Goldk. Ex with wire end sleeves 560.1 with 4 wires
2014.910	Tandem switch travel / torque Goldk. Ex with wire end sleeves 560.1 with 8 wires
07-3321-1100	Switching module for mounting on mounting rails with terminals 2 NC contacts 122568 Customs number: 85365007 Country of origin: DE
07-7311-97MTBA12	Isolating amplifier Ex d e [ia Ga] IIC Gb; 4 channel with display; default The offer / order includes documentation (CE declaration and operating instructions or Installation and assembly instructions) only in German and English language. Customs number: 85423390 Country of origin: DE
27-2C54-7054110Z5000	PTC heating element HSF 50W (at Ta = 0 ° C) AC / DC120-240V, 5m AL Ex version T4 Customs number: 85162950 Country of origin: DE
07-7331-23042000	PROFIBUS Ex d e IIC Gb 8x transmitter in (passive) ### The offer / order includes documentation (CE declaration and operating instructions or Installation and assembly instructions) only in German and English language. Customs number: 85423190 Country of origin: DE
07-7331-2304/2000	NIS analog input module
07-7331-2307/0000	RTD module
07-7331-230H/1010	AO module
07-7331-2305/1000	DI module
07-7331-2307/0000 with GSD docs	RTD module
8SG1140	
07-7331-23030000	PROFIBUS Ex d e, [ia Ga] IIC Gb, 16 digital in Ex i HS Code: 85423190 COO: Germany NAMUR / standard The offer / order includes documentation (CE declaration and operating instructions or Installation and assembly instructions) only in German and English language. no preferential origin. ***** Customs number:

03-9530-0006	85423190 Country of origin: DE 442424 Strobe light dsLB 20 / red 24 V DC; 15 Ws FHF22486302 Version Funke & Huster Protection class: II 2G Ex d e IIC T5 / T6 Gb II 2D Ex tb IIIC T95 ° C / T80 ° C Db Permit: PTB 99 ATEX 1028 IECEx PTB 09.0062 Ambient temperature: -55 ° C to + 55 ° C (T5) -20 ° C to + 40 ° C (T6) Customs number: 85318070 Country of origin: DE
07-2522-713064H2	Limit switch IP 66 1W; Cont.Ag; Oper. Temp. -25 to + 135 ° C with actuator 64 Cable length: 1m Heat-resistant cable -50 ° C to + 180 ° C
DPA-4	Tag: 147AT-3003 A/B, 147AT-1006 A/B, 147AT-1011 A/B, PUMP incl. metering valve serialnr. 001 and from serialnr. 005 334672
Mini fluid Sensor/IBP sensor serial numer 005	and from serialnr. 018 353296
Z014.903	Referenznr.: 560.1 Single switch path / torque Ex with wire end sleeves
TYP:8SG1140	
HSF 100-T3-5	HEATER FOR DW MOTOR BARTEC
PTB 00 ATEX 1092 X	
07-7311-97WP4010	FO T-Coupler Ex d e [ib] IIC Gb Glass fiber (50µ/62.5µ) ST The offer/order includes documentation (CE declaration and operating instructions or installation and assembly instructions) exclusively in German and English language. Customs number:85423190 Country of origin:DE
07-7331-23043000	PROFIBUS Ex de IIC Gb 8x transmitter in (active) The offer/order includes documentation (CE declaration and operating instructions or installation and assembly instructions) exclusively in German and English language. Customs number: 85423190 Country of origin: DE
ED 100 \ 910-712-332-2 \ 3X0,55mH 1k \	
P/N : 07-3323-3203	
NASP GUB-0 EXPROOF	ATEX: Ex II 2G Ex d IIC T6 to T3 Gb Ex II 2D Ex tb IIIC T85°C to T200°C Db IECEx: Ex II 2G Ex d IIC T6..T3 Gb Ex II 2D Ex tb IIIC T85°C..T200°C Db
Limit Switch 07-2511	
MSL 8202-51	
RVP-4-3050	
NORMAL PUSH BUTON EXII 2 G IIB+H2 Gb EX II2 D EX T	MATERIAL:ALUMINUM CONTACT 1NO+1NC COLOR:RED ISO-M25
02 004191	
05-0003-000900+07-3321-1200	
Order No.27-3833-20321600	
17-25tc-3001	EEx i Terminal BSG 2 Power Supply Module Ex-93.C.2008 X
U89117671812	
07 2581	
05-0003-00900	
M25-Sx-Exe ?25?1,5	
07-3323-4200	
05-0091-0097	

Pt100/8/4 Ftzu	
27-5822-5a6a0480	
05-0003-006600+07-3361-1820	
07-7311-93ta-5350	
07_2911 - Incomplete Model	
Order No. 27-3621-02100101 (Assembled With 77 M Emf Cuni 0250 With Tester Port)	
07-3353-1110	
07-1511	
07-3323-3403	
17-71p1-1443	OPERATOR INTERFACE BAT2
05-0003-001500	
275739	
Order No. 27-3621-02100101 (Assembled With 59 M Emf Cuni 0250 With Tester Port)	
07-05103-9604 Dimensions:220x120x90 Mm Terminals: 25xwdu4+6xwpe4	
05-0020-0472	
07-3323-100	
05-0091-0136	
05-0003-001802	
05-0003-00800	
07-2511-11 30/64	
02 5500 0035	
05-0003-001300	
07-3323-1400-3 - Not Available	
Xcx1301360e-230	
07-2511-1521	
02-5500-0003	
1910012615010	
Pwb 20 W/M 220v / 50 Hz 3000 M	
R20 P07674390760	
07-3323-400	
17-A129-0gk0hjafa600	BARTEC, MC9090EX, UL CL 1 DIV 1, GUN STYLE, IMAGER, 28 KEYS
Order No. 27-3621-02100101 (Assembled With 64 M Emf Cuni 0250 With Tester Port)	
17-28tz-3001	FieldBus Bridge Module SK-FB-L2DP, 200720004000
246644, 3.15 A	

B7-A129-Oku0hjefa600	BARTEC, MC909EX, MOBILE COMPUTER, ATEX ZONE 2, BRICK STYLE, STANDARD LASER SCANNER, 53 KEYS
Psb 33 W/M 220v / 50 Hz 100 M	
5973-104	
07-3363-820	
R302 D94239-0-400c	
05-0003-007000	
07-3363-1820	
07-2511-1530/61	
05-0003-000900	
07-1501	
07-7311-93g58r20	
5673-100	
07-2511-1330xx00 (Ex. 07-2511-1330/49)	
330905-020-04	
07-7311-93wp0000	
27-5822-5a6a1000	
5673-302	
07-3353-3133	
07-1511-1030	
05-0003-000700	
25870-0123	
05-0003-001600+07-3351-1140	
Ptb 03 Atex 1142 X	
17-28tz-7006	Support Rail Housing SKFBL2DP
Order No.27-3833-20440250	
07-5819-7302	
07-0511	
07-3331	
07-2911-1330/30	
07-2511-3033 (118673)	
07-3363-4710	
4220-P025-06	
05-0003-006600	
4220-201	
07-1511-1521	

Wrt400p	TIRE PRESSURE SCAN TOOL
5673-102	
Wrt300psdc	TECH300PLUS-SD COMBO KIT
07-2511 B1138t	
07-3323-4400	
Order No. 27-3621-02100101 (Assembled With 70 M Emf Cuni 0250 With Tester Port)	
07-2511-1	
07-6121-9506	
Ps23in	
05-0003-007701	
07-2511 Switch	
4220-P025-05	
27-563g-Sf7s0i	
07-3323-1200-3 - Not Available	
05-0003-000800	
07-2511-1310/02	
Wrt500	TECH 500 TPMS SERVICE TOOL
Fam07-3511-10n84	
Vbb001rd	
Vbb001yl	
07-7331-2304	Analog Input Module
05-0003-001001	
02 2430 0003	
07-3511-10n84lock	
17-28tz-7005	Support Rail Housing SKFBL2DP
208115 / 00-1081	
07-2511-1330/64	
07-7311-97wp/5410	
05-0003-001300+07-3351-1110	
27-563g-Sf700i	
Radox 9 Gkw-Ax 1.5	
07-2511-1330/63	
Xcx1301360e-110	
02-5500-0014	
02-5500-0035	

07-7331-2301	Digital Output Module
05-0003-000801	
U891176718212a	
A7-2196-2902	Power Supply
05-0003-001000	
05 0003 000801	
232258	
05-0003-000801+07-3321-1100	
02 5500 0014	
07-2501-6420	
17-71v1-9037u000	
07-3353-1120	
07-3353-1140	
05 0003 000800	
07-31a2-2006	
Vbb001bl	
05-0020-0091	
05-0020-0492	
07-3353-3123	
07-3323-1400	
Set Pair Connection For Cable 11fsme2-??	
Oda 17-584d-200d/0001	
Emk0101by	
07-6121-9507 (Ex 07-6121-9503) + 07-6121-9506	
07-1511-1530/61	
02-2430-0003	
07-31a2-1606	
07-7311-97wp5000	
05 0003 000700	
Psb Heating Tape 33w	
Order No. 27-3621-02140101 (Assembled With 26 M Emf Cuni 1600 With Port Tester)	
231494	
05-0003-006700	
05-0003-00700	
07-7311-97wp6000	

07-3353-3113
07-3353-3143
27-5824-5a6a3000
Krm16a
07-3323-1100-3 -2nc - Not Available
07-2511-15xx/62