

Belimo



Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz. **Belimo** Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Belimo Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Gm24a-Sr	BELIMO damper actuator with mechanical position indicator and Manual adjustment (temporary, permanent) Nominal voltage: AC / DC 24 V Control: DC 0 ... 10 V continuously Working range: DC 2 ... 10 V Feedback: DC 2 ... 10 V Torque: 40 Nm Running time: 150 s Rotation angle: max. 95 ° Direction of rotation: selectable (left / right) Connection: cable 1 m Protection class: IP 54
CM24-F-L	
BLF24-T-TUR AC/DC 24V	
LF24 S	
Rotary electric drive LF230-S	
electric drive NM24A-SR	
LM230ASR	Rotary drive, 5 Nm, AC 100...240V, 150 s, IP54
R2040-16-S3	BELIMO 2-way control ball valve thread PN25, DN40, kvs 16.0, made of brass as Straight valve with internal thread Rp 1 1/2" permissible operating pressure ps 1600 kPa
R2040-25-S3	BELIMO 2-way control ball valve thread PN25, DN40, kvs 25.0, made of brass as Straight valve with internal thread Rp 1 1/2" permissible operating pressure ps 1600 kPa
R2050-40-S4	BELIMO 2-way control ball valve thread PN25, DN50, kvs 40.0, made of brass as Straight valve with internal thread Rp 2" permissible operating pressure ps 1600 kPa
R2032-16-S3	BELIMO 2-way control ball valve thread PN25, DN32, kvs 16.0, made of brass as Straight valve with internal thread Rp 1 1/4" permissible operating pressure ps 1600 kPa

NRQ24A	BELIMO valve drive, AC/DC 24 V Open-close torque 8 Nm, running time 9 s with connection cable 1 m
SRQ24A	BELIMO valve drive, AC/DC 24 V Open-close, torque 16 Nm Running time 9 s, with 1 m connection cable
LRQ24A	BELIMO valve drive, AC/DC 24 V Open-close torque 4 Nm, running time 9 s with connection cable 1 m
LMC24A	BELIMO damper drive, AC/DC 24 V 3-point or open-close, torque 5 Nm Running time 35 s, with 1 m connection cable
LMC230A-F	BELIMO damper drive, AC 230 V 3-point or open-close, torque 5 Nm Running time 35 s, with 1 m connection cable Axle form fit 8 x 8mm
NV24A-MP-RE	BELIMO linear actuator for 2 and 3-way valves Retrofit adapter for mounting on valves various types and manufacturers Stroke direction and closing point selectable overload-proof and maintenance-free mechanical position indicator and Manual override (temporary, permanent) Rated voltage: AC/DC 24V, 50/60Hz Control: 3-point, continuous, MP-Bus Sensor connection: 1 sensor or switch Sensor type: active or passive Working range: DC 2...10 V* Feedback: DC 2...10 V* Actuating force: 1000 N Nominal stroke: 20 mm Actuating time: 150 s / 20 mm* Connection: terminals Degree of protection: IP 54 *Can be parameterised with: PC-Tool and ZTH... Notice !! Notice !! Notice !! Replacement for old drive NV24-MFT installed on third-party valve
H765N/EV24A-MP-TPC	Alternatively BELIMO 3-way control valve flange PN16 DN 65, kvs 63 as mixing valve Fitting and seat: cast iron GG25 Closing body: stainless steel Plunger/bypass seat: stainless steel Tappet seal: EPDM O-ring Medium temperature: 5... 120 °C Characteristic A-AB/B-AB: equal percentage/linear Leak rate A-AB/B-AB: max. 0.05 / 1% of kvs BELIMO linear actuator for 2 and 3-way valves Stroke direction and closing point selectable overload-proof and maintenance-free mechanical position indicator and Manual override (temporary, permanent) Rated voltage: AC/DC 24V, 50/60Hz Control: 3-point, continuous, MP-Bus Sensor connection: 1 sensor or switch Sensor type: active or passive Working range: DC 2...10 V* Feedback: DC 2...10 V* Actuating force: 2500 N Nominal stroke: 40 mm Actuating time: 150 s / 40 mm* Connection: terminals, cable 1 m Degree of protection: IP 54 *Can be parameterised with: PC-Tool and ZTH... !! Notice !! Notice !! Notice !! Complete valve and actuator replacement!! Attention: valve probably not identical, If necessary, the piping at the bypass connection to be adapted on site!!
GM230A	BELIMO damper drive, AC 230 V Open-close, torque 40 Nm Running time 150 s, with 1 m connection cable
S2A	Auxiliary switches for drives LM..A, NM..A, SM..A, GM..A, LR..A, NR..A, SR..A, GR..A, DR..A Auxiliary switch: 2 x EPU adjustable
	Damper drive, AC 230 V 3-point or open-close, torque 10 Nm

NM230A-S	Running time 150 s, with 1 m connection cable with auxiliary switch
NM230ASR	Damper drive, AC 230 V constant DC 2...10 V, torque 10 Nm Running time 150 s, with 1 m connection cable
GM24A-SR	BELIMO damper actuator with mechanical position indicator and Manual override (temporary, permanent) Rated Voltage: AC/DC 24V Control: DC 0...10 V continuous Working range: DC 2...10 V Feedback: DC 2...10 V Torque: 40 Nm Running time: 150s Angle of rotation: max. 95° Direction of rotation: selectable (left/right) Connection: cable 1 m Degree of protection: IP 54
GM24A-MP	BELIMO damper actuator with mechanical position indicator and Manual override (temporary, permanent) integrated MP-Bus interface to the digital Connection to a DDC controller with MP-Bus Interface or via BELIMO gateway to a higher-level bus protocol Rated Voltage: AC/DC 24V Control: MP bus Sensor connection: 1 sensor or switch Sensor type: active or passive Torque: 40 Nm* Running time: 150 s* Angle of rotation: max. 95°* Direction of rotation: selectable (left/right)* Connection: cable 1 m Degree of protection: IP 54 *Can be parameterized with: PC tool
Uflk1738	
G6125c+2xaf24-Mft	5FLG 2W 263CV S/R PROP
G314+nvd24-Mft	
B331af24	
Zone215s-35+z24nc	
B223+lf24-Mft Us	
G213+lf24-Sr	
B215tfx24	
Cmb24-Sr-R	
B350vs+2xaf24	24V ON/OFF 2 3WAY BAL VALVE
Uglk1410	
Uflk6914	
Ubtfx0000	
G780d+af24-Mft	3FLG 3WDIV 85CV 24V PROP SR
Zone215n-35	
B223+lf120 Us	
Efb24 N4	
B220+lf24-Mft	

Fsaf120-S Us
G250nvg24mft
B339+afrx24-Mft
B263+afrx24-Mft
B210b+lf24-3
B239+afrx24-Mft95
B229
Fgvl+avkb24-3
Lf24-Mft-20 Us
Nfb24-Sr
B330af24sr
B332vs+amx24-Mftx1
Zs-Ccv-110
B309b+tfrb24-Sr
B216+lrb24-Sr
B264+arx24-Mft
Gkx24-3-T N4
F780hdu+gmx24mftx1
K4-2
B322+lrb24-Sr
Uflk1136
Tfrx120
B349+af24-Mft95
Tool-06
B309+tr24-3
B318+tr24-3
Lfc24-3-S Us
B318
B313+tfrx24-3-S
B211+tr24-Sr

B225+Irb24-Sr	
Nmx24-Sr	
2xaf-24 -S	
B249af24sr	
Lrcb24-3-S	
Uglk1476	
B219	
Fsaf24-Sr-S	
Fsaf24 Us	
Zs-150	
G350psr-X1	
Sy2-230-3-T	
Sa1-Us	
Lf24-Sr Us	
Zs-Ccv-90	
B225+lf120	
B225+Irb120-3	
Lm24a-S-Tp	
Lhb24-3-T-100	
B313+Irx24-Mft	
Sy324pr	
B331+afrx24-Mft-S	
B331+afrx24-Mft	
F7200hsu+sy3-24sr	8, 3W , BUTTERFLY W/ ACTUATOR
B231+arb24-Sr	
B665+arx24-Mft	
G250sumft-X1	
G665cs+nvf24-Mft-E	2.5 FLG 2-WAY SR 24VAC/DC
B217+Irb24-Sr	
Fgvl+evb24-Mft	
Zs-Spgv-10	

Hnd01f65020	
G680+2xgmx24-Mftx1	3 FLG VLV 90CV W/2 GM24-MFT
Lm24-Sr-T-2.0-Us	
B350+arx24-Mft	
Lmx24-Mft-X1	
B224+lf24-Mft-S	
Uglk1212	
B249vs2xaf120	22WAY 120V S/R 108CV 133LB
Zone225s-80+z120no	
Nf24-S	
Uglk0032	
F680hdu	
Gkx24-Sr-T N4	
B212tf24sr	
Lmcb24-Sr-T	
Zone24nc	
B215ht290	
B223+lf24-Mft-S Us	
B680vs+sy2-24mft	
Lf24-Mft-S-20 Us	
Lf120-Us	
Fsaf24-Bal	
Uflk1230	
Fm24-Sr95-Us	
B215ht046+lrb24-Sr	
B220tfrx120	
B248+arb24-3	
G224s+nfx24-Mft-X1	
B214vs+lmb24-3x1	
Efb120-S N4	

B311+tf24-3	
G332d	
Tf24-Mft	
Uglk1272	
Lm24-T/Us	
Sy2-24	
G7100d	4 FLG DIV VLV 190CV C.I.
Lux24-Mft	
B211+lf24	
P140a-Gr	
S2	
Lub24-3	
Cq24a-T	
B248+afrx24-Mft-S	
Lhb24-Sr-100	
Tfrx24-Sr	
Zone325s-80+z24nc	
Efb24-Sr N4	
Zdb-Lu	
B310+tfrx24-3-S	
B222+lf24-Sr-S Us	
Ugvl+svkx24-Mft	
B309b+lrb24-Sr	
Af24-Sr	
Sm24-Us	
Afb24-Sr-Sn4	
B350+afrx24-Mft-S	
Ch24-Sr-L60.2	
K-Am25	
F665hdu+afrb24-Mft	

Uglk1800	
Fsaf120 Us	
G240psr-X1	
B231+afrb24	
Zone215s-10+z120no	
Nfb24-S	
B232+afrbup	
Lmc24a-Sr-F Gew - , - Lmc24a-Sr-F	
G665+2xaf24-Mft	2.5 FLG VLV 65CV W/2 AF24-MFT
Unv-Bkt-002	
Uglk1074	
G680cpx1	
Lf24-Econ-R03 Us	
F6250hdu+sy3-24mft	
Zs-Bfv-30	
Gmb24-3-T N4h	
G240+amb24-Sr-X1	
B329+afrx24-Mft-S	
Sbg24	
Lmqb24-Mft	
Uflk3936	
Zg-Efb	
Uflk1352	
B265+afrx24-Mft-S	
Tmcb24-3-T	
B312+tr24-3-T	
B313b+tfrb24-Sr	
B249vss+2xaf120-S	
Afb24-Mft-N4	
F7250hd+sy4-110	
Fsaf24-Bal-S	

Bae165	
Tfrb24-Sr-S	
Phose4	
B262	
B214+tf24-Mft	
B231af24sr	
B351+afrx24-Mft	
Fsnf120-Fc	
Uglk1204	
Afx24-Mft95	
B222+lf24-Sr Us	
Lrb24-3	
Uflk1842	
B313b+lf120	
Ubtfx0002	
G320+lf24-Mft	
Zk2-Gen	
B220b+tfrb120	
Nfb24-Sr-N4	
Afxup	
G215+nvfd24-Mft-E	
Af24-- By Sf24a	
Uflk1844	
Afbup	
Nvf24-Mft2 - By Nvk24a-Mp-Tpc Or Nvk24a-Mp-Re	
G6100c+2xaf24-Mft	4 170CV PROPFLGDVLV 24V
Fsnf120-S Us	
Lf24-Mftus	
Gm24a-Sr Damper Sürücü	
Nfbup-S	

Uflk1840	
B215b	
Bv.10.24	
B210b+lr24-1-Us	
B214+lf24-Mft Us	
B252+afrb24	
G680-Af24-Mft-Us	
Af24-Sr95	
B231+arx24-Mft-Tn4	
G315+lf24-Sr	
B278+afrx24-Mft-S	
Zone215n-35+z24nc	
B213	
B348+afrx24-Mft-S	
Ahb24-Sr-100	
P6065w800e-Mp	
F6400hd+gw05	
B208b+tr24-3/300	
Fslf120 Rus	
G765d	2 1/2 3-WAY DIVERTING VALVE
Lm24a-Mp	
Lrb24-3-T	
B217b-Lf24-Sr	
Afrb24-Sr	
G665snvg24mft	2.5FLNG 65CV 24V 2/10VDC
Kh-Afb	
B238+afrb24-S	
G340	
Efb24-Sr-S	
Tf120-Us	

G332+nv24-Mft-Us	CONTROL VALVE ASEMBLY
Uflk1144	
Unv035	
Af-P	
Gm24-Us	
Lrqb24-Mft	
Amcx24-Mft	
Sm24a-S	
Fsaf120a	
Sy3-120sr	
G212s-Nvd24-3-Us-250psi-Cv-0.4	
Lmc24	
Gkb24-3	
Gkx24-Mft-T N4	
G232	
B211+lf24-3	
G224s+svb24-Sr	
B2200vss108+2af120	
G314-Nvd24-Mft-Us	
G225+nfx24-Mft95	
B209+tfrb24-Sr	
B212+tfx120	
Tr24-Sr-Us	
Uflk1102	
Fsaf120-S	
Uglk1250	
FsIf24 Us	
B209b	
G250+afb24-Sr-X1	
Uglk1350	

B323+lf24-Mft	
Gkrx24-Mft	
Ugvl+lvx120-3	
B349+afrx24-Mft-S	
Sm24a+zsm	
Nfx24-Mft-X1 - Available Only In Usa	
B232vs+af24-S	
G232+nv24-3	
B220vs	
Uglk1550	
F7150hs+sy3-120sr	6 3WAY BUTTERFLY W/ 0-10VDC
B220+lf24-Mft-S Us	
B223+lf24-3	
B350vs+2xaf120	120V ON/OFF 2 3WAY BAL VALVE
G780+gmx24-Mft-X1	3FLG MIX 91CV 24V NSR PROP
Nfb24	
G7100d+af24-Mft	4FLG 3W DIV 154CV 24VPROP SR
Tfb24-S	
B239+afrx24-Mft-S	
B251+arx24-Mft	
G240s	
B220+lf24-Mft Us	
Uflk3924	
Amx24-Pc	
B278+afrx24-Mft	
B311b-Lr24-Mft-Us	
Sy4-24	
Gkx24-Sr	
P2050b	
B239+afrx24-Mft	
Nru-24-Sr- Aletnative Nr24a-Sr	

F7150hsu+sy2-24p	3W 6BTTRFLYVLV 24V 3POINT ACT
13131-00001	
Sm24a-S-Tp	
Ccv-Ext-Kit	
Lmqb24-1	
Nv24-Mtf , Nv24a-Mp-Tpc	
Zg-Nm3	
D680nl	
B320+lf24-Mft	
Tfrb24-Sr	
B325vsaf24mft	
Zg-Lf112	
Uflk1138	
G250snvf24mfte	2 2-WAY SR 24V W/NVF ACT
Uflk1350	
Khaf	
Uglk1068	
B349+afrx24-Mft	
B320b+tr24-3	
Sy9-230mft	
B264+afrx24-Mft-S	
21409-00001	
B251af24	
B254+afrbup	
B215+lf24-Mft-S Us	
G250+afbup-X1	
Tfrx24	
B212+tr24-3	
Sm230a+s2a	
G7100+gmx24-Mft-X1	4FLG MIX 91CV 24V NSR PROP

Af24-Sr-Us	
Lmc24a-Sr	
Nrx24-3-T-N4	
Ahb24-3-200	
Fsnf120-S	
B209b+tr24-3	
B240+arx24-Sr-T	
B320+lf24-S	
FsIf24-Fc-Us	
Zg-Dc1-K	
Zggm2	
B254af24s	
Fsaf24a	
Sr24a-Sr	BELIMO valve actuator with mechanical position indicator and Manual adjustment (temporary, permanent) Rated voltage: AC / DC 24V Control: DC 0 ... 10 V continuous Working range: DC 2 ... 10 V Feedback: DC 2 ... 10 V Torque: 20 Nm Running time: 90 s Turning angle: max. 95 ° Connection: cable 1 m Protection class: IP 54
Uflk1750	
G232-Lm24-Sr-Us	
B207+lf24	
B325+lrb24-3-S	
B218+lf24-Mft Us	
Smq24a	
Af24-S	
B254af120	
B217+lrb120-3	
Uflk1200	
G7100d+af24	4 3WAY DIVERTING N/C 24V 2POS
Lm24-Mu	
Kg10a	
Tf24s	

B252+afrx24-Mft	
G225s+nfbup-X1	
Zone315s-35	
B308+tr24-3	
Zg-102	
Zg-Gv12	
B280+afrx24-Mft	
Lmb24-3-P10-T	
B222+lf24 Us	
B261+afrx24-Mft-S	
Tr24-3	
B15.24.30se/58400822	
G240+svkb24-Sr	
B219+lf24-S	
Cfu-D222	
Ubtfx0001	
Zone220s50z24no	
Fsnf230	
G214s+lf24-3	
Zone220n-50	
B6150vs+sy5-24	6 2W 3300CV 24V NON-S/R 2-POS
Uglk1412	
Ar100-Rc1	
Afb24-Mft95	
Uglk1804	
Bf230-2	
Zg-R01	
Amb24-3	
F6200hdu+sy3-24mft	
Gmb24-3-T-N4	
Uflk1232	

B217b+tr24-3-T	
Uflk3352	
B240vsumftx1	
Uglk-Col-Hy02	
Uflk1834	
B207+lf24-Mft Us	
Amcx24-Mft95-37	
B325vs+af24-S	
G780d+af24	33WAYFLGDIV 24V SR 85CVON/OFF
B208+tfrb24-Sr	
Lmb24-3	
B329+arx24-Mft	
Fsnf120-S-Fc	
F6150hdu	
Uglk1012	
Gmb24-Sr	
B280+afrx24-Mft-S	
Gkb24-3-T N4h	
F6200hs+sy4-120-Sr	8 2-WAY BUTTERFLY NSR 110V
G6100c+gmx24-Mftx1	4 2W GLF 24V NSR ASSEMBLY
Lf230-S	
Uflk1146	
Zg-Nmsa-1	
Uflk1348	
Gm24a-Mf	
Uglk1416	
Zip-Rs232-Us	
Uglk1402	
B217b+tr24-Sr-T	
B210+lf24-Mft-S Us	

Zip-Usb-Mpus	
Fsnf120 Us	
B219+lf24-3	
B207b+tr24-Sr	
G240+afbup-S-X1	
Zg-101	
Sn2	
G6125c+2xaf24	5FLG 2W 263CV W/2 AF24 S/R
G7100+2xgmx24-Mftx	4FLG 3W 190CV 24V NSR PROP
B340af24	
Fsnf24-Fc-Us	
G780+af24-Mft	3FLG 3W MIX 91CV PROP SR 24V
B210+lf24-Mft	
Sy11-230mft	
Lhb24-3-200	
Ev600s-713	
B315b+tr24-Sr-T	
F7250hdu+sy4120mft	10BTRFLY,3W,120V
Sy10-110	
B340+afrx24-Mft-S	
Uflk1302	
Uglk1474	
G350+nvf24-Mft	
G780+2xaf24-Mft	3FLG 3-WAY 91CV W/2 AF24 MFT
Lf230	
P6250s-127-Arx24pi	
Ahb24-Sr-200	
B219+lrb120-3	
Lmb24-Sr-T	
Gkb24-Mft-T N4h	

Tfrb120	
B313btfx24	
Gkrx24-3 N4	
Nm230a-Tp	
Af120sus	
Sy2-24mft	
B208+lrb24-3	
B220b+tr24-Sr-T	
B250+arb24-3	
Uglk1210	
B218+lrb24-3	
B348af24	
B315+tfrb24-Sr	
Af24-S.9-Us	
B280af120	
Lf24-Mft-S	
Lf230 Us	
B232	
B224vs+amx24-3x1	
Sy10-230mft	
B211+lrb24-3	
Uflk2902	
F6300hd+sy4-110	12 2WBFV 120VNSR SSDISC8250CV
Gmb24-Mft-X1	
F6150hsu+sy2-24p	6BTTRFLYVLV 24V 3 POINT ACT
Tfrx120-S	
B232vs+afb24-X1	
B208+lf24-Mft Us	
Uflk1748	
B219+lf24-Mft Us	
Afx24-Sr	

B251+afrx24-Mft	
Uflk3432	
Gkx24-Mft	
B252+afrx24-Mft-S	
Fgvl+evb120-3	
B213+lf24-Mft Us	
Tfrx24-Mft	
Uflk1142	
G240s+amx24-Mftx1	1.5 2W STEAM 24VNSR PROP 28CV
Lmb2410p	
B329+arb24-3	
Afrx24-Mft	
B350vs	
Zg-R05	
B309b+tr24-Sr/300	
Sy1-110p	
Cmb24-3	
Sgvl+lvx120-3	
B240+afrx24-Mft-S	
Nm24	
B219vs+nfbup-S-X1	
B347+afrx24-Mft	
Tfrb24-3-S	
B325+lf24-Mft	
B265+afrx24-Mft	
Sgf24	
B277+afrx24-Mft	
B207b+tr24-3	
Tfrx24-3	
Zone225s-80+z120nc	

Wbv-BI63
B309b
B208b
Uglk1274
B10.24sl/58400822
B332l+afrbup
Amx120-Sr
D665nl
Lmb24-3-P5-T.1
B210+tf24-Sr
B277+arb24-3
B308+tr24-3-T
Lf24-3 Us
G340+afx24-Mft-X1
B315+tfx24
Nm24a
B320+lrb24-Sr
G225+nfbup-X1
Uflk1108
B211+lf24-Mft-S Us
G224+nmb24-Sr-X1
Lm72a Hfg 5nm 48-110vdc M.P
Sgvl+svkx24-Mft
B330+afrx24-Mft-S
P500a-Gr
B212b-Tf24-3us-Nc/Fo
B217+lf24-Sr
Ind-Af2
Uflk1454
Tfrx24-Mft-S

Uglk1400	
Tfrx24-3-S	
Uflk1224	
Am24sr	
B222+lrb24-Sr	
Lf120	
B340+afrx24-Mft	
B225vs+amb24-3x1	
B252+arx24-Mft	
B231+arb24-3	
Tf24-3-S	
B312	
Nfx24	
Srfa-S2-5	
B312+tf24-Sr	
G325+nv24-Mft	
G250s+nv24-Mft	2 40CV 24V PROP/MFT ACTUATOR
G6100c+2xaf24-S	
Ahb24-3-100	
B264+arb24-Mft	
Fsafb24-Sr	
B254+afrx24-Mft	
B665af24	2.5FLGD 2WAY SS BALL S.R.
Bae72-S	
Zone320s-35+z24nc	
Af24mftsp30001	
G665+af120	2 1/2 FLNGD 120V 65CV NSR
Nvf24-Mft-E	
Nm230a	
B210+lf24-Mft Us	
Uglk1010	

B211
Zone225n-80+z24no
G332+nvf24-Mft-E
Uflk1236
Uflk1442
Tr24-3-T
B312+Irb24-3
Lf24-Sr-S Us
B230+Irb24-Sr
Nr230a
Af24-S-Us
B220ht290
F680hdu+2xaf120-S
B214b
Am 230-2mb , By Sm230a
Se4f24
Zs-100
B2050vss-15+lf120s
B215+Irb24-3
B225Irb24srt
F7200-150shp
B309
Lmx24-Mft95
Gm24sr
G215+nvd24-3
Gmb24-3
G325
Sy8-120mft
B253+afrx24-Mft
Uglk1806

B223+lf24 Us	
G240s+nvf24-Mft	1 1/2 28CV 24V S/R 88#
B222+lf24-Mft-S Us	
B239vss+af120	1.52W S.S.84CV BLVLV W/120V
Zg-Gv11	
Nv243	
G340umft-X1	
Nvf24-Mft2-E	
Ugvl+lvkx24-Mft	
B310+lrb24-3	
G250+nv24-3	
B224+nrx24-Mft-Tn4	
Uflk1734	
Efx24-Mft	
B351+arb24-Sr	
F680hd+gmb24-3-X1	
Lf24-Sr-E Us	
B210b	
Uglk1552	
B262+afrx24-Mft	
B209tf24mft	
B249+afrx24	
G6100cs+2xaf24-Mft	4FLG 24VAC S/R PROP 170CV
B215ht073+tr24-3	
Fsaf120a-S	
G250s+nvf24-Mft	22W 40CV 24V S/R-OPEN 250# SS
Uflk2142	
Arb24-Mft	
Zs-T	
B315b+tr24-3	

Af24-Pwm-UJs	
Z220s-230	
Lm24	
Lm24-S-T-, By Lm24a-S-Tp	
G7150+2gmb24-3-X1	
B213+lf24-Mft-S Us	
B219vs+af24-S	
Uflk1438	
Lf24-Mft-S Us	
G350d+nvf24-Mft-E	23WAY DIV 24V 40CV SPRING DWN
Gmu24-Sr-40nm	
Nrx24-Mft-T-N4h	
B209+lf24-Mft Us	
Lmc24a-Sr-F	
Nv24a-Mp-Tpc	
G765d+af24-Mft	2 1/2FLNG 3WY DIV 68CV 24V
Smu24-S	
Lr24-Sr-Us	
Sm24a-Sr	
Uglk1202	
Vfp-600	
B261+afrx24-Mft	
Nvg24mft	
F6350hd+gw04	
Gkrx24-3	
B329+af24-Sr	
G240nv24mft	
G314?Mft	
Uglk1420	
Afb24-Sr-S	

B317+tfrx24-3-S	
Uflk1446	
Tr24-Sr/300	
Fslf120-S Us	
Zg-Gv19	
S1a	
Efb24-S	
Ps-100	
D6150-NI	
Afb24-Mft	
Uflk1736	
Zone325s-80+z120nc	
G240s+nv24-Mft	
Zone315n-35+z120nc	
B209+tfrx24-Mft	
P1000a	
Gmx24-Mft	
Lr24a-Sr	BELIMO valve actuator with mechanical position indicator and Manual adjustment (temporary, permanent) Rated voltage: AC / DC 24V Control: DC 0 ... 10 V continuous Working range: DC 2 ... 10 V Feedback: DC 2 ... 10 V Torque: 5 Nm Running time: 90 s Turning angle: max. 95 ° Connection: cable 1 m Protection class: IP 54
B238+arx120-3	
B312+lf24-Sr	
B215+lr120-3	
B309+lrb24-3	
Afrxupn4	
B280	
Fgvl+avkb24-Mft	
B309b+tr24-3	
B6600s400+gkrx24-3	
Uflk1744	

Zone220s-35+z120nc	
Sf24a	
Gkb24-Sr	
B348+arb24-Sr	
B212+lrb24-3	
Ev250s127arb24	
B320	
Lmb24-3-P5-T	
Nv24a-Mp-Re	
Lrx24-3-S	
Ev24a-Mp-Tpc	
K-Lm12	
B220vsnf24	
Uglk1004	
Uflk1440	
B251+afrb24	
Amb24-3-S	
H780n+av24-Mft	
Uglk1006	
B211+tr24-3	
B212+lf24-Mft-S Us	
G780d	
B10.24.Iv	
F7250hdu+sy4-110	
Lmx120-3-F	
F680hdu-Sy1-24	BUTTERFLY VALVE 3INCH 2WAY
B222+lf120-S	
B278+arb24-Sr-Tn4	
B212+tr24-3-T	
B207+lf24-Mft-S	
Unv-006	

B310+lrb24-Sr	
B310+lf24-Sr	
Nm24-1	
B238+afrx24-Mft	
Zone220n-50+z120no	
B240+arx24-Mft+w31	
Zone315s-10+z24nc	
Kh-Tf	
S2a	
F6100-300shp+2af24	4 2-WAY BUTTERFLAY W/AF24 ACT
B338+afrx24-Mft-S	
Sy2-110	
B262+afrx24-Mft-S	
G765af24mft	2 1/2 3WY 68CV MIX GLBE VLV
B217+lf24	
F6100hdu+grb24-3-7	
B222+lf24-3 Us	
B209b+lrb24-3	
G6125c	52-WAY FLANGED VALVE 263CV
G7100s	
B254+afrx24-Mft-S	
B215b+tr24-Sr-T	
G213nvd243	
G232s+svkb24-Sr	
B212b+lf24	
Nmv-D3-Mft	
Lmq24a-Mf	
G350d+nvf24-Mft	23WAY DIV 24V 40CV SPRING UP
Uglk0030	
G780+afx24-Mft-X1	

Smq24a-Sr
Uglk1404
B209+tfrb24-3
B320+lf24
B210+tr24-3-T
Tfb120
B215+lf24-Mft Us
Uglk1008
B208+lf24-Mft-S Us
Arx24-Sr
Lrb24-Sr
B219+lf24-Mft-S Us
Lrx24-3
Gmb24-3-X1
Nvk24a-Mp-Re
B277 Arb24-3
Trc24a-Sr
Uflk1234
Efb24-Mft-S N4
B223+lr24-Mft
B278
Efb24
B316
Lf120 Us
B220btfx24300
Lrb24-Mft
B325+lf24-Sr
Lf24 Us
Gkx24-Mft-X1
B318+lf24-S
Gmu24-Sr

Uflk1400	
B348+afrx24-Mft	
Fsafb24-Sr-S	
Uglk1478	
Zone215n-25+z24no	
Lf24-Mft Us	
B224+lf120	
B254af24	
Sf24a Sr	
Nsv-Bat	
B351+afrx24-Mft-S	
F6150hs	
F765hs+2xaf24-X12	2.5 BTRFLY VLV 196CV W/2 AF24
Nvk24a-Mp-Tpc	
F6250hd+sy4-120mft	
B211+lr24-Mft	
B215+lr24-Sr	
B677	
Uflk2200	
B218+lf24-Mft-S Us	
B6250s-110+afrx24	
Lm24-Sr-T	
Uglk1150	
Uflk8184	
F650hd+afbup-S-X1	
B277+arx24-Mft	
Ads-100	
B2100vb-024	
B350+arb24-3	
B280af24	

Sy1-110	
P1000	
B224vspx1	
Lrx24-Mft	
G225+nf24-Sr	
F6150hd+hnd02	
F6100-150shp	
Uflk1240	
B277+afrx24-Mft-S	
Tfrx24-S	
Sm110	
Zone225s-80+z24nc	
G6125c+gmb24-3x1	5FLG 263CV 2W NSR W/GMB24-3
Sgvl+svx24-3	
Uflk1836	
B232vs+afbup-S-X1	
B329+afrx24-Mft	
Plastic Coupling For Nv24-Mft - Obsolete	
Sr230a-R	
Zone24nc-S	
B313b	
B313	
Arx24-Sr-T-N4	
Uglk1406	
Uflk1450	
G219s+lvkx24-Mft	
B212+tfrb24-Sr	
B210+lrb24-3	
Uflk1132	
G240spx1	

Afbup-S	
G240ps-X1	
B308	
Uglk-Stm-1800	
G780d+af120	3FLG 3-WAY DIV 120V
G780ds+af24	3 FLG 3-WAY 24V S/R 133LB
B350+afrb24	
B222+lf120 Us	
Uglk1418	
B2050vs-01+lf24	
Uflk1340	
Uflk1436	
Am24-Sr	
Bf-230-2-FI - Alternative Is Bf230-2	
Nfbup	
B232+afrx24-Mft	
F6200hdu+sy3-110	82WAY BTRFLY 110V ON/OFF AUX
B224+lrb24-3-T	
Lrb24-3-S	
P2050b010+lrx24-Mft	
B210b+lrb24-Sr	
G232+svkb24-Sr	
G7100ds+af24-Mft-S	3FLNG3WY DIV 24V SR 2SW SS
Nm24a-V	
Econ-Zip-10k	
B212+lf24-Mft Us	
Ubtfx0024	
F6200hd+sy4-110	BUTTERFLY VALVE 8INCH 2WAY W/ACTUATOR 3560IN-LB
B224vsspx1	
Act00400	

Sm24-S-Us	
Uglk-Stm-1802	
G240+afx24-Mft-X1	
B318b+tfrb24-3	
Zone315s-10+z120nc	
B239af24sr	
B264	
G680+gmb24-3x1	32WYFLNG90CV 24V NSR 360# FLT
Zone120no-S	
B212b+lf120	
Nfb24-S-N4h	
Ufsp0008	
Blf24-T	
B309+tr24-3-T	
B250+afrx24-Mft-S	
G665c+nvf24-Mft	2.5 65CV PROPFLGDVLV 24V
Uflk1228	
Cr24-B1	
Tr24-Sr	
B340vs+2xaf24	
B209b+lf24-3	
B211b+tfrb24	
B309+lrb24-3-T	
Fsnf24-S Us	
Lmc24-Sr-F-- By Lmc24a-Sr-F	
B311+lrb24-Sr	
B215+lf24	
Lhb24-Sr-200	
B317+lrb24-3	
Gmb24-3-T N4	
Nv24-Mft-50	

B347+afrx24-Mft-S
B238
B232vsaf24mfts
Efb120-S
B313+tr24-Sr-T
Lrb120-3
Uglk1472
Sf24a-S2
Uglk1870
G315+lmb24-Srx1
Uflk1828
B211tf24sr
Tf24
Tfcb120-S
B213+lf24
B350af24sr
Uglk1214
Afr120us
F6500hd+sy8-120mft
B662
Fsnf230 Us
G212
Uglk1070
C215q-J/230-T
Hnd01
B214+lf24-Mft-S Us
Uflk1402
Zsccv60
FsIf120-S
Lf24-Econ-R10 Us

[B338+afrx24-Mft](#)[Uflk7410](#)[Zone315n-10+z24nc](#)[Waf-4](#)[B312+lrb24-Sr](#)[Uflk1130](#)[P2050b050+lf24-Mft](#)[B349afrb24sr](#)[Nr24a](#)[P2050b050+lr24mft](#)[Gm24a-Sr-Tp](#)[Blf230](#)[Fslf24-S Us](#)[B250+afrx24-Mft](#)[Ugvl+svkb24-Mft](#)[Uglk1014](#)[Lf24-3-S Us](#)[P2050b030+lr24mft](#)[G225s+svkx24-Mft](#)[G340dnvf24mft](#)[Sy3u230-Mf-T](#)[Uglk2202](#)[Uglk1802](#)[Pta-250](#)[B312+tr24-Sr-T](#)[Uflk1448](#)[B315+tf24-Sr](#)[Sy-Hoa-24](#)[Grc24a-5](#)[B223+lf24-S](#)

Uglk1002	
G350-Nv24-Mft-Us	
Afrx24-Mft95	
B322+lf24-S	
Efb24-Mft-S	
Lmb24-Mft	
Arb24-Sr	
Uglk1206	
Uflk1742	
B315l	
Vfp400	
B214vs+lf120	
B230+lrb24-Mft	
B215ht073	
B253af24s	
B209+lr24-3	
B6400s-186	
B214+lrb24-3	
Fgvl+evb24-Sr	
G780dnvg24mft	3 3WAY DIV 24V 360# PROP
G680+gmx24-Mftx1	3FLNGVLV 90CV 24V 2-10VDC
Uglk1422	
B250s	
R3050-BI4	
Fslf120 Us	
Afrb24-Mft	
G250nvf24mfte	
Smc24	
Efb24-Mft	
B215ht029+lrb24-Sr	

Lf24-Mft	
Ep050r Mp	
B252+afrb24-S	
Nmv-D2-Mft	
Afbup-Sn4h	
B249	
G250ps-X1	
Af230	
B240+afrx24-Mft	
B238+arb24-Sr	
Fsnf24 Us	
Zone120nc	
Af24-Sr-S-Us	
Sf24-S	
Lmb24-3-S	
B231af24	
Lf24-Sr-E-Us	
F780hdu+2af24-Mft	
B212+lrb24-Sr	
Nvf24-Mft-E-50	
Gmx120-3	
Sf24a-Sr	
B210+tfrb24-3-S	
B222+lrb24-3	
B322+lf24-Mft-S	
B330+afrx24-Mft	
12748-00001	
B219b+lf24-3	
Lmb24-3-T	
B239vss+gmb24-3-X1	1.5 2W 84CV 24V 360IN-LB FLT
B210+lrb24-Sr	

Zg-Tf2	
Amb24-3-X1	
Nmu24-S	
B350af24	
Zone225s-80+z24ncs	
G780	3FLG 3-WAY MIX. 91CV
Uflk1242	
Sm24a-Sr-Tp	
B320vs+af24-Mft	
Lub24-Sr	
Uglk1480	
F665hdu+amx24-Mft	
Afb24	
B211b+tr24-3	
Uglk1276	
Uglk1208	
B313b+tr24-Sr	
Lf24-Sr-Uss	
Arx24-3-T	
Efb24-Sr-N4	
B214b+lf120	
F680hd+gmx24-Mft	
B251	
Fsaf24-S-Uss	
Lrb24-Sr-T	
Lf24-Sr	
Uflk1458	
Lmb24-Sr	
B339+af24-Mft	
G225+nfb24-Sr-X1	

B340	
Tfrb24	
Ugsp0004	
Gkx24-Mft N4	
B210b+tr24-Sr-T	
Lmx24-Fr-F	
Tfx24-S	
G680c+afbup-X1	
B265af120	
F6150hdu+sy2-24	CONTROL VALVE 6INCH 2WAY BFV 24VAC 2POSITION
G680c+nvf24-Mft-E	
B264+afrx24-Mft	
Arx24-Mft	
B254+arb120-3	
B222+lf120-S Us	
Efb120	
B220+lf120	
Afrx24-Mft-N4	
Uflk1300	
G6150c	
G6100c+gmb24-3x1	42WYFLNG170CV 24V 360# FLTG
B249+afrx24-Mft	
B213+lrb24-3	
Uflk1746	
G680+af24	3FLG ON/OFF 24V S/R 90CV
Uflk2954	
Lrx24-3-T	
G220+lf24-Sr	
Uglk1000	
B320vs+afb24-X1	
Ugvl+lvkb24-Sr	

Gmx24-Mft-X1
Uflk3900
Ugvl+lvx24-Mft
Uflk1100
G213s+lf24-Sr
B239vs
B222+lf24-Mft Us
Lf24-S Us
Fsaf230
B338+af120-S
B225vs+af24-S
Nf24
B209b+tr24-Sr
Afrx24-S
Uflk1238
R6080w100-S8
B263+afrx24-Mft-S
Efb24-S N4
Av24-Mft2
Efb24-Sr
Lm24-Sr-Us
Gkrb24-3-5
Nrx24-3-T-N4h
Nfb24-Mft
Afb24-Mft-S
Dn150
Ext-Sw-V2
B220+lf24-3-S
Gkrb24-Mft-5-14
Lf230-S Us

Sr24a-Sr 5	
B231af120	
B210+tfrx24	
Sy10-120mft	
Fgvl+evb24-3	
Uflk1740	
B249+afrx24-Mft-S	
Uglk1200	
G215+lmb24-3-X1	
Lm24-Sr-T Us	
Uflk1342	
B253+arb24-3	
G665gmx24mftx1	2 1/2 FLANGED 65CV 24V/DC MFT
Unv-007	
G665	
Uflk1140	
Nkqb24-Sr	
B315+lf120-Us	
Zg-118	
K6	
G219+lmb24-Srx1	
G250	
Nf24-S-Us	
B239vss	
Uglk1554	
Srf24a	
B248+arx24-Mft	
B341+afrx24-Mft-S	
Afrbup-S	
B313+lrb24-Sr	
Nfb24-Sr-S	

Sm230a-Tp
Tfb24
Sm 24 Sr
B310b+lrb24-Sr
G214s+lf24-Sr
B350+arb24-Sr
B232af120
B209+lr24-Sr
Gm24a
B312b
B312b+lf24-Mft
K41
Zg-105
B207
Zg-112
B211+lf24-Mft Us
Piccv-15-Pt
Uflk1452
B341+afrx24-Mft
B212+lf24-3
B211b+tr24-3/300
R680r+sr24a
Trf230
B217+lf24-Mft-S
B218
B218b+lrb24-Sr
R679 Ac Chr Eo , By R6080w100-S8
FsIf24-S
B317+lf24
Uglk1066

Nf24a	
Lmx120-Sr	
P2200s-563+afrx24-Ep	
Arx24-3-S	
Uglk1072	
F665hdu+af24	
B220+lrb24-3	
Tfrb24-S	
B311+tf24-Sr	
B311+lf24	
Uglk1076	
Z-Escm	
G6100c	4 125# 2-WAY GLOBE VLV
Ev250s127arx24ev	
B6250s-110+afrx-Up	
B250+afrbup	
Zone320s-35+z120nc	
B215ht290+tr24-Sr	
G340+nvf24-Mft-E	
Vrp24v-50hz	
B312b+tr24-Sr/300-Us	
B225vs+af24-Mft95	
Amb24-Mft	
Nm24a-Sr(Exnm24-Sr)	
B309b+lrb24-3	
G780s+af24-Mft	3FLNG3WY 24V SR PROP SS TRIM
Uglk1872	
Uflk1832	
Uglk1016	
B208+tfrx24	
B214+lf24-Sr	

B210b+lf120	
Dr230a-7	
B211+lr24-3	
Tfr24-Sr-S	
G7125	
B350af120	
Zone215n10120nc	
G250px1	
Af24-Sr95-Us	
B350+af24-Mft	
Nr24a-Sr	BELIMO valve actuator with mechanical position indicator and Manual adjustment (temporary, permanent) Rated voltage: AC / DC 24V Control: DC 0 ... 10 V continuous Working range: DC 2 ... 10 V Feedback: DC 2 ... 10 V Torque: 10 Nm Running time: 90 s Turning angle: max. 95 ° Connection: cable 1 m Protection class: IP 54
B225ht2800+lf120	
Fslf120-S-Fc	
B349+arb24-3	
H650n	
G225+nmb24-Sr-X1	
Gmb 24-Sr	
Uflk1838	
Af24-Mftus	
F7150hd+sy3-24	
G665+2xgmx24-Mftx1	2.5 FLG VLV 65CV W/2 GM24-MFT
B213btf24sr	
Lmx24-3-S	
G314+lmb24-3-X1	
G680c+af24-Mft	3FLNG 2WY 24V S/R DCA
B223+lf120-S Us	
G680cs+afx24-Mftx1	
B223+lf24-Mft	

Uflk5138
Lf120-S Us
B331+afrb24-S
Lmc230a
Uflk1358
Fsnf230-S Us
Uflk1354
G350
P2200s-601+arx24-Ep.
Fsaf24a-S
B210b+lf24-Sr
Lmx120-3
B222+lf24-S Us
B232+afrx24-Mft-S
B207+lrb24-3
B217+lf24-Mft Us
Uflk1134
F6100hd
Lhb24-3-100
Uflk1408
B312+tfrb24-Sr
B219+tr24-Sr
Kh-Af-1
B312+lf24-Mft
Uglk1414
Af24sr
Uflk2608
Lma-De0 301 T0g/Lmq24ax-F
Nmx24-3
B219+lrb24-3

Uflk1338	
G350+nvf24-Mft-E	
Uflk1308	
Tfrb120-S	
F7150hsu+sy2-24sr	6BFLY 3WAY 24V 2-10VDC NSR
Zg-Gv10	
Lmb24-10p-Hm	
B232vspx1	
Sy3-24mft	
Lf-24-S	
Zdb	
Efx24-Mft-Sn4	
Uflk1830	
Bae 72b-S - Not Available, Alternative Bae72-S	
B209+lf24-Mft-S Us	
Cmb24-3-T	
Sm24-Sr94-Us	
B251+afRx24-Mft-S	
G224+nv24-Mft	
B21.24.P/58400840	
Uglk2272	
Ah-Gma	
Sm24v-24vcc	
Km-24	
Fsaf24-S	
G250+nv24-Mft-Us	CONTROL VALVE ASSEMBLY
G215s	
P5000a-Gr	
B213b+lrb24-Sr	
F6500hd+sy8-110	

G765+evb24-Sr	
B232vssaf24	
B680+af120	3FLG 265CV 2POS SR 120V
G213s-Nvfd24-Mft-E-Us	
B225ht464+lf120	
Zone215s-35+z120nc	
G780+af24	3FLG 3WAY 2POS S/R 24V 85CV
Uflk1444	
B217+lf120	
Sgvl+svx24-Mft	
B332vs+afb24-X1	
B320btfx24	
Gmb 24-3 Valve	
B230+lf24-Sr	
Zg-Gv36	
B213+lf24-3-S	
Uflk1752	
B238+afrx24-Mft-S	
Lm24a - Mf	BELIMO damper actuator with mechanical position indicator and Manual adjustment (temporary, permanent) Rated voltage: AC / DC 24V Control: DC 0 ... 10 V continuous * Working range: DC 2 ... 10 V * Feedback: DC 2 ... 10 V * Torque: 5 Nm * Turning angle: max. 95 ° * Direction of rotation: selectable (left / right) * Connection: cable 1 m Protection class: IP 54 * Parameterizable with: PC-Tool
Gmb24-Mft	
B217+lf24-Mft-S Us	
Afb24-Sr	
Nmu230	
B341+arx24-3-T	
B680+af24	3FLGD 2WAY SS BALL S.R.
G6100cgmx24mft	4FLG 2-WAY 125# W/GMX24 ACT
Gkb24-3-X1	
Ugsp0012	

B278+arb24-3	
Uflk1226	
G220s+lf120	
B213+lrb24-Sr	
Nmcb24-Sr	
F6100hdu+gmb24-3-X1	
Nv24mft	
G665s+af24-Mft	2.5VLV W/ACTUATOR
Uflk1346	
Zone315s35+z120ncs	
Zg-R06	
Tfrb24-3	
Sy3-24	
G250s+afx24-Mft-X1	
Uflk1456	
G780s+af24-Mft-S	3FLNG3WY 24V SR PROP 2SW SS
Afb24-Pc	
B253+afrx24-Mft-S	
B261+arx24-Mft	
G6150c+2xaf120	6FLG 2W 344CV 120V SR 2POS
P2075b100	
Gkx24-3	
B225ht464	
Uflk1356	
B225vs+afx24-Mftx1	
B331afrx24mft	
Uflk1344	
Uglk1064	
Srvu230-5	
B330+af24-Mft	

B352+afrbup	
Gkb24-Sr-T N4h	
Zone215s10z24no	
B220tfx24	
Lf24-Sr.9us	
Ext-Sw-Ne152c2	
Zone220n50z24no	
43442-00001	
B320+tf24-Sr	
Lfc24-3-R Us	
B248+afrx24-Mft	
Lh24a-Mf100-Tp	
Tf120s	
Afb24-S	
B217-Lrb24-Sr-T	
G250+nvf24-Mft	
F780hsu+2xaf24	3 3WAY BFLY 120V S/R 2POS