



Blue White

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Blue White Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Blue White Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
70001-349	
A2v24-Mnh	A2V PROGRAMMABLE PUMP 0.14 TO 13.8 GPH AT 125 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
A2v24-Sgg	9.3 GPH AT 65 PSI WITH 3/8 INCH TUBE CONNECTIONS 115VAC 130 RPM MOTOR. TYGOTHANE TUBE ASSEMBLY.
A2v24-Snf	A2V PROGRAMMABLE PUMP 0.06 TO 6.2 GPH AT 125 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
A2f24-Mnd	FLEXPRO A2F PUMP, MANUAL CONTROL, 1.7 GPH, 125 PSI, NORPRENE TUBE, 1/2 MALE NPT CONNECTIONS
Rt-200mi-Gpm4	
A1n10v-6t-T30	A100NV VARIABLE SPEED PERISTALTIC PUMP AND 30 GALLON RECTANGULAR POLYETHYLENE TANK.16 GPD 100 PSI NORPRENE TUBE 115 VAC 4-20 MA INPUT
F-55200la	
A2f24-Sngg	A2F MANUAL ON OFF PUMP 0.132 TO 16.5 GPH AT 110 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. FLEX-A-PRENE TUBE ASSEMBLY.
A3-Mnh-T	
F-46010lx-12p	
A2v24-Snh-3	A2V PROGRAMMABLE PUMP 0.14 TO 13.8 GPH AT 125 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 130 RPM MOTOR. NORPRENE TUBE ASSEMBLY.INCLUDE

Fp1-100-7v	
A1n10f-2t	
A-002n-5t	
70001-347	
C2v241xve	10 GPH, 175 PSI, 115 VOLT, 4-20 MA INPUT, PVDF FITTINGS, VITON O-RINGS, 1/2 MNPT CONNECTIONS
A3v24-Snh	
C-6125p	
Rb-200mi-Gpm3	
F-55500ga	
A1n00v-6t-T15	A-100N STAR III SYSTEM.DIGITAL VARIABLE SPEED PERISTALTIC PUMP 7.5 GPD 100 PSI MAX.NORPRENE 3/8 INCH OD TUBING.14 RPM.115 VAC.INCLUDES 15 GALLON PE RE
A4-Mnj-T	
A4-Mnh-R	
A3-Snh-R	
Rt-150s8-Gpm1	
F-44250lh-8	
A3v24-Mge	A3V PROGRAMMABLE PUMP 0.002 TO 4.60 GPH AT 65 PSI, WITH 1/2 INCH NPT CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.TYGOthane TUBE ASSEMBLY.
90011-160	
A3-Mnd-T	
A-008-4	
76001-417	
A1n30f-3t	
A1n30v-7t	
Rt-800s4-Gpm1	
A3-Sge-T	
50000-104	
Rtpb80a8gm1	
Rt-100st-Gpm1	

A3f24-Mnkl	A3F MANUALLY-ADJUSTABLE PUMP 0.33 TO 33 GPH AT 125 PSI WITH 1/2 INCH NPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY. LE
F-42025In-16	
A3v24-Mnj	A3V PROGRAMMABLE PUMP 0.01 TO 25.3 GPH AT 125 PSI WITH 1/2 MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
C2v242xeb	C2V242XEB 115V60 166RPM .060, EPDM SEALS
A3v24-Mnd	A3V PROGRAMMABLE PUMP 0.001 TO 2.10 GPH AT 125 PSI WITH 1/2 MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
A1n10v-1t	
70001-351	
F-451006lhn-24	
A2v24-Mnf-3	A2V PROGRAMMABLE PUMP 0.06 TO 5.5 GPH AT 125 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.INCLUDES
A2v24-Mnhl	FLEXPRO A2V 115V60 MNHL
C-614p-220vac	
A1n00f-4t-T7	
A3v24-Mngg	A3V PROGRAMMABLE PUMP 0.0019 TO 19.0 GPH AT 110 PSI WITH 1/2 MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. FLEX-A-PRENE TUBE ASSEMBLY.
C2f242xvb	15.0 GPH 175 PSI PVDF HEAD/VALVES FKM SEALS WITH 1/2 INCH FNPT CONNECTIONS. MANUALLY-ADJUSTABLE OUTPUT
A1n00e-1t	
F-40376ln-8	
A2f24-Sgg	A2F MANUAL ON OFF PUMP 0.09 TO 9.3 GPH AT 65 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. TYGOTHANE TUBE ASSEMBLY.
90002-278	
A3-Stk-T	
A1n00v-5t	FLEX-FLO A-100NV SERIES 4.2 GPD 25 PSI DIGITAL VARIABLE SPEED WITH EXTERNAL INPUT.115 VAC, 60 HZ.FKM TUBING.
Fs1-600-6v	
A3v24-Sth	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP
C-334-6	

Rt-375mi-Gpm1	
A3-Mgh-T	
F-45750I-12	
A1n20v-7t	
A2v24-Snhl	A2V PROGRAMMABLE PUMP 0.14 TO 13.8 GPH AT 65 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 130 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
A1n20v-2t	
A3v24-Mgh	A3V PROGRAMMABLE PUMP 0.01 TO 24.9 GPH AT 65 PSI, WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.TYGOthane TUBE ASSEMBLY.
A4f24-Mnkl	A4F MANUAL ON/OFF PUMP 0.02 TO 50.7 GPH AT 30 PSI, WITH 1/2 INCH NPT CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.NORPRENE LOW PRESSURE TUBE AS
C-335-6-100	
A3v24-Snj	A3V PROGRAMMABLE PUMP 0.01 TO 25.3 GPH AT 125 PSI WITH 3/8 OD TUBING CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
A3-Mnf-T	
A1n10f-1t	
A4f24-Mgkk	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP
A1n11f-2t	
A4-Mnp-T	
A3v24-Mnf	A3V PROGRAMMABLE PUMP 0.07 TO 7.9 GPH AT 125 PSI WITH 1/2 INCH MNPT CONNECTIONS/ PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.NORPRENE TUBE ASSEMBLY.
C2f243xvd	6.0 GPH, 175 PSI, ON/OFF CONTROL, PVDF CONSTRUCTION WITH 3/8 TUBING CONNECTIONS.
S3x1gb060sdjgmale	SINGLE, V-MOUNT T-TR
A3v24-Mgg	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP
A2v24-Snhl-3	A2V PROGRAMMABLE PUMP 0.14 TO 13.8 GPH AT 65 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 130 RPM MOTOR. NORPRENE TUBE ASSEMBLY.INCLUDES
F-44376I-8	
A3-Sgg-T	
A1n08v-1t	

90006-579	
A1n00e-4t	
F-41017ln-16	
A1n20f-4t	
A1n20v-4t	
C-630p-115vac	
A4v24-Snp	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP
F-46050lx-09g	
F-55500la	
F-440	
Fv-101-6v	
F-40375lk-8	
A2v24-Mnf	A2V PROGRAMMABLE PUMP 0.06 TO 6.2 GPH AT 125 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
F-451002lhn	
A3v24-Snkl	A3V PROGRAMMABLE PUMP 0.013 TO 33.3 GPH AT 30 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. LOW PRESSURE NORPRENE TUBE ASS
Fp1-500-7v	
F-451006lhn	
A1n20e-6t	
A2v24-Sth	A2V PROGRAMMABLE PUMP 0.15 TO 14.9 GPH AT 50 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 130 RPM MOTOR. NORPRENE CHEMICAL TUBE ASSEMBLY
C-1814n-2	
A3f24-Snh	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP
F451004lhn	
A4v24-Bgkk	A4V PROGRAMMABLE PUMP 0.04 TO 100 GPH AT 65 PSI, WITH 1/2 ID (DUAL) TUBE CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.TYGOTHANE TUBE ASSEMBLY.
A-002n-3t	
Rb-500mi-Lpm2	

S3x1gb080sdjgmaile	SINGLE, V-MOUNT T-TR
A4v25-Mnj	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP
Rt-200s4-Gpm1	
A-008-3	
C3v242xea	42 GPH, 80 PSI, 115 VOLT, 4-20MA INPUT, PVDF FITTINGS, 1/2 MNPT CONNECTIONS
F-42025lk	
F-44500	
A2v24-Mnh-3	A2V PROGRAMMABLE PUMP 0.14 TO 13.8 GPH AT 125 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY. INCLUD
A3v24-Snk	A3V PROGRAMMABLE PUMP 0.013 TO 33.3 GPH AT 125 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
A2-Sth-R	
F-452100lhn	
F-40500ln-6	
A3f24-Sgg	A3F SERIES PUMP .004 TO 10.1 GPH AT 65 PSI, WITH 3/8 OD TUBE CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.TYGOthane TUBE ASSEMBLY.
A1n10e-6t	
A2v24-Mth-3	A2V PROGRAMMABLE PUMP 0.15 TO 14.9 GPH AT 50 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 130 RPM MOTOR. NORPRENE CHEMICAL TUBE ASSEMBLY
A3v24-Snd-R	RIGHT FACING A3V PROGRAMMABLE PUMP 0.001 TO 2.1 GPH AT 125 PSI WITH 3/8 INCH TUBE CONNECTIONS/ PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.NORPRENE TUBE ASS
A2f24-Mth	A2F MANUAL ON OFF PUMP 0.15 TO 14.9 GPH AT 50 PSI WITH 1/2 INCH MALE NPT CONNECTIONS / PVDF FITTINGS. 115VAC 130 RPM MOTOR. NORPRENE CHEMICAL TUBE ASS
Tb-150mi-Gpm1	
A3f24-Mnk	A3F MANUALLY-ADJUSTABLE PUMP 0.33 TO 33 GPH AT 125 PSI WITH 1/2 INCH NPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
Fi-100-8me	
A4v24-Mtk	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP
Rt-300s4-Gpm1	

F-452175lhn	
A1n30f-7t	
A2f24-Snd	FLEXPPO A2F PUMP, MANUAL CONTROL, 1.7 GPH, 125 PSI, NORPRENE TUBE, 3/8 TUBING CONNECTIONS
F-30200pr	
A2-Snf-T	
Rt-100mi-Gpm1	
Rt-500mi-Gpm1	
50000-754	
A3-Sgh-R	
A2-Mth-T	
S3x1jb015tkbgmale	SINGLE, V-MOUNT T
A1n10v-4t	
C2v242xva	PUMP62 C2V 115V60 166RPM .060
A2-Snd-R	
A-002n-1t	
A3f24-Mgg	A2 MANUAL PUMP
Rb-150s4-Gpm1	
A1n30f-2t	
A2v24-Snh	A2V PROGRAMMABLE PUMP 0.14 TO 13.8 GPH AT 125 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
Rt-200mi-Gpm2	
A4v24-Mnp	A4V PROGRAMMABLE PUMP 0.06 TO 158.5 GPH AT 30 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
A-1630-6-115vac	
A1n30f-4t	
F-44250l-8	
A3f24-Snkl	A3F SERIES 0.33 TO 33 GPH AT 30 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. LOW PRESSURE NORPRENE TUBE ASSEMBLY FOR LONG
A3-Sxx-C	
Rb-500mi-Lpm2-Rt	

A3f24-Snf	A3F MANUALLY-ADJUSTABLE 0.07 TO 7.9 GPH AT 125 PSI, WITH 3/8 OD TUBE CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.NORPRENE TUBE ASSEMBLY.
Fv-600-6v	
A1n00f-4t-T15	
C2f242xve	15.0 GPH, 175 PSI, ON/OFF CONTROL, PVDF CONSTRUCTION WITH 1/2 INCH MNPT CONNECTIONS.
C-334-6-100	
A1n30x-3t	
A-002n-6t	
A4v25-Mnp	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP
F-55200I	
C-342-6	
F-45500I-12	
F-55376I	
S3a1ha100sdjgmaile	WITH 5 BUTTON DISPLAY, 125 VAC US PLUG, 10 FT PLASTIC REMOVABLE TRANSDUCER CABLE WITH DUAL, Z MOUNT T-TRACK, CONFIGURED
A2v24-Snd-3	A2V PROGRAMMABLE PUMP 0.02 TO 1.7 GPH AT 125 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.INCLUDES
A3v24-Sgg	A3V PROGRAMMABLE PUMP .004 TO 10.1 GPH AT 65 PSI, WITH 3/8 OD TUBE CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.TYGOthane TUBE ASSEMBLY.
A2v24-Snd	A2V PROGRAMMABLE PUMP 0.02 TO 1.7 GPH AT 125 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
A4v24-Btk	A4V PROGRAMMABLE PUMP 0.02 TO 42.8 GPH AT 30 PSI, WITH 1/2HOSE BARB CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.NORPRENE CHEMCIAL TUBE ASSEMBL
A3v24-Snh-R	RIGHT-FACING A3V PROGRAMMABLE PUMP 0.007 TO 17.4 GPH AT 125 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE AS
A1n12c-6t	
A3-Mngg-T	
A2v24-Mnd	A2V PROGRAMMABLE PUMP 0.02 TO 1.7 GPH AT 125 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS FKM

72000-380	O-RINGS. 115 VAC 125 RPM MOTOR. NORPRENE TUBE ASSE
A1n30f-6t	
A3v24-Snf	A3V PROGRAMMABLE PUMP 0.07 TO 7.9 GPH AT 125 PSI WITH 3/8 INCH TUBE CONNECTIONS/ PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.NORPRENE TUBE ASSEMBLY.
A3-Snk-T	
A2v24-Mgg	A2V PROGRAMMABLE PUMP 0.09 TO 9.3 GPH AT 65 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. TYGOTHANE TUBE ASSEMBLY.
C2v241xva	10.0 GPH VARIABLE SPEED 4-20 MA INPUT PUMP, 175 PSI WITH 1/2 MNPT CONNECTIONS AND PVDF HEAD AND FITTINGS
Rt-400s4-Gpm1	
A3v24-Snd	A3V PROGRAMMABLE PUMP 0.001 TO 2.1 GPH AT 125 PSI WITH 3/8 INCH TUBE CONNECTIONS/ PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.NORPRENE TUBE ASSEMBLY.
A1n00v-1t	
C3v242xve	40 GPH, 100 PSI, 115 VOLT, 4-20MA INPUT, PVDF FITTINGS, VITON O-RINGS, 1/2 MNPT CONNECTIONS
A4-Mnl-R	
A4-Mgh-R	
A-1645-7-115vac-05	
A4v24-Mnl	A4V PROGRAMMABLE PUMP 0.04 TO 100 GPH AT 50 PSI, WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.NORPRENE TUBE ASSEMBLY.
A2f24-Snee	A2F MANUAL ON OFF PUMP 0.0005 TO 4.8 GPH AT 110 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. FLEX-A-PRENE TUBE ASSEMBLY.
A1n10f-7t	
A4v24-Mnk	A4V PROGRAMMABLE PUMP 0.02 TO 50.7 GPH AT 80 PSI, WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.NORPRENE TUBE ASSEMBLY.
C2v243xvd	CHEM-PRO C2 PUMP, 0.07-7.0 GPH, 175 PSI, VARIABLE SPEED CONTROL, PVDF CONSTRUCTION WITH 3/8 TUBING CONNECTIONS.
A2v24-Mgg-3	A2V PROGRAMMABLE PUMP 0.09 TO 9.3 GPH AT 65 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. TYGOTHANE TUBE ASSEMBLY. INCLUDE
S3x1a2060sdpgmale	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP

A1n20v-6t-T30	FLEXFLO A-100NV SERIES WITH DIGITAL VARIABLE SPEED 115V / 60HZ.24 GPD 100 PSI NORPRENE PUMP TUBE.4-20 MA OR PROPORTIONAL PULSE INPUT WITH 30 GALLON TA
A3-Snd-R	
F-42050In-16	
F-44330I-8	
Rt-1000s4-Gpm1	
Fi-100-8mv	
Rt-375mi-Gpm2	
Rb-200mi-Gpm2	
A4v24-Mnkl	A4V PROGRAMMABLE PUMP 0.02 TO 50.7 GPH AT 30 PSI, WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.NORPRENE TUBE ASSEMBLY.
A1n10f-5t	
A4f24-Mgh	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP
A3v24-Mnhl	A3V PROGRAMMABLE PUMP 0.007 TO 17.4 GPH 65 PSI WITH 1/2 MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
A4v24-Mnj	A4V PROGRAMMABLE PUMP 0.02 TO 44.4 GPH AT 100 PSI, WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.NORPRENE TUBE ASSEMBLY.
A1n30v-1t	
A-1630-6n-115vac	
A3v24-Mnk	A3V PROGRAMMABLE PUMP 0.013 TO 33.3 GPH AT 125 PSI WITH 1/2 MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
72000-537	
A2f24-Snf	FLEXPRO A2F PUMP, MANUAL CONTROL, 5.5 GPH, 125 PSI, NORPRENE TUBE, 3/8 TUBING CONNECTIONS
A3v24-Sgh	FLEXPRO A3V 125RPM 115V60 SGH
Rb-150at-Gpm1	
A2v24-Mnhl-3	A2V PROGRAMMABLE PUMP 0.14 TO 13.8 GPH AT 65 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.INCLUDES
F-45023n-1	
A1n30f-1t	

A2f24-Mge	A2F MANUAL ON OFF PUMP 0.04 TO 4.0 GPH AT 65 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. TYGOTHANE TUBE ASSEMBLY.
A4v24-Mgkk	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP
A1n30c-3t	
A1n20f-2t	
A4-Sxx-C	
76000-456	
A2v24-Mngg	A2V PROGRAMMABLE PUMP 0.0017 TO 17.2 GPH AT 110 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. FLEX-A-PRENE TUBE ASSEMBLY.
C-354	
F-452060lhkn	
A3-Snj-R	
A2v24-Mnd-3	A2V PROGRAMMABLE PUMP 0.02 TO 1.7 GPH AT 125 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS FKM O-RINGS. 115 VAC 125 RPM MOTOR. NORPRENE TUBE ASSE
A2v24-Mge	A2V PROGRAMMABLE PUMP 0.04 TO 4.0 GPH AT 65 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. TYGOTHANE TUBE ASSEMBLY.
A-002n-4t	
S3x1a1060sdpgmale	DOPPLER TRANSIT-TIME.FACTORY-CONFIGURED WITH 5-BUTTON DISPLAY FOR 6 INCH SCHD 40 STEEL PIPE WITH WATER AS THE FLOWING
C2f243xva	BLUE-WHITE PUMP
Rtpb30k8gm1	FLOWMETER RATE AND TOTAL 60-600GPM FOR 3IN PIPE
A3f24-Mgk	A3 MANUAL PUMP
F-55500g	
A3-Sge-R	
A4v24-Bnl	A4V PROGRAMMABLE PUMP 0.04 TO 100 GPH AT 50 PSI, WITH 1/2 INCH TUBE BARB CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.NORPRENE TUBE ASSEMBLY.
A2v24-Sth-3r	RIGHT FACING A2V PROGRAMMABLE PUMP 0.15 TO 14.9 GPH AT 50 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 130 RPM MOTOR. NORPRENE CHEMICAL
F-46050lx-08p	
A2f24-Snh	A2F MANUAL ON OFF PUMP 0.14 TO 13.8 GPH AT 125 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.

A1n30c-7t	
A-641n-45	
A1n20c-4t	
71000-577	
A-002n-8t	
A3v24-Sngg	A3V PROGRAMMABLE PUMP 0.0018 TO 18.2 GPH AT 110 PSI WITH 1/4 IN ID TUBE COMPRESSION PVDF FITTINGS. 115VAC 125 RPM MOTOR. FLEX-A-PRENE TUBE ASSEMBLY.
A2-Sxx-C	
72000-379	
A2-Mgg-T	
Fsx	
A3-Mnhl-T	
F-42040ln	
76000-999	
Rb-750mi-Gpm1	
A1n30v-4t	
A2-Mge-T	
F-55500l	
F-46010lx-08p	
C3v242xeb	BLUE-WHITE C3 PUMP
A2v24-Mnee-3	A2V PROGRAMMABLE PUMP 0.0005 TO 4.8 GPH AT 110 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.INCLUD
F-67375l2s-08pv	
A4-Mgkk-T	
A4f24-Mnk	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP
Rt-200s8-Gpm1	
A3v24-Snee	A3V PROGRAMMABLE PUMP 0.0006 TO 5.5 GPH AT 110 PSI WITH 1/4 IN ID TUBE COMPRESSION PVDF FITTINGS. 115VAC 125 RPM MOTOR. FLEX-A-PRENE TUBE ASSEMBLY.
F-40500ln-8	

A4-Mnkl-T	
A3v24-Snd-2	A3V PROGRAMMABLE PUMP 0.001 TO 2.1 GPH AT 125 PSI WITH 3/8 INCH TUBE CONNECTIONS/ PVDF FITTINGS WITH OPTION FOOT VALVE (-2 SUFFIX). 115 VAC, 125 RPM M
A3v24-Sge	A3V PROGRAMMABLE PUMP 0.002 TO 4.60 GPH AT 65 PSI, WITH 3/8 OD TUBE CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.TYGOTHANE TUBE ASSEMBLY.
F-40750lk-16	
Rt-600s4-Gpm1	
A3v24-Mgk	A3V PROGRAMMABLE PUMP .011 TO 28.5 GPH AT 65 PSI, WITH 3/8 OD TUBE CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.TYGOTHANE TUBE ASSEMBLY.
F-44375le-8	
A4f24-Mgk	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP
S3x1a1020sfjgmaile	WITH 5 BUTTON DISPLAY, 125 VAC US PLUG, 10 FT TRANSDUCER CABLES, CONFIGURED FOR 2 INCH SCHD 80 PVC PIPE FOR WATER/WASTE
A2-Snh-T	
C-568-6e	
A1n20c-6t	
F-30125p	
Aos120m3gm3	
A2v24-Sngg	A2V PROGRAMMABLE PUMP 0.0017 TO 16.6 GPH AT 110 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. FLEX-A-PRENE TUBE ASSEMBLY.
A3v24-Mnh	A3V PROGRAMMABLE PUMP 0.007 TO 17.4 GPH AT 125 PSI WITH 1/2 MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
A2v24-Snf-3	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP
A4v24-Snhh	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP
A4v24-Snkl	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP
F-461100lp-16p	
A1n20f-1t	
A1n31v-3t	
A3-Snf-R	
A4v24-Bgk	A4V PROGRAMMABLE PUMP 0.02 TO 55.5 GPH AT 65 PSI, WITH 1/2 ID TUBE CONNECTIONS / PVDF FITTINGS. 115 VAC,

125 RPM MOTOR.TYGOTHANE TUBE ASSEMBLY.	
A1n20v-1t	
C-346	
F-55375I	
Fv-100-6v	
A3-Mth-T	
Fv-201-3v	
A1n10v-3t	
C-340a	
A1n20v-6t	
A3-Sgh-T	
A3v24-Mtk	A3V PROGRAMMABLE PUMP 0.01 TO 28.5 GPH AT 50 PSI WITH 1/2 INCH MNPT CONNECTIONS/ PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.NORPRENE CHEMICAL TUBE ASSEMBLY
Rb-150mi-Gpm1	
A3-Sxx-H	
F-45500la-12	
F-45500la-8	
Rt-1200s4-Gpm1	
71000-579	
A3f24-Mth	A3F MANUALLY-ADJUSTABLE PUMP 0.14 TO 14.5 GPH AT 50 PSI WITH 1/2 INCH NPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE CHEMICAL TUBE AS
A3-Snhl-T	
A3f24-Mgh	A3 MANUAL PUMP
A-008-2	
90010-235	
U-30200p	
A3-Mnj-T	
S3x1eb030tkbgmale	SINGLE, V-MOUNT T-TRA
A1n10v-6t	
A2f24-Snhl	A2F MANUAL ON OFF PUMP 0.14 TO 13.8 GPH AT 65 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.

Fs1	
F-44375	
71000-825	
F-461200lx-16k	
A4-Mnl-T	
C15n404x000v00	
A1n00v-6t	
F-451004lhn-24	
A1n10f-4t	
A2v24-Sth-3	A2V PROGRAMMABLE PUMP 0.15 TO 14.9 GPH AT 50 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 130 RPM MOTOR. NORPRENE CHEMICAL TUBE ASSEMBLY
Aop120k4gm1	
A1n10f-6t	
F-451002lhkn-24	
F-44750l-12	
F-461300lx-17k	
Rt-750mi-Gpm1	
A3-Sth-R	
A3-Mnk-T	
71000-576	
A3f24-Sngg	A3F MANUALLY-ADJUSTABLE PUMP 0.007 TO 18.2 GPH AT 110 PSI WITH 1/4 IN ID TUBE COMPRESSION PVDF FITTINGS. 115VAC 125 RPM MOTOR. FLEX-A-PRENE TUBE ASSEM
A2f24-Sth	A2F MANUAL ON OFF PUMP 0.15 TO 14.9 GPH AT 50 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 130 RPM MOTOR. NORPRENE CHEMICAL TUBE ASSEMBL
72000-539	
Fs1-201-6v	
Fcxx	
90012221	
71000-849	

A1n00c-1t	
A1n00c-4t	
A2-Snhl-T	
A3f24-Mtk	A3F PROGRAMMABLE/MANUALLY-ADJUSTABLE PUMP 0.01 TO 28.5 GPH AT 50 PSI WITH 1/2 INCH MNPT CONNECTIONS/ PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.NORPRENE CH
F-44250lea-8	
Tb-600s4-Gpm1	
F45500lhn-8	
F45500l6	
A1n10c-7t	
71000-159	
C-385c	
Rt-150mi-Gpm2	
A3v24-Sgk	A3V PROGRAMMABLE PUMP .011 TO 28.5 GPH AT 65 PSI, WITH 3/8 OD TUBE CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.TYGOthane TUBE ASSEMBLY.
A1n30e-3t	
Fs1-300-7v	
A3f24-Snk	A3F SERIES 0.33 TO 33.3 GPH AT 125 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
F-44376lea-8	
71000-488	
Fv-100-2v	
A3-Sgk-T	
A2f24-Mnh	FLEXPOR A2F PUMP, MANUAL CONTROL, 13.8 GPH, 125 PSI, NORPRENE TUBE, 1/2 MALE NPT CONNECTIONS
Rb-200s4-Gpm1	
F-40500ln	
A2f24-Mgg	A2F MANUAL ON OFF PUMP 0.09 TO 9.3 GPH AT 65 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. TYGOthane TUBE ASSEMBLY.
Tb750milpm1	
C-1817n-1	

A4v24-Mgk	FLEXPOR A4V 115V60 MGK
F55250I	
F-461200Ix-16p	