

Bossard



Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz. **Bossard** Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Bossard Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Bn 20039 : 3271630 (M2x12 Torx)	
Bn 15857 : 3108689 (M2x3 Zilinder Torx)	
Bn 610 1420585 (M2x8)	
Bn 628 1241397 (M2)	
Bn 671 1253522	
Bn 15857 3108690 (M2x4 Zylinder Torx)	
Bn 20039 3183885 (M2x8 Torx)	
Bn 20039 3271630 (M2x12 Torx)	
Bn 610 1111329 (M3x14)	
Bn 637 1242377 (M3-Faser)	
AKB M12X35-10.9K04-A	A2
M12 CL 06 K1	
13x24x2 5-CL05 K01	A4-A2
MB allen M12X25-10.09,K01	A2-A4
Federscheibe M20	A2-A4
21x37x3Xcl05 K01	
M24 Federscheibe	
SB allen M10x25-12.9 TD K11	

ISO 10642-M12x20 A2-70P	
ISO 10642-M10x16 A2-70P	
ISO 10642-M3x6 A4-70P	
BN 640 M 10 h1 = 1,8	Hexagon press nuts INOX A1
BN 201 M 12 h1 = 2,8	Hexagon press nuts Case-hardened steel 550-650 HV, galvanized blue REACH: CAS-No 7439-92-1, Pb> 0.1% ISO 4042 Hardened and tempered fasteners ³ 360 HV and case-hardened, tempered Connection elements with galvanic coatings: Risk of hydrogen embrittlement!
DIN 6340 M 8 / 8,4/23/4	Washers for clamping tools Tempered steel, hardness (350 + 80) HV 30 Geomet® 500A> 480h
BN 3803TC M 8 x 16	Countersunk screws I-6rd BN 3803TC ISO 14581 INOX A2-70 TopCoat transparent
BN 20369AFB M 8 / 8,4/16/1,6	Washers o / bevel BN 20369AFB ISO 7089 300 HV steel ZL coated + ecosyn®-lubric Black
BN 201 M 6 h1 = 1,8	Hexagon press nuts Case-hardened steel 550-650 HV, galvanized blue REACH: CAS-No 7439-92-1, Pb> 0.1% ISO 4042 Hardened and tempered fasteners ³ 360 HV and case-hardened, tempered Connection elements with galvanic coatings: Risk of hydrogen embrittlement!
BN 622AFB M 10 x 65	Hexagon screws o / shank BN 622AFB DIN 933 INOX A2-70 ecosyn®-lubric Black
BN 2332AFB M 10 / 10,2/22/2,75	Rip-Lock TM washers BN 2332AFB ~ NFE 25-511 M INOX A2 ecosyn®-lubric Black
DIN 9021 M 10 / 10,5/30/2,5	Discs without bevel DIN 9021, ~ ISO 7093 INOX A2 140 HV
UNJF-3A 0.190-32 dış ve ¾"	
M 8	Hex nuts ~ 0.8d 1241672 DIN 934, ~ ISO 4032 INOX A4
M 4 x 12	Countersunk screws with hexagon socket, without shaft 4719 1100238 Drawing: BN 4719_M2 / M2,5 DIN 7991, ~ ISO 10642 INOX A4
M 3 x 6	Countersunk screws with hexagon socket, without shaft 4719 1019147 Drawing: BN 4719_M2 / M2,5 DIN 7991, ~ ISO 10642 INOX A4
M 3	Hex nuts ~ 0.8d 629 1241613 DIN 934, ~ ISO 4032 INOX A4
M 4	Hex nuts ~ 0.8d 629 1241648 DIN 934, ~ ISO 4032 INOX A4
M 5	Hex nuts ~ 0.8d 629 1241656 DIN 934, ~ ISO 4032 INOX A4
M 6	Hex nuts ~ 0.8d 629 1241664 DIN 934, ~ ISO 4032 INOX A4
	-FH-M3-8ZI M3 / 8 / 4,6 300pcs -FH-M3-10ZI M3 / 10 / 4,6 200pcs -FH-M3-30ZI M3 / 30 / 4,6 300pcs -FH-M4-6ZI M4 / 6

As set below;	/ 5,9 300pcs -FH-M4-8ZI M4 / 8 / 5,9 100pcs -FH-M4-12ZI M4 / 12 / 5,9 800pcs FH-M4-10ZI M4 / 10 / 5,9 300pcs -FH-M5-12ZI M5 / 12 / 6,5 100pcs -FH-M4-15ZI M4 / 15 / 5,9 100pcs -FH-M6-25ZI M6 / 25 / 8,2 100pcs -FH-M8-20ZI M8 / 20 / 9,6 100pcs -FH-M8-30ZI M8 / 30 / 9,6 100pcs -FHS-M5-10 M5 / 10 / 6,5 100pcs -FHS-M5-30 M5 / 30 / 6,5 100pcs -FHS-M5-12 M5 / 12 / 6,5 100pcs -FH-4MM-8ZI 4 / 8 / 6 100 pcs -FH-6MM-12ZI 6 / 12 / 8,6 100pcs -SOS-M5-8 M5 / 8 / 7,12 100pcs
1335219	10 x 25 Heavy Duty Pins with tooth slot VSM 12785 Spring steel 42-50 HRC, black
1334859	8 x 25 Heavy Duty Pins with tooth slot VSM 12785 Spring steel 42-50 HRC, black
Liste am Anhang	Der bedarf ist für unseren Kunden im Ausland (Die Produkte im Anhang sind 1 Set-Produkte. Insgesamt sollen 50 Sets produziert werden.)
M 3 x 16	Countersunk screws with hexagon socket, without shaft 1109715 Drawing: BN 4719_M2 / M2,5
M 25 x 1,5	Locknuts with polyamide locking ring Nylstop CN ~ DIN 1804 Steel, zinc, nickel passivated, sealed REACH: CAS-No 7439-92-1, Pb> 0.1%
M 3 / 3,2/7/0,5	Discs without bevel DIN 125 A, ~ ISO 7089 INOX A2 140 HV
3.2 x7x0.5-PC10	M 3 / 3,2/7/0,5 BN670M3
M 3	Spring washers Ends smooth DIN 127 B, ~ UNI 1751 B Spring steel, black
AD 48 SB a 100	3.2x11 / 4.8-6.4 cup rivets IMEX
MGLP-R8-6	6.4x14.2 / 2-9.5 high-strength blind rivets
TAPK 44 BS a 100	3.2x7.5 / 2.7-4.3 standard blind rivets
MGLP-U6-7	4.8x14.8 / 6.4-11 high-strength blind rivets
ISO 2338, ~DIN 7 6 x 16	Straight pins INOX A1 / A2 Tolerance: h8
M 10 x 75 INOX A4	Socket head cap screws with hexagon socket, with shaft DIN 912, ISO 4762
BN 20146 M 4 x 6 / X10	Socket head cap screws with hexagon socket and extremely low head, without shaft Drawing: BN 20146 INOX A2 Due to the head geometry and the shape of the wrench, these screws are not recommended for the transmission of high axial forces with the corresponding preload!
3184835	40 x 16 WN 5451 / 20 IP
3184837	40 x 20 WN 5451 / 20 IP
Ø4,8X60 /AG 5509564	
BN 969 DIN 571 SDG	

MM-0000-7962	BN 686 – 5X20 PIN STLST SERRATED SLOTTED 5X20
260663 - REF.NO. 67	Blindniete Ø6.4mm, lk=2.0- 9.5mm MGLP-R8-6, Halbrundkopf; Stahl verz.
298394 - REF.NO. 67	Blindniete Ø3.2x7.5, lk=2.7-4.3 POP® TAPK 44 BS, Alu/Stahl, Senkkopf
251184 - REF.NO. 67	Blindniete Ø3.2mm, lk=4.8-6.4mm IMEX, AD 48 SB, Halbrundkopf, AlMg5 / Stahl, phos.
198042 - REF.NO. 67	Blindnietmutter M6, lk=0.5-3mm TUBTARA® M6 UT/FEF 3, Stahl verz.
230025 - REF.NO. 67	I-6kt Senkschraube M6x20 ISO 10642, BN 616, Inox A2
278710 - REF.NO. 67	Blindniete Ø4.8mm, lk=5.4-11.1mm MGLP-U6-7, Magna-Lok, Halbrundkopf, Inox
195031 - REF.NO. 67	Blindnietmutter M8-60 BM/KS ST (0.5-6mm) ecosyn®-BCT, Stahl verz., kleiner
154473 - REF.NO. 67	Sicherungsscheibe DNL8 Nord-Lock
106867 - REF.NO. 67	6kt Schraube ohne Schaft M8x16 DIN 933 8.8 verz
195033 - REF.NO. 67	Blindnietmutter M6-60 BM/KS ST (0.5-6mm) ecosyn®-BCT, Stahl verz., kleiner
175436 - REF.NO. 67	Linsenschraube mit Flansch M6x25 ISO 7380-2, Stahl 10.9, verzinkt-blau
1052 M2 / 3,6 x 4	Threaded inserts for heat or Ultrasonic grouting without head, counter-rotating spiral knurling, for thermoplastics without flange , Brass, bright REACH: CAS-No 7439-92-1, Pb> 0.1%
1052 M4 / 6,3 x 8,2	Threaded inserts for heat or Ultrasonic grouting without head, counter-rotating spiral knurling, for thermoplastics without flange , Brass, bright REACH: CAS-No 7439-92-1, Pb> 0.1%
1183907	BN 4881 Serrated lock washers type J, internal serrations Bossard
1253859	BN 673 Split spring lock washers with flat end Bossard
386298 BN 1046 Press-in threaded inserts BOSSARD	
1253778 BN 673 Split spring lock washers with flat	end Bossard
1080350	
1098004	
1148516	
1171488	

1210920
1253743
1269534
1386166
1386883
1537032
1538519
1538721
1755560
3060480
3265742
3265748
3265750
3555997
3645733
3719649
3719658
3720555
8235597
BN1225
BN20146
BN373
BN5208
BN737
BN80038
DIN 965
DIN84A
DIN963A
ISO7379
M 3 x 6 Self-clinching studs Steel tempered 300-380 HV, zinc plated blue ISO 4042 Hardened fasteners ³ 360 HV and case

1536486	hardened, tempered Connection elements with galvanic coatings: risk of hydrogen embrittlement
3056401	M 4 x 8 Self-clinching studs Steel tempered 300-380 HV, zinc plated blue ISO 4042 Hardened fasteners ³ 360 HV and case hardened, tempered Connection elements with galvanic coatings: Risk of hydrogen embrittlement!
300106475	C-4434-2 C-4434-2 0,9-1,2 https://www.bossard.com/eshop/global-en/products/functional-elements/access-solutions/latching/push-to-close-latches/rapid-c/p/38616/
13402.5450.GP2,L,V,XX.\..165629-18...00175735 1	SET SCREW -ISO4766-M3.5x12-14H-ZINCBLUE
SF1/S23-M5HEX	fastener with nut Round head Ø 23 mm open bigHead® SF1/S23 INOX A4 Customs tariff number: 73181639900 Total weight: 0.65kg
SF1/S23-M8HEX	fastener with nut Round head Ø 23 mm open bigHead® SF1/S23 INOX A4 Customs tariff number: 73181639900 Total weight: 0.75kg
SCREW -ISO 4017 - M12X40-A4-70	
NUT-ISO4032-M12-A4-70	
WASHER-DIN125-M12-140HV-A4	
SCREW -ISO4017-M12X45-A4-70	
NUT-ISO4032-M12-A4-70	
WASHER-DIN125-M12-140HV-A4	
NUT-ISO4032-M20-A4-70	
WASHER-DIN125A-M20-A4-70	
SET SCREW -ISO4766-M10X25-A1	
SPLIT PIN-ISO1234-2.5X12-A4	
MM-0000-0958	PIM GUPILYA PSZCL 1.6X16
26S34-8	locking pin knurled head 34033 300105706 Camloc® 2600 steel, chromed Customs tariff number: 83016000900
V2600-LW-7	retaining washers permanently mounted for locking pins 34015 9055706 Camloc® 99F/2600/2700 INOX
99R10-01A1	holding cam Type B, open Camloc® 99F/2600/2700 Zinc die-cast, galvanized
16 x 45 x 40	Bolt with cotter pin hole for fork heads DIN 1434, ~UNI 1710 Steel, bright Art Nr 1190717
	3183840 Lens screws 20038 with hexalobular socket, without

M 3 x 8 / X10	shaft SO 14583 INOX A4 Tensile strength min. 600 N/mm2 0.2% yield strength min. 450 N/mm2
M 4 x 12	Cylindrical screws with hexagon socket, without shaft DIN 912, ISO 4762 INOX A4
M 5 x 12	countersunk screws with hexagon socket, without shaft DIN 7991, ~ISO 10642 INOX A4
M 5 x 12 / X15	Cylindrical screws with hexalobular socket and extremely low head INOX A2
3 x 10	Cylindrical pins ISO 2338, ~VSM 12771 B INOX A4
3 x 8	Cylindrical pins ISO 2338, ~VSM 12771 B INOX A4
3148245 - Not Available	
1244116	
M10 8 Gzn	
P/N: 1858483 Type: Bn6404 (1x100)	
Bn 686-5x26	
Conical Washer Size M18	
Contact Washer M3	
M3x6-8.8 Din 7991-Bolt	
1678582	
1094904 Bn161 M3	
Unn 12005-006	
Din125-A5.3	
M5*60	
B12/Bn13371	
1233084	
B6x24/Bn82428 - Not Available	
Siehe Anhang	Es wird benötigt: Die gleichen Schrauben im anhang nur in folgender grösse. M3x5
2327596	
1253212 B5/Bn670	
1272810	
3184815 - Not Available	
Hb Txp M3x10 ? 8.8 K01 1148494 - Not Available	

1272810, B6/18/0.1/Bn748
Din471 95
M3, Bn 161
Conical Washer Size M16
10?1.5
Conical Washer Size M3
Bn 686 ? 3x30
1678140
1098470 (Pack 1x100)
P/N: 1275399 Type: Bn 761 (1x200)
Pszcl 2x14
Article No: 1274082 M10 (Din7989-1)
M4*30
1233114
Bn201,Bn202
1241478
5401413
1273043, B6/18/0.2/Bn748
Din934 M6 Model 1241494 - Not Available
1486934
(M10x25) 1994530 Bn3873
1098586 Bn202 M4
P/N: 1269992 Type: Bn 729 (1x200)
1226800
Sr1,Sr2,Sr3,Sr4,Sr5,Sr6
M2.5*30
5403331 Bn 31150 Din 912 Iso 4762 100 Pcs
1233122
M6*60

Contact Washer M10
Bn 686 ? 3x16
Contact Washer M6
Bn874
1244094
Bn 616-M3x10
1986279
Contact Washer M8
M10x60 8.8 Gzn
1370286 (Pack 1x100)
P/N: 1089749 Type: Bn 118 (1x200)
Conical Washer Size M12
Bn5208 Type: Bn5208; Diameter: 25 Mm; Outer Diameter: 45 Mm
P/N: 1146009 Type: Bn4850 (1x100)
1421735
Conical Washer Size M5
B4x16/Bn82428
Bn 616-M3x16
B3/Bn762
1233130
3060237 - Not Available
Bn 20146 Schraube M2x6
3271442 - Not Available
Bn818 Ã216;3
1020390
M3*30
1965549 B6/Bn670
Unn 12005-048
1292862
5307-1206-9408 Ch/R/X StlSt/Box/M1.6x8

1422537
1253204
Conical Washer Size M10
1241443
1032658
1170198
Tapk 33 Bs, Article 1366777
3271447 - Not Available
1253190
M10*100
Bn4825 2095831 M5x8
Conical Washer Size M6
P/N: 3060123 Type: Bn 13274 (1x200)
Contact Washer M5
B3x8/Bn6404 (1983385)
Ss1,Ss2,Ss3,Ss4,Ss5,Ss6
Unn 12005-004
Din 471 100
TI-8-110 (Package Of 100pcs)
M10 A2 Gra
1558595, B16/Bn13292
M2*20
Bn 831 3 11
813245-008
3183901 - Not Available
M111583 - Unknown Model
M8*100
Din 471 105
Ka3.5x30 Zn Model 2000458 - Not Availalbe

1246739
M4*6 Torx
Bn80595 M36
Din 471 118
1253212
1233998 B5x10/Bn612
P/N: 1213296 Type: Bn 684 (1x100)
Din 471 110
Din 931 M8x80 10.9
B6x1.8/Bn201
3183887 - Not Available
M3 , Bn 3332, L18
Mm-0000-1045
Vi-00010908
1170228
3271438 - Not Available
Bn80595 M12
1219804 M3,5x8 Bn 1435
Contact Washer M4
Din125a M3 Zn Model 1887467 - Bn715 - Not Available
Bn 20218 M4x10 (Art.No 3366758)
Conical Washer Size M4
1233106
Bn20146 A2 Schraube M2,5x6
3060255
M10 Mek Zn
M3 , Bn 3332, L16
1273671, B6/18/0.5/Bn748
Bn80595 M30
1246720

Unn 12005-005
1384988 - Not Available
B3x8/Bn1062 (1401955)
Conical Washer Size M8
B5x16/Bn3
Contact Washer M18
Din963a
?91283980101 Mutter M3 P8 Bn 80038 Nfe 25-409
B6x16/Bn82428 - Not Available
1234021 B5x16/Bn612
B3/Bn715
P/N: 1255916 Type: Bn 684 (1x100)
B6x10/Bn82428 - Not Availalble
3060259
Din84a
Bn80595 M24
P/N: 1858572 Type: Bn6404 (1x100)
1250760
M10x70 8.8 Gzn
Contact Washer M12
Bn 1052 M3
B4x10/Bn82428
Bn40100 3092003 M3x6
1170171
1558587, B12/Bn13292
Art.Nr. B5/Bn13193
Din128-A5
B3x8/Bn384
5401018
M3x6-8.8 Din 7991

Bn819 Å216;3
Art.No 3366755 Bn20218 M 3,5 X 8
1211329 Doesnã39;T Exist
1233300 B5x20/Bn610
1233238 B4x16/Bn610
Contact Washer M16