

Chauvin Arnoux Group



Garanti: 12 ay

Bu rne ait Trkiye iēi kapı teslim fiyat ve teslim sresi iēeren teklifimizi almak iēin

info@yursat.com.tr e-posta adresine baėvuru yapabilir ya da ayrıntılı bilgi iēin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaőabilirsiniz.

Chauvin Arnoux Group Markası, tedarik sresi iēin ltfen bizimle iletiőime geēiniz.

Firmamız Chauvin Arnoux Group Trkiye Distribtr veya temsilcisi deēildir. Firmamız sipariő durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aēıklama
Hx0031	
212648	
E3631a/1cmcaldu	
5000.13	
Hx0030	
211865	
2137.61	
213625	POWERPAD MODEL 8335 W/4 MR193 (1000AAC/1400ADC)
211847	
100362	KIT
212494	
Nc-1	
3945-Bw/3sr193	
2134.77	
Mr410	
2114.25	
211941	
2114.17	
140301	

6240cal	
P01618701	
2141.02	
511(2117.67)cal	
Ax502	
2125.92	
214045	
2151.2	
Mr521caldu	
Mr461cald	
Mtx3282b-Comcm	
101745	
213136	
2135.77	
213135	
295029	
103102	
212625	
Mn253	
3059.06	
SI206	
P01651814	
2127.91	
211849	
6240	
Ca6609	
Gx310	FUNCTION GENERATOR, DDS 10MHZ, SIGNAL GENERATOR TYPE:DDS, BANDWIDTH:10MHZ, MODULATION TYPE:AM, FM, SUPPLY VOLTAGE RANGE:207V TO 253V, EXTERNAL HEIGHT:
2118.76	
298011	

211841	
100.468	
2139.73	
296021	
214059	
Mx57extrms	
Ca7028	
Mn77	
213504	
5233	
Ca42	FIELD METER
Cm605	
Ca704	
Br07	
211874	
2129.87	
2118.75	
2970.97	
211948	
L430	
Hx0032	
8220w/Sr193-Bk	
212476	
3000-24-2-0.3cald	
6000-36-2-0.1	
2153.01	
Mr461caldu	
6417	
2152.24	
212109	
212490	

211773	
211087	
2130.67	
Ca1725	
212623	
Ca1224	
2118.51	
212606	
90201400179	
212157	
Pel103-W/Osensors	
214055	
3945-Bw/3mn193	
213856	
SI261cal	
213553	
211894	
212127	
213622	POWERPAD MODEL 8335 W/4 SR193 (1200A)
215011	
2134.61	
2151.19	
2126.71	
Ox-860	
902rel100302	
Mn291	
2152.03	
213801	
212646	
2118.62	

1060caldu	
138.100r	
6470-Bkit-300ft	
212103	
211899	
120067	
2127.9	
2140.49	
213059	
Mn106cald	
2135.78	
297092	
1026cal	
L410	
212576	
L564	
Jvo-1851	
211960	
Mr521cald	
6155.01	
211890	
211730	
6470kit-150ftcald	
212640	
297012	
2130.31	MEGOHMMETER MODEL 6550 (GRAPHICAL, ANALOG BARGRAPH, BACKLIGHT, ALARM, TIMER, 500V, 1000V, 2500V, 5000V, 10KV, RAMP, STEPV, VARIABLE,AUTO DAR/PI/DD, US
213510	GROUND RESISTANCE TESTER MODEL 3620 KIT-150FT (MODEL 3620 CAT. #2135.35)
213084	
6471kit-500ft	

Mx0002b
212780
5000.73
8335
213092
684149b95
L104
212601
100.296
212498
241-015-000
297302
211633
120145
212475
5000.43
Bc05
Sr651
Mtx162ue
Mn106cal
Po1145801a
212920
213112
Kpb1le1-I812462-R
212629
400d-6
213855
6610
212682
212484
P01105109z

[6505](#)[Po1139703](#)[211630](#)[213513](#)[2114.27](#)[212477](#)[8220w/Mn193-Bk](#)[2127.81](#)[3000-24-2-0.3](#)[514cal](#)[Jm830a](#)[215050](#)[Mn307](#)[213551](#)[297078](#)[Mn379](#)[Hx0072](#)[L605](#)[100185](#)[211349](#)[211976](#)[211940](#)[602747-01](#)[214011](#)[8220w/Mn193-Bkcal](#)[212652](#)[8335w/193-24-Bkcaldu](#)[211689](#)[211130](#)[Hx0036](#)

2137.51	
211629	
213620	
24-3001	
Mn352	
213078	POWERPAD MODEL 3945-B W/3 193-36 AMPFLEX (6500A)
211490	
3945-Bw/3193-36	POWERPAD MODEL 3945-B W/3 193-36 AMPFLEX (6500A) (2130.78)
Sr604	
3945w/Mn193cald	3945 W/MN193 CALIBRATED
Px110	
2135.86	
2135.79	
X2100	
213961	
213060	
212999	
211248	
2121.34	
2960.47	
Dpm48/2000snt13-115vac	
212776	
3620kit-150ft	GROUND RESISTANCE TESTER MODEL 3620 KIT-150FT (MODEL 3620 CAT. #2135.35)(2135.10)
Mn251	
211946	
5050cal	
214071	
212152	
5000.38	
Cl601	

Ca751.	
Sdla301	
2113.22	
211898	
Daa-288-240c	
8335w/4ma193-10-Bk	
211778	
174810	
2121.12	
4630kit-300ft	GROUND RESISTANCE TESTER KIT, 2000 OHM, MEASURING FUNCTIONS:2, 3 AND 4 POLE, RESISTANCE MEASUREMENT RANGE:0.1OHM TO 1999OHM, RESISTANCE MEASUREMENT FR
Ox0803bcfg	
8230w/Mn193-Bk	
2137.76	
6150.01	
Mn93	
211690	
3000-24-1-1	
214043	
3710	
211693	
120136	
214066	
213030	
2124.99	
6000-48-2-0.1	
1015	
3059.05	
2112.02	
2130.6	

2115.98	
241-002-000	
211986	
2118.78	
212575	
296012	
120068	
211880	
211994	
1031.17	
214069	
212596	
2114.07	
6470	
212998	
Ca832	
213678	
Ox7104iii100mhz	
N163635pfv	
212120	
2129.81cald	
8p4890r001	
213540	
2152.13	
214044	
1771oab	
174902	
212603	
8335w/193-24-Bkcal	8335 W/193-24-BK CALIBRATED
211342	
211957	

211632	
Hx0033	
2112.88	
212155	
213520	
213076	POWERPAD MODEL 3945-B W/3 SR193 (1200A)
212919	
Sr193-Bk	
211628	
Mn103	
213088	POWERPAD JR. MODEL 8230 W/MA193-10-BK (1000A)
Mf300-10-2-10hf	
211093	
6250	MICRO OHMMETER, 4 WIRE, 2500 OHM, WIRE CONNECTION:4-WIRE, RESISTANCE MEASUREMENT RANGE:0.005OHM, 0.025OHM, 0.25OHM, 2.5OHM, 25OHM, 250OHM, 2.5KOHM, RE
212996	
MI914	DATA LOGGER, 100A-1000AAC, 4CH, READING CAPACITY:1000000, PRODUCT RANGE:-, DATA LOGGER FUNCTIONS:CURRENT (TRMS), NO. OF CHANNELS:4, SAMPLE RATE:64 SAM
211579	
211754	
Jm861	
8335w/4mr193-Bk	
2136.12	
212614	SIMPLE LOGGER II MODEL AL834 (4-CHANNEL, TRMS, BLUETOOTH, AMPFLEX 300/3000AAC, DATAVIEW SOFTWARE)
514caldu	
500014	
213571	
3731caldu	

Hx0084	
212474	
L562	
211200	
Mn353	
10000-36-2-0.1cald	
212602	
5050	
Mn82	
1005cald	
2152.12	
3945cal	
L320	
214064	
Ox7204iii200mhz	
214035	
212597	
8230w/Sr193-Bk	POWER QUALITY ANALYZER, 1PH, 600V, 1.2KA, ANALYZER FUNCTIONS:CURRENT, ENERGY, FREQUENCY, HARMONICS, POWER, VOLTAGE, NO. OF CHANNELS:1 CHANNEL, VOLTAGE
211985	
211071	
211893	
8335w/4193-24-Bk	POWERPAD MODEL 8335 W/4 193-24 AMPFLEX (6500A) (2136.23)
4620kit-500ft	GROUND RESISTANCE TESTER MODEL 4620 KIT-500FT (MODEL 4620 CAT. #2135.37) (2135.21)
10000-36-2-0.1caldu	
Mr521	
211541	
Mr411	
603	
212552	

214018	
211201	
2152.18	
P01174830	
214062	
1045cal	
1005caldu	MEGOHMMETER MODEL 1005 (ANALOG, 500V, CONTINUITY)
Mtx162uew	
Tri-600	
211083	
SI261cald	
3711cald	
PeI102	
P01120306	
211624	
3945caldu	
Ptl-31	
213624	
Mn05	
Ox7102iii100mhz	
Hx0040	
Ca760	
Md304	
Hx0094	
213550	
90201400204	
Sr759	
2135.75	
L205	
211846	

211873	
213538	
213066	
Mr461	
Mn313	
213552	
Mn375	
4630	
6472kit-300ft	GROUND RESISTANCE TESTER MODEL 6472 KIT-300FT (MODEL 6472 CAT. #2135.36) (2135.53)
212473	
212137	
1000-36-1-1	
L404	
1060cald	
Amec5600	
213951	
P01625101	
2140.72	
3000-24-2-1	
211855	
6240cald	MICRO OHMMETER, 4 WIRE, 400OHM, WIRE CONNECTION:4- WIRE, RESOLUTION (OHM):100MOHM
212607	
3945w/193-36cal	
211625	
6290	MICRO-OHMMETER MODEL 6290 (200A, MANUAL AND DATAV SOFTWARE) (2129.82)
Hx0071	
2137.78	
Jm875	
2138.07	

213080	
2152.17	
Jm850a	
Mr561cald	
212480	
2141.5	
3945-Bw/3193-24	
6609	
2135.73	
Ca6608	
Hx0073	
213077	POWERPAD MODEL 3945-B W/3 193-24 AMPFLEX (6500A)
211982	
2151.15	
Mtx1054b-Pc	
212492	
213001	MEGOHMMETER MODEL 1050 (DIGITAL, ANALOG BARGRAPH, BACKLIGHT, ALARM, TIMER, 50V, 100V, 250V, 500V, 1000V, AUTO DAR/PI, RES., CONTINUITY)
Sd602	
L620	
Sr652	
212111	
211487	
211080	
F405	
2135.83	REPLACEMENT – CARRYING CASE FOR MODEL 6474 (TRAY NOT INCLUDED)
212121	
212154	
212486	
211584	

1045kitcald	
212123	
Ca43	METER
296037	
5000.19	
3000-24-2-0.3cal	
211756	
700002	
211088	
2138.59	
297013	
213621	POWERPAD MODEL 8335 W/4 MN93 (200A)
2121.24	
211760	GROUND RESISTANCE TESTER MODEL 3711 (CLAMP-ON, UL CUL)
Ba2010	
L102	
212784	
3106.04	
211768	
Min110p200	
2124.96	
Kit-300ft	
215010	
Mn114	
214051	
3640kit-150ft	GROUND RESISTANCE TESTER MODEL 3640 KIT-150FT (MODEL 3640 CAT. #2135.35) (2135.13)
3711cal	GROUND RESISTANCE TESTER MODEL 3711 (CLAMP-ON, UL CUL)
2141.51	
2980.06	

213021	MEGOHMMETER MODEL 5060 (DIGITAL, ANALOG BARGRAPH, BACKLIGHT, ALARM, TIMER, 500V, 1000V, 2500V, 5000V, AUTO DAR/PI/DD, RS-232 W/DATAVIEW SOFTWARE)
213950	
212609	
Mr411caldu	
213096	POWER QUALITY METER MODEL 8220 W/MN193-BK (5A/100A)
211131	
211879	
Id#(2-5)	
A193-18-Bk	
6527	
2124.9	
P01120043a	
Mn185	
2151.23	
Rud50-37566/05	
Mx0022-Z	
300-24-2-10	
Kit-150ft	
Mn291cal	
2113.41	
5000.66	
8230w/Ma193-10-Bk	POWERPAD JR. MODEL 8230 W/MA193-10-BK (1000A) (2130.88)
213083	
Mn106	
Mn106caldu	
212673	
Ox5042-Ck	
Po1102095	

212105	
212917	
L432	
Sr182	
Bw/193-24	POWER QUALITY ANALYZER 3PHASE, 15-960V, ANALYZER FUNCTIONS:CURRENT, POWER, VOLTAGE, VOLTAGE RANGE RMS:15V TO 960V, ACCURACY:VOLTAGE/CURRENT:0.5 2 COUN
2140.73	
211626	
3945w/Mn193cal	POWERPAD MODEL 3945-B W/3 MN193 (5A/100A)
Hx0039	
2136.10	POWERPAD III MODEL 8333 (NO PROBES) REPLACEMENT FOR MODEL 3945-B SERIES
Kit-500ft	RESISTANCE TEST KIT, 2/4 WIRE, 99.99KOHM, WIRE CONNECTION:2-WIRE, 4-WIRE, RESISTANCE MEASURING RANGE:2-POINT 0.01 TO 99.9 KOHMS, 4-POINT 0.001 TO 99.9
211581	
2138.05	
1000n	MEGOHMMETER MODEL1000N 1-1000MA
Aemc3731	CLAMP
5000.34	
213081	POWERPAD JR. MODEL 8230 (NO PROBE)
213501	GROUND RESISTANCE TESTER MODEL 6470-B (DIGITAL, 3- POINT, 4-POINT)
215014	
Mr521cal	
6416	GROUND RESISTANCE TESTER MODEL 6416 (CLAMP-ON, ALARM, MEMORY) (2141.01)
2134.76	
Mr193	PROBE – SET OF 3, COLOR-CODED MR193 (1000AAC/1400ADC) FOR MODEL 3945/3945-B SEE REPLACEMENT CAT #2140.28 (2140.13)
5070caldu	

2137.75	
8335w/4sr193-Bk	
2135.87	GROUND FLEX SENSOR 10M FOR USE ONLY WITH MODEL 6474
Id#(6-9)	
Hx0034	
Mr561cal	
Hx0042	
211853	
6472kit-150ft	GROUND RESISTANCE TESTER MODEL 6472 KIT-150FT (MODEL 6472 CAT. #2135.35)
2620	
2152.21	
6250cald	
Sr193	
5000.63	
Hx0013	
211321	
2151.21	
212950	
213524	
213514	GROUND RESISTANCE TESTER MODEL 3640 KIT-300FT (MODEL 3640 CAT. #2135.36)
8220w/Ma193-10-Bk	POWER QUALITY METER MODEL 8220 W/MA193-10-BK (1000A) (2130.97)
211770	
213546	
211333	
Mp-2000	
6550	
A196-18-Bk	
P9w	
193-36	SET OF 3, COLOR-CODED 36 AMPFLEX SENSORS MODEL 193- 36 FOR MODEL 3945/3945-B SEE REPLACEMENT CAT

	#2140.35 (2140.12)
2150.20	HANDSCOPE PORTABLE OSCILLOSCOPE MODEL OX5022-CK (2-CHANNEL, 20MHZ)
C.A6116	MULTI-FUNCTION INSTALLATION TESTER MODEL C.A 6116 (INCLUDES DATAVIEW SOFTWARE) (2138.01)
12a	
L264	DATA LOGGER, 4-CHANNEL, TRMS, 1000000, READING CAPACITY:1000000, PRODUCT RANGE:-, DATA LOGGER FUNCTIONS:VOLTAGE (TRMS), NO. OF CHANNELS:4, SAMPLE RATE
394517025cald	.O.33K1-4-3090-1.TURS APPRO3945 17025 CALIBRATED , PER TX 3:
5000.44	
Ca7027	CABLE TESTER, TELEPHONE CABLE/GRAPHICAL TDR, TESTER TYPE:DOUBLE ENDED, RESISTANCE:-, EXTERNAL HEIGHT:165MM, EXTERNAL WIDTH:90MM, EXTERNAL DEPTH:37MM
2136.28	POWERPAD MODEL 8335 W/3 193-24-BK (AMPFLEX) AND 1 MN193-BK (5A/100A)
Hx0038	
3000-24-2-0.3caldu	
211984	
213502	
211987	
4620kit-150ft	GROUND RESISTANCE TESTER, 0 OHM TO 2KOHM, MEASURING FUNCTIONS:2, 3 AND 4 POLE, RESISTANCE MEASUREMENT RANGE:0.1OHM TO 1999OHM, RESISTANCE MEASUREMENT
Ca8335	
193-24	
6250caldu	MICRO OHMMETER, 4 WIRE, 2500OHM, WIRE CONNECTION:4-WIRE, RESISTANCE MEASURING RA
213091	POWER QUALITY METER MODEL 8220 W/MN93-BK (200A)
211479	
L261	
Mr411cal	
3711caldu	GROUND RESISTANCE TESTER MODEL 3711 (CLAMP-ON, UL CUL)

4000d-14	
211298	
Mn03	
212953	
3620kit	KIT
211889	
2152.22	
214070	
1000-36-2-1	
211577	