


Contitech

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapılabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Contitech Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Contitech Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
B291012	TOOTH BELT
TYP FS 330-14 CI G1/4	1700010062 Willbrandt air spring elements Make Continental Type series single bellows TYPE FS 330-14 CI G1/4 with flanged plate 73mm off center Goods tariff no.: 40169500
Typ FD 330-22 CI G1/4	Willbrandt air spring elements BRAND CONTINENTAL Series of bifold bellows Type FD 330-22 CI G1/4 with flanged plates Air connection 73 mm on the outside Goods tariff no.: 40169500
EP-160-650-3-4/2-A-N	Closed
1700010231	Willbrandt air spring element Make Continental Double bellows series Type FD1330-25 RS Bellows with bead ring 45mm screws, nuts and washers
17X4100 V beld	
5151320275	ContiTech POLYFLAT type XHP II Width: 75mm, Thickness: 3.3mm galvanized steel cord pull cord open, with closed winding noses 6,5 Meter
Timing Belt [940M/PM2388	14.5T,2388L,P9.4,Z6,FOR MOTOR SPINDLE BELT
43KN, 30cm 10core rubber-coated teal belt.	Length: 205-meter x2 units total 410 meters
T10-32mm	

516030077630	HTD 776-8M-30 ContiTech Synchrobelt timing belt *SO* Cut from the WICKEL *SO*
HTD 680 8M 30	CONTI® SYNCHROBELT Manufactured goods = MOQ HTD 680 8M 30 *SO*
HTD 1264 8M 30	CONTI® SYNCHROBELT Manufactured goods = MOQ HTD 1264 8M 30 *SO*
HTD 1800 8M 30	CONTI® SYNCHROBELT HTD 1800 8M 30 *SO*
HTD 688 8M 30	CONTI® SYNCHROBELT HTD 688 8M 30 *SO*
HTD 1256 8M 30	CONTI® SYNCHROBELT HTD 1256 8M 30 *SO*
8 Pk 1500	
640 J	
Xpz 1137 Lp / 1150 La	
T5-50	
Lr 32,5/13x1650 - , No	
F60-Xhp L=5700 Mm	
12.5 X 875	
16001620	
Htd 2400 8m 30	
Dhtd 1120 D8m 20	
Spz 937	
S-125-Sx-33xce-Gik 210	
8 Pk 1480	
4912 N P10	
4 Pk 1420 Poly V	
Atp10-1280 Gen Iii	
Ct 1139 K2	
Ft 816 - 40 - Obsolete, Replaced By Alternative Bg3600 / Wbd-G600	
Htd 656 8m 30	
2s-93/144-363	
Ax53	
Toothed Belt 100hx240	
Pj 610/240 J EI	
Toothed Belt 100hx750	
Htd 2310 14m 55	

Pj 813
Gttc0090
Spc 3000
8pk1448
B041116
Mulco Conti Synchroflex At20 (20mm X 150mm X 6000mm)
6 Pk 1070
Trapezoidal Drive Belts For Type : Ab 4/Sv, S/N: 20469
Belt, Dr Mtr, Spa 850, Design Spec:Bs 3790, Mesc Code 5814410851
S500 GI-43 Sv=10988 +/-30
Fd 614-26 1/2 M10
Spb 3800 Lw
Xpa 1150
08m-2400-30
4pk 1075 - Kanallı V Kayış
F60-Xhp L=7700 Mm
8 Pk 1755
8 Pk 2120
Hs-50-5500
Cactiv 40r-Activator Re40g
Spb-3750 Lp, 5c
6 Pk 2280
15000880
Htd 8m-15
Htd-2400-8m/30
15000430
Wbz 200-E1
Ct 1028 K3
Xpb4500 V-Belt (For Pump 12-BI-001/002)
600 8m C03092 G:30mm
S500 GI-43 Sv=9362 +/-30
20at5/450 Gen Iii

531617
724n
S125-Sx-33ce-Gik
Avx13x1225
Sf70-7
Toothed Belt 100hx300
S125-Sx 33 Ce Gik-10000
Spc 5000
16at3/501
16000510
22x14x4250li
2489pj-22
16001550
Spc-4750 Lp, 5c
PI 1295/510I EI
08m-0880-30 Cxa
560 8 M Htd
Continental-50at10a 980mm Flex
F60 Xhp 11100
Hp2400-8m-Hp-30
F100-Hs
Ef-302150
Toothed Belt 100hx1100
Spz 1550
B87mxl-5
Htd 1360-8m-30 Cxa Iii
Htd 775 5m 10mm
Htd-1092-14m-40
Spz 1087
Toothed Belt 100hx660
1200-8m-30
6 Pk 691 Elast
F60-Xhp L+11100 Mm
T2.5/540

770 Syn Cr Of Lex T 5/750
08m-1040-30
Quapol89
Toothed Belt Htd 1420 5m
12pl2845
1a0900 Avx10-9.5x900la
Htd 920-8m-20 Cxa Iii
Htd-960-8m-Cxp
M8130 F100 Hs
Conti Vsm-1
17x11x2750li
Toothed Belt 100hx900
Toothed Belt 100hx1400
13x8x1651li
Std 1344 S8m
S501gl43cevs-8754
20290/D
1800 8m 30
Bg3600 / Wbd-G600
Fo-Z Xpb 1450 Lw
Toothed Belt 100hx1000
P/N: Pj1387/550/Jel
Avx10x1025
S501gl43cevs-6154
Htd 1440 8m 30
S-125-Sx-33ce-Gik (17 M)
Avx13x1200
Toothed Belt 100hx360
8 Pk 1420 Poly V
437 Synchroflex Atp 10/630 Gen Iii, 32 Atp 10/630 Gen Iii
Lr 32,5/13x990 - , No
4884 N1
Htd-1190-14m-40
Synchroflex 32 Atp 10/630 Gen Iii

S125 Sx33ce-Gik	
12100190	
17x1470li(B58	
S-125-Sx-33ce-Gik	
B1300e1	
21055/An	
Pl 725 1841mm	
Spa2182ld (Same: Spax2182lp)	
Synchroflex At10	Synchroflex AT10 Riemen und Abzugscheibe Wenn Sie sich die CAD-benannten Bilder ansehen, können Sie sehen, dass der 3890 mm lange Gurt mit 25 mm langen Stücken verschweißt ist. Kann es auf diese Weise geliefert werden?
200519	
F100-Xhp T= 3 Mm	
Xpz 2120	
Ax59	
12.5 X 1300	
Htd-720-8m/30	
4882 N1	
Toothed Belt 100hx725	
Spb-2280	
Toothed Belt 100hx1250	
Fo 6y 280 Li	
T2.5/145	
B2400e1	
3150 14m G:80 Mm	
Ba6200 Xy	
Spz 1112	
Rpp14xp	
1481 K	
11361705532oe	
S-125-Sx-33ce-Gik (18,5 M)	
Xpb 1320	
F60-Xhp	