

Desco

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Desco Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Desco Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
04536	
04538	
04541	
04548	
04549	
04550	
04560	
04561	
04562	
04563	
04564	
04565	

04566
04567
04577
04584
04585
04586
04587
04590
04591
04592
04594
04595
04596
04597
04601
04616
04622
04623
04640
04641
04642
04643
04644
06710
06711
06712
06713
06722
06727
06730

06735
06736
06742
06750
06751
06767
06770
06821
06850
06982
06983
06984
06992
06994
06998
06999
07010
07200
07300
07301
07302
07303
07304
07305
07405
07410
07412
07415
07420
07431
07432

07450
07451
07452
07454
07455
07456
07473
07474
07475
07501
07502
07503
07515
07522
07523
07560
07588
07590
07595
07599
09028
09029
09031
09035
09037
09039
09040
09041
09042
09043

[09044](#)[09045](#)[09060](#)[09069](#)[09070](#)[09078](#)[09085](#)[09086](#)[09087](#)[09088](#)[09100](#)[09102](#)[09103](#)[09104](#)[09105](#)[09106](#)[09107](#)[09110](#)[09120](#)[09121](#)[09130](#)[09140](#)[09150](#)[09151](#)[09165](#)[09166](#)[09167](#)[09168](#)[09169](#)[09170](#)

09180
09181
09183
09184
09185
09186
09187
09188
09190
09191
09198
09202
09203
09204
09205
09206
09207
09480
09680
09682
09700
09740
09741
09742
09750
09780
09782
09813
09814
09816
09817

[09818](#)[09820](#)[09821](#)[09825](#)[09826](#)[09835](#)[09836](#)[09837](#)[09838](#)[09842](#)[09856](#)[09857](#)[09861](#)[09863](#)[09864](#)[10181](#)[10435](#)[10439](#)[10442](#)[10446](#)[10447](#)[10448](#)[10551](#)[10556](#)[10561](#)[10600](#)[12140](#)[12350](#)[12550](#)[12660](#)

12665
12666
12667
12668
12780
12783
12788
12800
12801
12802
12803
12804
12806
12807
12808
12809
12910
12911
12912
12913
12914
12915
12916
12917
12918
12919
12920
12921
12922
12923
12924

12925
12926
12927
12928
12929
13268
13332
13334
13335
13338
13339
13340
13408
13425
13430
13443
13475
13505
13506
13515
13535
13536
13585
13601
13605
13624
13640
13652
13655
13675

[13700](#)[13716](#)[13720](#)[13760](#)[13844](#)[13872](#)[13874](#)[13882](#)[13883](#)[13920](#)[13921](#)[13922](#)[13923](#)[13924](#)[13925](#)[13951](#)[14234](#)[14240](#)[14242](#)[14246](#)[14401](#)[14404](#)[15011](#)[15012](#)[15013](#)[16097](#)[16100](#)[16202](#)[16213](#)[16214](#)

16255
16282
16291
16310
16312
16313
16314
16315
16317
16318
16319
17120
17122
17131
17132
17133
17134
17135
17136
17155
17200
17202
17239
17240
17241
17242
17243
17252
17271
17273
17291

19212
19227
19228
19229
19233
19236
19239
19241
19242
19243
19245
19246
19249
19253
19258
19261
19262
19263
19270
19271
19272
19273
19278
19280
19282
19290
19291
19292
19293
19294

19295
19297
19431
19492
19495
19500
19575
19591
19592
19595
19598
19640
19641
19651
19652
19653
19695
19696
19784
19786
19787
19790
19820
19823
19824
19825
19829
19830
19831
19832

19833
19834
19840
19842
19859
19860
19866
19880
19881
19882
19886
19887
19888
19889
19890
19891
19892
19893
19894
19900
19901
19902
19903
19904
19905
19906
19907
19908
24105
24723
24724

3052006404
40203
40931
40936
40937
40938
41400
41401
41402
41403
42475
42515
42517
42520
42535
42540
42541
42543
47200
47201
50003
50525
50731
50780
5539085703
60467
60468
60469
60500
60501

[60509](#)[63073](#)[66050](#)[66057](#)[66070](#)[66081](#)[66095](#)[66100](#)[66125](#)[66161](#)[66163](#)[66164](#)[66165](#)[66168](#)[66204](#)[66206](#)[66211](#)[66212](#)[66213](#)[66214](#)[66215](#)[66216](#)[66217](#)[66218](#)[66219](#)[66220](#)[66221](#)[66222](#)[66223](#)[66224](#)

66225
66226
66227
66228
66320
66321
66322
66323
66324
66325
66326
66327
66328
66329
66330
66400
66401
66402
66403
66404
66405
66406
66407
66408
66409
66410
66412
66413
66414
66415
66416

66417
66418
66419
66420
66421
66422
66423
66424
66425
66426
66427
66428
66429
66430
66431
66432
66433
66434
66435
66436
66437
66438
66439
66440
66441
66442
66443
66444
66445
66446

66447
66448
66449
66450
66451
66452
66453
66454
66455
66456
66457
66458
66459
66460
66461
66462
66463
66464
66465
66466
66467
68124
68125
68126
68127
68128
68129
73450
73451
73452

73453
73454
73601
73605
73613
73623
73730
73750
73760
73770
73775
73776
73777
73778
73779
73780
73781
73782
73783
73784
73822
73823
73860
73863
73865
73870
73871
73872
73873
73874
73875

73890
73891
73892
73893
73894
73895
73896
73897
73898
73899
73900
73901
73902
73903
73905
73910
73911
73912
73913
73914
73915
73916
73917
73918
73919
74200
74201
74202
74203
74204

74205
74206
74207
74208
74209
74210
74211
74212
74213
74214
74215
74216
74217
74218
74219
74300
74301
74302
74303
74304
74305
74306
74307
74308
74309
74310
74311
74312
74313
74314

74315
74316
74317
74318
74319
74320
74321
74322
74323
74324
74325
74326
74327
74328
74329
74330
74331
74332
74333
74334
74335
74336
74337
74338
74339
780000
780001
780002
780003
780004

780005
780006
780007
780008
780009
780010
780011
79202
79204
79205
79206
79209
79275
79276
79277
81071
81220
81222
81223
81226
81227
81228
81230
81250
81262
81271
81272
81800
82067
82100
82101

9080	
9081	
9082	
94000	
94340	
95205	
95318	
98221	
98254	
98256	
9842	
ASK-23710	
ASK-33051	
ASK-38927	
ASK-38928	
MWS61M	
SC200	
19219	
68112	
73866	
60499	
50669	
42518	STATIC PROTECTION MAT, MAT TYPE:-, MAT COLOUR:-, MAT MATERIAL:-, GROUND TERMINALS:-, LENGTH:-, EXTERNAL WIDTH:36, THICKNESS:-, SURFACE RESISTIVITY MM:
17250	
Slc-Ifu200	
81270	
50157	
9820r	
13035	

50760	SMARTLOG V5, N. AMERICA, W/O SOFTWARE
82066	ROLL, STATFREE S+,ANTI-FATIGUEGREY, 0.375 IN X 36 IN X 60 FT, ROHS COMPLIANT: NA
Pcb - SI 200	
4614	
73720	
50547	
91070	
66162	ROLL, STATFREE B2 VINYL, DARKBLUE, 0.060X36X50
13470	
19635caldu	
14244	
9682	
73749e	
50524	
19665	
10434	
73902ee	
9864	
6752	
66121	
19240cal	
13215	
73632	
13020	
35013	
40982	STATFREE DPL PLUS DIAMOND PLATE FLOOR RUNNER, 60FT, MAT TYPE:FLOOR, MAT COLOUR:BLACK, MAT MATERIAL:RUBBER, VINYL, GROUND TERMINALS:SNAP, LENGTH:60FT
68120	
Slc 20070515 Sub1 I/ 0 Version 3 0	

16265	ESD PROTECTION MAT, GROUND TERMINALS:STUD, EXTERNAL WIDTH:30, THICKNESS:2.5MM, BODY MATERIAL:VINYL, COLOR:BLUE, ROLL LENGTH:12.19M, ROHS COMPLIANT: N
60473	IONIZER, OVERHEAD, 3-FAN,120VAC, IONIZER TYPE:OVERHEAD, SUPPLY VOLTAGE VAC:120V, PRODUCT RANGE:-, FLOW RATE MAX:300CU.FT/MIN, HEIGHT:3.5, PLUG TYPE:US
13762	
13450	
37103	
73864	
13852	
13381	
13115	
Vrf1a0g1n	
12450	
50741	ESD/STATIC PROTECTION SOLID-STATE TOUCH TESTER, METER DISPLAY TYPE:DIGITAL, KIT CONTENTS:SMARTLOG V4, WRIST/FOOT STRAP TESTER, NUM KEYPAD, FOOT PLATE,
Slc-Sub200	
10445	
35852	
13610	
50512caldu	MONITOR CALIBRATION UNIT, CALIBRATION TYPE:MONITOR, EXTERNAL HEIGHT:64MM, EXTERN
10410	CHEMICAL COATING, CONTAINER, 5GAL, COATING TYPE:CONDUCTIVE, COATING APPLICATIONS:FLOOR, CHEMICAL COLOR:GREY, DISPENSING METHOD:CONTAINER, VOLUME:5GALL
60640	CHARGEbuster OVERHEAD IONIZER, IONIZER TYPE:OVERHEAD, SUPPLY VOLTAGE VAC:120V, PRODUCT RANGE:-, BODY MATERIAL:STEEL, COLOUR:WHITE, DEPTH:6.5, FLOW RAT
73755e	
13830	
Pcb Eh-4600a-3	
	MONITOR CALIBRATION UNIT, CALIBRATION TYPE:MONITOR,

50512cald	EXTERNAL HEIGHT:64MM, EXTERN
13110	
73741	
44080-590-01	
50528	
35878	
66105	STATIC PROTECTION MAT, MAT TYPE:-, MAT COLOUR:GREY, MAT MATERIAL:-, GROUND TERMINALS:-, LENGTH:40FT, EXTERNAL WIDTH:30, THICKNESS:0.06, SURFACE RESIST
98220cal	CALIBRATION UNIT, SINGLE WIRECONTINUOUS WKSTN MONITOR, NIST
P-5701	
13531	
66300	STATFREE UC 2-LAYER ROLL,SKY BLUE, 0.080X30X40
13394	
16316	
73755	
13727	
68111	
50670	IONIZER, BENCH TOP, ZERO VOLT, 220V LESS PWR CORD, CE
13850	
19785	
18575	
13820	
14113	
19430	
Spt5504c	
50453	TOOLS
13765	
13420	
73612	
73855	

9813	
81013	
13530	
9814	
13870	
19235	
82064	
13843	
13351	
73604	
19218	
60600	IONIZER, OVERHEAD, 40IN W/ LIGHT HEATER, FLOW RATE MAX:260CU.FT/MIN, HEIGHT:2.75, IONIZER TYPE:OVERHEAD, MOUNTING TYPE:PCB, WIDTH:5.25, ROHS COMPL
13859	
13379	
9816	
50563	KIT, ESD SURVEY, 120VAC
13615	
63072	
10408	
35135	
9044	
10244	
13455	
13670	
Dsc-Slc04	
14213	
7601	
13510	
16260	

94390	
73699	
68123	
66075	STATIC PROTECTION MAT, 40FT, MAT TYPE:FLOOR, MAT COLOUR:BLUE, MAT MATERIAL:RUBBER, GROUND TERMINALS:-, LENGTH:40FT, EXTERNAL WIDTH:36, THICKNESS:0.06
17272	
14405	
40915	
79211	
35105	
62612	
13336	
13667	
Ask-23681	
S20a-5sdac	
73615	
9104	
13135	
13333	
79278	
73654	
Spi-20780	
16250	
15005	STATIC PROTECTION MAT, GROUND TERMINALS:SNAP, EXTERNAL WIDTH:4FT, THICKNESS:0.125, BODY MATERIAL:VINYL, COLOR:BLACK, ROLL LENGTH:12.19M, ROHS COMPLIA
60507	
81314	
9837	
50407	ESD FOOTWEAR WRIST STRAP TESTER, METER DISPLAY TYPE:LED, ACCURACY :20, ROHS COMPLIANT: NA

19325	
98220cald	98220 CALIBRATION
35857	
40932	
35315	
40980	
73765e	
9202	
13275	
16311	
35123	
37057	
66058	
40920	
79200	
66166	
35122	
9780	
9700	
81070	
73765	
13392	
35292	
42480	
60466	
19101	
13387	
50557	KIT, METER, RESISTANCE,DIGITAL TEMP HUMIDITY, NIST
35701	
19260	

37005	
14830	
62101	
73837	
46022	
10511	
19780	SURFACE RESISTANCE TEST KIT, 1000000MOHM, WIRE CONNECTION:2-WIRE, RESISTANCE MEASURING RANGE:10KOHM TO 10TOHM, ACCURACY: 10%, EXTERNAL HEIGHT:8, EXTE
9039	
50461	
73616	
9480	
94392	
19587	CONTROLLER, HAND GUN, W/ HOSE, 120VAC, NIST, IONIZER TYPE:HAND HELD, SUPPLY VOLTAGE VAC:120V, PRODUCT RANGE:-, FLOW RATE MAX:3.5CU.FT/MIN, HEIGHT:5.12
Type: Slc-Sub200	
66106	ROLL, STATFREE T2, RUBBER, DRKBLUE, 40FT, MAT TYPE:FLOOR, MAT COLOUR:BLUE, MAT MATERIAL:RUBBER, GROUND TERMINALS:-, LENGTH:40FT, EXTERNAL WIDTH:30, TH
9105	
Slc-20070515-Svb1-I/O	
37102	
50493	SOFTWARE, TEAM5, INSTALL, 1 YEAR SERVICE
19492cal	STATIC METER, HIGH RANGE MIN:0V, HIGH RANGE MAX:19.99KV, METER DISPLAY TYPE:LED
42465	
Fa356a	
13080	
13645	
50597	EMIT STATIC FIELD METER DIGITAL
16475	

13468	
13-1304	
13245	
13490	
94003	
40910	
13337	
35849	
73652	
35853	
68104	
4584	
50570	
A77110	
7780	
91095	
19691	
Ms10a-5sa	
50764	
50604	
73834	
50555	CHARGE PLATE ANALYZER, 120VAC NIST
73861	
50645	ION GUN, CHARGE Buster, 120V
16425	
Slc Sub200 Ver.3.1 Pcb	
13690	
40981	
50770	TURNSTILE WITH SMARTLOG V5,120VAC
10384	

9861	
98220caldu	CALIBRATION UNIT, SINGLE WIRECONTINUOUS WKSTN MONITOR, NIST
9835	
35067	
7515	
13440	
13125	
66120	
19500caldu	IONIZER, BLOWER, BENCH,120VAC NIST, IONIZER TYPE:BENCHTOP, FLOW RATE MAX:117CFM
Sw103ctc	
50628	HAND HELD AIR IONIZER, AIR PRESSURE MAX:65PSI, AIR PRESSURE MIN:10PSI, IONIZER TYPE:HAND HELD, LEADED PROCESS COMPATIBLE:NO, PEAK REFLOW COMPATIBLE (2
73653	
16251	STATIC ROLL 24X 100STATIC DISSIPATIVE COLOR:BEIGE
63110	
19447cal	CALIBRATED DESCO P/N 19447, TEST KIT, SKU # 61H6002
13764	
73625	
6722	
A50070	
35662	
6994	
10185	
66210	DUAL LAYER RUBBER, GREY, ROLL,0.060X36X50
9184	
73833	
68105	
Dsc-Slc08	
19276	TESTER, X3 COMBO, WITH DUALPLATE, ROHS COMPLIANT: NA

13665	
Model No. Slc-Sub200	
81252	
13869	
Slc-20100610-Sub1-I/O Ver.-3.1	
81260	
73602	
13528	
13524	
95317	
35877	
Ask-26217	
73607	
35872	
19440	TEST KIT UPGRADE, PORTABLE,FOR IONIZERS
50522	
35703	
13465	
98220	CALIBRATION UNIT, SINGLE WIREMONITORS, ROHS COMPLIANT: NA
Cw-99004	
50512cal	MONITOR CALIBRATION UNIT, CALIBRATION TYPE:MONITOR, EXTERNAL HEIGHT:64MM, EXTERN
68101	
13840	
13205	
60437	
73742	
17222	
68201	
40983	PRICE/ROLL, STATFREE DPL PLUS DIAMOND PLATE FLOOR RUNNER, LENGTH:75, EXTERNAL WIDTH:36,

	THICKNESS:0.225, BODY MATERIAL:VINYL FOAM RUBBER, COLOR:B
73622	
66122	
17121	
79210	
13075	
79203	
10252	
19690	
16261	STATIC ROLL 16261 24X 100DESCO STATIC CONTROL PRODUCT
66055	
95041	
Ask-23748	
6821	
73603	
35312	
13405	
81224	
40979	
50740	SMARTLOG V4 ESD/STATIC PROTECTION SOLID-STATE TOUCH TESTER W/SOFTWARE, DISPLAY TYPE:DIGITAL, FEATURES:TEAM 5 SOFTWARE ALLOWS FOR EASY COLLECTION ANA
13769	
4548	
68100	
73507	
73626	
7502	
9069	
35433	

19441	
42516	STATIC PROTECTION MAT, MAT TYPE:-, MAT COLOUR:-, MAT MATERIAL:-, GROUND TERMINALS:-, LENGTH:-, EXTERNAL WIDTH:30, THICKNESS:-, SURFACE RESISTIVITY MM:
73700	
Slc-20070515-Sub1-I/O Ver 3.0	
13055	
17292	
7590	
Ps604024cg-230	
66085	STATIC PROTECTION MAT, 40FT, MAT TYPE:FLOOR, MAT COLOUR:GREY, MAT MATERIAL:RUBBER, GROUND TERMINALS:SNAP, LENGTH:40FT, EXTERNAL WIDTH:36, THICKNESS:0.
50664	AIR IONIZER, DEPTH:3.5, EXTERNAL DEPTH:3.50, EXTERNAL HEIGHT:42.00, EXTERNAL WIDTH:6.50, FLOW RATE:100CFM, FLOW RATE MAX:100CFM, HEIGHT:42, IONIZ
19255	
13660	
68122	
73854	
13651	
13879	
13822	
15001	STATIC PROTECTION MAT, GROUND TERMINALS:SNAP, EXTERNAL WIDTH:4FT, THICKNESS:0.6, BODY MATERIAL:VINYL, COLOR:BLACK, ROLL LENGTH:30.48M, ROHS COMPLIANT
13811	
Slc 20070515 Sub1-I/O	
73771	
73611	
73606	
13725	
50443	LASER BARCODE SCANNER FOR USE WITH SMARTLOGX3

9160	
79212	
50512	MONITOR CALIBRATION UNIT, CALIBRATION TYPE:MONITOR, EXTERNAL HEIGHT:64MM, EXTERNAL WIDTH:114MM, EXTERNAL DEPTH:30MM, ACCURACY: 10 , WEIGHT:192G, CERTI
13446	
50514	
35337	
13832	
13331	
66101	ROLL, STATFREE T2, RUBBER, DRKBLUE, 0.060 IN X 48 IN X 40 FT
81282	
10438	
73614	
6730	
19226	
13767	
37004	
19492caldu	STATIC METER, HIGH RANGE MIN:0V, HIGH RANGE MAX:19.99KV, METER DISPLAY TYPE:LED
13616	
19590	ION GUN, CHARGEbuster, 120VAC
19232	
66080	
13445	
50627	AIR IONIZER, IONIZER TYPE:HAND HELD, LEADED PROCESS COMPATIBLE:NO, PEAK REFLOW COMPATIBLE (260 C):NO, SUPPLY VOLTAGE:120V, ROHS COMPLIANT: NO
9167	
66169	
7456	
73867	

73509	
35652	
65000	ROLL, STATFREE O, VINYL,BLUE, 0.375 X 24 X 60
50771	
37087	
50600	IONIZER, BENCH TOP BLOWER 120VAC NIST
66202	DUAL LAYER RUBBER, LIGHT BLUEROLL, 0.060X36X50
9165	
46210	
13070	
9818	
50665	AIR IONIZER, DEPTH:3.5, EXTERNAL DEPTH:3.50, EXTERNAL HEIGHT:42.00, EXTERNAL WIDTH:6.50, FLOW RATE:100CFM, FLOW RATE MAX:100CFM, HEIGHT:42, IONIZ
50663	ZERO VOLT IONIZER, DEPTH:3.1, FEATURES:STAINLESS STEEL ENCLOSURE, FLOW RATE MAX:100CFM, HEIGHT:9.5, IONIZER TYPE:BENCHTOP, SUPPLY VOLTAGE VAC:120V
19104	
73710	
19650	SURFACE RESISTANCE TESTER, DISPLAY TYPE:LED, ACCURACY %:10%, EXTERNAL HEIGHT:1.1, EXTERNAL WIDTH:2.9, EXTERNAL DEPTH:5.2, WEIGHT:0.4LB, FEATURES:
66201	
50460	
37003	
13635	
7430	
16290	ROLL, STATFREE B, VINYL,BLUE, 0.060 X 24 X 100
35617	
13881	
19500caId	IONIZER, BLOWER, BENCH,120VAC NIST, IONIZER TYPE:BENCHTOP, FLOW RATE MAX:117CFM
73619	

13816
81225
7450
19851
37113
19240
6727
73851
73862
14114
98130
9162
68121
A98150
50424
82082
9163
19240caldu
50415
45015
17260
14810
7431
Mr-16
13330
9782
10601
37116
Slc-Sub200 Ver3.1 Panel
66056
13705

10443	
13325	
50526	
66110	STATIC PROTECTION MAT, 40FT, MAT TYPE:FLOOR, MAT COLOUR:BLUE, MAT MATERIAL:RUBBER, GROUND TERMINALS:SNAP, LENGTH:40FT, EXTERNAL WIDTH:30, THICKNESS:0.
46011	
13065	
9161	
23312	
81253	
40930	
50155	
Slc-20070515-Sub-I/O Version- 3,0	
50561	CHARGE PLATE ANALYZER, 220VAC NIST
60480	
13466	
50564	KIT, ESD SURVEY, 220VAC
13950	
66086	ROLL, STATFREE T2, RUBBER, DRKBLUE, 40FT, MAT TYPE:FLOOR, MAT COLOUR:BLUE, MAT MATERIAL:RUBBER, GROUND TERMINALS:-, LENGTH:40FT, EXTERNAL WIDTH:36, TH
81261	
19493	FIELD METER ION TESTER, MEASURING RANGE:-1.99KV/IN TO +19.99KV/IN, ACCURACY %:5%, RESOLUTION %:-, EXTERNAL HEIGHT:23.9MM, EXTERNAL WIDTH:69.9MM, EXTER
73835	
66123	ROLL, STATFREE T2, RUBBER, GREEN, 0.060IN X 48 IN X 24FT
79201	
19447	TEST KIT, IONIZATION, 0 TO 19.99KV/IN, MEASURING RANGE:-19.99KV/IN TO +19.99KV/IN, ACCURACY :5 , KIT CONTENTS:19445 METER, PLATE, 9V BATTERY, CHARGER
73749	

19492cald	STATIC METER, HIGH RANGE MIN:0V, HIGH RANGE MAX:19.99KV, METER DISPLAY TYPE:LED
60505	
10295	
13768	
73831	
9820	
66045	
50761	SMARTLOG V5, ASIA, W/O SOFTWARE
60506	
19277	TESTER, X3 COMBO, WITH STANDPROGRAMMABLE, ROHS COMPLIANT: NA
96835	
10243	
35359	
35660	
9856	
19868	
98131	
94031	
50401	
7599	
9825	
50543	
73740	
12250	
37700	
13829	
68102	
82068	FLOOR MAT ROLL, STATFREE G2, 12.2M, MAT TYPE:FLOOR, MAT COLOUR:BLACK, MAT MATERIAL:RUBBER, GROUND TERMINALS:-, LENGTH:12.2M, EXTERNAL WIDTH:1.2M, THIC

13457	
37065	
35175	
37109	
50489	
6741	
73655	
13030	
19252	
73750e	
94350	
6735	
13415	
15000	STATIC PROTECTION MAT, GROUND TERMINALS:SNAP, EXTERNAL WIDTH:4FT, THICKNESS:0.6, BODY MATERIAL:VINYL, ROLL LENGTH:12.19M, COLOR:BLACK, ROHS COMPLIANT
6751	
9087	
13315	
13390	
10409	CHEMICAL COATING, CONTAINER, 5GAL, COATING TYPE:CONDUCTIVE, COATING APPLICATIONS:FLOOR, CHEMICAL COLOR:GREY, DISPENSING METHOD:CONTAINER, VOLUME:5GALL
10520	CONDUCTIVE FLOOR PAINT, DRUM, COATING TYPE:CONDUCTIVE, COATING APPLICATIONS:FLOOR, DISPENSING METHOD:DRUM, VOLUME:55GALLON (US), ROHS COMPLIANT: NA
19500cal	IONIZER, BLOWER, BENCH,120VAC NIST, IONIZER TYPE:BENCHTOP, FLOW RATE MAX:117CFM
13495	
15006	
13520	
42460	

9028	
19279	TESTER
42542	
40935	
45010	