

Di-Soric

Garanti: 12 ay
 Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapılabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Di-Soric Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Di-Soric Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
Irdb 6 Nsok-Ibs	Inductive wire break sensor 204977 Functional principle: Static Inner diameter: 6.1 mm Mounting distance to metal (min.): 2 mm Operating voltage: 10... 35 V DC (Supply Class 2) Switching output: npn, 200 mA, NO / NC No-load current (max.): 11 mA Part speed (max.): 35 m / s Pulse stretching: 10... 150 ms Housing material: plastic Protection class: IP 67 Ambient temperature, operation: - 25... +70 ° C Connection: plug, M12, 4-pin Lot number: 85365019 Country of origin: Federal Republic of Germany Weight: 0.11kg
FS12-50MG3-B8	Di-Soric 205450 Farbsensor 90275000 - DE - 0,2 kg
BSHM-Z-2/4-RS232K	Di-Soric 203270 Anschlussk
BSHM-Z-5/8A	204284
RS232S-0.25-USB	203271
WRB120S-SG-4.5-2.5	203615
DCC 30 M 40 PSK-IBSL	Di-Soric 200388 Inductive proximity switch identical to DW-AS-513-M30-002
DW-AS-513-M30-002	Contrinex 320-120-262 Inductive proximity switch 85365019 - CN - 0.2 kg
	Di-Soric 207460 Inductive proximity switch, stainless steel, M12x1

DCC12VHD2PS-B3-78-7	Switching distance 2 mm, flush, connector M12 85365019 - DE - 0.04 kg
DCB12MB04PS-B3	209333
DCB08MB02PS-T3	Di-Soric 209301 Inductive proximity switch
OGWSD 150 P3K-TSSL	frame light barrier Evaluation: digital, dynamic/static switchable Transmission light source: LED Light Color: Infrared / 940nm Detection area: 150 x 142 mm Operating voltage: 18 ... 35 V DC Switching output: pnp, 200 mA, NO/NC Housing material: aluminum, black (anodised) Connection: plug, M8, 3-pin
DCB 12MB 04 PS B3 209333	
OGUP 030 G3-T3	Di-Soric 210992 forked light barrier 85365019 - EN - 0.3kg [also replacement for 201369, OGUP030P3K-TSSL]
DISORIC 207460	DDC 12VHD 2HP-B3-78-7 Inductive proximity sensor
DISORIC 204012	OT 6-18 KR 400 P3K-BSL Lichttaster
DCC 12VHD 2 PS-B3-78-7	
DCC05V1.5PSK-TL	
6312017	frame light barrier OGWSD 150 P3K-TSSL
207460	DCC 12VHD 2PS-B3-78-7 Inductive proximity sensor
IRDB 6 PSOK-IBS	2961349 Inductive ring sensor
DISORIC OGU 031 G3-T3	2293221
DISORIC OGU 081 G3-T3	2293215 forked light barriers
DISORIC OGL 081 G3-T3	2293218 angle light barriers
DISORIC OGL 121 G3-T3	2293247 angle light barriers
DISORIC OGL 051 G3-T3	2293222 angle light barriers
OGU 081 P3K-TSSL	
DC00513	
201854	
Kssti 400 G3k-Tssl Kssti 400 G3k-Tssl	
Id No. 209383, Type: Dcb 30 Mn 20 Ps-3	
Id No. 209346, Type: Dcbk 12 Mn 04 Ns-B3	
204165	
Id No. 209296, Type: Dcb 08 Mn 2.5 Ns-3	
Id No. 209382, Type: Dcb 30 Mb 15 Ns-B3	
Dcc 12 M 06/10 Aik-Ibs Induktiver Sensor	
Dccq 05 M 1.5 Psk-K-Tsl Sensor	
Id No. 209294, Type: Dcb 08 Mb 1.5 Ns-T3	
Wrb130sm425	

Id No. 209362, Type: Dcb 18 Mn 08 Ns-B3
207558 Sensor Kdct 12 V 04 G3-B4
201471
Id No. 209370, Type: Dcb 18 Mn 12 Ns-B3
202359 Connectorbs-Z-8/S10 - 30 V
Id No. 209307, Type: Dcbk 08 Mb 1.5 Ps-3
Id No. 209360, Type: Dcb 18 Mn 08 Ns-3
Hs-Gh-3-12 Befestigung
201724 Kabel Tkhn-Z-2.5
Id No. 200088, Type: D7c 30 V 40 Pslk
Lgu 031 P3k-Tssl
201245 Gabellichtschrankenogu 021 P3k-Tssl
Id No. 209367, Type: Dcb 18 Mn 12 Ps-3
204165 Bewegungs-Sensor (Radar-Sensor) Rs 40 M 6000 G8I-Ibs
Id No. 209314, Type: Dcbk 08 Mn 2.5 Ns-T3
Id No. 209348, Type: Dcbk 12 Mb 04 Ns-3
204011 Lichttasterot 6-18 Kr 400 P3lk
Id No. 204295, Type: Dcc 05 V 2.5 Nok-Tsl
206628 Schalter Dcck 12 M 02 Psk-Ibsl
Id No. 209343, Type: Dcbk 12 Mn 04 Ps-3
204165 Der Radarsensor Rs 40 M 6000 G8I-Ibs
202808
203685 Lht 81 M 400 G4I-Ibs
Id No. 209778, Type: Dcbk 12 Mb 02 Po-B3
Id No. 205394, Type: Dcc 05 V 0.6 Nslk-E
Id No. 209319, Type: Dcbk 08 Mn 04 Ps-3
201245 Sensor Ogu 021 P3k-Tssl
202523 Dccq 08 M 1.5 Pslk
200988 Sensor Lgu 051 P3k-Tssl
Id No. 209337, Type: Dcb 12 Mn 08 Ps-B3
206440 Dcc 12 M 04b Psk-Ibsl
Tkhn-Z-5

Id No. 209358, Type: Dcb 18 Mb 05 Ns-B3	
Id No. 209385, Type: Dcb 30 Mn 20 Ps-B3	
201551 Sensor	
210622 Ogu 010 G3-T3fork Light Barrier	
Id No. 204293, Type: Dcc 05 V 2.5 Polk	
200983 Lgu 031 P3k-Tssl	
Ogu050g3-T3 Sensor	
Id No. 205367, Type: D7c 30 V 20 Nok-Ibsl	
Vkhm-W-2.5/4 Di-Soric 201847anschlusskabel	
Id No. 205110, Type: Dcc 05 V 1.5 Nsk-Tsl	
Id No. 209379, Type: Dcb 30 Mb 15 Ps-3	
Id No. 208107, Type: Dcc 05 M 0.8 Nok-Tsl	
Olvk 31 P1k-Tssl Optischer Sensor	
Id No. 209325, Type: Dcb 12 Mb 02 Ps-B3	
Kabel Tkhm-W-2.5	
202880 Etikettensensorenkssti400g3k-Tssl	
Id No. 209309, Type: Dcbk 08 Mb 1.5 Ps-T3	
Id No. 209345, Type: Dcbk 12 Mn 04 Ps-B3	
Tkhm-Z-10	
Id No. 209295, Type: Dcb 08 Mn 2.5 Ps-3	
Or 31 K 1500 P3-T4 Reflexionslichtschranke	
Oguti002fp3k-Tssl Sensor	
Ogu031p3k-Tssl Fork 30mm	Sensor
Ckr-200lenskit	
200976 Sensorlgl 081 P3k-Tssl	
Ogu 080 P3k-Tssl Sensor	
Id No. 209328, Type: Dcb 12 Mn 04 Ns-3	
Id No. 209361, Type: Dcb 18 Mn 08 Ps-B3	
Hs-Bw-Cs Platte Befestigung	
Id No. 200077, Type: D7c 30 V 20 Nsk-Ibsl	
Lgu051p3k-Tssl Sensor	
Id No. 203053, Type: Dcc 04 M 0.6 Pok-K-Tsl	
Id No. 209378, Type: Dcb 30 Mn 15 Ns-B3	
Oht 31 K 200 P1k-Tssl Oht 31 K 200 P1k-	

Tsslartikelnr 205665lichttaster Mit Hintergrundausbldung
Id No. 209376, Type: Dcb 30 Mn 15 Ns-3
202435
Id No. 209380, Type: Dcb 30 Mb 15 Ns-3
204165 Rs 40 M 6000 G8l-Ibsradar Sensor
Id No. 209334, Type: Dcb 12 Mb 04 Ns-B3
Id No. 204291, Type: Dcc 05 V 2.5 Nolk
Id No. 200207, Type: Dcc 05 V 0.6 Pslk-E
202033 Wrb 130 S-M4-2.5glasfaser-Lichtleiter
Or 31 K 1500 P3-T4 Lichtschrinke
201126 Zylindersensor Typ: Mzec 3.7 Ps-K0.6-Tssl
Wrb110s904025
204434
Id No. 205361, Type: D7c 18 V 20 Nolk
201245
Id No. 209335, Type: Dcb 12 Mn 08 Ps-3
Id No. 200081, Type: D7c 30 V 20 Psk-Ibsl
Ogu 080 P3k-Tssl Drucksensor Ogu 080 P3k-Tssl Fork Light Barrier
Id No. 209366, Type: Dcb 18 Mb 08 Ns-B3
210245 Sensor Ogu081g3-T3
Osp 12 Vlf-Ibsl Sensor Lichtschrinke
Id No. 209329, Type: Dcb 12 Mn 04 Ps-B3
Id No. 200079, Type: D7c 30 V 20 Pok-Ibsl
207938 Ot 18 Fk 400 P3
Id No. 204296, Type: Dcc 05 V 2.5 Psk-Tsl
202666
Hs-Kl-12-20-V Anlenkung
201310 Gabellichtschrinkeogu080p3k-Tssl
Id No. 209310, Type: Dcbk 08 Mb 1.5 Ns-T3
203685 Optischer Sensor
Lgu 051 P3k-Tssl
Ogu250/110p3k-Tssl

Lgu051p3k-Tssl Sensorsensor
Av4-Und/Oder Connection Distributor
205605 Ogl 55/54-0 P2k-Ibshigh Performance Angled Light Barrier
Odg 50 P3k-Tssl Sensor
Wrb140s90-4,0-2,5
Id No. 207810, Type: Dcc 05 M 0.8 Psk-Tsl
207035 (Dccq 08 M 1.5 Psk-Tsl Induktiver Näherungsschalter)
200983 Sensor Lgu031p3k-Tssl
202119
Id No. 204297, Type: Dcc 05 V 2.5 Pok-Tsl
Id No. 209364, Type: Dcb 18 Mb 08 Ns-3
201313 Ogu 081 P3k-Tssl
Dcc12m10psk-Ibsl
Id No. 209386, Type: Dcb 30 Mn 20 Ns-B3
Id No. 209687, Type: Dcb 08 Mb 1.5 Po-T3
Id No. 202506, Type: Dcc 05 V 1.5 Polk
Id No. 209878, Type: Dcc 08 M 03 Pok-Ibsl
Id No. 205369, Type: D7c 30 V 40 Nok-Ibsl
Oht 18 M 120 Der Optische Sensor Position N1k-Ibsl
Der Optische Sensor Ogu 080 P3k-Tssl
Id No. 209355, Type: Dcb 18 Mb 05 Ps-3
Id No. 209341, Type: Dcbk 12 Mb 02 Ps-B3
Ogup 050 P3k-Tssl Gabelstapler Sperre
D7c 08v 03 Psk Ibsl Sensor
Ir15-Psk-Ibs
202007
201847 Kabel Vkhm-W-2.5/4
Id No. 209349, Type: Dcbk 12 Mb 04 Ps-B3
Id No. 200210, Type: Dcc 05 V 1.5 Pslk
Wrb110s8.5-4.0
200340
Dcc 18 M20 Psk Ibsl Sensor

201526 Otv 12 M 300 P1k-Ibsl
Ogu081g3-T3 Fork Light Barrier
201710
D7c 12v 06 Psk Ibsl Sensor
201245 Sensor Ogu 021 P3k-Ts Sl
Id No. 208015, Type: Dcc 05 M 0.8 Nolk
203746 Osp 12 Vlf-Ibsl
Id No. 200191, Type: Dcc 04 M 0.6 Psk-K-Tsl
206628 Dcck 12 M 02 Psk-Ibsl
Id No. 209311, Type: Dcbk 08 Mn 2.5 Ps-3
201245 Sensorogu 021 P3k-Tssl
Osp 12 Vlf-Ibsl
Ogu 10 P3k-Tssl
Id No. 209384, Type: Dcb 30 Mn 20 Ns-3
201242 Ogu 02 Pn3k-Tssl
It-M12vahp-4qd
Id No. 209321, Type: Dcbk 08 Mn 04 Ps-T3
Id No. 200198, Type: Dcc 04 V 1.0 Pslk
201207 Ogl 051 P3k-Tssl
Id No. 200080, Type: D7c 30 V 20 Polk
Kabel Tkhn-Z-2.5
Id No. 209350, Type: Dcbk 12 Mb 04 Ns-B3
Wrb 140s-M4 Kabel
201276 Ogu 050 P3k-Tssl
Id No. 209327, Type: Dcb 12 Mn 04 Ps-3
Id No. 209363, Type: Dcb 18 Mb 08 Ps-3
202704 Irdp 6 Psok-Ibsinduktiver Drahtbruchsensor
D7c 12 V 06 Psk-Ibsl Sensor
200975 Lgl 051 P3k-Tssl
204087
Id No. 204290, Type: Dcc 05 V 2.5 Nslk
204165 Radarsensorrs 40 M 6000 G8l-Ibs
Id No. 209356, Type: Dcb 18 Mb 05 Ns-3

206718 Dccq 08 M 02 Psk-Tsl
201840
Ogu 010 G3-T3 Sensor
Id No. 205615, Type: Dcc 05 V 0.8 Namur
Rs 40 M 6000 G8I-Ibs Bewegungs-Sensor (Radar-Sensor)
201206 Ogl 051 N3k-Tssl
201877 Vkhm-Z-5/4anschlusskabel
En U Ogu250/110 P3k-Tssl
Osp 12 Vlf-Ibs203746 Sensor Lichtschränke Osp 12 Vlf-Ibsl
Tkkm-W-2.5 Di Kabel
Vkhm-W-2.5/4/Lp Anschlusskabel
203859 Dcck 12 M 06 Aik-Ibs Sensor
Dcc 18 M 05 Psk-Ibsl Induktiver Sensor
204141 Ogu 010 G3k-Tssl gabellichtschränke
202420 Barrieroguti081p3k-Tssl
Wrb 210 S-90-4.0-2.5
207558 Kdct 12 V 04 G3-B4 Kapazitive Stellungsgeber.
Ogup 050 P3k-Tssl Gabellichtschränke
Wrb120s9015-10
207817 Dcck 6.5 V 1.5 Pslk
204141 Ogu 010 G3k-Tsslsensor
202656 Mzet 12404 Zylindersensor
204165 Bewegungs-Sensor (Radar-Sensor)
Id No. 209313, Type: Dcbk 08 Mn 2.5 Ps-T3
Id No. 209323, Type: Dcb 12 Mb 02 Ps-3
Id No. 209300, Type: Dcb 08 Mb 02 Ns-3
200977 Lgl 121 P3k-Tssl
Dcc 12m08psk-Ibsl Induktiver Sensor
Wrb 120 S-8.5-4.0
Id No. 205368, Type: D7c 30 V 40 Nolk
Id No. 207809, Type: Dcc 05 M 0.8 Pslk
202434

201310 Sensor Ogu 080 P3k-Tssl
Tkhn-Z-2.5 Di Kabel
Id No. 209342, Type: Dcbk 12 Mb 02 Ns-B3
202704 Induktiver Sensortyp: Irdb 6 Psok-Ibs
Id No. 209368, Type: Dcb 18 Mn 12 Ns-3
201623 Sh 18sensorhalter
201405
Id No. 205363, Type: D7c 30 V 10 Nslk
Id No. 202346, Type: D7c 30 V 40 Polk
200976
Ir15psok-Ibs Ring- / Schlauchsensoren
Id No. 200067, Type: D7c 18 V 20 Pok-Ibsl
206206 Sensor Or 6-41 K 4 P1-T3
Ogu 050/20 Ip3k-Ibs
Is70psk-Tssl Ring- / Schlauchsensoren
200994 Sensorlgu 121 P3k-Tssl
Vkhm-W-2.5/8
202433 Sensorir 15 Psok-Ibs
Id No. 205096, Type: Dcc 04 M 0.6 Nolk
Ogw70p2ktssl
207483
Id No. 209359, Type: Dcb 18 Mn 08 Ps-3
Id No. 205111, Type: Dcc 05 V 1.5 Nok-Tsl
Be-R30-F5-K-Dif Ringlight For Flash Controller
Id No. 208016, Type: Dcc 05 M 0.8 Nslk
Dcc18m12psk-Ibsl
201996
Id No. 200196, Type: Dcc 04 V 1.0 Polk
Wrb 120s-M4-2.5 Kabel
Id No. 209352, Type: Dcbk 12 Mn 08 Ns-3
200340 Dcc 18 M 12 Psk-Ibsl
Id No. 209772, Type: Dcbk 08 Mn 04 No-T3

Ir 10 Psok-Ibs Induktiver Sensor (Sensor Des Vorhandenseins Des Drahtes)
Oktti 55m 30 Fg3lk-Ibs
202039 Wrb 130 Sr-8.0-2.5
206436 Dcc 08 M 02 Pslk
Dcckr 6.5 V 1.5 Pslk Inductive Proximity Switch
Id No. 209331, Type: Dcb 12 Mb 04 Ps-3
203742
Ogu 080 P3k-Tssl Induktiver Sensor
207738 Dc 00413
D7c 08 V 03 Psk-Tsl
Oglp150p3k-Tssl
Id No. 209353, Type: Dcbk 12 Mn 08 Ps-B3
D7c 12 V 10 Psk-Ibsl
Id No. 200208, Type: Dcc 05 V 1.5 Nslk
202092
Id No. 209320, Type: Dcbk 08 Mn 04 Ns-3
Id No. 209326, Type: Dcb 12 Mb 02 Ns-B3
202033 Wrb 130s-M4
201922
Dccq 08 M 1,5 Psk-Tsl
Sh2
Id No. 205364, Type: D7c 30 V 10 Nsk-Ibsl
Id No. 209377, Type: Dcb 30 Mn 15 Ps-B3
Id No. 209297, Type: Dcb 08 Mn 2.5 Ps-T3
Id No. 209318, Type: Dcbk 08 Mb 02 Ns-T3
Ogwsd70n3k-Tssl Rahmenlichtschranken
200708
Ckr-Window-Pol
200983 Sensor Lgu 031 P3k-Tssl
Id No. 205109, Type: Dcc 05 V 1.5 Nolk
Id No. 205097, Type: Dcc 04 M 0.6 Nok-K-Tsl
Id No. 202357, Type: Dcc 05 V 1.5 Pok-Tsl
Wrb120s-M4-2,5

Id No. 209315, Type: Dcbk 08 Mb 02 Ps-3
201127 Zylindersensor Typ: Mzec 3.7 Ps-K-Tssl
204011 Ot 6-18 Kr 400 P3lk
Ogu 121 P3k-Tssl
201172 Odg 90 P3k-Tssl
Dcc 3.0 V1.0 Psk-K-Tsl
Be-Dome100/70-G5-T4 Dome Light
201339 Ogu 121 P3k-Tssl
Id No. 209306, Type: Dcb 08 Mn 04 Ns-T3
Hs-K-12-12-A Adapter
Gwsd 100 P3k-Tssl
207035 Dccq 08 M 1.5 Psk-Tsl
Id No. 204292, Type: Dcc 05 V 2.5 Pslk
200302 Induktiver Sensordcc12m06/10aik-Ibs
Id No. 200190, Type: Dcc 04 M 0.6 Polk
205665 Oht 31 K 200 P1k-Tssl
200988 Lgu 051 P3k-Tssl
201258 Ogu 031 P3k-Tsslgabellichtschränke
Id No. 209308, Type: Dcbk 08 Mb 1.5 Ns-3
Id No. 209879, Type: Dcc 08 M 03 Pok-Tsl
204088
206206 Reflexionslichtschränkeor 6-41 K 4 P1-T3
Id No. 209344, Type: Dcbk 12 Mn 04 Ns-3
Ir20-Psk-Ibs
203937
Id No. 209312, Type: Dcbk 08 Mn 2.5 Ns-3
Id No. 209365, Type: Dcb 18 Mb 08 Ps-B3
Dcck 12 M 02 Psk-Ibsl
Id No. 204294, Type: Dcc 05 V 2.5 Nsk-Tsl
203443 Ogutl 005/50 Fg3k-Tssl
Id No. 200073, Type: D7c 30 V 10 Pslk
Id No. 200065, Type: D7c 18 V 20 Nsk-Ibsl

Kdct 12 V 04 G3-B4
Id No. 209338, Type: Dcb 12 Mn 08 Ns-B3
Olv40p4k
Is 70 Psk-Tssl Induktiver Sensor
Wrb140s-M4-2,5
Kssti07507
Id No. 209291, Type: Dcb 08 Mb 1.5 Ps-3
Olvti13101
201258 Ogu 031 P3k-Tssl Fork Light Barrier
201872 Anschlusskabelvkhm-Z-2.5/4/Lp
203746 Osp 12 Vlf-Ibslsender, Hochleistungslichtschr.
201446 Olv 40 P3k-Ibs 200 Ma
Id No. 202345, Type: D7c 18 V 20 Polk
Id No. 209301, Type: Dcb 08 Mb 02 Ps-T3
Bek-A500-G5t-K-Bs Barlight
200976 Sensor Lgl081p3k-Tssl
Dcck12m02psk-Ibsl Induktive Sensoren
202092 Wrb 220 S-90-4.0-2.5
Id No. 200194, Type: Dcc 04 V 1.0 Nolk
201448
Id No. 209374, Type: Dcb 30 Mb 10 Ns-B3
Id No. 209381, Type: Dcb 30 Mb 15 Ps-B3
210199 Maschinenbeleuchtungmb-N-911-K-B3
206703 Lgu14411laser-Gabellichtschränke
207558
Id No. 200086, Type: D7c 30 V 40 Pok-Ibsl
Id No. 209340, Type: Dcbk 12 Mb 02 Ns-3
Ogw150p2k-Tssl 24vdc
201926 Wrb110s-M4-2.5
Id No. 200072, Type: D7c 30 V 10 Psk-Ibsl
Lgl 081 P3k-Tssl
201313 Ogu 081 P3k-Tssl gabellichtschränke
Wrb 1-1500 S-M4-2.5 (Ex.Wrb1405-M4)

Ir-M12-4qd Receiver
D7c 08 V 03 Psk-Ibsl
200994 Sensor Lgu 121 P3k-Tssl
Id No. 200197, Type: Dcc 04 V 1.0 Psk-K-Tsl
Oktti 55 M 30 Fg3lk-Ibs Sensor
Ogu-101 G3-T3 Sensor
Olvk 31 P1k-Tssl
207035 Sensor Dccq 08 M 1.5 Psk-Tsl
Id No. 200082, Type: D7c 30 V 20 Pslk
Id No. 209372, Type: Dcb 30 Mb 10 Ns-3
Wrb110s90 -4,0-2,5
Id No. 209305, Type: Dcb 08 Mn 04 Ps-T3
Bc-100-20a
201710 201710 Tkkm-W-10/Lp Connecting Cable 201710 Tkkm-W-10/Lp Connecting Cable
Id No. 200188, Type: Dcc 04 M 0.6 Nsk-K-Tsl
Id No. 209339, Type: Dcbk 12 Mb 02 Ps-3
203299
Id No. 209354, Type: Dcbk 12 Mn 08 Ns-B3
202659 Optischer Sensor Oguti 002 P3k-Tssl
Odg 90 P3k-Tssl Sensor 12 35b...
202033 Wrb 130 S-M4-2.5
1033-3004 Otv 50 M 1200 P3k-Tssl
203746
836090182
200033
201244 Ogu 020 P3k-Tssl
Id No. 209316, Type: Dcbk 08 Mb 02 Ns-3
203859
Id No. 209351, Type: Dcbk 12 Mn 08 Ps-3
In081/4/070/50/0
204382
Id No. 208019, Type: Dcc 05 M 0.8 Pok-Tsl
Id No. 209347, Type: Dcbk 12 Mb 04 Ps-3

Osp12vlf-Ibsl Lichtschranken
Dis-Ogu101p3k-Tssl-Dc
202000 Wrb 120 S-M4-2.5
Id No. 200087, Type: D7c 30 V 40 Psk-Ibsl
Id No. 209317, Type: Dcbk 08 Mb 02 Ps-T3
Id No. 209298, Type: Dcb 08 Mn 2.5 Ns-T3
203680 Connection Distributor Av4- Und/Oder10 - 30 V
Id No. 209332, Type: Dcb 12 Mb 04 Ns-3
Id No. 209333, Type: Dcb 12 Mb 04 Ps-B3
Id No. 200069, Type: D7c 18 V 20 Pslk
Ogu 010 G3k-Tssl
206884
200976 Sensor Lgu 081 P3k-Tssl
Laa-50-10-670-1000
209349 Dcbk 12 Mb 04 Ps-B3
Id No. 200209, Type: Dcc 05 V 1.5 Psk-Tsl
201877
207739 Dc 00513
Id No. 209369, Type: Dcb 18 Mn 12 Ps-B3
Id No. 207733, Type: D7ck 18 V 10 Pslk
Id No. 209336, Type: Dcb 12 Mn 08 Ns-3
204201 Ogl 50/31 P6I-Ribs/Pehigh Performance Angled Light Barrier
Be-R30-G5-K-Bs-Dif Ringlight
Ir 15 Psoc-Ibs Sensor
Ucc 12 M 04 Ol Stellungsgeber
Ogu 02 Pn3k-Tssl Sensor
OlV40p3kibs
Ogu 010 G3k-Tssl Sensor
Id No. 202469, Type: Dcc 04 V 1.0 Nslk
206657
Id No. 200068, Type: D7c 18 V 20 Psk-Ibsl
202113

202267 Induktiver Sensor (Sensor Des Vorhandenseins Des Drahtes) Ir 10 Psok-Ibs
Wrb 120sr-8,0-2,5 Kabel
203749
Id No. 209322, Type: Dcbk 08 Mn 04 Ns-T3
201339 Ogu 121-P3k-Tssl Gabellichtschranke
Id No. 209299, Type: Dcb 08 Mb 02 Ps-3
203541 Kabel Mit Stecker Vkpm-Z-5/4
202071 Wrb 2-1500 S-90-4.0-2.5glasfaserlichtleitkabelbaugl. Type Zu Wrb 240s-90-4.0-2.5
204164 Rs 40 M 6000 G3I-Ibs
200976 Lgl 081 P3k-Tssl
Id No. 200189, Type: Dcc 04 M 0.6 Nslk
203859 Sensor Dcck 12 M 06 Aik-Ibs
Id No. 209357, Type: Dcb 18 Mb 05 Ps-B3
Otv12m300p1k-Ibs2 Optical Sensor
208155 Anschlusskabelvkhm-W-2.5/810 - 30 V
Wrb110sm425
Id No. 203925, Type: Dcc 04 V 1.0 Nsk-K-Tsl
201245 Ogu 021 P3k-Tssl Fork Light Barrier
200347 Sensordcc 18 M 20 Pslk
200513 Dccq 05 M 1.5 Psk-K-Tsl
Lht9-45m10p3-B4
Dcc 12 M06 Psk Ibsl Sensor
Ir-M12-4qd
Id No. 204576, Type: Dcc 04 V 1.0 Nok-K-Tsl
201413 Sensor Ogwsd 70 P3k-Tssl
Dcc 12 M 10 Psk-Ibsl
202059
Id No. 209518, Type: Dcbk 12 Mb 04 Po-B3
Otv 12 M 300 P1k-Ibsl Sensor 201526
Id No. 208018, Type: Dcc 05 M 0.8 Nsk-Tsl
06 Psk-Ibsl M12

204015 Or 6-18 Kr 2000 P3Ik
202660 Lrv 51 M 1000 P3k-Tssl
Bek 1-P30-G5ti-Ibs - Spotlight
203746 Osp 12 Vlf-Ibsl Hochleistungs-Lichtschranke, Sender
201446
Id No. 205186, Type: Dcc 08 M 02 Nok-Ibsl
201245 Ogu 021 P3k-Tssl
201724
Olvk 41 P3k-Tssl
200293
Art.No. 200560, Dcqz 08 M 1.5 Pslk
Sh-Ugu 08-14 Befestigung
203685 Optischer Sensor Lht 81 M 400 G4I-Ibs
Wrb 2-1500 S-90-4.0-2.5
Id No. 209292, Type: Dcb 08 Mb 1.5 Ns-3
Wrb 120 S-90-1.5-1.0
Wrb120sm4-2,5
Id No. 209375, Type: Dcb 30 Mn 15 Ps-3
204165 Rs 40 M 6000 G8I-Ibs
Id No. 208017, Type: Dcc 05 M 0.8 Polk
Id No. 209303, Type: Dcb 08 Mn 04 Ps-3
Ogu-04000p3k-Tssl
Id No. 209304, Type: Dcb 08 Mn 04 Ns-3
Id No. 200192, Type: Dcc 04 M 0.6 Pslk
Id No. 209371, Type: Dcb 30 Mb 10 Ps-3
200824 Induktiver Sensor Kds 12 M 04 Psk-Ibsl 10-35 V Dc Max
201710 Tkhn-W-10/Lp
It-M12-4qd Transmitter
201488 Sensor
201245 Gabellichtschranke Ogu 021 P3k-Tssl
D7c 12 V 06 Psk-Ibsl Inductive Sensor
202120
Id No. 209330, Type: Dcb 12 Mn 04 Ns-B3

202880 Sensoretikettensensorenksti400g3k-Tssl
Id No. 209293, Type: Dcb 08 Mb 1.5 Ps-T3
Wrb110s8540
Ogufix 051 P2k-Tssl Optischer Sensor
201456 Olvk 31 P1k-Tssl
Id No. 209302, Type: Dcb 08 Mb 02 Ns-T3
201722 Tkhn-Z-10
Id No. 207133, Type: D7c 18 V 20 Nslk
Lgu 051 P3k-Tssl Sensor
207035 Sensordccq 08 M 1.5 Psk-Tsl
Ogu121g3-T3 Fork Light Barrier
Id No. 200195, Type: Dcc 04 V 1.0 Pok-K-Tsl
Ir 10 Psok-Ibs Inductive Ring Sensor
Id No. 209324, Type: Dcb 12 Mb 02 Ns-3
200790 It-P10-5msender, Hochleistungslichtschranke
Ogu120p3k-Tssl
202433 Sensor Ir15psok-Ibs
204087 Osp 12 Vlf-Ibsl Hochleistungs- Lichtschranke, Sender
Id No. 209373, Type: Dcb 30 Mb 10 Ps-B3