

## Econosto



Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

**Econosto** Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

*Firmamız Econosto Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.*

| Ürün                                      | Açıklama                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">ECON Figur 7249-PN40-DN50</a> | Ball valve, 2-part. Housing, full passage, Flanges according to EN1092-1 form B1 Fire safe according to API 607 6th Ed./ EN-ISO 10497 (2010) Anti-static design, shaft seal TA-Luft 2002 / VDI2440 Housing: cast steel GP240GH (1.0619) Ball: stainless steel 1.4308 Shift shaft: stainless steel 1.4301 Seat rings: PTFE (TFM1600) Shaft sealing: primary O-ring Viton, secondary graphite packing Housing seal: spiral seal SS316 / PTFE / graphite Overall length: EN558-1 row 27 (150 mm) Operation: hand lever made of stainless steel |
| <a href="#">13278896</a>                  | ECON Ball valve fig. 7442 stainless steel/RPTFE full bore Class 600 1/2"BSP DN 15 Stainless Steel BSP thread                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <a href="#">11815440</a>                  | Globe valve fig. 251A bronze internal thread BSP 3/4" DN 20 Bronze BSP thread                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <a href="#">11815438</a>                  | Globe valve fig. 251A bronze internal thread BSP 1/2" DN15                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <a href="#">13288293</a>                  | ECON Bellows sealed valve fig. 432 nodular cast iron/stainless steel fixed disc PN16 DN32 (Econosto item #:-----) DN 32 nodular cast iron/stainless steel Flanged                                                                                                                                                                                                                                                                                                                                                                           |
| <a href="#">13288291</a>                  | ECON Bellows sealed valve fig. 432 nodular cast iron/stainless steel fixed disc PN16 DN20 (Econosto item #: -----) DN 20 nodular cast iron/stainless steel                                                                                                                                                                                                                                                                                                                                                                                  |
| <a href="#">13288276</a>                  | ECON Bellows sealed valve fig. 432 nodular cast iron/stainless steel fixed disc PN16 DN125 (Econosto item #: -----) DN 125 nodular cast iron/stainless steel                                                                                                                                                                                                                                                                                                                                                                                |
| <a href="#">11813012</a>                  | ECON Wafer check valve fig 2644 stainless steel/metal PN40 DN20 DN 20 Stainless Steel                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <a href="#">12712504</a>                  | ECON Y-filter fig. 1019 cast iron/stainless steel 0,25mm PN16 DN80, Flanged DN 80 nodular cast iron/stainless steel                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <a href="#">12712502</a>                  | ECON Y-filter fig. 1019 cast iron/stainless steel I 0,25mm PN16 DN65, Flanged DN 65 nodular cast iron/stainless steel                                                                                                                                                                                                                                                                                                                                                                                                                       |

|                                              |                                                                                                                                                                           |
|----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">13278900</a>                     | ECON Ball valve fig. 7442 stainless steel/RPTFE full bore<br>Class 600 1 1/2"BSP DN 40 Stainless Steel BSP thread                                                         |
| <a href="#">13278902</a>                     | ECON Ball valve fig. 7442 stainless steel/RPTFE full bore<br>Class 600 2 1/2"BSP DN 65 Stainless Steel BSP thread                                                         |
| <a href="#">11811978</a>                     | SPIRAX SARCO Thermodynamic steam trap , Steel ,<br>fig1062EType: .... , horizontal ,Flanged DN20 DN 20 max<br>32bar T032F nodular cast iron/stainless steel high capacity |
| <a href="#">082</a>                          |                                                                                                                                                                           |
| <a href="#">084</a>                          |                                                                                                                                                                           |
| <a href="#">09-022 G1/2</a>                  |                                                                                                                                                                           |
| <a href="#">10 12081612 Aandr EL55 IP657</a> |                                                                                                                                                                           |
| <a href="#">1002550 DN 20</a>                |                                                                                                                                                                           |
| <a href="#">1002550 DN 25</a>                |                                                                                                                                                                           |
| <a href="#">1002550 DN 32</a>                |                                                                                                                                                                           |
| <a href="#">1032151 OD = 595 -600 MM</a>     |                                                                                                                                                                           |
| <a href="#">105/420P015ASBT01</a>            |                                                                                                                                                                           |
| <a href="#">108371-01125</a>                 |                                                                                                                                                                           |
| <a href="#">1096X</a>                        |                                                                                                                                                                           |
| <a href="#">11033218</a>                     |                                                                                                                                                                           |
| <a href="#">11034523</a>                     |                                                                                                                                                                           |
| <a href="#">11110712</a>                     |                                                                                                                                                                           |
| <a href="#">11256343</a>                     |                                                                                                                                                                           |
| <a href="#">11256344</a>                     |                                                                                                                                                                           |
| <a href="#">116212</a>                       |                                                                                                                                                                           |
| <a href="#">11811957</a>                     |                                                                                                                                                                           |
| <a href="#">11815001</a>                     |                                                                                                                                                                           |
| <a href="#">11815003</a>                     |                                                                                                                                                                           |
| <a href="#">1188N</a>                        |                                                                                                                                                                           |
| <a href="#">119799</a>                       |                                                                                                                                                                           |
| <a href="#">12063835</a>                     |                                                                                                                                                                           |
| <a href="#">12103787</a>                     |                                                                                                                                                                           |
| <a href="#">121370</a>                       |                                                                                                                                                                           |
|                                              |                                                                                                                                                                           |

|                                   |
|-----------------------------------|
| <a href="#">121376</a>            |
| <a href="#">12256408</a>          |
| <a href="#">12465624</a>          |
| <a href="#">12560465</a>          |
| <a href="#">13278940</a>          |
| <a href="#">13278946</a>          |
| <a href="#">13278950</a>          |
| <a href="#">13383564</a>          |
| <a href="#">13410297</a>          |
| <a href="#">13418669</a>          |
| <a href="#">13494928</a>          |
| <a href="#">135</a>               |
| <a href="#">13517285</a>          |
| <a href="#">13524746</a>          |
| <a href="#">136282</a>            |
| <a href="#">14015950</a>          |
| <a href="#">14031726</a>          |
| <a href="#">1590 FDC H=1440MM</a> |
| <a href="#">1607 NPT 3/4"</a>     |
| <a href="#">1865</a>              |
| <a href="#">1901</a>              |
| <a href="#">2020-06-29</a>        |
| <a href="#">208908</a>            |
| <a href="#">2480 AISI316L</a>     |
| <a href="#">252147</a>            |
| <a href="#">263LK</a>             |
| <a href="#">272653</a>            |
| <a href="#">286708</a>            |
| <a href="#">3 BTA 20</a>          |
| <a href="#">3 BTA 40</a>          |
| <a href="#">349472</a>            |

|                                              |
|----------------------------------------------|
| <a href="#">356170</a>                       |
| <a href="#">357214 / EC055820080EA0C</a>     |
| <a href="#">4620*</a>                        |
| <a href="#">492839(Fig. 573)</a>             |
| <a href="#">522858</a>                       |
| <a href="#">522860</a>                       |
| <a href="#">613606</a>                       |
| <a href="#">640364</a>                       |
| <a href="#">643205(Fig.1590FD)</a>           |
| <a href="#">6730</a>                         |
| <a href="#">675707</a>                       |
| <a href="#">675717</a>                       |
| <a href="#">687980/ 1590FD - DN25</a>        |
| <a href="#">71**</a>                         |
| <a href="#">726BR</a>                        |
| <a href="#">80136604</a>                     |
| <a href="#">87S0040</a>                      |
| <a href="#">907</a>                          |
| <a href="#">908</a>                          |
| <a href="#">96240, 410-440 MM</a>            |
| <a href="#">96261 28-34mm</a>                |
| <a href="#">AISI316L</a>                     |
| <a href="#">ANSI B 16.5, PCD 11-1/2"</a>     |
| <a href="#">DN 200/ANSI 150</a>              |
| <a href="#">DN 3/4", OR-31</a>               |
| <a href="#">DN100</a>                        |
| <a href="#">DN200 PN16 FIGURE 5720 WAFER</a> |
| <a href="#">DN50</a>                         |
| <a href="#">DN80</a>                         |
| <a href="#">E6v2</a>                         |

|                                          |
|------------------------------------------|
| <a href="#">EC001000025HAJ2</a>          |
| <a href="#">EC001000065JAJ2</a>          |
| <a href="#">EC002750025BB13D</a>         |
| <a href="#">EC005240080CF20-WP</a>       |
| <a href="#">EC006752JOEE2B5</a>          |
| <a href="#">EC0119001251000D</a>         |
| <a href="#">EC012700050LO93</a>          |
| <a href="#">EC0160703/4E711E</a>         |
| <a href="#">EC01646CBBCCA21C 364536</a>  |
| <a href="#">EC018500008AF08</a>          |
| <a href="#">EC068210065CBBC</a>          |
| <a href="#">EC073430025SP4D</a>          |
| <a href="#">EC0764403/4RPWD</a>          |
| <a href="#">EC0775203/4LM12G 609350</a>  |
| <a href="#">EC4001D0000BDDB</a>          |
| <a href="#">EC796110000WV0NE</a>         |
| <a href="#">ECO96000150BAHO</a>          |
| <a href="#">EG40</a>                     |
| <a href="#">EP05-0AAB11-FIG7901</a>      |
| <a href="#">EP15 - 5CAC11 - FIG.7901</a> |
| <a href="#">EP30-5DAD61-FiG7901</a>      |
| <a href="#">EP40-5EAE11-FiG7901</a>      |
| <a href="#">EP40-5EAE61-FiG7901</a>      |
| <a href="#">EP60-5GAG61-FIG.7901</a>     |
| <a href="#">FIG 9930</a>                 |
| <a href="#">FIG. 1031H 1"</a>            |
| <a href="#">FIG. 1054LA 1/2"</a>         |
| <a href="#">FIG. 822 1/2"</a>            |
| <a href="#">FIG.1191</a>                 |
| <a href="#">FIG.8217</a>                 |
| <a href="#">FIG.831 - DN 1.1/4"</a>      |

|                                                                                                              |                                                                                                                                                                                                                                                                                                       |
|--------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">FIGURE 4620 DN200 PN16</a>                                                                       |                                                                                                                                                                                                                                                                                                       |
| <a href="#">FIRE FIGHTING 902 - DN50,PN16, 1.5"-50X66MM</a>                                                  |                                                                                                                                                                                                                                                                                                       |
| <a href="#">Fig. 275</a>                                                                                     |                                                                                                                                                                                                                                                                                                       |
| <a href="#">fig.7642 (DN50)</a>                                                                              |                                                                                                                                                                                                                                                                                                       |
| <a href="#">HVBA40A201AF4M600AA1</a>                                                                         |                                                                                                                                                                                                                                                                                                       |
| <a href="#">Item 3 BTA-20</a>                                                                                |                                                                                                                                                                                                                                                                                                       |
| <a href="#">JC1"715LITSSK</a>                                                                                |                                                                                                                                                                                                                                                                                                       |
| <a href="#">JC3"715LITSSK</a>                                                                                |                                                                                                                                                                                                                                                                                                       |
| <a href="#">JC4"715LITSSK</a>                                                                                |                                                                                                                                                                                                                                                                                                       |
| <a href="#">K0020NI05</a>                                                                                    |                                                                                                                                                                                                                                                                                                       |
| <a href="#">kat-a1544</a>                                                                                    |                                                                                                                                                                                                                                                                                                       |
| <a href="#">KV6-2</a>                                                                                        |                                                                                                                                                                                                                                                                                                       |
| <a href="#">KV6-5</a>                                                                                        |                                                                                                                                                                                                                                                                                                       |
| <a href="#">REF NO: EC055140060AE10</a>                                                                      |                                                                                                                                                                                                                                                                                                       |
| <a href="#">REF NO: EC055140076AE10</a>                                                                      |                                                                                                                                                                                                                                                                                                       |
| <a href="#">REF NO: EC055140088AE10</a>                                                                      |                                                                                                                                                                                                                                                                                                       |
| <a href="#">S.N8145A Model 125G</a>                                                                          |                                                                                                                                                                                                                                                                                                       |
| <a href="#">S6-3</a>                                                                                         |                                                                                                                                                                                                                                                                                                       |
| <a href="#">TD42LA</a>                                                                                       |                                                                                                                                                                                                                                                                                                       |
| <a href="#">VH730 NI</a>                                                                                     |                                                                                                                                                                                                                                                                                                       |
| <a href="#">VXS 25 M MS</a>                                                                                  |                                                                                                                                                                                                                                                                                                       |
| <a href="#">VXS 60M VA</a>                                                                                   |                                                                                                                                                                                                                                                                                                       |
| <a href="#">5721LUG/NBR-PN16 DN125</a>                                                                       | with locking lever Butterfly valve, wafer type, PN16 suitable for mounting between flanges to DIN PN10/16 Body: Nodular cast iron GGG40 Liner: NBR (vulcanised, max 80°C) Disc: Alubronze CuAl10Fe5Ni5-C Shaft: 1.4122 (min. 17% Cr.) Face to face: EN558-1 Series 20 with ratchet lever of cast iron |
| <a href="#">5721LUG/NBR-PN16 DN150</a>                                                                       | with locking lever Butterfly valve, wafer type, PN16 suitable for mounting between flanges to DIN PN10/16 Body: Nodular cast iron GGG40 Liner: NBR (vulcanised, max 80°C) Disc: Alubronze CuAl10Fe5Ni5-C Shaft: 1.4122 (min. 17% Cr.) Face to face: EN558-1 Series 20 with ratchet lever of cast iron |
| ECON Figure 8937, 4-10 bar, special version for warm applications +20°C ...+200°C * Pressure reducing valve, |                                                                                                                                                                                                                                                                                                       |

|                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">8937 1/2"-PN16</a>                           | spring loaded, with BSPP female threaded ends Piston-controlled, pressure-relieved single piston valve, pressure gauge connection for outlet pressure: G1/4" Maximum inlet pressure: 16 bar outlet pressure range: 4 - 10 bar* Body: stainless steel 1.4408 Seals: PTFE/EPDM/FEPM (+20°C... +200°C)** * also available outlet pressure range: 2-5 bar same price ** other available seal material (same price): PTFE/EPDM (-20°C +150°C) ----- Item 001 - please check the fitting offered, its specification is insufficient                                                                                                              |
| <a href="#">5723LUG/NBR-PN16 DN125</a>                   | with worm gear ECON Fig. 5723LUG/NBR-PN16 Butterfly valve, wafer type, PN16 suitable for mounting between flanges to DIN PN10/16 Body: Nodular cast iron GGG40 Liner: NBR (vulcanised, max 80°C) Disc: Alubronze CuAl10Fe5Ni5-C Shaft: 1.4122 (min. 17% Cr.) Face to face: EN558-1 Series 20 with gear box of cast iron ECON Figure 4023-AB150N/Handwheel BR125                                                                                                                                                                                                                                                                            |
| <a href="#">5723LUG/NBR-PN16 DN150</a>                   | with worm gear ECON Fig. 5723LUG/NBR-PN16 Butterfly valve, wafer type, PN16 suitable for mounting between flanges to DIN PN10/16 Body: Nodular cast iron GGG40 Liner: NBR (vulcanised, max 80°C) Disc: Alubronze CuAl10Fe5Ni5-C Shaft: 1.4122 (min. 17% Cr.) Face to face: EN558-1 Series 20 with gear box of cast iron ECON Figure 4023-AB150N/Handwheel BR125                                                                                                                                                                                                                                                                            |
| <a href="#">8937 1.1/4"-PN16</a>                         | ECON Figure 8937, 4-10 bar, special version for warm applications +20°C ...+200°C * Pressure reducing valve, spring loaded, with BSPP female threaded ends Piston-controlled, pressure-relieved single piston valve, pressure gauge connection for outlet pressure: G1/4" Maximum inlet pressure: 16 bar outlet pressure range: 4 - 10 bar* Body: stainless steel 1.4408 Seals: PTFE/EPDM/FEPM (+20°C... +200°C)** * also available outlet pressure range: 2-5 bar same price ** other available seal material (same price): PTFE/EPDM (-20°C +150°C) ----- Item 001 - please check the fitting offered, its specification is insufficient |
| <a href="#">ECON 6831/NBR-PN16-DN125 - EPDM-seatring</a> | suitable for mounting on flanges to DIN PN 10/16 Body: A536-65-45-12 (EN-GJS-400-15) Polyester coated ca. 250 µm Seating: EPDM (vulcanised on support ring,max.) Disc: Stainless steel A351 CF8M (~1.4408) Shaft: AISI 410 (1.4006 - 13%Cr) Face to face: EN558-1 Series 20 Actuator: notched lever of cast iron                                                                                                                                                                                                                                                                                                                           |
| <a href="#">Fig. 1908 (8 - 4 bar)</a>                    | DN50                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <a href="#">EC004320080NA23E</a>                         | Bellows valve FIG 432 DN80 PN16 nodular cast iron Bellows valve DN80 PN16, body/cover: ductile iron ENJS1020, Spindle: 1.4021, bellows: 1.4571, cone: 1.4021, Design as a fixed cone, cover seal: stainless steel/graphite, Actuation: handwheel, connection: flange form B1, overall length 310mm per EN558-1                                                                                                                                                                                                                                                                                                                             |
| <a href="#">EC4630D0125LBAC</a>                          | barrier class Spherical/stainless steel/NBR DpIFI DN125 PN16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <a href="#">EC4630D0100LBAC</a>                          | barrier class Spherical/stainless steel/NBR DpIFI DN100 PN16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <a href="#">EC4630D0065LBAC</a>                          | barrier class Spherical/stainless steel/NBR DpIFI DN65 PN16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

|                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">EC4630D0050LBAC</a>                                    | barrier class Spherical/stainless steel/NBR DpIFI DN50 PN16                                                                                                                                                                                                                                                                                                                                                                                |
| <a href="#">ECON Figure 100/248-DN40</a>                           | Pos. 001 – alternativ zur Ausführung in Stahlguß ECON Figure 100/248-DN40 with mechanical actuated quick closing cylinder Quick closing valve, angle pattern, bellow sealed, with flanges acc. EN1092-1 Facing Form B Body and bonnet: Nodular cast iron GJS-400-18-LT (0.7043) Trim: stainless steel 13% Cr (X15Cr13/1.4024) Stem sealing: O-Ring FPM (Viton) Cylinder: Brass Spring: spring steel Retainer block: Brass Handwheel: steel |
| <a href="#">DN50 PN40 FIG.7752 SS/SS/PTFE</a>                      |                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <a href="#">EP17-5DAC11-FIG7901</a>                                | DN25 PN40 TWO PIECE FLANGE STAINLESS BALL VALVE (ECONOSTO BRAND MIN:-10°C MAX: 200°C)                                                                                                                                                                                                                                                                                                                                                      |
| <a href="#">EP25-5DAD11-FIG7901</a>                                | DN40 PN40 TWO PIECE FLANGE STAINLESS BALL VALVE (ECONOSTO BRAND MIN:-10°C MAX: 200°C)                                                                                                                                                                                                                                                                                                                                                      |
| <a href="#">EC0744201/2RRBDN</a>                                   | Ball valve 7442 stainless steel Class 600 NPS1/2 BSP                                                                                                                                                                                                                                                                                                                                                                                       |
| <a href="#">ECON® bellows valve Type: 432 nodular iron/</a>        | /stainless steel 13288291 Solid cone Straight PN16 DN20                                                                                                                                                                                                                                                                                                                                                                                    |
| <a href="#">SPIRAX SARCO Thermodynamic condensate drain</a>        | 11811976 Fig. 1062 series TD32F stainless steel Max. pressure difference: 32 bar high capacity PN40 DN15                                                                                                                                                                                                                                                                                                                                   |
| <a href="#">SPIRAX SARCO Thermodynamic condensate drain</a>        | 11811973 1062 TD32FA series stainless steel max. pressure difference 32 bar high capacity automatic vent PN40 DN15                                                                                                                                                                                                                                                                                                                         |
| <a href="#">SPIRAX SARCO Thermodynamic condensate drain</a>        | 11811974 Fig. 1062 TD32FLC series stainless steel max. pressure difference 32 bar low capacity PN40 DN15                                                                                                                                                                                                                                                                                                                                   |
| <a href="#">SPIRAX SARCO Thermodynamic condensate drain</a>        | 1062 TD32FALC series stainless steel max. pressure difference 32 bar low capacity automatic air vent PN40 DN15 11811975                                                                                                                                                                                                                                                                                                                    |
| <a href="#">EC026440015RRB6</a>                                    | Including check valve 2644 stainless steel/met. PN40DN15                                                                                                                                                                                                                                                                                                                                                                                   |
| <a href="#">ECON® bellows valve Type: 432 nodular iron/stainle</a> | 13288290 Solid cone Straight PN16 DN15                                                                                                                                                                                                                                                                                                                                                                                                     |
| <a href="#">SS Ball Valve, 3 inches, Butt Weld</a>                 | 7646                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <a href="#">EC0010600004000</a>                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <a href="#">fig 241</a>                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <a href="#">fig 275</a>                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <a href="#">EC009500001AADE</a>                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <a href="#">fig 1607</a>                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <a href="#">fig 2630</a>                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <a href="#">fig 1602</a>                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <a href="#">fig 517</a>                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                            |

|                                              |                                                                                                                                              |
|----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">fig 2630</a>                     | ECON Bellow sealed valve fig. 432 nodular cast iron/stainless steel fixed disc PN16 DN50 (Econosto item #: 676157) Cast iron, nodular/SS     |
| <a href="#">Globe valve</a>                  |                                                                                                                                              |
| <a href="#">Globe valve</a>                  | ECON Bellow sealed valve fig. 432 nodular cast iron/stainless steel fixed disc PN16 DN20 (Econosto item #: 748746) Cast iron, nodular/SS     |
| <a href="#">Globe valve</a>                  | ECON Bellow sealed valve fig. 432 nodular cast iron/stainless steel fixed disc PN16 DN20 (Econosto item #: 748746) Cast iron, nodular/SS     |
| <a href="#">Ball Float Steam Traps</a>       | SPIRAX SARCO TBall Float Steam Traps , Steel , fig.2933 cast iron , Type:FT43 , horizontal ,Flanged DN32 (Econosto item #: 128311) Cast iron |
| <a href="#">Non Return Valve</a>             | ECON Wafer check valve fig 2644 stainless steel/metal PN40 DN32 (Econosto item #: 127835) Stainless Steel                                    |
| <a href="#">Globe Valve</a>                  | ECON Bellow sealed valve fig. 432 nodular cast iron/stainless steel fixed disc PN16 DN15 Cast iron, nodular/SS Flanged                       |
| <a href="#">Globe Valve</a>                  | ECON Bellow sealed valve fig. 432 nodular cast iron/stainless steel fixed disc PN16 DN20                                                     |
| <a href="#">Steam Trap flowter</a>           | SPIRAX SARCO flowter steam trap FT46-14 , horizontal ,Flanged DN15 PN16                                                                      |
| <a href="#">Non Return Valve</a>             | Wafer type check valve Type: 2644 Stainless steel Wafer PN40                                                                                 |
| <a href="#">Vana Glob DN100- Fig 268</a>     |                                                                                                                                              |
| <a href="#">Vana Glob DN80- Fig. 268</a>     |                                                                                                                                              |
| <a href="#">VXS25 MVA</a>                    |                                                                                                                                              |
| <a href="#">Fig, 7955</a>                    |                                                                                                                                              |
| <a href="#">Fig, 79025</a>                   |                                                                                                                                              |
| <a href="#">Econ Figure 1607 ? Pn80</a>      |                                                                                                                                              |
| <a href="#">Ec005170100aabb-Wp (1,8 Bar)</a> |                                                                                                                                              |
| <a href="#">7902-Eda0040-F05-Dsq14</a>       | Pneumatic actuator, double acting, 41Nm @ 6 bar Connection F05-double square SQ14                                                            |
| <a href="#">Ec005170100aabb-Wp (2 Bar)</a>   |                                                                                                                                              |
| <a href="#">Bta-20 Power Block Item 3</a>    |                                                                                                                                              |
| <a href="#">Fig. 5723/Nbr Dn80 Pn16</a>      | Butterfly valve GGG40/NBR/AlBr Wafer type<br>EC5720D0080ABAB EC0402300000AN0N EC4023X0000A0C1                                                |
| <a href="#">Fig, 268</a>                     |                                                                                                                                              |
| <a href="#">Goetze606gf-1ep</a>              |                                                                                                                                              |

|                                                                                                                    |                                                                                                                                                            |
|--------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Fig, 201</a>                                                                                           |                                                                                                                                                            |
| <a href="#">Fph-Tb012-F10s/10n-B/Vp/10</a>                                                                         |                                                                                                                                                            |
| <a href="#">Ec0095003/4aaca</a>                                                                                    |                                                                                                                                                            |
| <a href="#">Eha20-Double Acting Valve(For Cargo Hyd Actuator) Dn150,6quot;</a>                                     |                                                                                                                                                            |
| <a href="#">Fig, 31040</a>                                                                                         |                                                                                                                                                            |
| <a href="#">48,3 Fp</a>                                                                                            |                                                                                                                                                            |
| <a href="#">Dn 1/2quot;, Or-31</a>                                                                                 |                                                                                                                                                            |
| <a href="#">Fig, 21180</a>                                                                                         |                                                                                                                                                            |
| <a href="#">Jis-20k-40</a>                                                                                         |                                                                                                                                                            |
| <a href="#">Fig, 31118</a>                                                                                         |                                                                                                                                                            |
| <a href="#">Fig, 7971</a>                                                                                          |                                                                                                                                                            |
| <a href="#">Article No. Ec0047601/2am35, Order Code: 118378</a>                                                    |                                                                                                                                                            |
| <a href="#">7901-Esr1200-S14-F14 / F10-Dsq36</a>                                                                   | Pneumatic actuator, single acting, spring to close Connection F14 / F10 or F12 with double square SQ36                                                     |
| <a href="#">Epdm 80/16 1 - L=130mm</a>                                                                             |                                                                                                                                                            |
| <a href="#">Bta-40 Power Block Item 3</a>                                                                          |                                                                                                                                                            |
| <a href="#">Fig, 276</a>                                                                                           |                                                                                                                                                            |
| <a href="#">Kompaktflansch-Kugelhahnvoller Durchgang Dn32 Pn40 1.4408edelstahl Zwischenflanschwafer Type 60 Mm</a> |                                                                                                                                                            |
| <a href="#">Fig, 418</a>                                                                                           |                                                                                                                                                            |
| <a href="#">Please See Attached Document</a>                                                                       |                                                                                                                                                            |
| <a href="#">Fig, 31065</a>                                                                                         |                                                                                                                                                            |
| <a href="#">Fig.831 - Dn 1/2quot;</a>                                                                              |                                                                                                                                                            |
| <a href="#">Ec082170025ac0f</a>                                                                                    |                                                                                                                                                            |
| <a href="#">Figure 1270lm-Lk-Dn50</a>                                                                              | ECON Figure 1270LM-LK-DN50 DN50-PN16 EC012700050LO93 Globe valve of Aluminium, straight pattern, SDNR-type with loose disc with flanges as per DIN-PN10/16 |
| <a href="#">Econ Fig.907-32x44mm Pn16</a>                                                                          |                                                                                                                                                            |
| <a href="#">Cl600 102 Bar Econ7442</a>                                                                             |                                                                                                                                                            |
| <a href="#">Fig. 4622/Nbr Dn250 Pn10</a>                                                                           | Butterfly valve GGG40/NBR/AIBr Flanged EC4620D0250MCAB EC4002E0000YEJA                                                                                     |

|                                                                         |                                                                                                      |
|-------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
| <a href="#">119864</a>                                                  |                                                                                                      |
| <a href="#">Fig.831 - Dn 1.1/4quot;</a>                                 |                                                                                                      |
| <a href="#">Ec002640040mbh3</a>                                         |                                                                                                      |
| <a href="#">Ec000830040eb3k</a>                                         |                                                                                                      |
| <a href="#">Fig. 861m 1/4" Pn125</a>                                    | Pressure gauge valve with union nut Brass Thread<br>EC0086101/4RABL                                  |
| <a href="#">Fig, 79015</a>                                              |                                                                                                      |
| <a href="#">Econ Fig. 7901-Sr0080-F07 / F05-Dsq17</a>                   | Pos. 002 - alternative to EP20-5DAD61-FiG7901-F07 / F05-<br>DSQ17-FIG7901 (EP20 no longer available) |
| <a href="#">Ec015900715hr0a</a>                                         |                                                                                                      |
| <a href="#">Ec017500002bbync</a>                                        |                                                                                                      |
| <a href="#">Fig, 9130</a>                                               |                                                                                                      |
| <a href="#">Eha-40 Complete Hydraulic Actuator</a>                      |                                                                                                      |
| <a href="#">Dn 3/4quot;, Or-31</a>                                      |                                                                                                      |
| <a href="#">Basiç Düşürücü Valf - 30 Bar - 7 Bar<br/>Und D 16 / 1,5</a> |                                                                                                      |
| <a href="#">Fig, 2577</a>                                               |                                                                                                      |
| <a href="#">Fig, 2876</a>                                               |                                                                                                      |
| <a href="#">Fig, 1271</a>                                               |                                                                                                      |
| <a href="#">Bhg-200</a>                                                 |                                                                                                      |
| <a href="#">EI-55</a>                                                   | 24VDC M20 IP65 Amp 1.9 S/N: 320425005 Sea water inlet<br>valve actuator                              |
| <a href="#">Fig, 9419</a>                                               |                                                                                                      |
| <a href="#">Deltaflex 3222/Ss Red</a>                                   |                                                                                                      |
| <a href="#">Pn40 Dn150 L:480 1.0619 Gate Valf</a>                       |                                                                                                      |
| <a href="#">Ec026280024b000</a>                                         |                                                                                                      |
| <a href="#">Eme 215 Ex-Proof</a>                                        |                                                                                                      |
| <a href="#">Fig. 4622/Nbr Dn300 Pn10</a>                                | Butterfly valve GGG40/NBR/AlBr Flanged EC4620D0300MCAB<br>EC4002E0000YEJA                            |
| <a href="#">Fig, 1520</a>                                               |                                                                                                      |
| <a href="#">Fig, 9133</a>                                               |                                                                                                      |
| <a href="#">Fig, 7912</a>                                               |                                                                                                      |
| <a href="#">Fig, 21186</a>                                              |                                                                                                      |

|                                                  |                                                                                                                       |
|--------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <a href="#">E6 Fig 9930lug</a>                   |                                                                                                                       |
| <a href="#">Fig. 1010 5/4?</a>                   |                                                                                                                       |
| <a href="#">Ec005170100aagc-Wp (3 Bar)</a>       |                                                                                                                       |
| <a href="#">Fig. 70 Gy Dn150 Pn16</a>            | Check valve cast iron GG25/NBR Flanged EC000700150GN3LD                                                               |
| <a href="#">Econ Figure 1607 - Pn50</a>          |                                                                                                                       |
| <a href="#">Dn 25</a>                            |                                                                                                                       |
| <a href="#">Fig, 21172</a>                       |                                                                                                                       |
| <a href="#">Rohr Kaplin Dn32 Edelstahl Fp</a>    |                                                                                                                       |
| <a href="#">Fig, 79612</a>                       |                                                                                                                       |
| <a href="#">Type: 1602</a>                       | ERIKS item #: 12439121 - Econosto item #: 613606 ECON<br>Ball valve fig. 1602 brass/PTFE PN30 1.1/4"BSP female thread |
| <a href="#">Fig.292-Dn250 Pn10</a>               |                                                                                                                       |
| <a href="#">Fig, 3419</a>                        |                                                                                                                       |
| <a href="#">Fig, 1898</a>                        |                                                                                                                       |
| <a href="#">Ec079610000rh0n</a>                  |                                                                                                                       |
| <a href="#">Fig, 31098</a>                       |                                                                                                                       |
| <a href="#">Fig. 1031h 1quot;</a>                |                                                                                                                       |
| <a href="#">Fig, 277</a>                         |                                                                                                                       |
| <a href="#">Fig, 9131</a>                        |                                                                                                                       |
| <a href="#">Fig, 398</a>                         |                                                                                                                       |
| <a href="#">B00901738</a>                        |                                                                                                                       |
| <a href="#">Fig, 2877</a>                        |                                                                                                                       |
| <a href="#">33,7 Fp</a>                          |                                                                                                                       |
| <a href="#">Bta-40 Roller Item 6</a>             |                                                                                                                       |
| <a href="#">Econ Globe Valve 241</a>             | Please see attached Doc.                                                                                              |
| <a href="#">Fig, 9530</a>                        |                                                                                                                       |
| <a href="#">Dn25xdn25-Gunmetal</a>               |                                                                                                                       |
| <a href="#">Fig, 31175</a>                       |                                                                                                                       |
| <a href="#">Econ 518 Safety Valve (0,25 Mpa)</a> |                                                                                                                       |
| <a href="#">Fig, 1270</a>                        |                                                                                                                       |
| <a href="#">Fig. 275 Lk Dn40 Pn16</a>            | SDNR valve Bronze Flanged EC002750040BL13D                                                                            |

|                                                                                                                      |                                                                                                                                                                                                                               |
|----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Econ Fig. 7901-Sr0300-F10 / F07-Dsq22</a>                                                                | alternative to EP35-5EAE61-FiG7901-F10 / F07-DSQ22 (EP35 no longer available) Pneumatic actuator, single acting, spring to close ECON Fig. 7901-SR0300-F10 / F07-DSQ22 (higher torque, therefore noticeably larger than EP35) |
| <a href="#">Fig, 21184</a>                                                                                           |                                                                                                                                                                                                                               |
| <a href="#">Fig. 1085 5/4quot;</a>                                                                                   |                                                                                                                                                                                                                               |
| <a href="#">?48,3 Fp</a>                                                                                             | Muss zertifiziert und feuerfest sein                                                                                                                                                                                          |
| <a href="#">Eha-20 Complete Hydraulic Actuator</a>                                                                   |                                                                                                                                                                                                                               |
| <a href="#">Fig, 254</a>                                                                                             |                                                                                                                                                                                                                               |
| <a href="#">Fig, 1417</a>                                                                                            |                                                                                                                                                                                                                               |
| <a href="#">Hydr. Actuator Eha-20 Complete Max Valve Shaft Square 16mm Rotation 90 Working Pressure 100bar Test</a>  |                                                                                                                                                                                                                               |
| <a href="#">Fig, 21177</a>                                                                                           |                                                                                                                                                                                                                               |
| <a href="#">Econ-Hp</a>                                                                                              |                                                                                                                                                                                                                               |
| <a href="#">Fig, 2641</a>                                                                                            |                                                                                                                                                                                                                               |
| <a href="#">Fig. 1054Ia 1/2quot;</a>                                                                                 |                                                                                                                                                                                                                               |
| <a href="#">Ec009500001aada</a>                                                                                      |                                                                                                                                                                                                                               |
| <a href="#">En 1092-1/Pn16;24 Vdc Dn15</a>                                                                           |                                                                                                                                                                                                                               |
| <a href="#">Fig, 524</a>                                                                                             |                                                                                                                                                                                                                               |
| <a href="#">Fig, 31080</a>                                                                                           |                                                                                                                                                                                                                               |
| <a href="#">Fig, 3417</a>                                                                                            |                                                                                                                                                                                                                               |
| <a href="#">Fig, 6417</a>                                                                                            |                                                                                                                                                                                                                               |
| <a href="#">Rohr Kaplin Dn25 Edelstahl Fp</a>                                                                        |                                                                                                                                                                                                                               |
| <a href="#">Dn 600 620x675x4,5mm</a>                                                                                 |                                                                                                                                                                                                                               |
| <a href="#">Ec002920250gda2</a>                                                                                      |                                                                                                                                                                                                                               |
| <a href="#">Econ Figure 925</a>                                                                                      |                                                                                                                                                                                                                               |
| <a href="#">Fig, 1272</a>                                                                                            |                                                                                                                                                                                                                               |
| <a href="#">Hydr. Actuator Eha-40 Complete Max Valve Shaft Square 24mm Rotation: 90 Working Press. 100bar Test P</a> |                                                                                                                                                                                                                               |
| <a href="#">Fig, 523</a>                                                                                             |                                                                                                                                                                                                                               |
| <a href="#">Econ Thermostatic Steam Trap 2982</a>                                                                    | Please see attached Doc.                                                                                                                                                                                                      |

|                                                                                                             |                                                                                                        |
|-------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| <a href="#">Rohr Kaplin Dn40 Edelstahl Fp</a>                                                               |                                                                                                        |
| <a href="#">Fig.226- Dn 1/4quot;, 6000 Psi</a>                                                              |                                                                                                        |
| <a href="#">Fig, 417</a>                                                                                    |                                                                                                        |
| <a href="#">Fig. 1383-Ng63-1,0 /+0,6 Bar</a>                                                                | Bourdon tube pressure gauge G1/4" stainless steel Thread EC01382322A5120 +surface mounting bracket     |
| <a href="#">Dn80 Pn16 Glob Valvr</a>                                                                        |                                                                                                        |
| <a href="#">Econ 518 Safety Valve (0,7 Mpa)</a>                                                             |                                                                                                        |
| <a href="#">Kugelhahnvoller Durchgang Dn32 Pn40 1.4408edelstahl Flansche Nach En1092-1 130 Mm Handhebel</a> |                                                                                                        |
| <a href="#">Eha20-D</a>                                                                                     |                                                                                                        |
| <a href="#">Ec002410080gah3</a>                                                                             |                                                                                                        |
| <a href="#">Fig, 79611</a>                                                                                  |                                                                                                        |
| <a href="#">Fig, 7972</a>                                                                                   |                                                                                                        |
| <a href="#">Fig. 275 Lk Dn25 Pn16</a>                                                                       | SDNR valve Bronze Flanged EC002750025BL13D                                                             |
| <a href="#">Ec950 Gg-25 Dn25 Pn10</a>                                                                       | Please see attached document                                                                           |
| <a href="#">Dn200 Pn16 Figure 5720 Wafer</a>                                                                |                                                                                                        |
| <a href="#">Fig, 9830</a>                                                                                   |                                                                                                        |
| <a href="#">1.4571</a>                                                                                      | THERMOMETER 250 GRAD                                                                                   |
| <a href="#">Dn 200/Ansi 150</a>                                                                             |                                                                                                        |
| <a href="#">7901-Esr1200-S14-F12-Dsq36</a>                                                                  | Pneumatic actuator, single acting, spring to close Connection F14 / F10 or F12 with double square SQ36 |
| <a href="#">Fig. 1019mesh 1 Mm Dn25 Pn16</a>                                                                | Y-straine cast iron GG25 Flanged EC010190025G115                                                       |
| <a href="#">Figure 4620 Dn200 Pn16</a>                                                                      |                                                                                                        |
| <a href="#">Eha40-D</a>                                                                                     |                                                                                                        |
| <a href="#">Fig, 21182</a>                                                                                  |                                                                                                        |
| <a href="#">Fig. 4622/Nbr Dn200 Pn10</a>                                                                    | Butterfly valve GGG40/NBR/AIBr Flanged EC4620D0200MCAB EC4002E0000WDGA                                 |
| <a href="#">Ec018500008bb5b</a>                                                                             |                                                                                                        |
| <a href="#">Fig, 3041</a>                                                                                   |                                                                                                        |
| <a href="#">Fig, 31075</a>                                                                                  |                                                                                                        |
| <a href="#">Ec005120200aabb-Wp</a>                                                                          |                                                                                                        |
| <a href="#">Econflex Dn80- Pn 16 L = 130mm</a>                                                              | Expansion Joint DN80 Please see attached Photo                                                         |

|                                                                                     |                                                                                                                                                      |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Fig, 399</a>                                                            |                                                                                                                                                      |
| <a href="#">Dn25xdn25-Bronze</a>                                                    |                                                                                                                                                      |
| <a href="#">Fig, 7961</a>                                                           |                                                                                                                                                      |
| <a href="#">Fig, 7907</a>                                                           |                                                                                                                                                      |
| <a href="#">Fig, 211</a>                                                            |                                                                                                                                                      |
| <a href="#">Fig, 2578</a>                                                           |                                                                                                                                                      |
| <a href="#">Fig, 269</a>                                                            |                                                                                                                                                      |
| <a href="#">Fig 8217f Dn25</a>                                                      |                                                                                                                                                      |
| <a href="#">Fig, 2878</a>                                                           |                                                                                                                                                      |
| <a href="#">Fig, 1202</a>                                                           |                                                                                                                                                      |
| <a href="#">Fig, 3495</a>                                                           |                                                                                                                                                      |
| <a href="#">Fig, 31135</a>                                                          |                                                                                                                                                      |
| <a href="#">Type:1590</a>                                                           | ERIKS item #: 12712185 - Econosto item #: 643148 ECON<br>Sight gauge device fig. 1590 steel/viton/borosilicate reflex<br>body height 1065mm 3/4"BSPP |
| <a href="#">Fig. 1383-NG63-1,0 /+5,0 Bar G1/4"</a>                                  | Bourdon tube pressure gauge G1/4" stainless steel Thread<br>EC01383352A                                                                              |
| <a href="#">Fig, 248</a>                                                            |                                                                                                                                                      |
| <a href="#">Fig.1191 Type A Flange</a>                                              |                                                                                                                                                      |
| <a href="#">Fig, 31115</a>                                                          |                                                                                                                                                      |
| <a href="#">Fig, 2576</a>                                                           |                                                                                                                                                      |
| <a href="#">Fig, 7902</a>                                                           |                                                                                                                                                      |
| <a href="#">Fire Fighting 902 - Dn50,Pn16,<br/>1.5~39;~50x66mm</a>                  |                                                                                                                                                      |
| <a href="#">Fig.8217</a>                                                            |                                                                                                                                                      |
| <a href="#">Eha10-Single Acting Valve(For Balast<br/>Hyd Actuator) Dn150,6quot;</a> |                                                                                                                                                      |
| <a href="#">Fig. 822 1/2?</a>                                                       |                                                                                                                                                      |
| <a href="#">Fig, 241</a>                                                            |                                                                                                                                                      |
| <a href="#">Goetze606gf-1dp</a>                                                     |                                                                                                                                                      |
| <a href="#">?33,7 Fp</a>                                                            | Muss zertifiziert und feuerfest sein                                                                                                                 |
| <a href="#">Fig, 275</a>                                                            |                                                                                                                                                      |

|                                            |                                                                                                                                                        |
|--------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Goetze606gf-1cp (3-10 Bar)</a> |                                                                                                                                                        |
| <a href="#">Econ Fig 70gy-Dn125-Pn16</a>   | Max. Differential pressure 4 bar Check valve with flanges to<br>DIN Housing: EN-JL1040 (GG25) Flap: 1.0531 (steel) Seal:<br>NBR Overall length: 170 mm |
| <a href="#">Fig, 247</a>                   |                                                                                                                                                        |
| <a href="#">Fig. 4622/Nbr Dn150 Pn16</a>   | Butterfly valve GGG40/NBR/AIBr Flanged EC4620D0150LCAB<br>EC4002E0000W DEA                                                                             |
| <a href="#">Fig, 9533</a>                  |                                                                                                                                                        |
| <a href="#">Fig, 242</a>                   |                                                                                                                                                        |
| <a href="#">Fig, 21170</a>                 |                                                                                                                                                        |
| <a href="#">Ec005740020cz15r</a>           |                                                                                                                                                        |
| <a href="#">Bta-20 Roller Item 6</a>       |                                                                                                                                                        |
| <a href="#">Fig.695-3/4quot;</a>           |                                                                                                                                                        |
| <a href="#">Egpi-3/8quot;X30</a>           |                                                                                                                                                        |
| <a href="#">Fig, 6419</a>                  |                                                                                                                                                        |
| <a href="#">Fig, 7901</a>                  |                                                                                                                                                        |