

Emerson

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Emerson Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Emerson Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
Dvc 6215remote Travel Sensor Assemblies	
Ge34829x022; Diaphragm	
Ge34956x012; Bushing,Lined,Du	
Ge50440x012; Guide Assembly	
Trexlhpnews1s	
1700r11agmezzz	1700 Micro Motion 1700 compact field mount transmitter with one analog output R Mounting: remote transmitter 4-wire (aluminum housing coated with polyurethane), incl. 10 feet [3 m] 4-wire shielded PVC cable) 1 power supply: 18 to 100 VDC and 85 to 265 VAC; self-switching 1 display: two-line display for CSA, UL and IIB + H2 ATEX, IECEx and NEPSI markings A output: 1x mA, 1x frequency, 1x RS485 G Line connections: M20 thread with stainless steel cable gland (not approved for Class 1 Division 1 installations) M Approvals: Micro Motion standard (without approval, with CE / EAC marking) E Language: English installation guide and English configuration guide Z Software options 1: Reserved for future use Z Software options 2: No software options 2 Z Factory options: standard product
R200s381nvgnezzzz	Micro Motion R-Series Coriolis Meter, 2 in (DN50), 316L stainless steel R200S Micro Motion R-Series Coriolis Meter, 2 inch (DN50), 316L stainless steel 381 process connections: DN40 PN40 DIN 2635 F316 / F316L welding neck flange type C N housing options: standard housing V Electronics interface: 4-wire connection, remote, integrated core processor, polyurethane-coated aluminum, for remote measuring transducers G Line connections: stainless steel screw connection (cable diameter 8.5 mm to 10 mm) N Approvals: Micro Motion Standard / PED Compliant E Language: Installation Instructions English Z Future option 1: Reserved for future use Z calibration options:

	0.5% mass flow calibration Z Future option 3: Reserved for future use Z Factory options: standard product
CABLE KIT FOR 475 Y TREX	MODEL: TREX-0004-0001
Flowmeter	3051SFA1G240ZSHFS2A1D0T72DA1B3QC7Q8G2EMM5F2, K07
2051T- 0-20 BAR, 1/2 NPT seal diyafram	
2051T- 0 -10 BAR, 1/2 NPT female	
644SANA - transmitteri, 0-280 C	
Converter Rosemount 644s	
0-5000mbar 2051CD4A22A1AS2B4E1M5D4QQ4 ATEX	
PT 0-20bar 2051TG4A2B21AS1B4E1M5D4Q4 ATEX	
PT1951A-B-C Seal PT	
TT1952A-B-C Seal TT	
CSI 2140 İ BALANS + program	
Accelerometer/ Vibration Sensors	Quantity- 8 ea. Sensor Body Material- AISI 316 Stainless Steel Data Collection Interval- 10 - 10000 Hz as minimum Sensitivity- 100 mV/g Integrated Cable- Yes, with suitable connector matches to Emerson AMS 2140 Machinery Health Analyzer Ports Integrated Cable Length-15 meters (HOLD) Signal Output- Suitable to Emerson AMS 2140 Machinery Health Analyzer Inputs Area Classification- Zone 1&2 IIC T6 according to IEC 60079 Explosion proof E(ex) d+ia IIC T6 ATEX II 2G --- ----- Ingress Protection- IP 67 as per IEC 60529 Quantity- 2 ea. Enclosure Material-AISI 304 Stainless Steel Dimensions- 300(H) x 300(W) x 150(D) mm Cover Type- Hinged with Key-Lock Removable Gland Plate- Required, at bottom side Area Classification- Not Applicable Ingress Protection- IP 67 as per IEC 60529 ----- Requirements: Vibration Sensors shall be Accelerometer-type; packed in AISI 316 Stainless Steel Body, threaded connection to equipment and shall have integrated cable with end connector suitable to ports of Emerson AMS 2140 Machinery Health Analyzer; compatible to the Input Specifications of Emerson AMS 2140 Machinery Health Analyzer (Refer to Attchment.1), from electronic points of view. Instrument enclosure shall be IP 67 (as minimum) as per IEC-60529. RFI/EMI protection shall be provided. Vendor is requested to quote Single-Axis and 3-Axis Sensors Separately. Environmental: Vibration Sensors shall be suitable to -20°C ... +70°C ambient temperature. Hazardous Area Classification: Vibration Sensors shall be certified suitable for the relevant hazardous area classified as: - Zone 1&2 IIC T6 according to IEC 60079; - Explosion proof E(ex) d+ia IIC T6 ATEX II 2G according to ATEX/CENELEC. Wiring:

	Vibration Sensors shall have integrated cable with end-connector suitable to ports of Emerson AMS 2140 Machinery Health Analyzer. Performance: Minimum daha collection range shall be 10 - 10000 Hz. Sensitivity shall be 100 mV/g as minimum. Materials: Body Materials shall be AISI 316 Stainless Steel as minimum. Material shall be suitable for meteorological data. ----- Vibration Sensors shall be supplied as a single assembly as Body, Internal Electronics, Cables, Cable Connectors other required components already workshop calibrated and ready to install and electrical connection.
101-162-144	Ultrasonic welding machine model 2000 IW + 2200 watt
6888A-1OXY-4-1-1HT-05-00-0-0-0-0	2HNA20CQ201XQ11 FLUE GAS O2 CONTENT, LEFT (only the material in the picture is missing)
6888A-1OXY-4-1-1HT-05-00-0-0-0-0	2HNA20CQ202XQ11 FLUE GAS O2 CONTENT, RIGHT (only the material in the picture is missing)
6888A-1OXY-4-1-1HT-05-00-0-0-0-0	2HNA20CQ203XQ11 FLUE GAS O2 CONTENT, MIDDLE (only the material in the picture is missing)
TRANSMITTER AMS 3311 SPEED/KEY	ORDER CODE: A3311/022-000
375 hart field communicator version 1.8 BR	
8106427021	
TREXLHPKLWS3S	TREX Product Description: Base Trex Platform L Communication Module: Device Communicator Plus communication module H Applications: HART Application P Power Module Type: Rechargeable Li-Ion Power Module KL Product Certifications: ATEX, CSA (US/Canada) and IECEx Intrinsically Safe (includes FISCO as applicable) W Radio Options: Wireless S3 Support: Standard Support (3 Years) S Options: Carrying Case (Soft)
XB1019CL-2B	
A6370D/DP AMS6300 SPEED DIPLAY PROFIBU	
A6371/10 AMS 6300 SIS-BACPLANE TRIP NOT VOTED	
PR6423/000-101 ECS 8MM M10X1 25MM SLEEVE 4M CAB	
CON041/SF SIGNAL CONVERTER (PR642X)	
D25493 CSI 2140	3-AXIS ACCELERAMETRY PROBE DEVICE CONNECTION CABLE
DCS SRVR POWER SUPPLY DS850-3 //	DCS SRVR POWER SUPPLY DS850-3 // DS850-3
ENERAL PURPOSE PH/ORP	SENSOR 3900-08 10 / MODEL: 700,496 (Cable Length Will Be 5 Meters)

DISPLAY UT,NET,PCB02370001,BOARD	APPLICATION : H2S GAS DETECTOR MILLENIUM II MANUFACTURER NAME : NET SAFETY MODEL NUMBER : PCB-0237-0001 TYPE : DISPLAY BOARD
TCLE7-1/2 HCA (XB-1019HCA-1B)	
EK-165S DRIER 20T4	
Cb3633	
MODEL: 700.496	GENERAL PURPOSE PH/ORP SENSOR 3900-02 10 5 meters cable
P/N: 44-2261FKFD1NA-11	REGULATOR, REDUCING
P/N: RK-44-22XXF1N-11	REPAIR KIT
VORTEX FLOWMETER SENSOR 08800-0250-0001	Materials, without Shell Internal Schema Description SENSOR Type EXTENDED TEMPERATURE RANGE Manufacturer part number 08800-0250-0001 TEXT Language = EN Equip name VORTEX FLOWMETER RESISTOR Equip model 8800D P-S-035-080B/MVE Supplier name EMERSON PROCESS MANAGEMENT Serial number 006
Therm-O-Disc 300079	
O-Z Gedney FSK Thruwall And Floor Seals Seal	4"RSC
375 field Communicator	
8750W005	ETRANS M 410K Elektromanyetik Debimetre DN15PN40 IP67
8750W010	ETRANS M 410K DN25PN40 IP67
8750W015	ETRANS M 410K DN40PN40 IP67
8750W030	ETRANS M 410K K DN80PN40 IP67
Rosemount 3051HT	ETRANS P01; 0~6 Bar, 1/2" IP65
Rosemount 5300	MPLR80 Radar Level Sensor-Chromite
Rosemount 5300	MICROPULS87.PCHEXBAMA
Rosemount 5300	MICROPULS81.PAZXXBAMA
SP140S-MF2-20-1G1-2S İ:20	
2088G4S22A1M5D4B4EDQ4HR7	
2088G3S22A1M5D4B4EDQ4HR7	
3400HT-10-21-30-62	
1056-03-22-38-AN	
X9117-B8B	

X9117-R9B	
0305RC52B11P2	
D25493 CSI 2140 Machine Health Device	
63EG NPS8	Type 63EG Relief Valve With FKM Elastomeren Elastomers : FKM O ring FKM Pilot diaphragm : FKM + Full body : SST Tubing fitting mat. SST/SST
475HP1EKLUGMTA	
314950-	
43002510:PCB;ADS02 A/D CONVERTER BOARD;	(WAS # 43001210)
43001210 PHYSICS SIGNAL PROCESSING BD	
43002430 PCB, PIC PHYSICS INTERFACE	
396553-01-0 /REV B	RED-IO-COM CABLE
396554-03-2 / REV B	RED-AI/AO CABLE for secondary rack
396554-02-4 /REV C	RED-AI/AO CABLE for primary rack
Repair kit : I3B-K1	
EC3-X33	PCN 807 783
Air preparation Series NL6- ACD	
Level Transmitter 5408A3SHA1NA1F2DACAA2PC1EWQ4	
TOPWORX GO SWITCH MODEL 21 & MODEL 31	
SP 1401 S.N:8653440002	
SEAT;OPTI/GR;DN 350 / NPS 14;NBR - FG]	DN350
BFK-305 S	
3051GP4A2B21AB4M5K5HR5	
248HANAN0XA	0065D01D0035D0050T93XA
2110A1NA 1" BSPT	
Fisher™ 377 Trip Valve	
Stop Valve/Admission Control Valve - NPS 14 – 8532	
DVC6200(4-20 ma	POZİSYONER, SİNGLE ACTION,[FİŞER ROSEMOUNT DVC6200 6DR5010-0NG00-0AA0]-
CMF300M-426N2FGEZZZR1	
0400-12	P/N: 400-12 Rosemount 0400-12 Endurance Conductivity Sensor

2700112EEMEZZX	3797001 Micro Motion Transmitter Micro Motion Transmitter FIC6201A , SO .43013473 Model No.2700112EEMEZZX ET010208 Model S/N 3797001 Sensor S/N : 14123637
talha.erbaslar@asilcelik.com.tr	Model: DVC2000 Platform: GE13889X462 Comm:HART Conduit:NPT Housing type:B Housing Material:Aluminyum
PXI-1045 18-Slot, Universal AC PXI Chassis	
PXI-8108 2.53 GHz Dual-Core Processor PXI Embedded	Controller
PXI-6713 12-Bit, 8-Channel, 1 MS/s PXI Analog	Output Module
PXI-4071 7½-Digit, ±1,000 V, Onboard 1.8 MS/s	Isolated Digitizer, PXI Digital Multimeter
PXI-4072 6½-Digit, ±300 V, Onboard 1.8 MS/s	Isolated Digitizer, L and C Measurement Support, PXI Digital Multimeter
PXI-8464 NI-CAN Supported, 1- or 2-Port, Software-	Selectable PXI CAN Interface Module
PXI-2532 512-Crosspoint PXI Matrix Switch Module	
Mp350a5(R)	
Dc7353	
5a26435h03	
Dc6531	
Cdr6034	60 Amper 3 Wire 4 Pole Receptacle
Mp1850a6	
1c31233g02	
4d33900g19	
475hp9enaugmtas	Field Communicator with HART Easy Upgrade Option Grap
Ps3-Df1-Hns-0,5bar	
Sdn 10-24-100p	Power Supply 10-24-100P
3582i-Gx-1	
Gxt2-1500rt230	
Trexchpna9p3	Device Communicator w/HART, 3 Yr Premium Support
Dc6801-7	
Dm6371	
Cl6754x1-A3	

3051l4ac0fd21aam5p1q4q8	
Dc6450-Disk	
Dc6400-BezI	
Kj4001x1-Bb1	
Dc6351-Link	
Cl6781x1-A3	
Dh6008-Mpu	
TrexIfpnawp3	Device Communicator PLUS w/HART & Fieldbus, Wireless, 3yr Prem
Lses90I	
5a26355g07	
Dh6009/220m	
Sdn 4-24-100	Power Supply
3a99158g02	
Dc6971-7	
Cl66xx-Fdp	
Dc6501-Rplc	
1c31233g03	
Dc6501-Gen	
40b1016x05r	
_39b0727x042 Rev. K	
5x00105g67	
475fp1eklugmt-Vip	475 Field Communicator Kit
Dhb2291x042	
475hp1ena9gmt	Field Communicator with HART
Kj4001x1-Hc1	
2051cd3a22a1as2b4m	
Trex-0002-3611	TREX Spare Battery Li-Ion Power Module w/3 Yr Premium Coverage
Mp825a4r	
MI 6298	

32b7638x132	
Dc6485	
1b30035h01	
Cdp3034	30 Amper 3 Wire 4 Pole Plug
8934	
1c31150g02	
1c31201g01	
Dc6541-Data	
475fp1eklugmts	Field Communicator with HART and FOUNDATIONfieldbus
Dh6232-Tk50	
39a6178x012	MUX AIN SE 1-5 DM6311X1-A1
5x00226g01	
CI6921	
475fp9eklugmta	Field Communicator with HART and FOUNDATIONfieldbus
475hp1eklugm9a	Field Communicator with HART
1c31181g01	
475hp1eklugmt	Field Communicator with HART Li-Ion Power Supply/Charg
Topworx 7g-23528-A	
Cnt.7.33.774	
Dc6400-Ctrl	
475hp1eklugm9as	Field Communicator with HART
3051cg5a22a1am5b4l4v5q4q8(Ex.831815202/07)	
32201203	
CI881x1-A1	
Dm6331-Cust	
Dc7351	
1c31150g03	
Dm6363	
Dc6541-Trck	

Dc6801-2	
Dc6460-6	
Dm6461x1-A4	
Dc6351-Lm2	
Mp1200a4r	
5a26129g01	
Dh7291-Kybd	
Trexlhpk19p3	Device Communicator PLUS w/HART IS, 3 Yr Premium Support
2051ta2a2b21ab4k1m4q4q25	
5a26147g10	
Trexlfpna9s1	Device Communicator PLUS w/HART & Fieldbus, IS, 1 yr Standard
Dh7201x1-A1	
1x00185h01	
Trexcfpklws1	Device Communicator w/HART & Fieldbus, IS, Wireless, 1Yr Std
Dh6230-33mb	
Dh6009/220a	
Cp7202	
960104-23a2	SERVO MOTOR 1.43AMP 240VAC 0.38HP 6000RPM
00475 0003 0022	
Dc7352	
1x00102h01	
Mp1200a5	
Mp1850a5r	
Dc6351-Lss3	
91qr22	
37a0401x032	Service Transfer Unit
3051cd2a22a1ab4e5m5	
Dc6431-Full	
475hp1ena9gm9a	Field Communicator with HART

5a22411h01	
3900vp-02-12	GENERAL PURPOSE ORP SENSOR 3900VP-02-12 EMERSON
12p0949x032	
5a23398g01	
475hp1ena9gmts	Field Communicator with HART
Trexlhpk1wp3	Device Communicator PLUS w/HART IS, Wireless, 3 Yr Premium
CI6011-20hz	
1u2300x0022	
Epro-Ams By Emerson	
Trexlfpnawp1	Device Communicator PLUS w/HART & Fieldbus, Wireless, 1yr Prem
399vp-09	
Cp6701x1-Fa6	
5a23186g01	
475fp1enaugmta	Field Communicator with HART and FOUNDATIONfieldbus
730527	
Dc6400x1-Ed5	
8800df015sa1n1d1e5m5q4	
3051tg1a2b21bb4m5q4	
5a26355g04	
Dm6381	
F6	
Spare Parts For	Spare parts for C-72202 A,B,C "GPU Unit" ROD Drop Probe with Oscillator Type: PR6423/005-141, with 10 m Cable Oscillator Type: CON 041
12p0268x012 Rev. C	
CI66xx-Memy	
Mp900a4(R)	
475hp1eklugmts-Vip	475 Field Communicator Kit
CI6012-Pio	
Dh6008-232	

Sfl24-24-100	Power Supply
475fp1ena9gm9as	Field Communicator w/Li-ion Power Module, Rubber Boot
475hp9eklugmtas	Field Communicator with HART Intrinsically Safe
Dc6331-Loga	
Rgasketx162	
2051cd2a22a1as2b4m	
Cl7011-20hz	
1c31177g02	
4d33935h01	
475hp9eklugmts	Field Communicator with HART Intrinsically Safe
2051cd5a22a1as2b4e1q4q25	
Cl5611-Prsp	
Cn6201	
Cl5611-Tran	
5x00044g01	
Dc6971-12	
Dc6541-Disk	
Cp7101	
5a26137g03	
41b6439x022	I/O Rack 17 Slot CP6701
40b6016x03r	
1c31157g02	
Dc6400-Pwb	
Kj4002x1-Bd2	
Trexchna9s3	Device Communicator w/HART, 3 Yr Standard Support
475fp1eklugmta	Field Communicator with HART and FOUNDATIONfieldbus
12p1509x052	KJ2002X1-CA1 Controller M5+ Module KJ2002X1-CA1
Dm6355	
1x00093g42	

Mp350a4r	
1056-01-22-30-Ht	
475hp1eklugmt-Vip2	475 Field Communicator Kit
Trexlhpk19s1	Device Communicator PLUS w/HART IS, 1 Yr Standard Support
1199tda96affw71db00	
2051cg4a22a2ab4e1l4m4dfp2q4	
375hr1enau	COMMUNICATOR, HART, CHGR, BATTERY PACK, EASY UPGRADE
3051cd2a02a1am5d4s5q4	
475hp1ena9gmta	Field Communicator with HART
Mp75a5(R)	
475hp1eklugmts	Field Communicator with HART Li-Ion Power Supply/Charg
Trex-Apff-1201	TREX Foundation Fieldbus App, 1 Year Subscription
Rpackx00012	
M101-02400032	
Dh6008-Dmac	
475fp1eklugmtas-Vip	475 Field Communicator Kit
1c31150g01	
00475-0142-2003	easy Upgrade License via Web (For 475's Only)
475fp1enaugm9	Field Communicator with HART and FOUNDATIONfieldbus
1c31219g01	
Kj3001x1-Bd1	
Dh6232-42mb	
Dc6971-1	
49a8569x042	
475hp1ena9gm9	Field Communicator with HART
375hr1ena9	375 FIELD COMMUNICATOR WITH RE-CHARGER
33b5945x012	
Dc6501-Unit	
Kj4001x1-Cg1	

475hp1eklugmtas	Field Communicator with HART Li-Ion Power Supply/Charg
Kj4002x1-Bf1	
Cdp1034	100 Amper 3 Wire 4 Pole Plug
1c31177g03	
Mgm-490-Cbns-0000	
0306rt22ba11	
Mp550a4 (R)	
003603	
Dc6460-12	
475fp1eklugm9	Field Communicator with HART and FOUNDATIONfieldbus
5a23743g01	
Cl6872x1-A2	
Kj3008x1-Ba1	
Trex-Supr-1211	TREX Premium Support Renewal, 1 Year
2051cg3a23a1ab4k1l4m4dfq4q25	
2051cd4a23a1ab4k1l4m4dfq4q25	
Trexlfpk19p3	Device Communicator PLUS w/HART & Fieldbus, IS, 3 yr Premium
Dm6352	
1c31179g01	
3051cd2a44a2am4b4dfk8p2q4	
1199wdg56affwg1da00	
3900vp-02-10	
Dh6232-4mb	
Dcm 2c 30/03 B1	
248hanau2ns	
Dc6351-Dm1	
1151hp6s22m4	
142u2c300cbcaa165240	
Trex-Pmdp-1211	Device Communicator Plus Module
Sk.Skc3400220 5,1a 2,2kw	

546-0/24	
2088	
5x00105g10	
3500p-Pr-02-10-21-31	
Kj6001x1-Ca1	
43b5797x052	CL6821X1-A5 Analog I/O Module 43B5797X05R
Dm6463	
475fp9enaugmt	Field Communicator with HART and FOUNDATIONfieldbus
Dc6554-Assy	
CI6891	
M101-02200024	
1c31129g02	
Dc6431-W/S	
1c31174g01	
Dm381x1-A1	
5x00059g01	
475hp1eklugmts-Vip3	Field Communicator w/HART & FOUNDATIONfieldbus Kit
Dm6373	
Dc6351-Prim	
3051cd3a22a1as2m5b	
Dc6460-9	
Mp470a5(R)	
475hp1ena9gm9s	Field Communicator with HART
Trexcfpkl9p1	Device Communicator w/HART & Fieldbus, IS, 1Yr Premium Suppt
Trexlhpn9p3	Device Communicator PLUS w/HART with 3 Year Premium Support
15300003503100	
CI7312	
1c31125g01	
Mp700a6(R)	

125706371002	
Dc6801-15	
CI6784x1-A3	
3051s2cd3a3f52a1ab1d1d2l8m5p0q4q15a9229	
Dc6331-Pwrs	
2051cd3a22a1as2b4e1q4	
5a26430h04	
Cdp6044	60 Amper 4 Wire 4 Pole Plug
1c31199g03	
2051cg3a02a1ah2b3i1m5df	
5x00070g04	
2090f	
CI7311-Rlay	
M101-03200100	
Mp210a4r	
Kj4002x1-Be1	
Mp105a5(R)	
Dc6971-9	
CI7651	
Trexcfpkl9p3	Device Communicator w/HART & Fieldbus, IS, 3Yr Premium Suppt
1c31222g01	
475hp1enaugm9a	Field Communicator with HART
Dm6007	
2051cd2a22a1as2b4m5d4q4q8	
E-16033	
2051cd5a22a2ab4e1l4m4dfp2q4	
CI7014	
Sdn 5-24-480	Power Supply SDN 5-24-480
1x00133h01	
960099-03	SERVO MOTOR 40IN/LB 240VAC 4000RPM 3INCH DIAM

Dm6354	
2120d1dk1nada0000	2120 transmitter
1x00093h04	
475hp1ekl9gmtas	Field Communicator with HART
171189	
5x00105g64	
Ps3-Cf5-Hnb-29,5bar	
Dc6971-8	
Dc6542-Mthr	
475hp1ekl9gm9as	Field Communicator with HART
375hr1ekl9	
56-02-22-38-Ht	
30b7248x022 Rev. D	
Cl65xx	
1c31233g04	
Cp6121	
960507-02	ALP-130 Auxiliary Logic Power Supply Module ALP-130
5a26479g03	
0305rt32b11b1	
5a26141g05	
Cl6922x1-B1	INTERFACE BOARD 24VDC 500MA
31b7633x012	
Dh7291-Mon	
Dc6801-9	
Dc6801-10	
Trexcfpnawp1	Device Communicator w/HART & Fieldbus, Wireless, 1 Yr Prem
12b6755x012	
54eph/Orp-02-09 20	
475hp9eklugm9s	Field Communicator with HART Intrinsically Safe
2051l4aa0fd11aam5d4q4q8	
	Field Communicator with HART Graphics & Device

475hp9ena9gm9as	Configu
12p0100x012 Rev. D	
5a22982g01	
Dc6471	
Kj4001x1-Be1	
1c31113g03	
91qp65	
Kj4020x1-Bd1	
Dc648x	
5301ha1h1n4am00180bbi1m1c1q4s3	
5a26148g14	
Dh7020x1-A1	
5x00063g01	
Dc6541-Mcro	
00375 0002 0044	
960131-11	SERVO MOTOR 240VAC 14AMP 3.19HP 3PH 3000RPM 2.38KW
Dh6011-Mpu	
2088g3s22a1m5b4edq	
Fs-67cfr-224 67c	
1c31201g02	
12p0097x012 Rev. D	
Cl6241-Assy	
Cl6853x1-A10	RTD Input Module 11B5805X242
Trexlfpk19s1	Device Communicator PLUS w/HART & Fieldbus, IS, 1 yr Standard
Dh7010x1-A1	
Kj3231x1-Ba1	
142u2e300cbcaa165240-142300	
Trexchpna9p1	Device Communicator w/HART, 1 Yr Premium Support
25a6683x062	
Dc6450-Data	

Cs6201-Ctrl	
5a23111g02	
Dh6001x1-Fa4	
23b0174x012	
1x00055h01	
M101-03400073	
16596533	
3a99245g01	
3051tg3a2b21bb4m5	
M701-06400350	
475fp9enaugm9as	Field Communicator with HART and FOUNDATIONfieldbus
Dc6351-Dss3	
CI5612	
48a0205x062	
37b2839x012	
Dc6301-Cpu	
Cn6202	
1199sdd52affw71db00	
Kj4001x1-Hb1	
475hp1enaugmts	Field Communicator with HART
5x00085g01	
7g-23528-A2 141020a - Modell 7g Go Schalter / Proximity Sensor Limit Switch	
CI6821x1-A6	
P/N - Dc6801-16	
2051cd2a22a1ab4k1l4m4dfq4q25	
475fp9enaugm9a	Field Communicator with HART and FOUNDATIONfieldbus
960131-11-A2	SERVO MOTOR 240VAC 14A 3.19HP 3PH 3000RPM 2.38KW
Trexlhpnawp3	Device Communicator PLUS w/HART Wireless, 3 Yr Premium

Dh6232-Prsp	
Trexcpnaws3	Device Communicator w/HART & Fieldbus, Wireless, 3 Yr Std
Dh7202	
CI5611-Vctr	
CI6862x1-A2	
Cs6003-Repr	
1199dde61affwg1db00e	
Mp550a4r	
0104020123	
1151dp4s22m7e8q4s6	
Kj4001x1-Cc1	
Dc6450-Ctrl	
49a7239x052	
475fp9eklugm9	Field Communicator with HART and FOUNDATIONfieldbus
Kj3202x1-Ba1	
1x00188h01	
Kj4001x1-Cb1	
Kj4001x1-Nb1	
Dh6230-Pwr	
944457z	
Dh6001x1-Fa1	
Trexlhpnaws1	Device Communicator PLUS w/HART Wireless, 1 Yr Std Support
5a22727q02	
3051ca1a22a1cm5b411 0---160kpa	
01984-2597-0001	RACK
Cdp3044	30 Amper 4 Wire 4 Pole Plug
2051cd2a23a1ab4k1m4dfdoq4q25	
1v6575x0052	
Dc6801-14	

Dm6004-Mpu	
1c31197g04	
243nh152/S1	
Dc6801-4	
CI5611-Mpu	
132402-10-890810	
Dm7052	
Mp420a4(R)	
Dc7967	
Fvm11f729bac3febizzz	
12b7100x052	
Cp6001	
1c31174g04	
Mp1200a5r	
Mp825a5(R)	
CI7701	
CI6001	
49a856906r Rev. N	
3302ha1s1e2am2290abi5m1	
Aw7060ffusb	USB Fieldbus Interface
Dc6431-W/Os	
Trexlhpnaws3	Device Communicator PLUS w/HART Wireless, 3 Yr Std Support
Dc6450-Set2	
Mp155a5(R)	
5a26457g01	
Aw7040st00100	
3051tg1a2b21ab4e5m	
475fp1eklugmt-Vip2	475 Field Communicator Kit
475fp1ekl9gmta	475 Field Communicator with HART and FOUNDATIONfieldbus
1n1316x0042	

1199sfg62affwg2da00	
917211-01	
CI7002	
475hp1ekl9gm9	Field Communicator with HART
475fp1enaugmtas	Field Communicator with HART and FOUNDATIONfieldbus
Trexchpkwp3	Device Communicator w/HART, IS, Wireless, 3 Yr Premium Support
5x00132g01	
3051tg1a2b21ab4e5m5	
Dm6331-Std	
5x00170g01	
00375-0142-0002	Fieldbus Upgrade for the 475
Dh6021	
475fp1eklugmtas	Field Communicator with HART and FOUNDATIONfieldbus
Kj3242x1-Ea1	
81690	
5a26479g06	
Kj3004x1-Ba1	
Topworx-Emerson Go Switch	GO SWITCH 73, (C73-1SB (TL2) + CCA.INT58), 5/8" Diameter Type: Proximity with mechanical contact Contact rating: 2 A at 240 Vac - 4 A at 120 Vac - 3 A at 24 Vdc, Body: Stainless steel Area: ATEX Ex II 2 GD - Ex d IIC T6 ExtD A21 IP66 T85 ,Working Temp: -40 / +105 °C With Ext Junction Box for 2 limit switches
Dc6460-20	
3a99190g01	
4d33945g01	
Va001-396-20	
M101-01200033	
M101-02400018	
Mp1200a6r	
Cnt.1220-2756-01	
Dc6801-1	

Dh7201	
546 I/P	
1c31164g02	
3051cd1a22a1am5b4	
475fp1ekl9gmts	Field Communicator with HART
2051l4aa0fd11aam5d	
Trexchpkls1	Device CD3:D62ommunicator w/HAR Wireless, 1 Yr Standard Support
Cl66xx-Intr	
1199ddc56dffwjgdb00e	
5x00070g05	
33d5848x012	
Dvc6030-106/Atex Fk/76m	
5x00106g01	
1x00046h01	
Cl5611-Uam	
1c31189g01	SPEED DETECTOR MODULE
5x00226g02	
M101-02200075	
14b2805x012	
475fp1eklugmts-Vip2	475 Field Communicator Kit
Dh7721x1-A1	
Dc6542-Mcro	
5081-P-Ht-21-73	
Dc6801-12	
1c31197g01	
5x00105g66	
Cl6752a3	
Dc6460-5	
Sdn 1-24-100t	Power Supply SDN1-24-100T

475fp1ekl9gm9s	Field Communicator with HART INVALID CONFIGURATION
475hp9ekl9gmta	Field Communicator with HART Intrinsically Safe
Dh6001x1	
Cl6011-10hz	
Dc7966-Drv	
Dc6460-11	
3900-02-10	
1x00095h01	
1c31169g01	
Kj4001x1-Cj1	
Dh7010x0-A1	
Cdr6044	60 Amper 4 Wire 4 Pole Receptacle
15a6490x092	
46a9129x012 Rev. A	
Mp1850a5	
475fp9enaugmtas	Field Communicator with HART and FOUNDATIONfieldbus
Trex-Apff-0301	TREX Foundation Fieldbus App, 90 Day Demo
40b1771x022 Rev. C	
1c31113g04	
92119060	
Cdp1044	100 Amper 4 Wire 4 Pole Plug
Cdr3044	30 Amper 4 Wire 4 Pole Receptacle
Cl66xx-Modl	
3051tg1a2b21ab4d4m5q4q8q15	
Dc6301-Cnfg	
Dm6461	
Dc6400x1-Fc5	
475hplenaugmt	Field Communicator with HART
5a23831g01	
Kj4001x1-Ch1	

Dm6391	
5a22982g03	
41b1841x022 Rev. F	
Megavert-Gm050an	
Kj3242x1-Ba1	FIELD BUS CARD H1 SERIES2 12MA 9-32DC 9PORT
Dm6461x1-A3	
Sku 24027599309	
1x00014h01	
Trexchna9s1	Device Communicator w/HART, 1 Yr Standard Support
Kj3223x1-Ea1	
Spmd1404	
Trex-0002-1211	TREX Spare Battery Li-Ion Power Module
Cp6601	
1199sfd64afcwg6kb00q25	
Dc6331-Logb	
Trexlhpkl9s3	Device Communicator PLUS w/HART IS, 3 Yr Standard Support
CI6242	
12b9787x022	
3051tg3a2b21bb4m5q4670014903800010	
Dm6331x1-B1	
5a26458g02	
5a26371h12	
3a99199g01	
Zx372-A3	
Msp422-N28	
32b9346x022	
Dc6351-Lm1	
Kj4001x1-Ba2	
Dc6542-Tape	
3573a4d1l6wa	FLOW METER MAGNETIC 15W 800OHMS 50/60HZ
A09-Decxm-M	

Dh6005-Assy	
Scp100s24x-Cp	
3051tg3a2b21bb4m5q4	
Trexcfpnawp3	Device Communicator w/HART & Fieldbus, Wireless, 3 Yr Prem
Sdn 20-24-200	Power Supply Unit E 137632
00475-0002-0022	Rechargeable Lithium-Ion Power Module for Emerson 475
Mp25a4r	
5a26391h03	
Dpr810	
Kj4002x1-Bc2	
1c31197g02	
Trexcfpklwp1	Device Communicator w/HART & Fieldbus, IS, Wireless, 1Yr Prem
Dm6311s1-A1	
5a26391g04	
1199tfd64afcwq6kb00q25	
Dpr9001x1-A7	DPR 9001 Panel Controller 12B7588X05R
Rgasketx272	
475hp1ekl9gmts	Field Communicator with HART
115u3d301cacao115240	
Dc6501-Prsp	
3051ca1a22a1cm5b411	
Dc6301-Assy	
89qq73	
Cp7202x1-A1	
Trexlhpnawp1	Device Communicator PLUS w/HART Wireless, 1 Yr Premium
2051cd3a22a1as2e1q4	
22b1428x032	20-Series(SR90) Controller 22B1428X032 B
3051tg4a2b21bb4m5q4	

2088g3s22a2d4edq4	
CI6011-Std	
Trex-Apff-3601	TREX Foundation Fieldbus App, 3 Year Subscription
5a26430h15	
Gorm000397	
475fp9eklugm9a	Field Communicator with HART and FOUNDATIONfieldbus
Trexchpk1wp1	Device Communicator w/HART, IS, Wireless, 1 Yr Premium Support
Trexlfpnaws3	Device Communicator PLUS w/HART & Fieldbus, Wireless, 3yr Std
1c31157g01	
32b9835x012	15 Slot I/O File Assembly CP6701X1-DA2
Kj4001x1-Ce1	
32b9887x012 Rev. D	
040-892	
Dc6450-2mb	
5a26355g05	
Mp825a6(R)	
Es 0200.U1a03a.22k	
24281-00 15 Ft Vp8	CABLE 24281-00 15 FT VP8 FOR 3900 VP SENSORS EMERSON
Kj3201x1-Ea1	
475fp9eklugmtas	Field Communicator with HART and FOUNDATIONfieldbus
5a26434h01	
5x00355g01	
1c31194g01	
3051l4ac0fd21aam5p	
Dm6463-Disc	
Kj6001x1-Ba1	
5x00111g01	
Pnt10s010hams0c00003a1b1	

Kj4001x1-Cf1	
Dh6008-Hiu	
Eu1056-01-21-38-An	
Dh7010	
Cl7011x1-A1	
800059-04	RANDOM INFEED CONTROL MODULE
Dc6331-Hamr	
Mp1200a6(R)	
1c31227g02	
2088g3s22a1m5b4edq4s5	
M101-04200133	
5x00070g01	
1634-Bc	
Mp700a4r	
1b30047g01	
00275-0007-0003	BATTERY CHARGER FOR THE 275 ROSEMOUNT COMMUNICATOR
Cl6821x1-A5	
32b9835x022	15-Slot I/O File Assembly CP6701X1-DA3
Cl6753x1-A12	
Dm6361	
41b7289x022	CL6774X1-A2 CSA Redundant Relay Termination CL6774X1-A2
Kj4010x1-Bf	
2051cd2a02b1kh2bai1l4	
5a26432h02	
Mp105a4r	
475hp1eklugmtas-Rent1	Field Communicator without FieldBus FLV \$7029
Dh6232-71mb	
3051s2cd3a3f52a1ab	
1c31224g02	
5a26431g05	

Dc6460-8	
Trexlhpna9p1	Device Communicator PLUS w/HART with 1 Year Premium Support
Trex-Pmdc-3611	Device Communicator HART/FF Module w/ 3 Year Support
0305rc32b11b4l4	
1b30023h02	
475hp9enaugm9a	Field Communicator with HART Easy Upgrade Option Grap
2088-G2a22a1e5	PRESSURE TRANSMITTER 0-150PSI 10.5-36VDC
Dh7001x1-A3	
Dc6351-Shme	
Ls90lt	
37a9478x05r	
960507-01	ALP-130 Auxiliary Logic Power Supply Module ALP-130
Dh6012x1-Ea1	
Dc6400x1-Eg1	
475hp1eklugmtas-Vip2	475 Field Communicator Kit
Mp350a6(R)	
5a26391g05	
Trexchpnawp3	Device Communicator w/HART, Wireless, 3 Yr Premium Support
1199ddc56affw71da00e	
Cdr1034	100 Amper 3 Wire 4 Pole Receptacle
3051cd2a22a1ab4e5m	
Mp1200a5(R)	
1x00093h08	
Dm6363x1-B2	Mux Termination 30B8622X012
Dh6230-Mthr	
Rgasketx182	
1c31116g01	
3a99132g02	
Dc6400-Batt	

475hp9ena9gm9	Field Communicator with HART Graphics & Device Configu
Dh6230-Cntr	
5x00121g01	
475hp9ekl9gmtas	Field Communicator with HART Intrinsically Safe
Dh6011-I/O	
475fp9eklugm9as	Field Communicator with HART and FOUNDATIONfieldbus
Dc6542-Srvo	
CI6853x1-A11	RTD Input Module 11B5805X252
00374-0142-2003	Renew Easy Upgrade
Cmf300m	
Cdr1044	100 Amper 4 Wire 4 Pole Receptacle
23820-00	
CI7006	
CI6787	
475hp1enaugm9as	Field Communicator with HART
3a99132g01	
5a22971g01	
5a26371h19	
4d33942g02	
1u285446172	
M101-04400170	
Dc6351-Dcpu	
2051cd2a02a1ah2s6b1e1m5q4	
26a9530x072	Flat Mini Cable Assy 2' 90989
5a26355g02	
73-13528-A40	
5a26479g01	
Dc6801-8	
Skc3400220	Art Nr. 115 00000 803 001
1c31177g01	

Dc6460-10	
2051cd3a23a1ab4k1l4m4dfq4q25	
475fp1enaugm9a	Field Communicator with HART and FOUNDATIONfieldbus
Kj3242x1-Fa1	
Dc6801-6	
2051cd2a02a1ah2b3i1m5df	
Cl6751a5	
1151gp8e22b2	
Dc7711	
0078n15noon020	
1151gp4e23b7k543l4d1	PRESSURE TRANSMITTER H2O 37.3KPA 4-20MA
Trexchpk19p3	Device Communicator w/HART, IS, 3 Yr Premium Support
12b6756x012	
Sku 23027599309	
39a1835x012 Rev. C	
644hanaj6m5q4	
Dh6001-Load	
475fp9enaugmta	Field Communicator with HART and FOUNDATIONfieldbus
39a0727x032	
3051cd2a02a1bm5b1dfh3l4d4q4q8q15	
2051cg4a22a1ab4k1l4m4dfq4q25	
Mp45a4r	
Dc6971-10	
Mp155a4r	
2051cd1a22a1ab4k1l4m4dfq4	
Dc6301-Ctrl	
Dm6381x1-A1	
475fp1eklugm9as	Field Communicator with HART and FOUNDATIONfieldbus

1c31174g02	
Cdr3034	30 Amper 3 Wire 4 Pole Receptacle
3051cd2a02a1bm5b1d	
0065c22d0050n0375a2(Ex.07636.3.J)	
36a3887x012	MUX TERM SE DM6321X1-B2
M701 074 00770	
Dm6462x1-B1	
5x00070g02	
Kj3244x1-Ba1	
Cl66xx-Prdr	
12p0268x012	CL6885X1-A1 Analog Term Panel CL6885X1-A1
Dm6353	
Dc6801-18	
Common	
12b7530x072	
1199mde59affwg1db00e	
Dh6232-95mb	
Kj3201x1-Ba1	
1x00046h02	
Cl7012	
5x00105g65	
Dm6001-Std	
475fp9eklugmts	Field Communicator with HART and FOUNDATIONfieldbus
1c31113g06	
12p0914x072	KJ3003X1-BA1 Serial Interface Card KJ3003X1-BA1
3051tg4a2b21bb4d4m5q4	
Dpr910	
3051cd3a44a2am4b4dfk8p2q4	
1c31199g01	
Cl66xx-Mpu	
1199ddc56affw71db00e	

475hp9ekl9gm9a	Field Communicator with HART Intrinsically Safe
Cl66xx-M/M	
5a26355g06	
Mp25a5(R)	
Kj3204x1-Bai	
Dh6002	
102875-01	
_dh6012	
Mp45a5(R)	
5a26137g04	
Aw7001fsensp00100	
1199sdd52affw71da00	
Kj3221x1-Ba1	
300s1bda2a5e11a5a	
3051tg1a2b21ab4d4m	
475hp1ekl9gmta	Field Communicator with HART
2090p	
Trexchnawp1	Device Communicator w/HART, Wireless, 1 Yr Premium Support
Trexlhpkls1	Device Communicator PLUS w/HART IS, Wireless, 1 Yr Std Support
475fp9eklugm9s	Field Communicator with HART and FOUNDATIONfieldbus
Trexlfpkls3	Device Communicator PLUS w/HART & FieldbusIS, Wireless, 3yr Std
Dm6001-Conv	
Dc6460-21	
1c31206g01	
475hp9ekl9gm9as	Field Communicator with HART Intrinsically Safe
1c31116g03	
Dc6951	
23747-07	CABLE 23747-07 VP6 CONDUCTIVITY/AMPEROMETRIC 15FT(4.6M) 23747-07 EMERSON

Dc6460-15	
1x00093h09	
Dh6002x1-Ba3	
Cl66xx	
475hp9ena9gmtas	Field Communicator with HART Graphics & Device Configu
313783 / T-O-D60t01 - 60t Series - Snap-Action Temperature Controls	
475hp1ekl9gm9s	Field Communicator with HART
Dm6462x1-B2	
Dh6230- /42	
475hp9ekl9gmts	Field Communicator with HART Intrisically Safe
Kj4002x1-Bf2	
Dh6232-Cpu	
00475 0019 Sk01	
2051cd4a22a1ab4k1l4m4dfq4q25	
475fp1ena9gm9	475 Field Communicator with HART and FOUNDATIONfieldbus
475hp1eklugm9s	Field Communicator with HART
P/N: Kj3001x1-Bc1	
Cp6201	
Cl7652	
475hp9ena9gmta	Field Communicator with HART Graphics & Device Configu
Dm6001-Temp	
Cl6824x1-A2	
Dm6421x1-A1	
475fp9eklugmt	Field Communicator with HART and FOUNDATIONfieldbus
5a26430h11	
Cl7011-Std	
Adk-759s	
Trexchpnaws3	Device Communicator w/HART, Wireless, 3 Yr Standard Support

Dxm-6120	SERVO MOTOR 240V 16AMP 3000RPM 4.25HP 3.17KW
Trexlfpk19s3	Device Communicator PLUS w/HART & Fieldbus, IS, 3 yr Standard
Mp210a5(R)	
1c31132g02	
12p4080x072	
Mp1850a4r	
Xegk	
1c31142g01	
475hp9enaugm9s	Field Communicator with HART Easy Upgrade Option Grap
5a26355g01	
5a26420g12	
Mp1850a5(R)	
Dm6463-Cy70	
5a26355g08	
CI6241-Prsp	
Mp1200a4	
Dh6001-A3	
Dc6460-14	
Dc6331-Serl	
1x00377h01	
Dc6801-11	
Dc6460x1-A13	
Dm6001-I/O	
475hp9ekl9gm9s	Field Communicator with HART Intrisically Safe
475hp1ekl9gm9a	Field Communicator with HART
M70107400770	
CI66xx-Conv	
Dh6211	
1199tdd62afcw76da00q25	

142u2c300cbaea165240-142300	
Dm6004-Ram	
Cable 24281-00 15 Ft Vp8 - For 3900 Vp Sensors	
CI7004	
5a23831g04	
5a26458g01	
R667x000702	
41b1841x02r	
0305rc62b15b4l4	
Dh6001-Assy	
475hp9eklugm9a	Field Communicator with HART Intrinsically Safe
CI7311-Ctrl	
Trexlfpkllwp1	Device Communicator PLUS w/HART & FieldbusIS, Wireless, 1yr Prem
475hp1eklugmtas-Vip	475 Field Communicator Kit
475hp9enaugm9	Field Communicator with HART Easy Upgrade Option Grap
4d33934g01	
Trexlfpnaws1	Device Communicator PLUS w/HART & Fieldbus, Wireless, 1yr Std
5a22410h02	
Trexcpkl9s3	Device Communicator w/HART & Fieldbus, IS, 3 Yr Std Support
Dcx S 40	
Dh7731	
Dm6341	
Dc6801-5	
CI66xx-Prcn	
5a26481g01	
CI6761x1-A2	
CI5611-Flst	
3051l3aa0fd21aac1m5p10408	
CI6863x1-A2	

475fp1ena9gm9s	Field Communicator with HART and FOUNDATIONfieldbus
Cl6857x1-A18	
Kj3231x1-Ea1	
Dc6460-13	
1c31129g01	
Dc6551	
Trex-Sust-3611	TREX Standard Support Renewal, 3 Years
5a26355g03	
Dm6462-Disc	
125712v Systemplast	
299h-Mfk/D10	
12b7100x012	
M101-04400135	
475hp9ena9gm9s	Field Communicator with HART Graphics & Device Configu
Nxc 40 Kva	
Cl652x1-A3	
Dh6005-Expn	
5x00105g62	
0305rt22b11la	
1c31132g01	
Dm6462-Term	
1c31181g04	
D6 Dsj 400x Awm	
Cp670x1-Fa8	
Mp1850a6(R)	
Dc6400-Vdum	
R667x000402	
1x00415h01	
Dc6460-19	
475fp1eklugm9s	Field Communicator with HART and

	FOUNDATIONfieldbus
1p00028g01	
Cp7202x1-A2	
Dm6461x1-A2	
Trexchpkls3	Device Communicator w/HART, IS, Wireless, 3 Yr Standard Support
56-02-20-38-Ht	
3051l3aa0fd21aam5p1q4q8	
CI6774x1-A2	
Dm6311x1-A1	
5x00105g63	
475hp1eklugmt-Vip	475 Field Communicator Kit
1c31238h01	
49a8569x052	
475fp1eklugmt-Vip3	Field Communicator w/HART & FOUNDATIONfieldbus Kit
Trexlhpk19p1	Device Communicator PLUS w/HART IS, 1 Yr Premium Support
Trex-Supr-3611	TREX Premium Support Renewal, 3 Years
Dc6542-Regu	
2088g2s22a1m5b4q4	
Cs6003-Cert	
Dc6460-3	
Dc6460-1	
475fp1eklugmts-Vip3	Field Communicator w/HART & FOUNDATIONfieldbus Kit
475fp9enaugmts	Field Communicator with HART and FOUNDATIONfieldbus
Cnt.Sm-Applications	
5x00356g01	
1c31164g01	
M600-03400100a	4/5.5KW THE MODULE WILL BE INCLUDED IN INSTALLATION AND PROGRAM SETUP. OSB R4 PLANT WILL BE USED IN AUTOMATION SYSTEM.
Cs6002	
	Device Communicator PLUS w/HART with 1 Year

Trexlhpn9s1	Standard Support
Dm6362	
Cl6721-1	
Dh6232-8ch	
1151gp9e22b1	
42b0124x012 Rev. C	
Rpackx00112	
2051cd3a22a1as2b4e1q4q25	
2051cg2a05a1ah2b1i1df	
Trexlfpk19p1	Device Communicator PLUS w/HART & Fieldbus, IS, 1 yr Premium
1c31204g03	
Trexchpnaws1	Device Communicator w/HART, Wireless, 1 Yr Standard Support
475hp9eklugm9	Field Communicator with HART Intrinsically Safe
Dc6301-Dgtl	
2700r11bffzzz	
475fp1enaugmt	Field Communicator with HART and FOUNDATIONfieldbus
475hp1enaugmtas	Field Communicator with HART
1c31197g03	
Dh6005-Mpu	
Dm6322	
11b5804x212	CL6851X1-A2 Isolated Voltage Input Relay CL6851X1-A2
Cl7001	
Dc6801-19	
Trexcfpk1ws3	Device Communicator w/HART & Fieldbus, IS, Wireless, 3Yr Std
5x00119g01	
Trexchpk19p1	Device Communicator w/HART, IS, 1 Yr Premium Support
5x00062g01	
710-02942	

Kj4001x1-Ca1	
Dh6008-449	
5x00085g02	
1c31204g01	
Dc6351-Card	
41b7291x032	I/O MODULE
960158-01	PROGRAMMABLE MOTION CONTROL DRIVE MODULE
CI7015	
1199tfg62affw72da00	
475fp9enaugm9s	Field Communicator with HART and FOUNDATIONfieldbus
Trexchpk19s1	Device Communicator w/HART, IS, 1 Yr Standard Support
30b7248x022 Rev. C	
Dc6542-Pca	
1x00161h01	
Dc6460-4	
475hplena9gmtas	Field Communicator with HART
Dc6541-Srvo	
Trex-Pmdp-3611	Device Communicator Plus Module w/ 3 Year Support
Kj3241x1-Ea1	
Dc6501-Dgtl	
5x00105g03	
5x00001h15	
41b1841x042 Rev. J	
Cat-Ut-4te	
5a26499g01	
M101-01200017	
Rpackx00122	
Cs6201-Disp	
Dh6232-Dec	
475hp9eklugmta	Field Communicator with HART Intrinsically Safe

4d33942g01	
5a26420g07	
Dc6971-11	
2051cd2a22a1as2b4e1q4	
Dh6232-2mb	
Kj3243x1-Ba1	
3051tg1a2b21bb4d4m5q4	
Kj4010x1-Bg1	
42b0134x012	
1199sdd62afc76da00q25	
Kj4001x1-Ha1	
475hp9ekl9gmt	Field Communicator with HART Intrinsically Safe
Dh6230-Drv	
1c31194g02	
3101-L-P-3-F-Sc-Na	
CI5611-Memb	
Mp4-2e-4ll-00	Power Supply - MP Series / 400 - 1200 Watts Input Voltage: 85 - 264 VAC / 120 - 350 VDC Frequency: 47 - 440 Hz Schaltnetzteile STROMVERSORGUNG
475fp9enaugm9	Field Communicator with HART and FOUNDATIONfieldbus
5a26420g02	
Ff4-16drh	
2051cd4a22a1bs2	
Mp1200a6	
Dc6971-6	
Dc6481	
5a26355h13	
Dh7201x1-A2	
Dc6460-2	
159?132?2007	
Cp6211	

0110010011	
475hp1eklugmts-Vip2	475 Field Communicator Kit
CI6241/42	
5a26371h29	
1199ddg60affwg1da00	
475hp1eklugmta	Field Communicator with HART
Sdn 2.5-24-100p	Power Supply E137632
475hp9ena9gmt	Field Communicator with HART Graphics & Device Configu
Dc6486	
Dc6541-Pre	
Trexlfpkllwp3	Device Communicator PLUS w/HART & FieldbusIS, Wireless, 3yr Prem
5a26420g01	
1c31125g03	
M101-01200024	
12b9758x012	
CI6012-Mpu	
1c31181g03	
2051tg4a2b22as1b4e1p2q4	
Mp700a5(R)	
1c31223g01	
Dc6971-4	
CI6721	
0416013093	
12b9789x012	
3051l2ah0xd31aas1m	
Dc6400-Memb	
Trexchpkll9s3	Device Communicator w/HART, IS, 3 Yr Standard Support
Dc6541-P&M	
Trexlhpkllwp1	Device Communicator PLUS w/HART IS, Wireless, 1 Yr Premium

Dpr900	
Dc6331-Ribn	
6888	
00375-0142-0010	Graphics Upgrade for the 375 DEVICE DRIVERS)
Trexlfpna9s3	Device Communicator PLUS w/HART & Fieldbus, IS, 3 yr Standard
5a26137q01	
A 6110	Relative Shaft Vibration Module
3051	
12b9787x012	
2051cg5a22b1b7i1l4	
1c31157g03	
44hanaj6m5q4	
Trexlfpna9p1	Device Communicator PLUS w/HART & Fieldbus, IS, 1 yr Premium
228-02-21-56-61	
3051tg4a2b21bb4m4q4	
Acm-617401	SERVO CONTROL MULTI VARIABLE 120V 2AMP 50/60HZ
Mp470a6(R)	
Cmf400b999n3fzizzx_19154	
Dh6003-I/O	
375hp1eklu	COMMUNICATOR, HART, CHGR, LI-ION BATTERY, IS EASY UPGRADE
475hp9enaugm9as	Field Communicator with HART Easy Upgrade Option Grap
54eph/Orp-02-09 2002577	
Trexcfnaws1	Device Communicator w/HART & Fieldbus, Wireless, 1 Yr Std
375hr1eklu	COMMUNICATOR, HART, CHGR, NIMH BATTERY PK, IS, EASY UPGRADE
546-6/30	
1199sfg62affw72da00	
475fp1enaugm9as	Field Communicator with HART and FOUNDATIONfieldbus

5a26479g07	
Dm6372	
2051cd1a02a1ah2b1i1df	
2051cg5a22a1ab4k1l4m4dfq4q25	
Dc6431x1-Cc1	
Dc6971-5	
3900vp-02-10 - General Purpose Ph Sensor	
475hp9ena9gm9a	Field Communicator with HART Graphics & Device Configu
Kj3203x1-Ba1	
Dc6450-Itfc	
Trexlfpkls1	Device Communicator PLUS w/HART & FieldbusIS, Wireless, 1yr Std
475hp9enaugmts	Field Communicator with HART Easy Upgrade Option Grap
475hp1eklugmt-Vip3	Field Communicator w/HART Kit Li-Ion Power Supply/Charger
Kj3007x1-Ea1	
3051tg3a2b21bb4d4m5q4	
Dh6001x1-Fa3	
1c31181g02	
Dh6232-1.2m	
Dc6301-Ref	
Dh6230-Kybd	
Dm6001-Exps	
3051l2ah0xd31aas1m5p1q4	
475hp9ekl9gm9	Field Communicator with HART Intrisically Safe
Dc6971-2	
475hp9enaugmt	Field Communicator with HART Easy Upgrade Option Grap
Dm6411	
10p5736x022	PROCESS MODULE CP5
2051tg4a2b21bs5k1m5q4	

41b1841x042 Rev. H	
Mp1850a4(R)	
Ff4-16dah	
Dh6230-512	
12b9759x032	
Rgasketx212	
Trexlhpkls3	Device Communicator PLUS w/HART IS, Wireless, 3 Yr Std Support
00375-0043-0001	Configuration Exp.Module, 32mB
2088g3s22a2edq4	
Dh6230-42mb	
3051cd3a22a1as8m5b4p1q4q8	
475hp1ena9gm9as	Field Communicator with HART
Dh6230-Bit	
475fp1eklugmts-Vip	475 Field Communicator Kit
Trex-Pmdc-1211	Device Communicator HART/FF Module
39a1835x012 Rev. D	
Trexlhpnas3	Device Communicator PLUS w/HART with 3 Year Standard Support
Kj3009x1-Ba1	
Dcx-Bdc	
1c31113g05	
19a5980x042	
Alloy Steel Spring X0857	CROSBY JB 56A Valve Serial No: CV78 – 0687 Valve Size: Inlet : 6" x 600 LB RF Outlet : 8" x 150 LB RF
3051l3aa0fd21aac1m5p1q4q8	
1c31199g02	
12p0238x012	
Dc6351-Prsp	
1c31233g01	
Kj3001x1-Bj1	
2051cd2a22a1as2b4i1m5q4	
3d39513g	Power Supply Board

1c31129g04	
39a7234x062	RTD INPUT UNIT DM6331X1-A6
Dh6001x1-Ga1	
475hp1enaugmta	Field Communicator with HART
475fp1eklugmtas-Vip2	475 Field Communicator Kit
5a22410h01	
Cnt.Sm-Encoder	
1151dp4-4-S-12-S2-M4-B3-I1	
5a26144g03	
3a99158g01	
475hp9eklugm9as	Field Communicator with HART Intrinsically Safe
Cd5613x1-Cc1	
3051s1cd3a2b11a1	
Dc6971-3	
5x00082h12	
32b7743x062	CP6701X1-FA6 Power Converter Card CP6701X1-FA6
404-11-17	FLOW CELL SENSOR 100PSI 212DEG-F 10FT SS
1x00093h05	
Mp1850a6r	
475fp1eklugmtas-Rent1	Field Communicator w/Fieldbus FLV \$8924
Kj3221x1-Ea1	
Dc6400x1	
001233ic	
Dc6460-17	
475hp9enaugmta	Field Communicator with HART Easy Upgrade Option Grap
5a26430h20	
3051cdoa02a1cm5b1dfi1h2l4	
475fp1enaugmts	Field Communicator with HART and FOUNDATIONfieldbus
Trex-Apff-Pe01	TREX Foundation Fieldbus App, Unlimited Subscription

3a99200g01	
5x00354g01	
Dh7721	
5a22412h01	
Mp75a4r	
5hpzs700	
12p2531x022	INPUT MODULE 8CHANNEL 4-20 MA HART CARD
5a26453g01	
5x00058g01	
41b1841x022 Rev. D	
Sdn20-24-480	SOLA Power Supply Unit E 137632
Cl6721x1-A3	
1c31232g02	
2051cd1a22a1ab4k1l4m4dfq4q25	
Sdn 5-24-100	Power Supply SDN 5-24-100P
3051ca2a22a1am4b4dfk8l4q4q25	
644hak1j6m5q4	
12b4150x01r	
475hp1enaugm9	Field Communicator with HART
Dc6801-3	
Dh6001	
Aw7060hseffusb	USB Fieldbus Interface
F050s	
22b9338x012	
5a26458g03	
12p0146x022	CL6754X1-A3 120VAC Output Relay 12PO146X022
200052570	
5x00105g01	
Dc6501-Cpu	
475hp1eklugm9	Field Communicator with HART
32b9890x012 Rev. C	

200052602	
49a8569x062	
1n8210x0092	
Trexlfpna9p3	Device Communicator PLUS w/HART & Fieldbus, IS, 3 yr Premium
1199tda96affw71da00	
Dc6801-17	
1c31147g01	
CI6012-Dio	
Mp1850a4	
Roc364	
Kj4002x1-Bb1	
Dc6554-Lcon	
CI6923x1-Ja2	
5a22727g03	
3a99200g02	
00375-0002-0044	Li-Ion Power Module, Double Life Battery, Recharger & Adapter
475hp9ena9gmts	Field Communicator with HART Graphics & Device Configu
1c31203g01	
Dc6400-W/EI	
3a99141g01	
475fp1enaugm9s	Field Communicator with HART and FOUNDATIONfieldbus
475fp1eklugmt	Field Communicator with HART and FOUNDATIONfieldbus
5x00054g01	
5a26479g02	
702dx22d1nawa3wm1m5b4c1	TRANSMITTER WIRELESS DUAL INPUT 1/2-14 NPT
12p0247x034 Rev. C	
12b7100x082	
CI7016	

Dc6301-Gen	
Kj3222x1-Ea1	
475hp9eklugmt	Field Communicator with HART Intrinsically Safe
475hp1ekl9gmt	Field Communicator with HART
M101-02200042	
Dc6460-7	
5a26149q14	
5x00070g03	
620643	KEYBOARD PROCESS CONTROL FOR RMV9000 SYSTEM
00375-0002-0022	Rechargeable Li-Ion Power Module
710-02942-04p	
Kj4001x1-Cd1	
Dc6450-1mb	
Trexcfpklwp3	Device Communicator w/HART & Fieldbus, IS, Wireless, 3Yr Prem
1x00097h01	
475fp1eklugm9a	Field Communicator with HART and FOUNDATIONfieldbus
3051cg4a44a1am4b4dfk8l4q4	
Dc6351-Dm2	
2051tg1a2b21as1b4e1q4	
Mp1200a4(R)	
Kj4001x1-Na1	
Cr-0b201bd00-00-0r1	
Trexcfpkl9s1	Device Communicator w/HART & Fieldbus, IS, 1 Yr Std Support
2840a79g01	
16a5482x012	
2051cd2a02b1kh2ba	
Dc6460-16	
2051cg3a22a1ab4k1l4m4dfq4q25	
Sfx26-Ha3 - Proximity Sensor Limit Switch Box - Ce	

Cl7011-10hz	
Oxt4cdr-4-0-2-4-12-03-10	
475hp1enaugm9s	Field Communicator with HART
5a26137g02	
1c31166g01	
Cp7010	