

Eriez

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Eriez Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Eriez Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
Metal detector (Adapt belt B=650, Capacity)	=60/80 t/hour, pet coke coal V=1,25mt/s)
Metal detector (Adapt belt B=800, Capacity)	= 100-200t/hour, (reject material),V=1.00mt/s)
Metal detector (Adapt belt B=1000, Capacity=)	= 300 t/h, (limestone+iron+clay),V=1.00mt/s-1,25mt/s)
Metal detector (Adapt belt B=1200, Capacity=)	Capacity = 150/300t/hour, (limestone+iron+clay),V=1.00mt/s-1,25mt/s)
Metal detector (Adapt belt B=1400, Capacity=)	= 750 t/h, (raw metarial/Clinker,V=1,25mt/s)
Magnetic separator (Adapt belt B=650, Capacity=)	Capacity=60/80 t/hr,(pet coke coal) V=1.00 mt/s,magnet intensity 70 mt)
Magnetic separator (Adapt belt B=800, Capacity=)	Capacity 100/200 t/hr,(raw metarial) V=1.00 mt/s,magnet intensity 70 mt)
Magnetic separator (Adapt belt B=1000, Capacity=)	Capacity=300 t/hour,(raw material) V=1,25 mt/s,magnet intensity 70 mt)

Magnetic separator (Adapt belt B=1200,	,Capacity=150/300t/hour,(raw metarial) V=1,25 mt/s,magnet intensity 70 mt)
Magnetic separator (Adapt belt B=1400,	Capacity=750 t/hr,(raw metarial/Clinker) V=1,25 mt/s,magnet intensity 70 mt)
CP20/100 SC2	Configuration: Across Conveyor Design: Self-cleaning Tightening height: up to 200 mm Suspension Angle: No more than 25° from horizontal when in cross conveyor (SC2) position. Drive: electric, 1.5 kW, 400V/50Hz Drive side: to be determined Belt: heavy version with vulcanized scrapers Sensors: not included Control: not included Paint finish: RAL2008 or as desired Bearing & Motor: Manufacturer paint Suspension: suspension eyes (ring bolts) Safety: CE certificate included Brochure ref: SB 300
Replacement HS24E rectifier for HI 200-100, 97678	
Vibrator P150 230/60 STANDARD	
BR10 TX center coil only	Original serial number: 106989 Original equipment: QM2 / 3500 (115VAC) with PTL149 / Combo Alarm + BR10 coil TX / RX + belt clip Drawing ref: E0000855-106989-1 ERIEZ
BR10 RX Coil Only (Includes 'I' Beams)	Original serial number: 106989 Original equipment: QM2 / 3500 (115VAC) with PTL149 / Combo Alarm + BR10 coil TX / RX + belt clip Drawing ref: E0000853-106989-1 ERIEZ
BR10 TX wing coil (1x connector)	Original serial number: 106989 Original equipment: QM2 / 3500 (115VAC) with PTL149 / Combo Alarm + BR10 coil TX / RX + belt clip Drawing ref: E0000855-106989-1 ERIEZ
BR10 TX wing coil (2x connection)	Original serial number: 106989 Original equipment: QM2 / 3500 (115VAC) with PTL149 / Combo Alarm + BR10 coil TX / RX + belt clip Drawing ref: E0000855-106989-1 ERIEZ
WHIMS Lab SSS-I-145	
Se 745 Sc2	
Type : Ma 3500	
H / E	
80b/2n-703507	
62b/2n-704004	
Eriez High Intensity (Hi) Magnetic Filter	
D58b 240v 50a	
Eriez Br10 V-Coil	
Reovib Smart Control 240v	
Un-230-3a	

Hc26 Drives
40s
Se 7520 Sbsc
Elastomer Springs For Hs42 Feeder Drive
105b/2n-711088
Ma 3500
D52a
Se 7820 Sc 2 Obsolete, Replaced By Se780 Sc2
Model Tr
Metalarm Model Hh-10
Se780 Sc2
Eriez Steuerung Passend Zu Elektro- Ä220;Berbandmagnet Se745
105b