



Ero Electronic

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Ero Electronic Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Ero Electronic Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
LFS937135000	
3508	MODEL (3508) 3508 process controller FUNCTION (CC) PID controller SUPPLY VOLTAGE (VH) 8 (1) 1 control circuit APPLICATIONS (VP) Step controller function NUMBER OF PROGRAMS (1) 1 recipe FRONT COLOR (S) Silver EA SLOT (RR) Dual relay unconfigured EA SLOT (RR) Dual relay INTERFACE H (Y2) 2 wire RS485 Modbus INTERFACE J (A2) RS232 Modbus USER LANGUAGE (E) GUARANTEE) Standard warranty period CONFIGURATION (STD) Standard configuration code: / A2 / XX / ENG / ENG / XXXXX / XXXXX / XXXXX / XXXXXX / STD /XXXXXXXXXXXXX
P116	P116/CC/VH/LRX/R/XXX/XXXXX/XXXXXX/XXXXXX/XXXXXX/O/X/X/X/X/X/X P116 (P116) VOLTAGE (VH) 85-264Vac OUTPUT (LRX) OP1 Logic OP2 Relay RELAY (R) - Changeover Relay
MODEL (LFSSV) 1/16 DIN PID controller	SERVO OUTPUTS (LFS8321) SERVO-RELAY SERVO OPTIONS (4) RS485 (or 2 Logic Input) SERVO ERO version Code: LFSSV/LFS832143000
3216I XXL	MODEL (3216I) Display and alarm unit FUNCTION (AL) Alarm unit SUPPLY VOLTAGE (VL) 20-250V outputs COMMUNICATION (XXL) Digital input A FRONT COLOR (G) Green USER LANGUAGE (G) Code: 3216I / AL / VL / RRXX / X / XXL / G / GER / GER / XX / XXXXX / XXXXX / XXXXX / XXXX
3216I 4XL	MODEL (3216I) Display and alarm unit FUNCTION (AL) Alarm unit SUPPLY VOLTAGE (VL) 20-250V outputs COMMUNICATION (4XL) RS485 + digital input A FRONT COLOR (G) Green USER LANGUAGE (G) German code: 3216I / AL / VL / RRXX / X / 4XL / G / GER / GER / XX / XXXXX / XXXXX / XXXX
LHL9111050000	
LHL910050R00	
LHL911050R00	
LHL911150R00	
400/57	WALL BRACKET FOR REGULATOR 2116 / 2216E 1/16
P108/CC/VL/LRR/R/XXX/XXXXX	P108 P108 (P108) 1/8 DIN Controller FUNCTION (CC) Controller SUPPLY VOLTAGE (VL) 24Vac/24Vdc OUTPUT (LRR) OP1 Logic OP2 Relay RELAY (R) - Changeover Relay QUICK START (O) Quick start at Start up DIGITAL INPUT 2 (X) Unconfigured
P116 (P116) 1/16 DIN Controller	
EPKC-611200300	
LDS 491130000	
LFSmA	
P116/CC/VH/RRX/R/4CL/XXXXX	P116 P116 (P116) 1/16 DIN controller FUNCTION (CC) Controller SUPPLY VOLTAGE (VH) 85-264Vac OUTPUT (RRX) OP1 Logic OP2 Relay RELAY (R) - Changeover Relay OPTIONS (4CL) RS485 + CT and Digital Input QUICK START (O) Quick start
MODELL (3504) 3504	Process controller FUNCTION (CC) PID controller SUPPLY VOLTAGE (VH) 85-264Vac mains supply NUMBER OF PROGRAMS (1) 1 program with 20 segments NUMBER OF RECIPES (1) 1 recipe FRONT COLOR (S) Silver EA SLOT (RR) Dual relay unconfigured EA SLOT (RR) Dual relay unconfigured SLOT 3 EA SLOT (RR) Dual relay unconfigured SLOT 6 EA SLOT (AM) Analogue input module INTERFACE H (A2) RS232 Modbus OPERATOR LANGUAGE (E) English WARRANTY (XXXXX) Standard Warranty Period CONFIGURATION (STD) Standard configuration code: 3504/CC/VH/1/XX/1/1/XXX/S/D6/RR/RR/MS/XX/AM/A2/XX/XX/ ENG/ENG/XXXX
Ero Electronic	
PKC 611272300 EI58595 ASCON	
EPC3016	MODEL (EPC3016) 1/16 DIN Controller TYPE (CC) Controller only SUPPLY VOLTAGE (VH) 100 - 240Vdc with external snubber I/O 2 (R2) Relay (with snubber) OUTPUT 3 (XX) Form C SERIAL COMMS INTERFACE H (Y2) 2 wire RS485 Modbus INTERFACE J (A2) RS232 Modbus OPERATOR LANGUAGE (E) English WARRANTY (XXXXX) Standard Warranty Period CONFIGURATION (STD) Standard configuration code: EPC3016/CC/VH/R2/R2/XX/XX/XX/C2/XX/XX/ XXX/ST/XXXXX/XXXXXX/XX/X/X/X/X/X/X/X/X/X/X/X
P116	P116 (P116) 1/16 DIN Controller FUNCTION (CC) Controller SUPPLY VOLTAGE (VL) 24Vac/dc OUTPUT (LRR) OP1 Logic OP2 Relay RELAY (R) - Changeover Relay QUICK START (O) Quick start at Start up Code: P116/CC/VL/RRX/R/XXX/XXXXXX/XXXXXX
TKS931143000	
LFS mA LFS937133000	
MODELL (3508) 3508	3508/CC/VH/1/XX/1/1/XXX/G/D4/RR/RR/Y2/A2/XX/ENG/ ENG/XXXXX/XXXXXX/XXXXXX/XXXXXX/S VOLTAGE (VH) 85-264Vac mains supply NUMBER OF CONTROL CIRCUITS (1) 1 control circuit NUMBER OF RECIPES (1) 1 recipe FRONT COLOR (G) Green IO SLOT (D4) Continuous output unit (RR) dual relay unconfigured INTERFACE H (Y2) 2 wire RS485 Modbus INTERFACE J (A2) RS232 Modbus OPERATOR LANGUAGE (E) English WARRANTY (XXXXX) Standard warranty period CONFIGURATION (STD) Standard configuration code: 3508/CC/VH/1/XX/1/1/XXX/G/D4/RR/RR/Y2/A2/XX/ENG/ ENG/XXXXX/XXXXXX/XXXXXX/XXXXXX/S

LFS8321430_BT	
ITOOLS/NONE/USB/////XXXXX	MODELL (ITOOLS) Konfigurationskabel CONFIGURATION KIT (USB) USB CPI CLIP
LFS8321430_BT	
LFS8321430BT	
3508	MODEL (3508) 3508 Process Controller FUNCTION (CC) PID controller SUPPLY VOLTAGE (VH) 8 (1) 1 control circuit APPLICATIONS (VP) Step controller function NUMBER OF PROGRAMS (1) 1 recipe FRONT COLOR (S) Silver EA SLOT (RR) Dual relay unconfigured EA SLOT (RR) Dual relay INTERFACE H (Y2) 2 wire RS485 Modbus OPERATOR LANGUAGE (ENG) English INSTRUCTION M Preconfigured at factory FUNCTION CONTROL CIRCUIT 1 (FX) VP controller with feedback SENS RANGE 0 MAXIMUM RANGE 1200 DISPLAY UNIT CIRCUIT 2 (X) Without display unit FUNCTION SENSOR INPUT CIRCUIT 2 (X) Unconfigured ALARM 1 (1FH) Maximum alarm control circuit 1 AL FUNCTION 1 1VT SLOT FUNCTION 2 A12 SLOT FUNCTION 3 1VF Code:3508/CC/VH/1/VP/1/1/XXX/S/RR/RR/VU/Y2/XX/XX/ENG/ENG/XXXXX/XXXXX/XXXXX/XXXXX
3504	MODEL (3504) 3504 Process controller FUNCTION (CC) PID controller SUPPLY VOLTAGE (VH) 8 (1) 1 control loop NUMBER OF PROGRAMS (1) 1 program with 20 segments NUMBER OF RECIPI (D4) continuous output unconfigured SLOT 2 EA SLOT (RR) dual relay unconfigured SLOT 3 EA triple contact input SLOT 5 EA SLOT (MS) 24Vdc transmitter supply SLOT 6 EA SLOT (AM) Anal OPERATOR LANGUAGE (ENG) English INSTRUCTION MANUAL (ENG) English CONFIGURATION (Code:3504/CC/VH/1/XX/1/1/XXX/S/D4/RR/RR/TK/MS/AM/A2/XX/ XX/ENG/ENG/XXXXX/XXXXX/XXXXX/
ERO Electronic LFS832143000	
TKS937133000	
LFS 93 214 3000	
TFS931143000	
Lfs 937133000	
Lfs9311250on	
Lfs9311150on	
Esr 080400000	
Lfs9311450bo	
Code: Lfsma/Lfs937113000 (Lfsma) 1/16 Din Pid Regler	
Tms431115000	
Lfs936b430on	
Pkc611252300	
Lfs9361330bo	
Lhl911150000 (Ex Lhl910050r00)	
399999 Rm 100.135.025 Vy 4276w010-G06, Version 1	
Code: Tms/Tms431103000 (Tms) 1/8 Din Pid Regler	
Lfs9361250on	
Lfs931103ron	
Lfs937113000	
7100I Modell (7100I) Thyristorschalter	
Lme496130000	
Lfs 931133000	
Lfs936b03ron	
Lfs93612300	
Lms4911300a	
3216	
Lfs8321430bt	
Lfs931135rbo	
Lfs936103ron	
Lfssv Lfs832143000	
Tks937133000	
Lfs9361150on	
Tks931.113.000	
Dps/Dps391120000	
Lfs.9.3.7.1.3.3.0.0.0	

Amkp111150300	
Ds491030000 Obsolete, Replaced By Lms491130000	
Lfs9311150bo	
Esrs80400000	
Lfs9361050on	
Lfs936b430bo	
Lfs931b350on	
Lfs931b250on	
Lfs931b430bo	
Lfs931b150bo	
Lfs9361050bo	
Tfs931133000	
Artikel-Nr. Ab7010-B	Successor device for ERO Electronic article no. CONVX / CONVXMK13000 Anybus Communicato Stat. Warennummer: 8517620000
Lfs9361250bo	
Tms431103000	
32h8i(Ex.17610.Iuo.Tis.1co)	
Lfs931b250bo	
Pkc611152300	
Lfs936b050bo	
Lfs936b450on	
Lfs931113ron	
Lfs9361430bo	
Lfs832143000	
Mks93112300	
Memmem2090rs100	
Mks93112500	
Lfs936b330bo	
Lfs9361350bo	
Pkc111050300e (Ex. Pkc111050300)	
Lfs9361450on	
Lfs936b250bo	
Lfs936b150on	
Alds496130000	
Pkp11117030e	
Lfs931b330bo	
Lfs9361430on	
Lfs931b350bo	
Lfs931b03ron	
Lds496130000	
Pkc/Pkc611172300	
Mkc611200300	
Tks937123000	
Lhi_911130000	
Lfs9311230bo	
Lfs931b13ron	
Lfs9311050on	
399999 Rm_100.135.025 Vy_4276w010-G06, Version 2	
Lfs9311330bo	

33dps59115000	
Lfs9311430bo	
Lfs931b25rbo	
Pkp.1.1.1.1.7.0.3.00	
Lfs931b050bo	
Dps-391110000	
M6150	
Pkc Pkc611172300	
Lfs936113ron	
Code: Tkssv/Tks932123000	TKSSV MODEL (TKSSV) 1/8 DIN step controller OUTPUT (TKS9321) 1RLYOUT + 3DIG.INP. OPT. 100/240 VAC CUSTOMIZATION (000) ERO VERSION
Lfs936b050on	
Pkc.6.1.1.2.0.0.3.00	
Lfs936b350bo	
Lfs936b130bo	
Code: Pkc/Pkc111171300 (Pkc) 1/8 Din Pid Regler	
Lfs931b150on	
32h8i (Ex.1760.luo.Tis.1c)	
Fks61130000	
Lfs9361230bo	
Apkc611200300	
Lfs936b330on	
P108	The requested controller type TKS93112300 is no longer included in our delivery. Alternatively (P108) 1/8 DIN Controller FUNCTION (CC) Controller SUPPLY VOLTAGE (VH) 85-264Vac OUTPUT Changeover Relay OPTIONS (XCL) CT and Digital Input QUICK START (O) Quick Start at Start VH / RRR / R / XCL / XXXXX / XXXXXX / XXXXX / XXXXX / XXXXXX / O / X / X / X / X / X / X /
399999 Rm 100.135.025 Vy 4276w010-G06, Version 3	
Lfs936b230bo	
60? Qtr 060 600 000 Optosimistor	
Lfs936b13ron	
Pkc 111171300	
Lfs936b250on	
Etr060600000	
Lfs936b25rbo	
950500531401ah-Tfs931145000	
Pkc111171300	
Lfs9311250bo	MODELL (LFSSV) 1/16 DIN PID Regler SERVO OUTPUTS (LFS8321) SERVO-RELAY SERVO OPTIC (3) 100/240 VAC CUSTOMISATION (000) ERO Version Code: LFSSV/LFS832143000
Lfs931b450on	
Lfs931123ron	
Tismk1	
Lfs931b230bo	
Convx/Convxm13000 Obsolete, Replacement Kd485	
Pkc 611201300	
/Lfs832143000	
Lfs936b350on	
Lfs9361350on	
Lfs931b23ron	
Lsd 49113000	
V6150	

Lfs9361150bo
(Mkp) 1/4 Din Programmregler
Lfs9311350on
Timk1/Tis 800015000
Code: P108/Cc/Vh/Rrc/R/4cl/Xxxxx/Xxxxx/Xxxxx/Xxxxx/O/X/X/X/X/X/X/X P108 (P1
Lfs9311350bo
Lfs936123ron
Lfs9311050bo
32h8
Lfs9311450on
Lfs9311430on
Lfs931b050on
Lfs936b150bo
Lfs931b430on
Code: Ssm1a445bd
Esrt12240000
Pkc611200300