



Finetek

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Finetek Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Finetek Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
EFB-1420	Float Type EFB-1420 1. Housing material:P.P. (IP67) 2. Switch Component:Reed Switch 3. Switch Form: SPDT Hold type 4. Contact Rating:1A/30W 240Vac/200Vdc 5. Operate Temp.: -20~140°C (tank inside temp.) 6. Cable Length: 2M (PVC Cable)
Rotary Paddle Level Switch	Order code: SEX20000-BAEAAA703H00713000T02 Model: SE3810ECRH3000+TB Customer No: SE3810ECRH3000S Supply voltage: 24Vdc Housing: Aluminum, IP65 Applicable S.G.: 0.3~1 g/cm3 Paddle shapes: Scimitar Connection:3/4"PF Screw Lead wire:3000mm cable Display status: Green (Stopped), Red (Working)
15DC37576	
651071157	
AB1010	
AB1032	
AB3010	
AC1060S	
AE510	
AX10000-FBASB103RMB331000	
BAH-30	
BAH60	
BAH-80	
BAH-80 = AA2080	
BVK-10	
BVK-13	

BVK-13 (AB1013)
BVK-20
BVK-25
BVK-25 (AB1025)
BVP-30C (AC1030C)
BVP-30S (AC1030S)
BVP-40S (AC1040S)
BVR-065
BVT 08 (AB3008)
BVT 10 (AB3010)
BVT 20 (AB3020)
BVT-08
BVT-25 (AB3025)
BVT-36
CWY-BO 810800-50-03-01-01
EB4300-DR00500
EB43113A20500
EB5301-FQ5000
EBB-0612
EDX40000-0CR
EGS152-AF1010-105
EGS152-AF1010-115
EPR10CBA00ADF4
EPR10FBA00ADF4
EPR10CBA00ADF4
FA-CC05
FAMC03
FAPW03
FASA05
FC PV1 3DA 20P

FC-1RFP210200A
FCCFN6F441500A(1400)
FCH11QDD05P
FCH11QDD05X
FCH21PDA05X
FCH21PDD05
FCH21PDD15X
FCH23FDD05D
FCH33FDD25X
FCH61PDA
FCM10000-H1181DD230005
FCV11QFD05P
FCV21QDA05X
FCV21QDA05X
FCV33FDA
FCV33FDA05X
FD3061DA05P
FD5001DD05X
FD5062DA05X
FD7NDRAS140500A
FDBEM3S210200
FDBEM3S220235
FDM30000-30MBVDA291005
FDMH50-BR
FDMRN50COB
FDNDVAS140500C
FGABFQ4S31500 (1050)
FGCCFR4S30600
FGDBHN7S53000
FGDCFQ5P31500
for SEB-0261-B

FTEPR10CBA00ADF4
FTFCH21PDD05X
FTFCH23FDD05X
FTFDMH50BR05X
FTSC2100RODQ0500
FTSP2000BRN2
FTSP200LBQA2
LR-1011
PT-7320-S4000-0
PT-7620-S101-00
PT-7620-S111-10
PT7620-S441-00
PT-7620T1010-0
PT8320-SO-1111
RP80DCRG3000 >>> NEW NR. SE280DCRG3000
SA128A
SA130BEN0500
SC2110R6DQ500
SC2110R6ET0300L
SC24100-DDR+TB
SC28000-DCQ
SC281L0DCQ
SD20 4 AR NO-10m
SD20GM2N1
SDX2003A-AAA401 MAAPAAA2000
SE110BDRA0105
SE110CEUA0500
SE110EDRA
SE111ADMF
SE120EGMA0500(200)

SE130EGMA1500
SE280B
SE284DCR10150/5000
SE3800ACRG3000
SE3800BCRI
SE3800BCRI0300
SE3800DCRG1000
SE3800ECRI0300
SE3802DCRG3000
SE3805BCRFS
SE3810ACRG3000
SE3810BCRG3000
SE3810ECRH5000
SE3815DCRI5000TA
SE3815ECRI0150
SE3815ECRI0150/5000S
SE3815ECRI5000
SE3820BCRG3000
SE3820BCRI0300
SE3820DCRG1000
SE3820DCRG3000
SE3824BCRI
SE3825BCRI
SEB-0261-B
SER255ECRH3000
SEXBA1X-0008
SF 1710
SF1800
SFX10000-A1EAAA801MAX
SP200-6-BU-P2

SP202 0 2U A 0 0050	
SP20202UA-0-0050+TA	
SP202-0-2U-A-2-0050+TA	
SPX10000-AACA507MAB0040	
VP-30S	
VR 100 (AB2100)	
VT20	
SC1740R	SCX1001C-AABCAAA801MA000105 Tuning Fork Level Switch Type: Standard Certification: ATEX-Ex d Construction: Standard Power supply: 20~250Vac/Vdc 50/60Hz; Relay O/P- Euro terminal Connection: 1" PT Probe Material: SUS 304 Length: 105MM Weight: about 2.5 kg / per pcs
SE141BGMB0300	High-temp model with shaft protective tube type Voltage: 220Vac Connection: 2-1/2" x 5kg/cm2 (Standard thin flange) Paddle shapes: 65*80 (W x H) Length: 300mm
Model # SD204BRP1-A	Order Code# SDX1003A-AAA517MAAPBA0000 Model # SD204BRP1-A Housing Material: SUS304 Connection Thread:1/2"G Output:PNP Transmitter Material:PES Power Supply:10~28 VDC Contact:Normal Open (NO:actuate into water) Outlet Type:M12 Operating Temp:-10~125C Qty: 50 pcs (MOQ)
SEX20000-AAEAAA703H00713000	ROTARY PADDLE LEVEL SWITCH Model: SE3800ECRH3000 HOUSING: ALUMINUM COVER SUPPLY VOLTAGE: 24VDC CONNECTION: 3/4" PF PADDLE: PC SCIMITAR(120 x 98) CABLE LENTH: 3000MM Weight: approx. 1.90 / per unit
SE290BERH050	Rotary Paddle Level Switch(Mini Type) Order Code# SEX40000-CABAAB103H0500 Model: SE290BERH0500 Ambient temperature :-20°C ~ 80°C Power supply: AC220V Connection: JIS, 1-1/2", PF male Paddle model: PC; Scimitar type 120x98(WxH) Length: 500mm
SA111A	FineTek-Capacitance Level Switch Order code: SAX10000- BDAAA801RMA330250 Standard Model (12.7 Standard Type) Power supply: AC100V~240Vac (Rotary knob) Connection: Thread, 1"PT Output signal: Relay Probe material: SUS304 Insulated material: UPE Probe length: 250mm
Order Code# FCM10000-V2181DD230002	Model: FCV21QDD02P Mounting: Top or bottom mounting Type: Type 2 Material of Wetted parts: PP(Foam float), PP(Floating pole) Switching Capacity Max: 50W 240VAC/200VDC SPST Contact Model: Normal Closed Reversible Material of Lead wire: PVC (80BC AWG22) Lead wire length: 200 mm
Order Code# FCM10000-V2181DE230002	Model: FCV21QDE02P Mounting: Top or bottom mounting Type: Type 2 Material of Wetted parts: PP(Foam float), PP(Floating pole) Switching Capacity Max: 50W 240VAC/200VDC SPST Contact Model: Normal Open

	Reversible Material of Lead wire: PVC (80BC AWG22) Lead wire length: 200 mm
Rotary Paddle Level Switch	Order Code# SEX50000-AAEAAB103G0300T Model: SE110EERF0300 Customer label: SE255EERF Housing: Aluminum cover Power supply: DC 24V Connection: ANSI/ASTM, 1-1/2" PF Paddle model: 132 x 100 Length:300mm
SPX10000-AACA507MBB0040	Model: SP200-6-BU-P-2 Standard Construction: Compact type Connection: ANSI, 1/2", NPT male Material: SUS316 Output signal: PNP Length: 40 mm Cable Length: 2m
Tuning Fork Level Switch	Order Code# SCX1007C-CABCACB107MA000300 Model: SC1741R0EU0300 Standard Certification: NEPSI-Ex d Construction: Ultra extension type Power Supply: C :20~250Vac/Vdc, 50/60Hz ; Relay O/P - Euro terminal Connection: ANSI, 1-1/2", NPT male. Probe Material: SUS304 Probe Length: 300 mm
SE3800EERF	LEVEL SWITCH
Bvr-65 (Ab2065)	
Ff20bhm	
Sdb-B0	
Se284ccrk	
Sc2210x	
Fch23fdd05x Grenzscharter	
Se146 A/B/C/D/E	
Bvt 10 (Ab3010) Pneumatischer Vibrator Turbinenartig Vt-10	
0420433 Sensor Fd-1s110065	
Bvk 20 (Ab1020)	
Se3800eerf	Rotary Paddle Level Switch AL cover Power: 24Vdc Thread connection 1-1/2" PF(G) Stainless steel scimitar paddle
Fdsc 11	
Se141adnd0500	
Se180dcrg3000 Yerine Se280dcrg3000	
Se3800ecrk	
Pb 1471 T02 4120	
Fgdbhn7s53000 Magnetic Float Level Indicator	
Sc1410x	

Sa160 A/B/C
Fch21pdd05x Schwimmersensor
Fdmrn5b0b
Sc1600x
Pt7620-S11100
Sc2300x
Se111adm
Fd7 D Hm 7 S6 4
Sp200-6-Bq-A-2
Sc1740x
Sc1700x
Se174
Sb1710
Fdmrn5a0b
Sa376 Sa377 Sa378
Sc381
Sd204arp1
Facc05
Ff30a3q
Fd E Dq 1 S1 3
Sc1420x
Ff15heq
Fcv33fda05
Ff62dfm
Fd Mh50c/56c
Bah-40
Fc H21pd
Fd B Fm 4 S3 4
Sb1712
Se173

Sb2500
Cse110edrs Dn.No:10hb19680
Fd 50 1
Ff12heq
Sc352
Sf 1800 Durchflussschalter 1 Zoll
Fdmrn5a0b Marine Level Switch
Se130agma (1000)
Fd 35 1
Sc2200x
Sc2110
Fdmrn8c
Ff12dfq
Fch23fdd05x Schwimmersensor
Ab2050 Bvr-50
Bvp-60s (Ac1060s)
S/M 1015 47 Flow Sensor Sp-200-6-Bu-P-2
Sc281
Fdmrn5d
Fd 45 1
Ff45dfm
Fd7 D Hq 7 S6 4
Fdmrn5d0b
Vp-30s Vibrator
Bvk-16(Ab1016)
Fd K Hq 7 S6 4
Srt
Fch35gd
Fdmh50-Br(05x)
Ff50dfm

Se250eef	
Bvp 30s	
Fd E Eq 3 S2 3	
Fc-Pv1-3-D-A-20-P Niveauschalter	
Se3825bcri	
Sc2510	
Fd3501de05x Mini Float Level Switch	
Sc1540x	
Fd K Hm 7 S6 4	
Sa110 Sa111 A/B/C	
Fd3501de+tc	
??1025 (Vk-25) Vibrator	
Bvr-100 (Ab2100)	
Sd20	Please see attached Photo
Fd B Eq 3 S2 4	
Se190berf 230v/Ac	
Ff12bhm	
Fd B Hq 7 S6 4	
Ff73glo	
Fdmh60-Bq Fuel Level Sensor Horizontal Stainless Steel. 50vt240vac	
Fgccfr4s30600 Magnetic Float Level Indicator Fgccfr4s30600	
Fdmh50abq05x	
Sb2120	
Fd7 D Fq 4 S4 4	
Bvr-065(Ab2065)	
Sc1701	
Fd7 N Hq 7 S6 4	
0420433	
Sc1420	

Fd Mh60/66
Se177
Fapw-05
Efb-1420,Au15120111 Level Meter
Fch21pda05x Schwimmersensor
Ff20clo
Sa276 Sa277
Fc C Fq 5 P3 4
Efb-1250
Sb1711
Ff75dfm
Fd3501de05x
Fch11qd
Sa130 Sa132 A/B/C
Ac1040s Piston Vibrator (Vp-40s)size Range Of Rubber Mixers 270-20
Fd4001de05
Tx100r
Se3800bcmg1500
Se130ddmf1000
Ff10clo
Ff70/71dfm
Sc2500
Sb17 20 28 50 60
Fapw03 Schwimmer-Grenzschalter
Fd 30 2
Fdsf 11
Sc2120
Pneumovibrator Bvk-10
Fch23fdd50x
Fdmh66-Bq03x

Sc351
Fc Pv2
Fdmrn5a
Fd4001de05x
Ah-80
Bvr-065 Pneumatic Vibrator
Ff90clo
Ff12dfm
Bvk-20 Pneumatic Vibrator
Ff10dfq
Fc C Fq 6 F4 4
Se140 A/B/C/D
Fdsa 21
Fdsa 22
Sensor Sp200-6-Bu-P-2
Bvt-10 Vibrator
Fd Mh50br
Efb-1420 Level Gauge Sensor
Rp80dcrg3000 Gt;Gt;Gt; New Nr.
Se280dcrg3000
Famc03 Float Sensors
Pb-1471-T02-4121
Ff10dfm
Ff70/71cfm
Sb17 10 11 12
Sa 150 Bdq 1000
Bah-40 Pneumatikhammer
Pb-2471-T11-4101
Sb2200
Sc380
Sdx 20000-Aaa401maapaaa2000 Optical Level Switch

Fdsa 11
Efb 1250
Facc03
Sb2600
Sa180 Sa181
Se110b
Bvp-30s
Se3824bcri
Pb-2471-T11-4100
Sc350
Fch33fd
Fdmrn8c0b
Ff20dfq
Fdmrn8d0b
150 Bdq 4000
Sa140 A/B/C
Sc2100r
Sb 2 10 11 12 20
Sc2800
Sd21
Vt-25
Ff12ceo
Ff10heq
Sc1400
Fd 30 1
Pb-1471-T02-4120
Fd5003g
Ff12ceq
Ff12clo
Pb-2471-T11-0000 Obsolete/ Replaced

By Pb-1471-T01-0000
Fdmrn5c0b
Fcv21qda05p
Fch23fd
Fdmrn8b0b
Fd 40 2
Se255eerf
Fdmh60-Bu05x
Faccx6
Fd 50 2
Sa120 Sa128 A/B/C
Se140a3uf
Sez55eerf
Fd Mh60a/66a
Sc2100r0dq0500
Sc1710x
Fd E 3m 1 S1 3
Fc C Fn 5 P3 4
Bvr-50 (Ab2050)
Ff20cem
Fd-30-0-2-D-D-05x
Se111eqmf
150 Bdq 1500
Sa372 Sa375 Sa374
Cse110edrs
Efb-1400
Sc2400
Fd Mh60c/66c
Sc1741
Se3 20 24 22 25
Se110edra Sensor Rp101 (Se110 E

24vdc) Bestellnummer Se110edra
Fapw05 Schwimmer-Grenzschalter
Ff20dfm
Fd3061da05x
Fd-1s110065
Se172
Se141 A/B/C/D
Sc1740r0fw0105
Ff20dlo
Fd E Ej 4 S4 1
Fdmh50br
Bvp-60s
Fc H31pd
Bvk 13 (Ab1013)
Sc1400x
Ff70/71bhm
Sa370 Sa371 Sa373
Ff10ceq
Fd E Ek 3 S2 1
Sc24
Bvk-16 (Ab1016)
Se3 0 2 3 5
Fd B Fq 4 S4 4
Vibrator Bvp-60s
Sp202 0 2u A 0 0050 Sensor Duct
Sc1741x
Sd22
Fdsc 11
Fdmrn5b
Level Sensor For Se250

Ff55dfm
Sa278 Sa279
Fd3062da05x
Fd7 D Fm 4 S4 4
Bvp-30s Bvp-30s
Sd 220
Sc2100x
Se284bcric0300 Sensor
Sb1760
Se120
Fdmh66 Bq03x
Fch21pdd (Hexagon)
Fc Pv1
Sc2811
Se110 120 130
Facc20
Fdmrn5cob
Ff10cem
Fc H51pd
Sc35
Fc C Fn 6 F4 4
Fd Mh50/56
Sb1750
Fch21pd
Ec1300fx1100
Sc2110x
Ff80efm
Bvr-80 (Ab2080)
Ff40dfm
Se3800dcrg3000
Eb52a0-Dq1000

Bvk 32 (Ab1032)
Bvk-25 (Ab1025) Pneumatischer Vibrator
Se130egma1200
Sb2110
Fdsa 12
Ae 510
Fdsb 11
Facc10
Vt20 Pneumatik Vibrator Vt20
Sc1110 = New Article Sc2100r0dq0500
Pb2471-T118000
Sa270 Sa271 Sa273
Bah Pneumatic Vibrator
Sb1728
Ff20ceo
Se130
Fch23fdd05x
Fdm10000-06maca501291005
Se255ecrh3000(By Se3800ecrh3000)
Fas 75 Sus 304 Schwimmender Kabel- Level-Sensor
Fd E Em 3 S2 3
Se111admf Rotary Paddle Level Switch110vac, 5a/250vac, Flange: 1"x5k
Fd B Fq 4 S3 4
Se290bcrq0300
Sc241x
Bvt-08 Turbine Pneumatic Vibrator
Sc1740
Fdmrn8a0b
Se3820bcrl0300

Se171	
Ff10bhm	
Sdx 20000-Aaa401maapaaa2000 Niveauschalter Optisch	
Se111	
Se280dcrg3000	
Sc28	
Sb1720	
Ff12cem	
Tx101f	
Fg Tab-2100	
Fdmrn5c	
Se170	
Sc1410r6eu0300	
Se141bssb0500	
Fd7503g	
Se176	
Circled In Red Parts For Flowmeter Sp-200	
150 Bdq 3000	
Famc05	
SD204BRP1-A	Optical Level Switch 1. Material: SUS304 2. Protection: IP67 3. Operation Temperature: -10~125 °C 4. Ambient Temperature: -10~80 °C 5. Operation Pressure: Max.40kg/cm ² 6. Load Current: Max. Load 100mA 7. Overload Current Protection: 100mA 8. Power: 10~28 Vdc 9. Connection Thread:1/2"G(PF) 10. Lead Wire: 2m CABLE(dia. 3.8) 3C PVC 23 AWG (optional) 11.Output:PNP , Wet In Liquid NO Weight:560g
Se3800bcrl0300	
Fd B Fm 4 S4 4	
Sc240x	
Fd 75 1	
Fd B Fm 7 S6 4	
Ff81e	

Fc Pv3	
Fd7 N Hm 7 S6 4	
Fcv33fda05 Sensor Schwimmerschalter	
Fch25gd	
Se3 7 8	
Se160 A/B/C/D/E	
Se3800ecri0300	
Sb2280	
Sa150 A/B/C	
Se280	
Se140 160	
Eb5301-Eu2000	
Fdsc 61 1 Da 10 F	
Fcsbt8f251020a + Ta	
Efb-1420	Float Type EFB-1420 1. Housing material:P.P. (IP67) 2. Switch Component:Reed Switch 3. Switch Form: SPDT Hold type 4. Contact Rating:1A/30W 220Vac/200Vdc 5. Operate Temp.: -20~140°C (tank inside temp.) 6. Cable Length: 2M (PVC Cable)
Fdmh50br05x Float Liquid Level Sensor	
Sd20gm2n1-A Optical Level Switch	
Se175	
Eb4300-Dr00500 Niveausensor	
Sc1701x	
Bah-40 Pneumatische Hammer Ah-40	
Fdmh50br05x	
Sc1700	
Fd K Fm 4 S4 4	
Fcsbt8f251020a+ta	
Fch31pd	
Efb 1420	Float Type EFB-1420 1. Housing material:P.P. (IP67) 2. Switch Component:Reed Switch 3. Switch Form: SPDT Hold type 4. Contact Rating:1A/30W 220Vac/200Vdc 5. Operate

Temp.: -20~140°C (tank inside temp.) 6. Cable Length: 2M (PVC Cable)
Sp200-6-Bu-P2-0031
Sc1540
Edx40000-0cr Speed Monitormodel
Ff20ceq
Eb5300eq9000+ta
Fdmh50cbr
Fh Dm 4 S3 1
Fd 40 1
Bvk 10 (Ab1010)
Fch23fdd05d Schwimmersensor
Sa128
Fdse 11
Ec1210em
Eb4301du01000
Sc280
Fd K Fq 4 S4 4
Fd4503d
Fd 45 2
Sc1710
Fcv33fda05p
Bah-80 Bah-80 (Aa-2080)
Fd3061da05p Magnetischer Niveauschalter
20000-Aaa401maapaaa2000 Optical Level Switch
Sa272 Sa275 Sa274
Fgabfq4s31050
Sc1410
Se111egmf
Eb4301-Da20500

Fdmrn5c Hochwassersensor	
Fdmh50cbr Horizontal Mini Float Level Switch Insus304	
Sc1600	
Sb 2 28 50 60	
Sp2000brp2(0031)	
Sb2100	
Fm Fm 4 S3 1	
Fd B Em 3 S2 4	
Sc2300	
Sc382	
Bvt-25 (Ab3025) Pneumatischer Vibrator Turbinenartig Vt-25	
Ff10ceo	
Se3815dcri0150	Rotary Paddle Level Switch SE3815DCRI0150/5000 general Type Hausing: Aluminum cover with LED Lamp Model: High temperature shaft protective tube 1. Voltage: 24Vac, 50/60Hz 2. Mounting: 3/4"PF 3. Paddle: Stainless steel 100 x 30mm (W x H) 4. Length: 150mm 5. Contact capacity: 3A/250 Vac 6. Protection/material: IP65 Temperature: - 20~70°C
Fc H41pd	
Sp200-0-Br-B-5	
Fd3501de	
Fch21pdd05x	
Sc2500x	
Fd Mh50a/56a	
Se110	
Fdmh60-Bq	
Se110berf0500	
Sc2100	
Sc38	