

Finisar

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz. **Finisar** Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Finisar Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
FTLX8574D3BCL	850nm VCSEL, PIN, 10GBASE-SR/SW, 1200-Mx-SNL-I, 10.5 Gb/s multi-rate transceiver, limiting interface, RoHS/lead free, multimode, SFP+ footprint, LC connector, 0/70°C operation, 82m/300m
SP-280P-2	Electric Motor 230-240V, 50-60HZ, 825W IP44 LVR With low voltage release Without speed control With motor cable and plug
SP-7600-47	Pump tube 1200 mm - 47" Shaft Stainless Steel, Hose connection 1 1/4" for 1" hose, max. Temp. 80°C, AtEx 40°C
FTLF8529P5BNV	coherent 850nm Oxide VCSEL, 4x/8x/16x FC, 14.025 Gb/s transceiver, RoHS compliant, multimode, pluggable SFP+ footprint, 3.3V, LC connector, bail, digital diagnostics, -0/85°C operation, 100m on OM3 fiber at 14.025 Gb/s, rate selectable
FCLF8520P2BTL	1000BASE-T SFP transceiver, RoHS compliant, 3.3V, RJ-45 connector with serial ID, link indicator on RX_LOS pin, 10/100 operation with SGMII interface, separated signal/chassis grounds, -40/85°C operation, 100m
	1310nm DFB, PIN, OC-48 IR-1 GigE, 1x/2x FC, multi-rate

FTLF1421P1BTL	transceiver, RoHS compliant, single mode, pluggable SFP footprint, 3.3V, LC connector, digital diagnostics, -40/85°C operation, 15km
FTLF8519P3BNL	850nm Oxide VCSEL, GigE, 1x/2x FC, 2.125 Gb/s transceiver, RoHS compliant, multimode, pluggable SFP footprint, 3.3V, LC connector, bail, digital diagnostics, -20/85°C operation, 550m
FTLC1154RDPL	XCVR,QSFP28, 10km,100GBASE-LR4,4x 13XXnm LANWDM DFB,SMF,pull tab,LC,ROHS compliant, 3.3V, 3.5W, 0/70°C operation, Gen2
FTLC1156RDPL	XCVR,QSFP28, 10km,100GBASE-LR4,4x 13XXnm LANWDM DFB,SMF,pull tab,LC,ROHS compliant, 3.3V, 3.5W, 0/70°C operation, Gen3
FTLX8574D3BCL	850nm VCSEL, PIN, 10GBASE-SR/SW, 1200- Mx-SNL-I, 10.5 Gb/s multi-rate transceiver, limiting interface, RoHS/lead free, multimode, SFP+ footprint, LC connector, 0/70°C operation, 82m/300m
Ftlx1471d3bcv	
Pt41 X4g	943 866-001 15-05 M-FAST SFP-SM/LC /FTLF1323P1BTR-HM S/N : PT41 X4G
Ftlx1871d3bcl	
Ftlf1323p1btr-Hm	
Ftlx8571d3bcl (End Of Life)	
Ftlf1318p3btI	
Ftlf824p2bnv Çok Modlu Modülü Sfp-4.25g-0.5km-850nm	
FcIf8521p2btI	
Ftlx8512d3bcl	
FcIf8522p2btI	
Ftlx1471d3qcv	
Ftl4c1qm1c	
Ftlx1471d3bcl	
Ftlf1621p1bcl	
Ftlf1217p2btI	1310nm LED, 100BASE-FX, Multimode OC-1/OC-3, ESCON, RoHS compliant, multimode, pluggable SFP footprint, 3.3V, LC connector, bail, digital diagnostics, 40/85°C operation, 2km
Ftlx1472m3bcl	
Ftlx8571d3qcv	

Ftlx1672m3bcl
Ftlx8574d3bcl
Fcbn425qb1c20
Ftlx8574d3bnl
Ftlx8574d3bcv
Ftlx8511d3 - 10.5 Gbit/S Mm 850nm Xfp
Ftlx1471d3bnl
Ftlf8519p3bnl
Ftlx8571d3bcv
Ftrj1621p1bcl Obsolete/ Replaced By Ftlf1621p1bcl
Ftlx1475d3bcl
Ftlx8571d3bcl Obsolete/Replacement Ftlx8574d3bcl
Fclf-8521-3 Obsolete/Alternative Fclf8522p2btl
Ftlf8529p4bcv
Ftlc1151sdpl
Ftlf8519p3btl
Mgbxsx1
Ftlf8519p2bcl (Obsolete - 74 In Stock Left)