

Flender Couplings



Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Flender Couplings Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Flender Couplings Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
N-Eupex Flender 90 'Coupling	
N-Eupex Flender 160 Coupling	
Md 10.1 - 2009 S=6	Type: ZIN Size: 4 (STD) 000.009.981.511 ZAPEX ZI coupling Version A; S = 6 PART 1/2: (Part No. 1) Version A; NL = 120; Hole 120 M7 Slot DIN 6885-1 P9; 1 step PART 1/2: (Part No. 2) Version A; NL = 120; Hole 110 M7 Slot DIN 6885-1 P9; 1 step K1 = conservation Preservation with emulsion cleaner Indoor storage up to 3 months Operating instructions BA 3545 01/2019; 1 x DE Stat. Product number: 84836080 Country of origin: DE Germany AL: N ECCN: N Product number: 2LC0310-6AA99-0AA0-Z Order code: + L14 + L1S + M14 + M1Q
Md 10.1 - 2009 S=24	000.009.981.511
Md 10.1 - 2009 S=42	000.009.981.511
180'Er N-Eupex	
000.009.919.675	ZAPEX ZN coupling Type: ZNN Size: 307 n. MD 10.1 - 2017 Version A; S = 18 PART 1/2: (Part No. 1) Version A; NL = 200; SF = 9; Hole 170 H7 Slot DIN 6885-1 P9; 1 step PART 1/2: (Part No. 2) Version A; NL = 200; SF = 9; Hole 190 H7 Slot DIN 6885-1 P9; 1 step K1 = conservation Preservation with emulsion cleaner Indoor storage up to 3 months Operating instructions BA 3560 01/2019; 1 x DE Stat. Product number: 84836080 DE Product number: 2LC0330-8AA99-0AA0-Z Order code: + L2A + M2C + Y38 + Y39 + Y42 + Y43 Options: {Y38: 9 mm} {Y39: 9 mm} {Y42: 200 mm} {Y43: 200 mm}
000.009.953.333	ZAPEX ZW coupling Type: ZWTR Size: 290 n. MD 10.1 - 2017 acc. to customer drawing FLENDER 6 108 737 PART 1/2 (ZWTR): NL = 170; Bore 140 H7; Groove DIN 6885-1 P9 1 chr. Driving ring: K1 = conservation Preservation with emulsion cleaner Indoor storage up to 3 months Certificate DIN EN 10204-2.1; Factory certificate DIN EN 10204-2.2

	Operating instructions BA 3528 10/2017; 1 x DE Stat. Lot number: 84836080 Country of origin: DE Germany AL: N ECCN: N Product number: 2LC0300-7BN90-0AA0-Z Order code: + D98 + D99 + L1V
000.009.953.332	ZAPEX ZW coupling Type: ZWTR Size: 255 n. MD 10.1 - 2017 acc. to customer drawing FLENDER 6 006 234 PART 1/2 (ZWTR): NL = 145; Bore 120 H7; Groove DIN 6885-1 P9 1 chr. Driving ring: K1 = preservation Preservation with emulsion cleaner Indoor storage up to 3 months Certificate DIN EN 10204-2.1; Factory certificate DIN EN 10204-2.2 Operating instructions BA 3528 10/2017; 1 x DE Stat. Lot number: 84836080 Country of origin: DE Germany AL: N ECCN: N Product number: 2LC0300-6BN90-0AA0-Z Order code: + D98 + D99 + L1S
ARC08.BUB.270.(STD)	000.009.919.086 ARPEX-ARC coupling Type BUB size 270 according to MD 10.1 - 2017 B hub: undrilled B hub: undrilled K1 = conservation Preservation with emulsion cleaner Indoor storage up to 3 months Operating instructions BA8704 01/2019 + AN4241 10/2017; 1 x DE Stat. Lot number: 84836080 Country of origin: DE Germany AL: N ECCN: N Product number: 2LC0400-2AF11-0AA0
ARC08.BUB.355.(STD)	000.009.918.782 ARPEX-ARC coupling Type BUB size 355 according to MD 10.1 - 2017 B hub: undrilled B hub: undrilled K1 = conservation Preservation with emulsion cleaner Indoor storage up to 3 months Operating instructions BA8704 01/2019 + AN4241 10/2017; 1 x DE Stat. Lot number: 84836080 Country of origin: DE Germany AL: N ECCN: N Product number: 2LC0400-5AF11-0AA0
SCHRB-SCHM M18X1,5 140°C M.D. 5.8-13A	FLENDER COUPLINGS ITEM 000.001.250.339 FLUDEX FUSION LOCK. 140 DEGREE CELSIUS; M18X1.5 WITH SEAL RING Stat. Lot number: 73181900 Country of origin: DE Germany AL: N ECCN: N Product number: FFA: 000001250339
FLUDEX FAD 516 140Grad	
FLUDEX FAD 450 140Grad	
FLUDEX FAD 395 140Grad	
FLUDEX FAD 350 140Grad	
FLUDEX FAD 620 140Grad	
ARS06.AKR03.125	ARPEX-ARS coupling Type AKR03 size 125 according to MD 10.1 - 2017 ARPEX torque limiter AKR03 with flange connection for ArPEX size 125-6 Cyl. Bore Ø? (please provide bore with tolerance with the order) with keyway acc. DIN 6885-1 P9 Components balanced G6.3 following the DIN ISO 21940 Part 11 n = 1500 1 / min disconnecting torque adjusted to TA = 380 Nm K1 = preservation Preservation with emulsion cleaner Indoor storage up to 3 months Operating Instructions F 1509; 1 x DE Stat. Lot number: 84836080 Country of origin: DE Germany AL: N ECCN: N Product number: 2LC9478-8XX00-0AA0-Z Order code: + Y99

Type: A Size: 710 (STD)	N-EUPEX coupling n. MD 10.1 - 2017 PART 1: Hole 250 H7; 2 grooves offset by 120 ° .; Groove DIN 6885-1 JS9; 1 chr .; Full key balancing (n. D. N.); G 16.00 PART 2/3: Bore 260 H7; 2 grooves offset by 120 ° .; Groove DIN 6885-1 JS9; 1 chr., Full key balancing (n. D. N.); G 16.0 K1 = conservation Preservation with emulsion cleaner Indoor storage up to 3 months Operating Instructions BA 3100 10/2020; 1 x DE Stat. Lot number: 84836020 Country of origin: DE Germany AL: N ECCN: N Product number: 2LC0172-4AB99-0AA0-Z Order code: + L2G + L47 + L52 + M2H + M47 + M52
Type: A Size: 250 (STD)	N-EUPEX coupling 000.009.980.354 according to FLE 10.2 - 2021 PART 1: Bore 44 VB PART 2/3: undrilled K1 = preservation Preservation with emulsion cleaner Indoor storage up to 3 months Operating Instructions BA 3100 01/2019; 1 x DE Stat. Lot number: 84836020 Country of origin: DE Germany AL: N ECCN: N Product number: 2LC0101-2AB11-0AA0
Flender Couplings	
N-Eupex, Size 280	280 H Type Coupling Engine power: 280 kW , Rpm: 1485 rpm, Torque: 1800 Nm
ARC08.BUB.355.(STD)	ARPEX-ARC coupling Type BUB size 355 according to MD 10.1 - 2017 B hub: undrilled B hub: undrilled Preservative: CUSTOS 70-51-3
"bipex-S-Coupling	Product number: 2LC0190-6AC99-0AA0 Order code: + L0R + M0P 000.009.932.185 BIPEX-S_BHH_28 (STD) n. MD 10.3 - 2015 Cam ring: 98 ShoreA (red) H-hub: bore 28 H7 H-hub: bore 24 H7 Operating Instructions BA 3410 01/2019; 1 x DE Stat. Product number: 84836080
Type: H Size: 95 (Std)	000,009,980,501 N-EUPEX coupling n. MD 10.1 - 2017 S = 100 PART 1: undrilled PART 5: undrilled K1 = preservation Preservation with emulsion cleaner