



Frako

Garanti: 12 ay

Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine bařvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulařabilirsiniz.

Frako Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiřime ge¼iniz.

Firmamız Frako T¼rkiye Distrib¼t¼r¼ veya temsilcisi deęildir. Firmamız sipariř durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
Lkt 3.33-440-Ep	230V 0,9kVAR-280V 1,4k MONOFAZE KONDANSATOR
Lkt 4.17-525-DI	400V 2,4kVAR-440V 2,9kVAR-525V 4,17k
Lkt 5.0-440-DI	400V 4,17kVAR-440V 5k
Lkt 7.6-440-DI	400V 6,25kVAR-440V 7,6k
Lkt 10-440-Dp	400V 8,33kVAR-440V 10k
Lkt 15-440-Dp	400V 12,4kVAR-440V 15k
Lkt 25-440-Dp	400V 20,7kVAR-440V 25k
Lkt 10-440-Db	31-10412
Lkt 12,5-440-Db	31-10379
Lkt 20-440-Db	31-10436

LKT 25-440-DB	Power capacitor, three-phase Nominal power: 20.7 kvar at 400 V. in an aluminum cup 85 x 278 mm Nominal capacity: 3 x 137.0 µF including factory-fitted Terminal block AKD 30/3
LKT 33,3-480-DP	Power capacitor, three-phase Nominal power: 23.1 kvar at 400 V. in an aluminum cup 85 x 320 mm Nominal capacity: 3 x 153.4 µF including factory-fitted Terminal block AKD 30/3
LKT 30-440-DP	Power capacitor, three-phase Nominal power: 24.8 kvar at 400 V. in an aluminum cup 85 x 320 mm Nominal capacity: 3 x 164.4 µF including factory-mounted Terminal block AKD 30/3 Stat. Goods no. 85321000 Weight per piece / kg: 2.15 Country of origin: Germany
K3-90K00230	Capacitor contactors up to 80 kvar with leading resistance contacts for damping charging current peaks Coil for 230 V / 50 Hz
K3-62K00230	Capacitor contactors up to 50 kvar with leading resistance contacts for damping charging current peaks Coil for 230 V / 50 Hz
K3-50K00230	Capacitor contactors up to 33.3 kvar with leading resistance contacts for damping charging current peaks Coil for 230 V / 50 Hz
LKT 25-400-DB	Power capacitor, three-phase Nominal power: 25.0 kvar at 400 V. in an aluminum cup 85 x 278 mm Nominal capacity: 3 x 165.8 µF including factory-mounted Terminal block AKD 30/3
K3-115K00230	Capacitor contactors up to 100 kvar with leading resistance contacts for damping charging current peaks Coil for 230 V / 50 Hz
LKT 7,5-480-DD60	Power capacitor, three-phase Rated capacity: 7.5 kvar at 480 V. 5.25 kvar at 440V in an aluminum cup 85 x 163 mm Nominal capacity: 3 x 28.9 µF including factory-mounted Terminal block AKD 30/3
LKT 7,6-440-DL	Power capacitor, three-phase Rated capacity: 7.6 kvar at 440V 6.25 kvar at 400 V. in an aluminum cup 60 x 225 mm Nominal capacity: 3 x 41.7 µF including factory-mounted Terminal block AKD 25/3
LKT 10-440-DP	Power capacitor, three-phase Rated capacity: 10 kvar at 400 V. 8.3 kvar at 400 V. in an aluminum cup 60 x 225 mm Nominal capacity: 3 x 54.8 µF including factory-mounted Terminal block AKD 25/3
LKT 28,7-525-DP	Leistungs-Kondensator, dreiphasig Nennleistung: 28,7 kvar bei 525 V 20,2 kvar bei 440 V im Aluminiumbecher 85 x 320 mm Nennkapazität: 3 x 110,5 µF inkl. werkseitig montiertem Anschlussklemmblock AKD 30/3
Kondensator 440v 12,5kvar	
Kondensator 440v 15kvar	

Kondensator 440v 20kvar	
Kondensator 440v 25kvar	
Kondensator 440v 30kvar	
85321000	Power capacitor, three-phase Nominal power: 23.3 kvar at 400 V. in an aluminum cup 85 x 320 mm Nominal capacity: 3 x 154.6 µF including factory-fitted Terminal block AKD 30/3
LKT 25-400-DB	POWER CAPACITOR including mounted connection part AKD d x h = 85 x 278 mm
K3-32K00230	
LKT 5.0-400-DB	5 KVAR
LKT 7.5-400-DB	
LKT 12.5-400-DB	
LKT 10-400-DB	3P 10kVAr 400V Condenser
LKT 15-400-DB	3P 15kVAr 400V Condenser
LKT 20-400-DB	3P 20kVAr 400V Condenser
LKT 25-400-DB	3P 25kVAr 400V Condenser
LKT 3,6-400-DL	3P 2,5kVAr 400V Condenser
LKT 5,0-400-DB	3P 5kVAr 400V Condenser
800 V 30 KVAR CAPACITOR	
LKT 18-480-DP	Power capacitor, three-phase Nominal power: 12.5 kvar at 400 V. in an aluminum cup 70 x 265 mm Nominal capacity: 3 x 82.9 µF including factory-fitted Connection part AKD 25/3
LKT 33,3-480-DP	Power capacitor, three-phase Nominal power: 23.1 kvar at 400 V. in an aluminum cup 85 x 320 mm Nominal capacity: 3 x 153.4 µF including factory-fitted Terminal block AKD 30/3
FDKT 25-400-P7	Filter circuit reactor Nominal power: 25 kvar at 400 V. in a choked design Series resonance frequency: 189 Hz CU insert: 1.6 kg
31-10401	
31-10402	
31-10403	
31-10414	
31-10416	
31-10505	
31-10603	

31-10604
31-10616
31-10617
31-10694
34-72108
34-72109
38-00400
89-00286
AKD 25/3 FUR D=60/70 3PH
AKD 25/3 FUR D=60/70 3PH (Alternativ)
AKD 30/3 for D=85 3PH
EMR 1100 S /100-690V
LKI5-440-D50-60
LKT 10-400-DL
LKT 12,5-400-DB K18-0511
LKT 12,5-400-DL
LKT 12,5-440-DP
LKT 12.5-440-DB (31-10379)
LKT 15.0-440-DB (31-10406)
LKT 15.5-480-DP (31-10382)
LKT 20 400 DB (31-10418)
LKT 20.0-440-DB (31-10413)
LKT 20-400-D52 K18-0137
LKT 25.0-440-DP (31-10510)
LKT 25-400-DB,85x278mm
LKT 25-525-DB
LKT 28,2-440-DP K18-0646
LKT 30.0-440-DB (31-10408)
LKT 30-400-DB
LKT 33.3-480-DP (31-10558)

LKT 7,2-480-DL	
LKT 7.5-400-DB (31-10415)	
LKT11K70400DL50	
LKT12.1-440-D52	
LKT-30-440-DB-K18-0518	
PQC 12002401-0	
RM 9606 = PQC 0602401-0	
RM 1100S = PQC 1202401-0	
RM 2106	
RM 2112	
RM1100 = PQC 1202401-20	
LKT 15,5-480-DP	Power capacitor, three-phase Rated power: 10.8 kvar at 400 V in aluminum cup 70 x 265 mm Rated capacitance: 3 x 71.4 µF incl. factory-fitted Terminal block AKD 25/3
LKT 15,5-480-DP	Power capacitor, three-phase Rated power: 10.8 kvar at 400 V in aluminum cup 70 x 265 mm Rated capacitance: 3 x 71.4 µF incl. factory-fitted Terminal block AKD 25/3
LKT 28,2-440-DP	Power capacitor, three-phase Rated power: 23.3 kvar at 400 V in aluminum cup 85 x 320 mm Rated capacitance: 3 x 154.6 µF incl. factory-fitted Terminal block AKD 30/3
LKT 30-440-DP	Power capacitor, three-phase Rated power: 24.8 kvar at 400 V in aluminum cup 85 x 320 mm Rated capacitance: 3 x 164.4 µF incl. factory-fitted Terminal block AKD 30/3
LKT 33,3-480-DP	Power capacitor, three-phase Rated power: 23.1 kvar at 400 V in aluminum cup 85 x 320 mm Rated capacitance: 3 x 153.4 µF incl. factory-fitted Terminal block AKD 30/3
LKT 12,5-400-DB	Power capacitor, three-phase Rated power: 12.5 kvar at 400 V in aluminum cup 70 x 225 mm Rated capacitance: 3 x 82.9 µF incl. factory-fitted Terminal block AKD 25/3
LKT 10-525-DP	Power capacitor, three-phase Rated power: 5.8 kvar at 400 V in aluminum cup 70 x 225 mm Rated capacitance: 3 x 38.5 µF incl. factory-fitted Terminal block AKD 25/3
LKT 28.2-440-DB	
31-10407	POWER CONDENSER incl. mounted connection part AKD d x h = 85 x 278 mm
LKT 2.4-480-EP	
LKT 3.6-480-EP	
LKT 6.0-480-EP	

LKT 1,0-400-DL	
LKT 1,5-400-DL	
LKT 3,6-480-DL	
LKT 5,0-400-DB	
LKT 7,5-400-DB	
LKT 10-400-DB	
LKT 12,5-400-DB	
LKT 15-400-DB	
LKT 20-400-DB	
LKT 25-400-DB	
LKT 30-400-DB	
LKT 28.2-440-DP	POWER CAPACITOR 31-10535 incl. mounted connection part AKD d x h = 85 x 320 mm
CAPACITOR LKT-28,2 440 - DP FRAKO	
10 KVAR 525VAC 3-PHASE POWER CAPACITOR	
12.5 KVAR 525VAC 3-PHASE POWER CAPACITOR	
20 KVAR 525VAC 3-PHASE POWER CAPACITOR	
25 KVAR 525VAC 3 FAZLI GÜÇ KONDANSATÖRÜ	
LKT30-440DP	
31-10417 Lkt15-400-Db	
Fdkt 50-400-P1	FILTERKREISDROSSEL
Ltk 7.5-440-Db	
31-10510	
Lkt 33.3-480-Db	LEISTUNGS-KONDENSATOR inkl. montiertem Anschlussteil AKD d x h = 85 x 320 mm
Ltk 30-440-Db	
Ltk 25-440-Db	
Ltk 10-440-Db	
20 Kvar	

31-10694 Lkt 21,6-480-Hd60 (Price Is Valid Only For 100 Pcs.)	
31-10509 Lkt 30-440-Dp (Price Is Valid Only For 40 Pcs.)	
29-20100	
K3-32k00230 Fra 25kvar	
Lkt 9,1-440-DIs	
Kit10-400-7s	
31-10689 Lkt 25-480-DI60 (Price Is Valid Only For 70 Pcs.)	
K3-62k00230 Fra (89-00276)	
Lpm7-230-11	
Ltk 5-440-Db	
Lkt 15-440-Dps	Power capacitor LKT 15-440-DPS - Technical data and dimensions see data sheet 31-10506 LKT 15-440 DPS POWER CAPACITOR incl. mounted connection part AKD d x h = 70 x 225 mm
30 Kvar	
K3-74a00230	SCHÜTZ K3-74A00230 60KVAR FRA SPULE 230V50HZ 240V60HZ B&J
Lkt 12,1-440-DI	
Lkt25?400-Db 25kvar	
Lkt 28,2-440-Dp	
31-10413 (Lkt 20-440-Db)	
29-20083	
Rm 9606	
31-10558 Lkt 33,3-480-Dp (Price Is Valid Only For 43 Pcs.)	
K3-18k10	
31-10416 Lkt 10 400 Db	
Fdkt 12,5-400-P1	FILTERKREISDROSSEL
31-10610	
31-10558	
Lkt 9,1-440-DI	

K3-62a00230	SCHÜTZ K3-62A00230 50KVAR FRA SPULE 230V50HZ 240V60HZ B&J
31-08003	
K3-32a00230	SCHÜTZ K3-32A00230 25KVAR FRA SPULE 230V50HZ 240V60HZ B&J
Ltk 15-440-Db	
25 Kvar	
Emr 1100 S U=230/400v - Obsolete , Repaced By 38-00400, Type Pqc 1202401-0	
31-10381	
Lkt 30-440-Dp	POWER CAPACITOR incl. mounted connection part AKD d x h = 85 x 320 mm
Lkt 18-480-Dp	LEISTUNGS-KONDENSATOR inkl. montiertem Anschlussteil AKD d x h = 70 x 265 mm
Lkt 12,1-440-DI (31-10610)	
Pqc 1202401-0 100-240v R250v (38- 00400)	
Ltk 20-440-Db	
Hb11	
Fdkt 25-400-P1	FILTERKREISDROSSEL
K3-18nd10230	SCHÜTZ K3-18ND10230 FRA 12,5KVR 230V50HZ 240V 60HZ B&J
Emr-1100	CONTROL RELAY POWER FACTOR W/12 CONTROL CONTACTS
Lkt 28.2-440-Dp	Power capacitor LKT 28,2-440-DP - Technical data and dimensions see data sheet 31-10535 LKT 28.2-440-DP POWER CAPACITOR incl. mounted connection part AKD d x h = 85 x 320 mm
31-08000	
Emz-1102	ENERGY MANAGEMENT SYSTEM V3.20 ROM
31-10402 Lkt 25-400-Db	
K18-0814	
31-10612 Lkt 17,6-440-DI (Price Is Valid Only For 70 Pcs.)	
Lkt 30-440-Db	
Lkt 7,2 ? 480 ? DI	
Emr 1100 S	

