



Habasit

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapılabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Habasit Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Habasit Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
M2544 Tight Radius 1"	M2544 Tight Radius 1 " Collapse factor 1.6 (see table for exact factor) POM impact and fatigue resistant, white Suitable for direct food contact, see certificate Width: 400.00 mm (24.00 increments) Length: 20,020.80 mm (776 rows) Snap fit rods left / right made of PA, beige Bars alternately mounted left / right
Tc-20ef Pet Power	Transmission Belt TC-20EF Polyester-Antriebsriemen Endlos, Flexproof-EV 10x120 Breite: 25,0 mm, Länge: 4.525,0 mm
TC-20EF PET Power	Transmission Belt
160Ö24000	
89	
8M-A-01PU15X10	
A-0127000	
A-2 ANCHO=75 ESPESOR=2,8	
AF-100-US-80	
B1-05-PE10G-003+RC	
C0820G19	
CM-03-GALVX-003	

CNC-6EB
CQ-01 PQ-18/0
EMB-12EMCH
ET01-PE10G-03000
F-2EQWT
F-2EQWT 05
F-5EQWT
FAB-5E TPU Food
FAB-5ER 10
FAB-8EOCV
FMT-02TXCT-U1 TPU
FNB-5E
FNI-5E
FNI-5EIVH-P1 TPU
FNI-6EIC
HAG-12E
HAM-5P 150MM
HAM-5P 35Ö160000MM
HAT-5E 15
HAT-8P
HNA-18P
HNA8P
K2341B851
L=10000MM
M0P05060M5-N2
M242058 (B= 510 mm, L= 200.050,4 mm)
M2510B0753
M2510F0753
m2531 raised rib
M25S1240R6
M25Z1840Q6KIT
M50S16120Q8
M642354+AS
MAM-04H 40Ö20000MM
MRICI 160 U03A
NAB-11EEDV PVC

NAJ-8EEDV 11 PVC	
PB2460	
PF-100S/8	
PF-101/8	
PNB-12EIWD TPEE	
POLYCORD 10MM	
PQ-01/8 1X230V	
PQ-18/8	
PQ-18/8 WELDING DEVICE FOR ROUND BELTS	
PT-103/8	
R-12	
S-10/15 B=35 MM X L=6 625 MM	
S-10/15 B=35 MM X L=8 770 MM	
S-140H	
S-18/20	
S-251H	
SNB-5E(ENDLESS) 150Ö1000	
TC-20EF FLEXPRESS-EV LANGE 1990,00MM BREITE 40,00MM	
TC-35/35ER	
TC-55ERA	
TS-10	
Typ:F-0 Size:20x5930	
Typ:F-0 Size:20x6140	
Typ:F-0 Size:20x5700	
Typ:F-0 Size:20x5850	
V1C04-PE10G-003+RC	
MB 01 UHV	
ENB-15EHBT TPU	conveyor belt HabaFLOW® high-performance conveyor and processing belt Transport side: Black, Fine,TPU Bottom side: Grey, Impregnated fabric, PET fabric ENB-15EHBT TPU conveyor belt Suitable for direct food contact, see certificate Endless, Flexproof-EV 20x80 Width: 807.0 mm, length: 5,000.0 mm Customs tariff number: 59100000
ENB-15EHBT TPU	conveyor belt HabaFLOW® high-performance conveyor and processing belt Transport side: Black, Fine,TPU Bottom side: Grey, Impregnated fabric, PET fabric ENB-15EHBT TPU conveyor belt Suitable for direct food contact, see certificate Endless, Flexproof-EV 20x80 Width: 500.0 mm, length: 5,000.0 mm
W3011 15x1040	0123
	Conveyor Belt NAB-8EEDV 11 PVC conveyor belt OS material: polyvinyl chloride (PVC), color: dark green Endless, Flexproof-EV 20x80 Width:

NAB-8EEDV 11 PVC	600.0 mm, length: 3,638.0 mm Attachment product data sheet with the request for examination
NAB-8EEDV 11 PVC	Conveyor Belt NAB-8EEDV 11 PVC conveyor belt OS material: polyvinyl chloride (PVC), color: dark green Endless, Flexproof-EV 20x80 Width: 750.0 mm, length: 1,800.0 mm
NHM-6EKBV PVC	Conveyor Belt NHM-6EKBV PVC Conveyor Belt OS material: polyvinyl chloride (PVC), color: black Endless, Flexproof-EV 10x80 Width: 150.0 mm, length: 3,980.0 mm When placing the order, please be sure to state whether the tape is to be prepared with an end connection or manufactured endlessly or delivered as open yard goods. Customs tariff number: 39269097
NHM-6EKBV PVC	Conveyor Belt NHM-6EKBV PVC Conveyor Belt OS material: polyvinyl chloride (PVC), color: black Endless, Flexproof-EV 10x80 Width: 110.0 mm, length: 3,820.0 mm When placing the order, please be sure to state whether the tape is to be prepared with an end connection or manufactured endlessly or delivered as open yard goods. Customs tariff number: 39269097
M25S1640Q6	
M2533 WPP MODUL BANT W:300MM	
A5-280X9696	280x9696
M1220 MOD.BANT M1220 250 GPP	
NHM-10EKBV 11 PVC	NHM-10EKBV 11 PVC conveyor belt OS material: polyvinyl chloride (PVC), color: black open-blunt Width: 900.0 mm, length: 19,850.0 mm
NHM-10EKBV 11 PVC	NHM-10EKBV 11 PVC conveyor belt OS material: polyvinyl chloride (PVC), color: black open-blunt Width: 900.0 mm, length: 2,974.0 mm
NHM-10EKBV 11 PVC	NHM-10EKBV 11 PVC conveyor belt OS material: polyvinyl chloride (PVC), color: black Endless, Flexproof-EV 20x80 Width: 900.0 mm, length: 9,280.0 mm
NHM-10EKBV 11 PVC	NHM-10EKBV 11 PVC conveyor belt OS material: polyvinyl chloride (PVC), color: black open-blunt Width: 900.0 mm, length: 17,850.0 mm
NAJ-10ESBV 13 PVC	NAJ-10ESBV 13 PVC Flame Retardant Tape OS material: polyvinyl chloride (PVC), color: black open-blunt Width: 800.0 mm, length: 40,250.0 mm
NAJ-10ESBV 13 PVC	NAJ-10ESBV 13 PVC Flame Retardant Tape OS material: polyvinyl chloride (PVC), color: black open-blunt Width: 800.0 mm, length: 21,800.0 mm
Rphg197h04	
M2514	
M25s1240q6	
Xvt-2236 Pa 25x1350	Folder-gluer Belt XVT-2236 Polyamide Carton Belt Endless, Thermofix 90 ° Width: 25.0 mm, length: 1,350.0 mm Note: S-18/60 replaced by XVT-2236 Customs tariff number: 40101200 When placing the order, please indicate whether the band should be open blunt (by the meter) or the end connection should be prepared or endlessly produced.
Tc-20ef B=20 , L=84100mm	
F1ftomm3013	
Nach Zeichnung: Fnb-5eq - 1450	
Pc-06l=368 Mm Rundriemen, Endlos-Quickmelt	

Mam-5e Keilriemen B=65 Mm X L=709 Mm, Endlos Flexproof	
Xvt-2236 Pa 25x5180	Folder-gluer Belt XVT-2236 Polyamide Carton Belt Endless, Thermofix 90 ° Width: 25.0 mm, length: 5.180.0 mm Please indicate when placing the order, whether the band is open blunt (meterware) or the final connection should be prepared or endlessly made. Customs tariff number: 40101200
Mam-5e Keilriemen B=80 Mm X L=1 345 Mm, Endlos Flexproof	
M25z1840q6kit	
Naq-10elbv Band 11 B=94 Mm X L=1 655 Mm, Endlos Flexproof	
Af-100/Us-80	
Af-100-Us-80 Stanzapparat10/80	
Mam-5e Keilriemen B=65 Mm X L=535 Mm, Endlos Flexproof	
Rr-6 (H?-6/Rb/Db) Rundriemen Habicord L=300 Mm, Endlos-Quickmelt	
Xjt-633 B= 15 Mm, L= 1075 Mm	
Pf-101/8 Flexpr. Quickm. Thermofix 230v	
Nhm-10esbv-E3 Band (Evt-565) B=400 Mm X L=17 975 Mm, Mit Mechanischer Verbinder (R-05-V (A3-Ss-600))	
N-28665 Molton B=400 Mm X L=10000 Mm	
Tc-20ef	
S-18/30 Pa Power	
Nhm-10esbv-E3 Band (Evt-565) B=400 Mm X L=26 775 Mm, Mit Mechanischer Verbinder (R-05-V (A3-Ss-600))	
M2510 Flat Top 1	
Naq-10elbv Band 11 B=94 Mm X L=3 294 Mm, Endlos Flexproof	
Ts-10 Spindelbandendlos Band, Thermofix Ev 75b= 40 Mm, L= 290 Mm	
Sz26	
Mam-5e Keilriemen B=80 Mm X L=4 938 Mm, Endlos Flexproof	
F1mm3013	
Tu10 Ftomm3012	
Nab-10elbv Band 11 B=800 Mm X L=3 249 Mm, Endlos Flexproof	
M50s1060q6	
Nhm-10esbv-E3 Band (Evt-565) B=400 Mm X L=1 855 Mm, Mit Mechanischer Verbinder (R-05-V (A3-Ss-600))	

F-1
M12s2425r6
Pq-18/0
Mam-5e Keilriemen B=80 Mm X L=2 030 Mm, Endlos Flexproof
Hcsp6x1w1320
Tc-20ef Flexproof-Ev Lã196;Nge 1990,00mm Breite 40,00mm
Tc-20ef B=20, L=91800mm
Fmt-02txct-U1 Tpu Food Transportband
Fr25/1,2f1
Fab-5er 10 Siliconefood Conveyor Belt
Ham-5p
Mam-5e Keilriemen B=65 Mm X L=2 510 Mm, Endlos Flexproof
M242058 (B= 255 Mm, L= 400.050 Mm)
M2520e0513
M254011
M64s1260q8-C2
Fab-5e
Mam-5e Keilriemen B=50 Mm X L=570 Mm, Endlos Flexproof
Nnt-8eewe11 1000mm En: 970 Height: 2065 White
T-13
Mam-5e Keilriemen B=200 Mm X L=1 210 Mm, Endlos Flexproof
345
T10a01uu6x25
Pc-06l=580 Mm Rundriemen, Endlos-Quickmelt
Af-100-Us-80 Stanzapparat 10/80
T622x6000
08700
M2520
F1f1ftomm2512
Mam-5e
Snb-5e 230?3737.5
N-28665

Mam-5e Keilriemen B=200 Mm X L=845 Mm, Endlos Flexproof
Mm6
Naj-10esbv Band B=710 Mm X L=4 755 Mm, Mit Mechanischer Verbinder (R 05-V (A3-Ss-600))
Mat-02h Keilriemen B=65 Mm X L=745 Mm, Endlos Flexproof
Mam-5e Keilriemen B=60 Mm X L=1 393 Mm, Endlos Flexproof
Hat-8p L= 3130 Mm
K23416740
S-140h Pa Power
M25s1840q6
M25s0830r6
Is5035 Inductive Sensor
K23416739
Xjt-633 B= 15 Mm, L= 1365 Mm
Nsl-10elbv 11 En: 600mm, Height: 7980 2000 Mm Replaced By Nsl-10elbv-U2 (B= 600 Mm, L= 7980 Mm)
F1mm3012
E7061zg
R-8
Sab-12e 07 Pvc
M502358+as
Hat-5e
Mam-5e Keilriemen B=65 Mm X L=3 130 Mm, Endlos Flexproof
M247053
VI54-250 Maschine Zum Spannen Fell.Connector
Xjt-633, 25.0x1400, Alternative F-0
Nab-18eeav 11
Nach Zeichnung: Fnb-5eq - 1765
Pc-04I=266 Mm Rundriemen, Endlos-Quickmelt
A-T3-296
Hat-8p L= 3300 Mm
M2533
Fr15/1,2f1
Fix406

M25s2060q6
Mam-5e Band B=50 Mm X L=1 114 Mm, Endlos Flexproof
Fab8e
W-8
Snb-5e(Endless) 150?1000
S-18/30 (Offen, Meterware)
Byh-A-02-03
Xvt-2237 Gurt (S-10/30s, S-10/30d) B=15 Mm X L=3 126 Mm, Endlos Thermofix
Hsw-5eb 4265*120 High Duty Conveyor And Processing Belts
K2347c394
Hsw-5eb
Fr30/1,4f1
Pc-06l=380,5 Mm Rundriemen, Endlos-Quickmelt
Pc-05l=318 Mm Rundriemen, Endlos-Quickmelt
Mam-5e Keilriemen B=65 Mm X L=600 Mm, Endlos Flexproof
S1830
Naq-10elbv Band 11 B=1000 Mm X L=2125 Mm, Endlos Flexproof
Fni-5eiwh-P1 Tpu Food-Transportband
M12s1525r6
K2341b025
Mat-02h
Tu10 Mm3012
S-23 490?19 Flachriemen
Fni-5e
M25s1040q6
Fni-6eic
Pc-03l=212 Mm Rundriemen, Endlos-Quickmelt
T10a01pp6x25
Nsl-10elbv11 En: 600mm, Height: 5950 2000mm-Replaced By Nsl-10elbv-U2 (B= 600 Mm, L= 5950 Mm)
Nhm-8esbv
M242058 (B= 85 Mm, L= 50.038 Mm)
M2510
EN 300MM

Zs-T10s01pu	
E-Fb13-Fw-C100	
Naq-10elbv Band 11 B=1 200 Mm X L=970 Mm, Endlos Flexproof	
Ct-18/40e (Xvt-2416)	
Naq-10elbv Band 11 B=500 Mm X L=2 125 Mm, Endlos Flexproof	
Nab-10elbv Band 11 B=1 200 Mm X L=4 270 Mm, Endlos Flexproof	
E5833zg	
Naq-10elbv Band 11 B=74 Mm X L=1 100 Mm, Endlos Flexproof	
M2500	12 ZAHNRAD
Zs-At5s01uu	
Fr20/1,2f1	
Mam-5e Keilriemen B=65 Mm X L=570 Mm, Endlos Flexproof	
Nab-10elbv	
Tcf-35el	
Naq-10elbv Band 11 B=74 Mm X L=4 980 Mm, Endlos Flexproof	
Hat-8p L= 2140 Mm	
?? 01 Uhv White Profile	
Byh-C1-01-03	
3605m15htd	
F1mm2012	
M2423 Non Slip 1	
K2341b851 Set Of 12 Belts Hni-5p	
F-0 Pa	
C7100k0405pthg	HabaCHAIN® Flexi 7100 HA (Radius) Width 102.9 mm, length 3.048 mm Extra Low Friction POM, white With rubber TPE, black Customs tariff number: 39269097
Nnt-8eewe11 En: 970 Height: 3025 1500mm White	
M2510b0753 U. Scoop 1" Flat Top W100 H75 Pom Blue	
M2510f0753 Univ.Flight Ribs 1" Flat Top W100h75 Pom Blue	
Byh-A-01-04	
P-Rb06-Kg-N250	
F5eqwt	

Wfkx001c02	
Mam-5e Keilriemen B=80 Mm X L=3 980 Mm, Endlos Flexproof	
Tu6fto	
S-18/20 Pa Power	
Rr-6 (H?-6/Rb/Db)l=345 Mm	
Mam-5e Band B=50 Mm X L=480 Mm, Endlos Flexproof	
7110513c03	
T101400 Z140	
Tc-20ef 20x97660mm	
Nach Zeichnung: Fnb-5eq - 1263	
Xvt-2236 Pa 25x2760	Folder-gluer Belt XVT-2236 Polyamide Carton Belt Endless, Thermofix 90 ° Width: 25.0 mm, length: 2.760.0 mm Please indicate when placing the order, whether the band is open blunt (meterware) or the final connection should be prepared or endlessly made. Customs tariff number: 40101200
Hal-12e	
M50s1040q6-N1	
F-0	
Hnb-8ekk-4022-M-1004917	
Nhm-10esbv-E3	
K23407823	
Mam-04h	
M247012	
Naq-10elbv Band 11 B=1 200 Mm X L=1 470 Mm, Endlos Flexproof	
E6361zg	
Tc-20efq	
Naj-10esbv Band B=400 Mm X L=1 855 Mm, Mit Mechanischer Verbinder (R 05-V (A3-Ss-600))	
M38s0840q6	
Rt00157h15	
Naj-10esbv Band B=400 Mm X L=20 613 Mm, Mit Mechanischer Verbinder (R 05-V (A3-Ss-600))	
S-251h Pa Power	
Hat-8p L= 1129 Mm	
Fab-2e Band B=110 Mm X L=3 143 Mm, Endlos Flexproof	
Riemen Angetriebenen Habasit S-140h	

150xI037
Snb-8e 1990?8150mm
Naj-10esbv Band B=400 Mm X L=2 055 Mm, Mit Mechanischer Verbinder (R 05-V (A3-Ss-600))
T101140 Z114
Nsl-10elbv