

Herion

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Herion Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Herion Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
PDS-1-008-M-2-2	Pressure switch PDS Output: changeover contact Pressure setting range: 0.5 ... 8 bar Diaphragm: NBR Fluid connection: Inside G1 / 4 "rigid E connection: M12x1 Customs tariff number: 90262080
151-120-016	Bevel gear Ratio 1: 1, axis angle 90 ° Module 2.0, number of teeth 16, Ø bore 10 mm Pitch circle Ø 32.0 mm, outer Ø 34.83 mm Distance between centers 31.0 mm Material C45
5205060000000000	
80 208-13	
23 2 212	Eccentric press clutch/brake valve
0820850 - 0.5...30 BAR	
5205230 9000 230 00	
2623077303202450	5/2-WV-Mono G1/4 24VAC D-22 5/2-WAY VALVE

8026670	
7994300.0000.84909	Series 79943 Designation 2/2-WV-NC G1/2 Without magnet PEL no. 2102500000000000
7921200.0000.11934	Magnet-30 Series 79212 Designation Magnet-30 DIN/A 200Vdc 16W PEL no. 0000000080020000
2493231080111050	3/2 W safety V G11/2 110VAC G1 ½" ,3/2 WAY PRESS SAFETY VALVE XsZ50, dynamic self-monitoring, 2...8bar, with pressure compensator 1028100, in 110VAC including plug NOTE****: The requested item 2492200 (XSE, NG50, 1 ½", with monitoring switch, from 1982) is no longer available. There is also no longer a spare parts set available. . We offer you one here Alternative from the current delivery program Series XSZ. . Please check the Possibility of using the offered version.
6A-250V	Herion pressure switch Range: 0.3-10 bar connection 1.2"
17D11V04X1/ 05X1/ 14X1/ 24X1,IMI	96000 series
001672000000000000	Herion Silencer
240677000000000000	3/2-WV-NC G1/2 Without magnet 3/2-WAY VALVE G ½" , oxygen , oil and grease free , DN 12, 0...40bar,
0000000150011000	Magnetic screw 110Vdc
9601430427123050 IMI Herion 3/2 way solenoid valve	
7030117020002400	2/2-WV-NC G1/2 24Vdc
102519900000000000	4/3 W cycle valve Without magnet
HDS-1-080-K-2-1	Pressure switch HDS HDS-1-080-K-2-1 Output: changeover / SPDT Pressure setting range: 10...80 bar Piston with seal: PTFE/NBR Fluid connection: Inside G1/4", rotatable E- connection: DIN EN 175301-803 A
4/2-WV-MONO G1/4 WITHOUT MAGNET	
8026770080002400	3/2-Wv-Nc G1 24Vdc
Device socket Form A M16x1.5	057027500000000000
Pressure switch HDS	HDS-1-160-K-2-1 1200252 Output: changeover / SPDT Pressure setting range: 10...160 bar Piston with seal: PTFE/NBR Fluid connection: Inside G1/4", rotatable E- connection: DIN EN 175301-803 A
5/2-WV-Bist G1/4 Without magnet	263626500000000000
Valve Article No 209110 (Kv=17.5,DN40,90mm)	
Controller Type 8693 Article No	306975

Silencer G 1/8 / Article No. 780779	
Adapter Kit For Actuator Series	Type 23xx/2103 / Article No. 679917
Valve Article No 215258(Kv=1.2,	1/2",70mm)
Valve Article No 215911(Kv=2.1,	1/2",70mm)
Valve Article No 342902(Kv=0.35,	1/2",70mm)
Valve Article No 225130 (Kv=0.1,	19mm,70mm)
Valve Article No 215257(Kv=0.5,	DN15,70mm)
Controller Type 8694 / Article	323270
Silencer G 1/8 / Article No. 780779	
Adapter Kit For Actuator SeriesType	23xx/2103 / Article No.679917
2401149	3/2-WV-NC G1/4 Without magnet
3/2-WV-NC G3/4 Without magnet	8026670000000000
0882200	
1512	
1493105080002400	XSZ32HS 3/2-way safety valve
7601	S10G01G0081
5992890	
SP-016-V-VR-1	
2102500000000000	2/2-WV-NC G1/2 WITHOUT MAGNET
0662861000000000	Rolling membrane
0664190000000000	Rolling membrane
0658264.0000.00000	
Sc6vh846168	
0000000.0201.11050	
0593211	
2493045	VALVE
B72h-2ak-Aw1-Rmg-Qwn	
S/524.	
Ng01-5/2	
4050314000000000	
Xsz 32 - 2493134-0800	

0567314000000000	
4050214000000000	
2531950015802400	
2493130.0801.02400	
M32912089	
Xsz 20 3/2 G3/4	
Xsz-8	
5205393723602400	
S6vh10g02000160v	
4040301000000000	
Bpm16v10g20082300	
97426035-Qty25	ADAPTOR SWIVEL ELBOW 6MM PRICE PACK OF 25
Vs26sa11df213a	
L74m-4gp-Qpn	
R27-200-Rnlq	
8020750 0246 11050	
0178100.0000.00000	
41939906	
80 266 - 52 - !! With Quot;8026672.0000.00000quot;	
24131241301g	VALVE
2636036	
S6v10g09723060v	
0559821.0000.00000	
9030600015523050	
2636265	
0820250.0000.00000	
088220	
0819400	
0823003	
1811605(Ex08116-00)	

Ventil, Nr. 2401107000000000
8510600.8404
4050401
B68g-Nnk-Ar3-RIn
0881317
Vs26s511df213a
1453027
02:03 Rac A = G1-G1 P = R = 1 Å189; Type 8027970 110 Vac Coil With 02
B68g-Nnk-Mr1-RIn
0617447 0000 024 00
S6vs6vh10g02000160v
S6vh10s3 020 001 100
Xsz32
2623000303102400
0882200
M32912231
0680560
0820750.0000.00000
18d0883100
0016520000000000
0557586.0000.00000
M332912225
1065183
Spa -1065360-001
8020750024602400
0000000.0246.24050
0820760
M04010333
P411ei-Kfm
S035033

05888190000000000	
8021950	
9713535205000000	
2556105-0201-120/60	PNEUMATIC VALVE 120V 60HZ
Sxe0575-A50-00/23n	
80208402038	SOLENOID VALVE
901318	
T1000c4800	
2401551131022060	
08174 5-100 Bar	
B68g-Agk-Ar3-Rln	
01-776-00	
2636000-0201	
Best Nr:8020204	
8026772	VALVE
0557569	
00112000000000000	
0882400	
0662573.0000.00000	
0820160	PRESSURE SWITCH 0.2-12BAR 250V 6AMP
8240400.9101.23050	
2625462.9000.02400 (4amp;2-Wv-Mono G1/8 Tio 24 Vdc)	
000000042812350	
0000000421123050	
2531150015802400	
S6dh0019g020001500	
Sxe9573-Z70-81/33n	
0000000.1301.23050	
0701246.0000.00000	
4081101706501200	

8020747.4211.23050	
9933402020	
5980030000000000	AMPLIFIER
59-985-13	RV-41 MODULE
B64g-Nnk-Ad1-Rmn	
2622200000000000 (Ex. 2625600)	
2401112082711000	
4383-700	
Hloa-05	
0592457	
5996715	MODULE NT11
Sxe957552708333n	
0000000.0201.02400	
Xsz-10	
0820150.0000.00000	
59-989-15	CABINET TYPE 06.481.0029
0575682.0000.00000	
1452841	
2533930	
8510700.8404	
Gr1-1/4	
S6v10g0972306ov	
Din En 175301-803a	
8d160nk0821069	
0000000.0801.02400	
2533930000	
2636200.0000.00000 (5/2-W v-Bist G1/4 Ohne Magnet)	
R74g-4gk-Rmn	
8130951	
70331-28-0201	

5205230900023000	
0655089.0000.00000	
2636200.0247.02400 (5/2-W v-Bist G1/4 24vdc)	
8026672.0000.00000	
081 1545 0,3-6 Bar	
4040214	
M32912090	
02500810000000000	
0592790.0000.00000	
Mav40cp111	
80208-50	
M32912225	
2500151131022060	
0570110	
08207700000000000	
9033501 (3/2-W v-Nc G1/4 Ohne Magnet)	
S6up10g19020540v	HYDRAULIC VALVE 160-315BAR 16AMP 12VDC COIL
24 93 00.0801	
Vs26sb11df213a	
07016230000000000	
Xsz-32	
24011834670d	VALVE
M04010051	
M/S4 (Schalldö;Mpfer G1/2)	
F73g-2gn-Qt1	
0000000.2051.00000 (Magnet Ii2g/2d Eexia Iic T5/T6)	
9713765.2051.024.00 - !! With Quot;9713765.2051.00000quot; (Solenoid Valve , 3/2way)	

0821150	PRESSURE SWITCH 6AMP 250V 10-160BAR
2636000	
Xsz32 Pnömati Valf	
08177 00 10-400 Bar	
Sxe9573 Z70 81	
S10vh11g008001600	
0567676	
2552201.0201	
2413406168123050	VALVE
V70427-K52	
408831070710120	VALVE
8240200.91101.02400	
0800993050	
1841415	
0178000.0000.00000	
0701374.0000.00000	
S10up10g21201620v	
0565849.0000.00000	
0000000.4000.02400	
11-204-006	
S6vh67g02019260v	
2636200.0246	
Regelschema 681671 Teil Nr.3505	
0565855.0000.00000	
Xsz-50	
02526240000000000	
Xtk-600-F1-S1-1	
2533650015802400	
2493130	PNEUMATIC PRESS SAFETY VALVE
97426045-Qty25	ADAPTOR SWIVEL ELBOW 8MM M16X1.5 PACK OF 25
0820750	PRESSURE SWITCH 6AMP 380V 600VA 30BAR MAX

Ng20-R3/4	
2636247	
9713765.2051.00000 (3/2-W v-Nc Npt1/2 Eigns)	
0178300.0000.00000	
Mv-So-53-Sra-110	
26-362-01	SOLENOID AIR VALVE
8650700.8404.11049	
Xsz-20	
8205400	
V07-200-Nnag	
0882100	
Ng02-5/2	
08207600000000000	
4088217.7053	KIP VALVE W/COIL
80265730801	
0000000.0800.02400	