



Inoxpa

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Inoxpa Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Inoxpa Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Typ: Lr1.10-20030-600	Code: A4012-2600VU lateral agitator LR2 Propeller T10 Marine D.600 3 KW, 200 RPM, IE3
Slr 1 - 40	
Slr 1-40 Aisi 316l	Cash pump (without motor) Rotary lobe pump SLR according to specification Cash pump (without motor) Net weight: 17 kg Pump connections: DN40 acc. DIN11851 (milk pipe screw connection) Housing material: 316L Material rotors: 316L Mechanical seals: SiC / carbon / EPDM, simple Insulation - drive: class F
In1g3271452028	Spare part Inoxpa SLR Mechanical seal (item 08) SLR 1 Ø28 C / SiC / EPDM
In8jd70c01250	Spare part Inoxpa SLR O-ring set (pos. 80, 80A, 80B, 80D) SLR 1, EPDM
In8qd700121452	Spare part Inoxpa SLR Mechanical seal + seal kit O-rings (Item 08, 80, 80A, 80B, 80D) SLR1, C / SiC / EPDM ALTERNATIVE to the top
Se-28 E Hyginox	Centrifugal pump Hyginox 17 'SE 28 MR with engine cover (MR) Motor IE3 4P 230/400 V 50 HZ ABB T90 1.5 KW B3 / B14 IEC, 1500 RPM Connections suction / pressure side: DN 1 ½ "RJT BS1864, Impeller: D200 mm Seal: FPM FDA GLRD: GRAF / SILIC / FPM FDA 1 piece SE-28 MR Successor model to serial number: I217984
1c110-005003806g4h0520g	Hyginox shaft SH-26/28/35/38G SE-36 AISI-316 84139100 IND
1c110-005002006c4h0520c	SH/SE Hyginex c. Shaft 20 316L M.90
SE 35F I07084C	
34136416	Centrifugal pump type Hyginox SE35 7.5kW, 3000rpm, 316L according to technical specification Standard centrifugal pump with SiC / carbon mechanical seal, EPDM seals Including engine cover and pump feet Pump connections according to DIN 11851 Parts in contact with the product stainless steel AISI 316L (1.4404) Other parts stainless steel AISI 304 (1.4301) Surface quality: inside Ra <0.8 µm, outside matt Gear motor: three-phase, 50 Hz, 400 V Å / 690 V Ö, IE3, TechTop Degree of protection IP55 Insulation class F Nominal pressure 10 bar Temperature range -10 ° C to +120 ° C
PROLAC HCP 40-205	Centrifugal pump 4.0 KW, 112 motor, 3000 RPM, 50 HZ, GLRD: SILIC / SILIC / EPDM, total weight: approx. 60 kg,
IN8GC150381252	Spare part Inoxpa Prolac S Mechanical seal + housing seal O-ring / nut (Item 08, 80A, 80D) S-38 Carbon / steel-steel / EPDM
O-Ring Nr 80B SLR-3	Spare part rotary lobe pump SLR 82.22 x 2.62 EPDM Inoxpa
IN1G3281452050	Spare part aspir pump Gelitring seal Carbon / SiC / EPDM FDA50
17 EFI 2	Centrifugal pump Estampinox 17 EFI 2 Impeller 135, 3000 RPM, IE 3, 2.2 KW, Standard mechanical seal Cer / C / EPDM FDA Connections: screw connection (ISO 7) DN 1 - R 1 ½ DN 2 - R 1 ½ Without engine cover Parts in contact with product 316L (1.4404) Other parts 304 (1.4301) Code: C0142-1352U022

SE 35	Centrifugal pump Hyginox 17 SE 35 DIN M, 3000 RPM, IE3, 7.5 KW, Standard mechanical seal C / SiC / EPDM FDA Connections: DIN 11851 DN 1 - DN 65 DN 2 - DN 50 With engine cover Parts in contact with product 316L (1.4404) Other parts 304 (1.4301) Code: C1435-012U075
SE 26	Centrifugal pump Hyginox 17 SE 26 DIN M, 3000 RPM, IE3, 5.5 Motor with reduced size 112 Standard mechanical seal C / SiC / EPDM FDA Connections: DIN 11851 DN 1 - DN 65 DN 2 - DN 50 With engine cover Parts in contact with product 316L (1.4404) Other parts 304 (1.4301) Code: C1426-012U55E
SE 28	Centrifugal pump Hyginox 17 SE 28 DIN M, 3000 RPM, IE3, 5.5 Motor with reduced size 112 Standard mechanical seal C / SiC / EPDM FDA Connections: DIN 11851 DN 1 - DN 40 DN 2 - DN 40 With engine cover Parts in contact with product 316L (1.4404) Other parts 304 (1.4301) Code: C1428-012U055E
Typ 6477	Straight ball valve 101.6 Ball valve type 6477 Housing: AISI 316L, full bore Elastomare: EPDM Connections: thread-thread (both sides), SMS
23134006CA	Spare part ball valve Inoxpa Handle NW80-100 / 3 "-4 2 positions, 304L
DIV000FITT	Threaded nut 104 SMS
DIV000SPARE	EPDM seal f. mother
Impeller for EFI Estampinox EFI 3 CF3M	D= 155 mm Code: 1C010-002015506
Estampinox shaft (Shaft) for EFI Estampinox EFI 3	Material 316 L Code: 1C010-005015506
Code: 1T387-1000006	Blind nut DIN 1587 M10 A4
Code: 1H681-06005050018	Feather key (KEY) DIN 6885A 5 x 5 x 18 Material: V4A
Code: 1C010-035015506	Estampinox washer (Flat washer) for EFI Estampinox EFI 3 Material 316 L
IN1G3271452050	Spare part Inoxpa SLR Mechanical seal (item 08) SLR 3 Ø50 C / SiC / EPDM
SLR 1-40 AISI 316L	Rotary lobe pump SLR Replacement pump for the existing rotary lobe pump SLR 1-40 with serial number I 341552 SLR 1-40 AISI 316L according to specification We offer a pump head, i.e. without a motor, gearbox and base plate. Net weight: 17 kg Country of origin: India
Mechanical seal (item 08)	Spare part Inoxpa SLR SLR 1 Ø28 C / SiC / EPDM Mechanical seals for the existing rotary lobe pump SLR 1-40 with serial number I 341552
CC32-125	min. (ATEX EX dII B T4) mit Motor
hyginox 17 se 20 DIN M 3000 RPM IE3 2.2kw	
LR 1.10-20040-650	LR2 agitator LR agitator with Propeller T10 Marine D.650 Motor 4 KW 200 rpm IE3
LR 1.10-20040-650	LR2 agitator LR agitator with Propeller T10 Marine D.650 Motor 4 KW 200 rpm IE3 WITH 60Hz MOTOR
LR 1.10-20030-600	LR2 agitator with marine propeller D.600mm Motor power: 3kW Motor efficiency: IE3 200 rpm
SLR 1-40 AISI 316L	Rotary lobe pump SLR according to specification Rotary lobe pump without motor, without gear (bare shaft pump) Pump connections: Dairy pipe screw connection DN40 / 40, according to DIN11851 Material wetted parts: 316L Mechanical seal: single, carbon / SiC / EPDM (FDA) Motor: Gear motor provided by the customer Net weight: 17 kg / pump Replacement for serial number I 259685-4
ME6103 3000RPM IE3 2.2kw	Bottom tank mixer + Sup. mechanical seal ME-6101/103/105/110 D.28 BCL SIC/SIC/FPM FDA + Sup. Cooled mec seal ME-6101/6103 + Sup. Orings ME-6103 FPM FDA CE 1935/2004
K-295 SD	
IN1D80022003042K	Spare part Inoxpa Kiber Stator (item 22) KS-30, single st., NBR black for KIBER with serial number I095508

IN8JD31002578	Spare part Inoxpa Kiber Seal (item 80) Kiber 25/30, FPM Item 80 spare parts list
IN1G1091478030	Spare part Inoxpa Kiber Mechanical seal (item 08) Kiber 25/30, SiC / C / FPM Item 8 spare parts list
Typ DIN-FOOD 150-125-250 AISI 316	Centrifugal pump according to specification. Connections: DIN ASEP. FLANGE KIT, DN150 / DN125 DIN 11864-2 Impeller: 260mm Pump housing: 316L Bonnet: Yes, made of 304 Mechanical seal: SiC / SiC / FPM FDA - carbon / SiC / EPDM, double Elastomers: O-rings made of FPM (FDA) Motor: 400 / 690V 50Hz ABB IE3 4-pole 18.5kW 3 thermistors PTC150 1500 rpm, IP55, class F, motor size T180 Total weight: 1,770.80 kg net plus tare
IN8GD700121452	Spare part Inoxpa SLR Mechanical seal + seal set O-rings (Item 08, 80, 80A, 80B, 80D) SLR1, C / SiC / EPDM
IN1D80022005042K	Spare part Inoxpa Kiber Stator (item 22) KS-50, single st., NBR black for model KIBER KS-50 with serial number I023608
Rotor KS-50 316L ref. 10506	Net weight: 4.9 kg Origin of goods: India Tariff number: 84139100
SE-28	
Type PROLAC HCP 40-205	Centrifugal pump Prolac Motor 5.5 kW, 3000 RPM Frame size 132mm according to specification 84137081 1 piece 2,371.34 2,371.34 Mechanical seal: SiC / carbon, EPDM, single Connections: Milk pipe screw connection according to DIN11851 Impeller: 195mm Motor: 5.5 kW, 50Hz, 3000 rpm, IE3, Protection class: IP55 Insulation: class F Bonnet: Yes Pump feet: yes Tariff number: 84137021 Origin of goods: India Net weight: 62.5kg
SE 28	centrif. pump hyginox 17 SE 28 DIN M 3000 RPM IE3 5.5. KW T112 without shroud and without feet
20163005IN	Spare parts diaphragm valve Type Veevalve DN15-25 + 3/4 "-1" Membrane no.2 PTFE / EPDM
KIT MEC. SEALS+O RINGS pump casing SLR 3	repair kit komplettC/SIC/EPDM FDA CE 1935/2004 3-A
Sanitary rotary lobe pump SLR 1-40	D7013-01
20163005IN	Spare parts diaphragm valve Type Veevalve DN15-25 + 3/4 "-1" Membrane no.2 PTFE / EPDM
SLR 2-50	https://www.inoxpa.com/uploads/document/Fitxa%20tecnica/Components/Bombes/SLR/FT.SLR.4_EN.pdf
#V9460-0004002	Air drive LO / FS T2 for butterfly valve NW32-100 for ball valve NW40-50 Inoxpa
Neu Bedarf Pumpe	Hinweis: Das Material, das durch die Linie läuft, ist 'VINAS'. Motorleistung: 3 kW Höhe, bei der die Pumpe fördert: 5 Meter Gesamtlänge der Leitung, die die Pumpe fördert: 55 Meter Winkelstücke, die in den Windungen der Leitung verwendet werden, wo die Pumpe übertragen wird: 90 Winkelstücke 14 Stück Winkelstücke, die in den Windungen der Leitung verwendet werden, in die die Pumpe übertragen wird: 45 Winkelstücke 1 Stück
SLR 1-40 AISI 316L	34236352 Rotary lobe pump according to specification Standard pump without motor Mechanical seals: SiC / carbon EPDM (FDA) Connections: according to DIN 11851 standard
04.78.90.24.83	
165-SD/KS-50	
17 SE 20	
17 SE 35	
1935/2004	
1C011-004109810	
1C110-005003506F	
1D100-002010555	
1d700-002001306	
1D700-002002206	

1D700-002003306
1D700-005003209
1D700-025002206
1D700-150002213. SPECIAL TOOL LOBE SCREW SLR-2
1D810-022005041 265 NBR
1D810-022005041K 265 NBR
1D900-021026506 265 AISI 316L
1G110-4450025
1G150-1450050
1G219-3450025
1G311-1450028
1G322-4050035
1G327-1452050 for SLR3-50 C/SIC/EPDM
1g330-4050028
1G330-4050035
1J106-500266026
1J106-500283017
1J106-500632026
1J503- 40035045070
1J560- WK028040070
209959B
264683
27134039CA
282700 300 T10E
34131036IN
34136437
34236352
34236356
34236357
34600243IN
34600439INUSP

450811.E / 1W010-0500052025
6400
6400 AISI 304L DN 50
80A
80A: 1J106-501202035/S-15: I138533D, I138533B
80D
8A500-010205C
8GD70-0221452
8JD70-C03250 6LGW3
8JV48-52065 DN 65 EPDM
A-150 CF3M
A316 SH 20
A4012-1600VE
A5002-2E011
A5102-2U110
AISI-316
BZ3213
C0141
C1028-012E022R3
C5080-014E022
CARBID/EPDM.35
CARBID/EPDM.50
CARBIDE/EPDM .35
D7022-01
D7032-01
D8003-01
DN 50
DN 25 316L(V7200-000650025)
DN 3" 316L I HT C586 PN10
DN 32
DN32 316L
DN40/DN50

DN50 316L
EN12756 L1K
FAN FOR SE 26 E
HYGINOX SE-35 DIN MR
HYGINOX SE-35 P4
HYGINOX SE-35 PY-P2-P3
HYGINOX SE38G
Hyginox SE35
IN1D100002010255
IN1D100002011055
IN1D81022005042K
IN1G1094452043
IN1G2221452038CE
IN1J50540040055
IN8GD200321452
IN8JD70C0227875
K-155-SD
KS 40 (D8004-01)
KS40
KUPAR KIPK 1/2" P12-P13
KUPAR KIPK 1/2" P18
LM 1.10- 6022.1.225
LR 1 – 25
ME 1101
ME-4105 3000 RPM A5023-2E040
ME-4110 7,5KW 3000RPM
ME-4125
Model: FRT-C-2- 030
Model: SLR 1-40, Nr: I213752-12
N1G1101452025CE
NW 80 DIN

R1082PN10	
RF20-50+1,5KW 1000 RPM	
S-28 E	
SE20 mit	
SE20 MR	
SE20 OHNE	
SE28 MR	
SE38G	
SLR 1-25 DIN M	
SLR 1-25, S/N:228789 B	
SLR 1-40 17 D7013-01	
SLR 1-40 DIN M	
SLR 3-50	
SLR3-80	
SUPL.CURRENCY SCREW-PROPELLER ME-1101	
TLS 3 -80	
T-ST304	
U20R GRAF/SIL/EPDM BQ1EGG	
V9460-0004003	
W1100-006500251	
WIRE FILTER	
Progressive Cavity Pump KS-40	Like specification Bare-shaft pump (pump without motor) Connections: DN65/65 according to DIN11851 Material: 316L Material support: GG-22 Material stator: NBR black Material seals: FPM / Viton (FDA) Mechanical seals: Carbon/SiC/FPM (FDA)
Spare parts mixer type ME-6130 1500 rpm, IE2 22kW:	MECHANICAL SEAL C/SIC/EPDM FDA Item 8 parts list ME-6100 C. ME-25 SPECIAL GASKET PTFE Item 18 parts list O-RING 70 FDA EPDM PEROXIDE 202.57 X 5.33 Pos. 80 parts list O-RING F.PUMPEHUS S-28.35 EPDM Item 80A parts list O-RING 70 FDA EPDM PEROXIDE 46.04 X 3.53 Pos. 80B parts list V-RING NBR 85.00 Pos. 81 parts list SPLASH RING EPDM SHAFT 86 Pos. 82 parts list
Position 8	Spare part Inoxpa Kiber Mechanical seal (item 08) Kiber 40/50, SiC/C/FPM
Position 31	End ring KSF40/50 316L
Position 55	Prolac HCP Threaded Bolts DIN916 M6x8 304 (A2-70)
Position 70A	Spare part Blender M440
Position 31A	WASHER BEARING KS-40/50 MATERIAL F-522 / AISI D2
Position 66	LOCK RING DIN 471 E-40 STEEL
Position 70	CYLINDRICAL ROLLER BEARING SINGLE ROW NU 208

Position 88	RADIAL SEAL BA NBR D.48 X 65 X 10
Position 88A	RADIAL SEAL BA NBR D.40 X 55 X 7
ME-4100 Inline mixer	
V9460-8004002	
ASPIR A-50 DIN M 1500 RPM IE3	SELF-PRIMING PUMP ASPIR A-50 DIN M 1500RPM IE3 0.75 KW with legs and motor cover https://www.inoxpa.com/products/pumps/sidechannelpumps/side-channel-pump-aspir HS Code/PA codego: 84137045 Origin Country: IND Weight: 27.00 kg
ASPIR A-150 DIN M 1500 RPM	SELF-PRIMING PUMP ASPIR A-150 DIN M 1500 RPM IE3 4 KW with legs and motor cover 1 https://www.inoxpa.com/products/pumps/sidechannelpumps/side-channel-pump-aspir HS Code/PA codigo: 84137045 Origin Country: IND Weight: 65.00 kg
SLR1-25	
SLR 2-40	
7201 clamped check valve 2" 316L	
1V1D2-0500098000	DIAPHRAGM` 06 SIZE 2 PTFE/EPDM SE. FDA HS Code/PA codigo: 40169300 Origin Country: DNK Weight: 0.10 kg
wie auf dem Bild	
SLR 2-40	
D7023-01	LOBE PUMP SLR 2-50 DIN M // HS Code/ PA codigo: 84136039 Origin Country: IND Weight:28.00 kg
Hyginox SE 35 Clamp ring	
Hyginox SE 35 Casing O- ring	
D7023-01	LOBE PUMP SLR 2-50 DIN M // HS Code/ PA codigo: 84136039 Origin Country: IND Weight: 28.00 k
ME-1101	agitator Vertical agitator/mixer type ME-1101 Installed power: 1.1kW , 50Hz, 3000 rpm Voltage: 230/400V, 50Hz Splash protection: IP55 Rotor slim design Screw propeller, Vortex screw propeller Material: 316L stainless steel Execution: hygienic Net Weight:: 26kg
WAKH0-00652025310	INNOVA VALVE TYPE K H DIN W 316L EPDM FDA DN 25 ACT. T1 A/S NO S Code/PA codigo: 84818099 Origin Country: Ind Weight: 5.10 kg
1W9AN-0808203000	C. ACTUATOR VALVE INNOVA TYPE N/K 304 ADAPTATOR SHAFT TO C-TOP REED
V9C00-1184000	C-TOP REED 24V DC 1S
Model 26 seri no 43121iin38	Dichtungs set
SLR- 3-80	
Diaphragm valve 316	Diaphragm valve 06 Pneumatic A/S stainless steel Connections: Clamp OD/Clamp OD Case material: 316L Elastomer material: PTFE/EPDM Orifice: 1" / MIR-MIR Surface: mirror finish inside/outside SF1 Ra <= 0.51µ Control head: without
8GD70-0124452	KIT MEC. SEALS+O-RINGS PUMP CASING SLR 1 SIC/SIC/EPDM FDA CE 1935/2004 3-A HS
D7013-01	SLR 1-40 LOP POMP
d7013-01	LOBE PUMP SLR 1-40 DIN M
Material : C/SiC/EPDM	Art Nr. 8GD70-0121452
Material :	

C/SiC/FPM	Art Nr. 8GD70-0121478
Material : SiC/SiC/EPDM	Art Nr. 8GD70-0124452
Material : SiC/SiC/FPM	Art Nr. 8GD70-0124478
PUMP HYGINOX 17 SE 20 DIN M 3000 RPM IE3 1.5 KW	SUP. IMPELLER DIAMETER HYGINOX '17 SE 20 / 110 Art Nr. C1420-012U015- 9FC14-020
INNOVA VALVE TYPE K H OD W 316L EPDM FDA DN 1"	ACT. T1 A/S NC Art Nr. WAKH1-00652025110
C. ACTUATOR VALVE INNOVA TYPE N/K 304	ADAPTATOR SHAFT TO C-TOP REED Art Nr. 1W9AN-0808203000
C-TOP REED 24V DC 1S	Art Nr. V9C00-1184000
Wie Bild	
D6202-01	FLEXIBLE IMPELLER PUMP 16 RF 02/20 BARE SHAFT DIN M m0000 MOTOR IE3 UL/CSA 4P 230/400V 50HZ TECHTOP T3AR T80 0.75 KW B3 IEC 3 THERM. PTC 150 KGD60-102005103B BASE PLATE+COUPLING RF 02/20 - 05/25 N.00 AR-28 304 M.80 Model: RF-02/20 Suction (mm): DN 25 Type: Discharge (mm): DN 25 Drive power (Kw): Connection type: DIN 11851 MATERIALS AND DESIGN Pump casing: 316L Impeller/Rotor: NEOPRENO Shaft: 329 Stator: Support: GG-22 Gaskets: NBR Mechanical seal type: SINGLE Mechanical seal materials: CERAM/C/NBR DRIVE Type: Electric motor Voltage: 230/400V Form: B3 IE3 Revolutions (rpm): 1450 Insulation: CLASS F Drive power (Kw): 0.75 Protection: IP55 Frequency (Hz): 50 Motor size: T80
HCP 40-150	
Progressive Cavity Pump KS-40	34200304 Kiber worm pump Bareshaft pump (pump without motor, without base plate) Connections: DN65/DN65 according to DIN11851 Pump housing: made of 316L Rotor: made of 316L Mechanical seal: single, carbon/SiC/FPM (FDA) Stator: NBR black
D3401-314U00701	KVB 25 Progressive cavity pump Motor 0.75 KW Execution: Motorreductor / Gear unit
D3401-314U01501	KVB 25 Progressive cavity pump Motor 1.5 KW Execution: Motorreductor / Gear unit
IN1D80022004042K	Spare part Inoxpa Kiber Stator (item 22) KS-40, single st., NBR black
IN1G1091478043	Spare part Inoxpa Kiber Mechanical seal (item 08) Kiber 40/50, SiC/C/FPM
SLR MECHANICAL SEAL 3A C/SiC/EPDM FDA 28	1G327-1452028
S-20C I101391 B	From the seal shaft of the coded 2.2kw pump
SE200	from the shaft of the pump
KIBER KS-40	
V7553-070641050	PRESSURE-VACUUM VALVE CLAMP 316L NBR DN 2"
IN1D100002010556	Spare part Inoxpa RF Impeller (item 02) RF-05/25 NBR food grade EC1935/2004
SE-20 C	Suction Mouth: 50 mm Pressure Mouth: 40 mm
D7022-01	Inoxpa SLR 2-40 Maximum Flow: 13,3 m³/h Maximum Speed: 950 rpm Weight: 26 kg
ME4100	
ME4105	

SE35 11.0kW 3000rpm 316L	34136437 Centrifugal pump Hyginox SE35 11kW 50Hz Connections: DN80/DN50 according to DIN11851 Impeller: 200mm Mechanical seal: simple, carbon/SiC/EPDM Drive: Motor voltage: 400/690V 50Hz Power: 11kW Insulation: Class F Splash protection: IP55 Engine size: T160
10/40	
pump bellows rubber	
OIL PUMP KS-50 REPAIR EQUIPMENT ROTOR	
OIL PUMP KS-50 REPAIR EQUIPMENT STATOR	
34700901	Part of Lobepump SLR Front Cover SLR-2 pos3
IN1D700045002203	Spare part rotary lobe pump SLR-2/3 Blind locknut Inoxpa Position 45
IN1T2381204004	Spare part SLR-2 pump Stud DIN 938 M12X40 304 (A2-70) (55A) Position 55A
34700671	Spare part rotary lobe pump SLR O-ring No. 80A SLR-2 136.10 x 3.53 Inoxpa
DN150	hygienic 316 quality stainless valve
SE20 2.2kW 3000rpm 316L	Hyginox SE centrifugal pump 34136405 Centrifugal pump with hood and pump feet Connections: according to DIN11851 (dairy pipe screw connection) Mechanical seal: SiC/carbon/EPDM, simple Motor: TechTop, 2.2kW, IE3, 3 phases, 50 Hz, 230 V Δ / 400 V Y
SKDS 3kw 70 rpm	
CENTRIF. PUMP ESTAMPINOX 17 EFI 2 MR IMPELLER	125 3000 RPM IE3 2.2 KW
34200305	Kiber screw pump Progressive Cavity Pump KS-50 Like specification Eccentric screw pump type KS-50 according to serial number I 127847 Connections: DN80/DN80, according to DIN 11851 Material: Housing: made of 316L Support: GG-22 Stator material: NBR Seals: FPM (Viton) FDA Mechanical seal: Carbon/SiC/FPM (FDA)
SLR 1-40 AISI 316L	Rotary lobe pump SLR Rotary lobe pump type SLR 1-40 Connections: DN40-DN40 according to DIN11851 Mechanical seals: carbon/SiC/EPDM, single Product contact parts: 316L stainless steel Bareshaft pump (without motor)
HYGINOX SE28	
Type S Radial Seal EPDM FDA DN 65 - 2 1/2"	Position 5E
Type N shaft seal EPDM FDA DN40/100 -1 1/2"	Position 5
Type N guide ring 3A TFM 1600 DN 40/100 - 1 1/2"/4	Position 17
O-RING 75 EPDM FDA 88.49 X 3.53 (70 EPDM 291)	Position 20B
1j106-501774035	
Epdm- Nw38/40(Dn40)	
Slr2-40	

Tank Bottom Seat Valve Clamp Dn65	
Hyginox 17 Se 28 Din M	CENTRIF. PUMP HYGINOX 17 SE 28 DIN M 3000 RPM IE3 4 KW HS Code/PA codigo: 84137021 Weight: 59.00 kg
14062005	
08	
1j106-500822026	
P/N: D7032-01 Type: Slr 3-50	
08+08a : 1g222- 3450016/S-15: I138533d, I138533b	
17a	
1j505- 40055072100	
V4800-000450050	
1g322-1050050	
Epdm- Nw50/51(Dn50)	
W6011	CONTROL SEAT LIFT VALVE FOR C-TOP+ 24VDC SIZE DN3
05a.	
08 1g230 4050025 S 28 E I138529c	
08a: 1g220- 4050025/S-28 E: I138529c	
1g330-4050050	
13.	
(Mech.Seal Stat. Grafit/Epdm 1g322- 1050028) 08a	
Slr2-50	
Slr 1-25	
1d200-080103250	
1j106-801646035	
Sh-20 C,Position:01,Pump Housing,Aisi 316 Pump Snail	
Seal Cover For Slr-2 / -09	
Tank Bottom Seat Valve Clamp Dn80	
Slr 3-80	LOBE Pump SLR 3-80 SMS M

1d700-018103290
1d700-002002306
Slr 3 Shaft Sleeve
Slr3 Rot.Part B15 Carbide/Epdm.50
Tls 1-40
Type Kh Pnuematic Actuator Valve - Three-Way
Type: Frt
1v480-0500550065
Slr 2 Shaft Sleeve
08+08a : 1g222- 3450016/S-15: I201267c, I201267b
Tls 2-40
1j106-500425026
1d200-013003206
Slr2 Rotary Part Carbide/Epdm .35
1x700-112p1200
Sh-35-G
1j106-500441017
1g330-4050035 4g15-47.35
V9130-0004025
Slr Pump 1-40 Din Aisi-316 / + Coaxial Gearmotor Nord Sk01 B3 1.5 Kw 4 Poles Ie2 230/400v 50hz / 359
Slr2 Stat.Part B15 Carbid/Epdm.35
D7044-01
Kit Loop2
12a.
12a
4g10-4725+4g104- 725
Set For Slr 1-40 Pump

Mech Seal Stat Grafite Epdm 1g322 1050028 08a
08: 1g230- 4050025/S-28 E: I138529c
Sh-20 C,3000 Min-1 Centrifugal Pump
Slr Pump 2-40 Din Aisi-316
1j502- 40058080100
Se-20
1j106-502028035
1d800-022004041k
Type: Slr 3-50 P/N: D7032-01
09
1j501- 40040055070
986889a
05
Slr3 Stat.Part B15 Carbid/Epdm.50
08a 1g220 4050025 S 28 E I138529c
1g110-4480025
1d200-018003290
Slr2-50 Lob
Slr 1-40
Slr2-50 With Motor
1d200- 01810339004
1g322-4050035 4gb154-7.35
Slr2-50 Withouth Motor
U20r Graf/Sil/Epdm Bq1egg