

Keb Automation



Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Keb Automation Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Keb Automation Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
16f5g1g-360a	KEB COMBIVERT F5-GENERAL controlled frequency converter Furnishing: Brake transistor: GTR7 Heatsink type: surface mounted air cooler version Technical specifications: Power: 23kVA Motor: 15kW 2 / 4P 50 / 60Hz Input voltage range: 305 ... 528V AC 3 PH Output voltage: 0 ... Uin Nominal output current: 33A Max. Short-time limit current: 49.5A Max. Output frequency: 800Hz Switching frequency: 8kHz Protection class: IP20 Dimensions (WxHxD): 170 x 340 x 255 mm Nomenclature number: 85044088 Single net weight: 9,300 KG This goods is subject to export license according to goods list item 3A225
00.58.025-001D	
00.58.060-0040	
00.F5.060-1000	
00.F5.060-2000	
00.F5.060-3100	
00.F5.060-A000	
00.F5.060-L100	
0000000-7938	
00F5060-1100	
00F5060-3000	
00F5060-5010	
00F5060-H000	
00F5060-K000	

00F50C0-0010
00F50C0-0020
00F50C00020 P.O4500306825
00F50C0-4100 4500327728
00F50C1-0003
00F50C1-1005
00S4019-0005
02.08.530
02.38.11N
0236426110 , F5/11,0kW
023800N-1051
03290864/0492816
03370351/0501143
033800N-4061 / 033811N-4061 (OEM)
04.08.530
04.38.11N
04.38.11N 24VDC DH7=20mm
04.38.11N-4090
04.91.020-ÑÅ07
05.F4.019-0048 V.1.0
0508530-4199
053811N-0000
053813H-4003
05F5B3A-090A
05F5C1B-LB0A
06.02.120-4014
06.10.670-4009
06.P1.320-1387
0610370-4000
06P1320-0817
06P13200827 oem

07 F4 S1D-3420/1
07.F4.C3D-3420
07.F5.B1B-3900
07B6A3A-9A00
07F4C1D-3420
07F5B1B-2B0A
07F5B3A-390A
07F5C1B-3B0A
07F5C1B-3BOA
07P1320-0727
08.15.100-0097 oem
0810370-4000
08D212
09.F4.C1D.4A01-1.4 OEM
09.F5.A1D-3ADA
09.F5.C1B-3A0A
09.F5.C1B-3AOA
09.F5.M1D-3ADA
09.F5.M1D-3AGO
0910580-2HGU
09F5B1B-2B0A
09F5B1B-3A0A
09F5B3A-390A
09F5C1D-3A0A
09F5M1D-3AGA
10 F4 S1D-5D02/ 1 2
10. F5/ 2,2 kW
10.E4.T60-0001
10.F4.C10-4001
10.F5.C1B-3A0A

1006640-4000
10F5A1D-3A0A
10F5A1D-3AEA
10F5ABD-3AEA
10F5B3B-0A0A
10F5C1B-2A0A
10-F5-CBD-3A0A
10U5B0D-3000
11.F4.013.0009
11.F4.013.009
1111
12.F0.R11-3429
12.F5.A1D-3ADA
12.F5.G1D-Y200
12.F5.L1D-3A0A
12.SM.202-62R0
12F5B1B-350A
12F5C1D-3A0A
12F5G1D-YP10
12F5H1D-3A0A
12F5M1D-3ADA
12FS.GID-Y200
13.DR.B08-1851
13.F5.B1D-390A
13.F5.GBD-YA00 OEM !!
13.F5.M1D-3A00
13E4T60-3A01
13E5T60-1001
13E5T60-10F1
13E5T60-10F1 same as 13U5B0D-3030

13F5G1D-390A
13G6C3B-3910
14.DR.B08-1451
14.F5.C1D-380A
14F4.C1E 3440/1.4
14F5C1E-150A
14F5C1E-Y00A OEM
14F5G1E-3A0A
14F5G1E-Y200
14F5L1D-Y8SA
15.F5.A1E-35DA
15.F5.B1E-3500
15.F5.G1E-Y00A
15/F4.S1E-4F13/1,2 OEM for Rieter
15F5G1E-350A.
15F5H1E-350A
15F5K1G-Y0MF
15F5M1E-35DA
15FSG1E-350A
15U5B0E-3000
16.E4.T60-1001
16.F5.L1E-340A
16.F5.M1E-340A
162707
16E5T60-1061
16F5B1E-340A
16F5C1D-390A
16F5C1G-360D S/N:301893967/1357085
16G6CDE-35B0
17.F5.G1G-350A
17F5C1G-350A

18.F5.L1G-340F
18F5C1G-340F
19E5T60-1001
19F5A1H-35DF
19F5G1H-350A
19F5G1H-YP00 OEM
19F5G1H-YP10 OEM
1MF5K81-W Z08
20.F5.GOR-960A
20.F5.L1H-340F
20F5C0H-340F
20F5G0H-340F
20F5G1R-960A
20F5G1R-Y01A - OEM for ANDRITZ Asselin-Thibaud S.A.S.
20F5G2R-960A KEB COMBIVERT F5-GENERAL
20U5B0R-3000
22.F5.G1R-Y001 OEM
23F5 L0R-YVM0
23Z1B04-1000 LINE CHOKE
24.S4.E4E-3001 oem
24F5EAR-YV10
25.10 07.02.100-0241 024VDC P=16W
26F5EAU-YU50
27F5 L0U-YVM0
2AF5230-0019
2AF5K3G-4Z19
2G.11 07.02.200-0241
2M.F5.K8G-MZ36
2MF5K8G-NZ35

300342583/1078250
300609524/1131753 OEM
302088835/1398734 oem
302436418/1476557
32.SM.200-34A0
37164/38542/89 oem
42.SM.200-34B0
63L/4-BR-TB
643CDL90S4 1.1KW
93200274/10883(-1294)
AC MOT 18.5 KW 2/4P 50/60HZ
Art.Nr:15.F5.G1D.YP00,SN:06320302/0632077
C2SM000-3200
C2SM000-3400
C3.F5.S1D-33HA
C6 Router
CD.SW.010-0100
DA160MS4
DL100L4
DM100LC4 B04
DM112MB4 B06 I TW F P1
DM63K4
E167544
E232497 800V DC ALW 80 400W 90 OHM
E2SM000-2400
F32B DM80GC4 TW G6M09
F5 BASIC 09 F5 B1B-3A00
F5060-5A11
G02A DM71G4 B02MB
G02C DM71G4 TS

G23A-M IEC71	
G30	
G62A DA200LB4 I	
HSP5/485 NO 00F5025-0080	
K33AV DM100LC4 B04 TS	
K53A TA51 V30 BP07 ER TW	
K53B DA160MB4 B07MB I TW F	
K53BSHT2	
KEB 30 KW	
KOMBIVERT M4	
MAS3L/4-BR	
Model F5 250 kW	
S02A DM63K4 B02	
S02B DM71G4 B02MB I TW	
S12B DL80G4 B02MB/TW	
A200L6	
KEB 17.F5.A1G-350A	
0610670-4009	KEB COMBIBOX Brake M2N (Nm): 7 Brake P2O (W): 12 Coupling M2N (Nm): 7 Clutch P2O (W): 15 Voltage (V): 24 Bore A ø : 11 G7 Flange A ø : 140 B5 Shaft Aus ø, length: 11, 23 Flange Aus ø : 140 B5 Terminal box position : B2
49.16 08.03.100-0241	24 V DC
08p1320-0057	KEB COMBIPERM Torque M2N (Nm): 36 Power P2O (W): 26 Voltage (V): 24 Bore hub ø: 30 H7 Nut hub: 8 P9 After drawing 08.P1.320-0057 Statistical commodity code: 85052000 Single net weight: 1,800 KG
2af5230-0019 - Motherboard F5 Cpu Karte	
12f5b1d-3a0a	Successor to 12.F5.B1D-3A00 KEB COMBIVERT F5-BASIC controlled frequency converter Domestic equipments: Braking transistor: GTR7 Heat sink type: air cooler Technical specifications: Power: 6,6kVA Motor: 4.0kW 2 / 4P 50 / 60Hz Input voltage range: 400V AC 3 PH
12.F4.T60-1009 - 50/60 Hz 12a - Filter	
20 F524 R - 0425	
T99 - 18f5a1h-36d	

[13f5a1d-390a](#)

13.F5.M1D-3A00 (5,5 Kw) İnverter KEB COMBIVERT F5
GENERAL controlled frequency converter Domestic
equipments: Braking transistor: GTR7 Heat sink type:
air cooler Technical specifications: Power: 8.3kVA Motor:
5.5kW 2 / 4P 50 / 60Hz Input voltage range: 305 ...
528V AC 3 PH Output voltage: 0 ... Uin Output rated
current: 12A Max. Short-time current limit: 21.6A Max.
Output frequency: 599Hz Switching frequency: 4kHz
Protection class: IP20

[07f5b1b-3b0a](#)

[3yx112mbb / Model : 3sx8 N0m4](#)