

Keysight Agilent Hp

Garanti: 12 ay
Bu ürüne ait Türkiye içi
kapı teslim fiyat ve
teslim süresi içeren
teklifimizi almak için
info@yursat.com.tr e-
posta adresine başvuru
yapabilir ya da ayrıntılı
bilgi için +90 224 240 03
04 numaralı
telefonumuzdan bizlere
ulaşabilirsiniz.
Keysight Agilent Hp
Markası, tedarik süresi
için lütfen bizimle
iletişime geçiniz.

*Firmamız Keysight Agilent Hp
Türkiye Distribütörü veya
temsilcisi değildir. Firmamız
sipariş durumunda, belirtilen
ürünlerde sadece Orjinal ve yeni
ürün teklifi sunmaktadır. Bu
sitede gösterilen Özel marka adları
ve ticari markalar ilgili sahiplerinin
mülkiyetindedir, talep durumunda
kaldırılmaktadır.*

Ürün	Açıklama
4263a	DIGITAL LCR METER
34902a	
8005a	
1157a	TEST LEAD, INPUT VOLTAGE MAX:40V, BANDWIDTH:2.5GHZ, FOR USE WITH:INFINIUM 54800A SERIES SCOPE (LS-120 DRIVE IS REQUIRED FOR THIS UPGRADE), ROHS COMPL
3776b	TEST SET
53220acal	53220A / UNIVERSAL COUNTER/TIMER, 350MHZ,12 DIGITS/S, 100PS, LAN, USB,GPIB
34401a/1cmcal	DIGITAL MULTIMETER, 6.5 DIGIT, RACKMOUNT KIT
U1242bcald	
N5744acald	
4404a	RELAY

33210a001	(PRICE/EA) WAVEFORM GENERATOR ARB / FUNCTION, 10MHZ, PRODUCT RANGE:332XX SERIES, NO. OF CHANNELS:1 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, FUNCTION
346c	(PRICE/EA) 346C / 10 MHZ TO 26.5 GHZ 346 SERIES NOISE SOURCE NOMINAL ENR 15DB, ROHS COMPLIANT: NA
N1996a-503	
11667b	(PRICE/EA) POWER SPLITTER, ACCESSORY TYPE:POWER SPLITTER, FOR USE WITH:KEYSIGHT POWER MONITORING INSTRUMENTS, PRODUCT RANGE:-, ROHS COMPLIANT: NA
34307acald	
E3634acald	
P486a	
4339b	METER
34405acald	MULTIMETER, DIGITAL, BENCH, 5-1/2 DIGIT, DMM TYPE:BENCH, VOLTAGE MEASURING RANGE DC:100MV TO 1000V, VOLTAGE MEASURING RANGE AC:100MV TO 750V, CURRENT
U1212acald	
1650a	ANALYZER MODULE
Dsoxperfmso	
U2000b	
E1483a	
53200u-150	(PRICE/EA) PULSE MICROWAVE MEASUREMENTS UPGRADE KIT, ACCESSORY TYPE:PULSE MICROWAVE SOFTWARE, FOR USE WITH:KEYSIGHT 53230A RF UNIVERSAL FREQUENCY COUN
N8738a-831-230	
53181a	(PRICE/EA) FREQUENCY COUNTER, 225MHZ, 10 DIGIT, BANDWIDTH:-, COUNTER MEASURING FUNCTIONS:DUTY CYCLE, FREQUENCY, PEAK VOLTAGE, PERIOD, PHASE ANGLE, PUL
33220a-Gsacald	WAVEFORM GENERATOR ARB / FUNCTION, 20MHZ, SIGNAL GENERATOR TYPE:ARB / FUNCTION
5302a	
E5072a	
1651b	LOGIC ANALYZER 32 CHANNELS PORTABLE
54110d	OSCILLOSCOPE DIGITIZING 50OHM 115/230V 650VA 60HZ

34980a/Dmmcal	PRODUCT DESCRIPTION:MULTIFUNCTION SWITCH/MEASURE MAINFRAME ? HOLDS UP TO 8 PLUG-. WITH OPTION DMM
6063bcald	
1651a	ANALYZER
87406b	
105a	OSCILLATOR
5314a	
335secu	
431-C	
83631a	
66105a	
44788a	
53230acal	(PRICE/EA) CALIBRATED 53230A, FREQUENCY COUNTER, 12-DIGIT, 0.2 PPM
182t	MAIN FRAME
16515a	TIMING CARD 16CHANNEL 1GHZ 8K
34401a/120/903cal	DIGITAL MULTIMETER, 6.5 DIGIT. WITH OPTIONS 120 AND 903
5089a	POWER SUPPLY
N5181a	
54300a	MULTIPLEXER
U1604b-001cal	
87301b	
33509b	(PRICE/EA) GENERATOR, WAVEFORM, 20MHZ, 1 CH, PRODUCT RANGE:33500B SERIES, NO. OF CHANNELS:1 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, FUNCTION, BANDWI
34951a	(PRICE/EA) D/A CONVERTER MODULE, ACCESSORY TYPE:D/A CONVERTER WITH MEMORY, FOR USE WITH:KEYSIGHT 34980A MAINFRAME, PRODUCT RANGE:-, ROHS COMPLIANT: NA
33522a 17025 Cal D	33522A / 2-CHANNEL 30 MHZ FUNCTION/ARBITRARY WAVEFORM GENERATOR
Y1151a	
11500c	

3585a	ANALYZER
53131a/Abacalibrated	
34401acaldu	34401A / DIGITAL MULTIMETER, 6.5 DIGIT
34937a	(PRICE/EA) GENERAL PURPOSE MODULE KEYSIGHT 34980A, ACCESSORY TYPE:GENERAL PURPOSE MODULE, FOR USE WITH:KEYSIGHT 34980A MAINFRAME, PRODUCT RANGE:-, SUP
4194a	ANALYZER
1147a Cal Du	1147A / CURRENT PROBE WITH AUTOPROBE, 15A AC/DC, 50MHZ
33522bcaldu	(PRICE/EA) AGILENT 33522B 17025 CALIBRATION WITH DATA AND UNCERTAINTIES
U5491a	
N3305a-Refurb	
3788a	
34832a	
54642dcaldu	OSCILLOSCOPE 500 MHZ, SCOPE TYPE:BENCH, SCOPE CHANNELS:2 ANALOG + 16 DIGITAL, BA
6622a	
E3634a/1cmcald	
Dso7054a	
E1352a	
33521a-002 Cal D	33521A / 16MSA ARB MEMORY
E3633acal	
85027e	
N1625a	
34925a	(PRICE/EA) OPTICALLY ISOLATED FET MULTIPLEXER MODULE, ACCESSORY TYPE:OPTICALLY ISOLATED FET MULTIPLEXER, FOR USE WITH:KEYSIGHT 34980A MAINFRAME, PRODU
N6733b/761	
3717a	DEMODULATOR
34924a	(PRICE/EA) REED MULTIPLEXER MODULE, ACCESSORY TYPE:MULTIPLEXER, FOR USE WITH:KEYSIGHT 34980A MAINFRAME, PRODUCT RANGE:-, SUPPLY VOLTAGE MAX:80MV, SUPP
1645a	

34401a/1cmcaldu	DIGITAL MULTIMETER, 6.5 DIGIT, RACKMOUNT KIT
8731a	
34980a17025-Cald	34980A / MULTIFUNCTION SWITCH/MEASURE UNIT
E2614a	
11947a	LIMITER
86260b	
34420acald	34420A / NANOVOLT/MICRO-OHM METER, 7.5 DIGIT
87204a	
53210a	(PRICE/EA) FREQUENCY COUNTER, 1MHZ TO 350MHZ, 10-DIGIT, 100VAC TO 240VAC, 0.2 PPM, BANDWIDTH:350MHZ, COUNTER MEASURING FUNCTIONS:FREQUENCY, TEST FREQU
Msox2012a	
Y1141a	
4951c	ANALYZER
34411acaldu	34411A / DIGITAL MULTIMETER/DIGITIZER, 6.5 DIGIT
16520a	GENERATOR
53200u-300	(PRICE/EA) SMART BATTERY AND CHARGER UPGRADE KIT, BATTERY TECHNOLOGY:LITHIUM ION, FOR USE WITH:KEYSIGHT 53200 SERIES RF UNIVERSAL FREQUENCY COUNTER
8552b	
33521a Cal Du	33521A / 1-CHANNEL 30 MHZ FUNCTION/ARBITRARY WAVEFORM GENERATOR
Dso6104a/8mhcaldu	
6652acal	
E4421b	
33220a-Gsa	(PRICE/EA) WAVEFORM GENERATOR ARB / FUNCTION, 20MHZ, PRODUCT RANGE:332XX SERIES, NO. OF CHANNELS:1 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, FUNCTION,
N9342ck-Gps	
Hpe1330b	QUAD 8-BIT DIGITAL INPUT/OUTPUT
34905a	(PRICE/EA) COMPUTERS, DATA SWITCHES, ACCESSORY TYPE:DUAL RF MULTIPLEXER 4 CHANNEL, FOR USE WITH:KEYSIGHT 34970A DATA LOGGER, PRODUCT RANGE:-, BANDWIDT

83590a	
N3303a	
U1242b-Gsa	
8005b	
33521a-400	WAVEFORM GENERATOR ARB / FUNCTION, 30MHZ, SIGNAL GENERATOR TYPE:ARB / FUNCTION, BANDWIDTH:30MHZ, MODULATION TYPE:AM / BPSK / FM / FSK / PM / PWM, SUPP
E3633a/1cmcal	
654a	OSCILLATOR TEST UNIT
6553a17025cald	
11612a	(PRICE/EA) 11612A / BIAS NETWORK, ROHS COMPLIANT: NA
5512a	ELECTRONIC COUNTER 115/230V
3770b	ANALYZER
53132a	(PRICE/EA) FREQUENCY COUNTER, 225MHZ, 12 DIGIT, BANDWIDTH:-, COUNTER MEASURING FUNCTIONS:DUTY CYCLE, FREQUENCY, PEAK VOLTAGE, PERIOD, PHASE ANGLE, PUL
53151a	
34420acaldu	34420A / NANO VOLT/MICRO-OHM METER, 7.5 DIGIT
N6752a	
W4000c-U85	
8954a	
33220a17025cald	33220A / FUNCTION/ARBITRARY WAVEFORM GENERATOR, 20 MHZ
86602b	
E3631acalibrated	
34905a-Gsa	(PRICE/EA) RF MULTIPLEXER MODULE, 34970A 34972A DAU, ACCESSORY TYPE:DUAL RF MULTIPLEXER 4 CHANNEL, FOR USE WITH:KEYSIGHT 34970A DATA LOGGER, PRODUCT
N9010aep-001	
33250acald	33250A / FUNCTION/ARBITRARY WAVEFORM GENERATOR, 80 MHZ
W3635b	
Dso7032b	
N2891a	

E4404bstg	
53210a/106	6 GHZ CW
Dsox3104acaldu	
16089c	
53132ademo	FREQUENCY COUNTER, BANDWIDTH MAX:225MHZ, DATA RATE MAX:200MBPS, FREQUENCY RESOLUTION:12 DIGITS/SECOND, TIME INTERVAL RESOLUTION:150S ROHS COMPLIANT: N
34951acald	CHANNEL ISOLATED D/A CONVERTER WITH WAVEFORM MEMORY FOR 34980A
11713c	
33220a0b0r51b001	WAVEFORM GENERATOR ARB / FUNCTION, 20MHZ, SIGNAL GENERATOR TYPE:ARB / FUNCTION
83650b	
N4692a	
3325b	SYNTHESIZERFUNCTION GENERATOR .001HZ-21MHZ
34901a/H6587a-0y3	
N5745acaldu	
N3302acal	
5328b	HS COUNTER
53132acaldu	FREQUENCY COUNTER, 225MHZ, 12 DIGIT, COUNTER MEASURING FUNCTIONS:DUTY CYCLE / FR
16117b	(PRICE/EA) 16117B / LOW NOISE TEST LEADS, ROHS COMPLIANT: NA
N9912au-230	
E5412a	
34922a	(PRICE/EA) ARMATURE MULTIPLEXER MODULE KEYSIGHT 34980A SERIES, ACCESSORY TYPE:ARMATURE MULTIPLEXER, FOR USE WITH:KEYSIGHT 34980A MAINFRAME, PRODUCT RA
462a	
N5181b-506	
34972a17025cald	34972A / LXI DATA ACQUISITION SWITCH UNIT WITH LAN AND USB
8645a	
U8031a	
N9344ck-Adp	

4145a	ANALYZER
54006a	TEST PROBE, OSCILLOSCOPE, TEST PROBE TYPE:OSCILLOSCOPE, TEST PROBE FUNCTIONS:FREQUENCY, FOR USE WITH:INFINIUM SERIES OSCILLISCOPES, BANDWIDTH:6GHZ, I
N2875a	
Dso6104a-Gsa	
87301e	
11852b/004	
N9000aep-004	
Dsox2012acald	
1131a	(PRICE/EA) TEST PROBE, OSCILLOSCOPE, BANDWIDTH:3.5GHZ, OSCILLOSCOPE PROBE FUNCTION:ACTIVE, INPUT VOLTAGE MAX:30V, TEST PROBE ATTENUATION:10:1, FOR USE
432a	POWER METER
6453a	
6612c	
34401a/120caldu	DIGITAL MULTIMETER, 6.5 DIGIT, 120-V AC LINE SELECTION
Dsox3014acald	
1134a	(PRICE/EA) TEST PROBE, OSCILLOSCOPE, BANDWIDTH:7GHZ, OSCILLOSCOPE PROBE FUNCTION:ACTIVE, INPUT VOLTAGE MAX:30V, TEST PROBE ATTENUATION:10:1, FOR USE W
5063-2135	
5355a	CONVERTER
3445gpbu	
U1169a	
Dsox2014acal	
11664a	DETECTOR
3468b	
Dsox2022acaldu	
N5384a	
E5346a	(PRICE/EA) E5346A / PROBE, 34 CHANNEL SINGLE-ENDED MICTOR CONNECTOR,CONNECTS TO 40-PIN LA CABLE, ROHS COMPLIANT: NO

11590b	NETWORK CARD
87421a	
33522a-400	WAVEFORM GENERATOR ARB / FUNCTION, 30MHZ, SIGNAL GENERATOR TYPE:ARB / FUNCTION, BANDWIDTH:30MHZ, MODULATION TYPE:AM / BPSK / FM / FSK / PM / PWM, SUPP
547a	
1650b	ANALYZER
53220an	
6216a	POWER SUPPLY
4275a	PREC METER
54833dcal	OSCILLOSCOPE 1 GHZ, SCOPE TYPE:BENCH, SCOPE CHANNELS:2 ANALOG + 16 DIGITAL, BAND
3325a	
84904k	
3465a	
6011a	
N6736b	
33521a-002	(PRICE/EA) WAVEFORM GENERATOR ARB / FUNCTION, 30MHZ, PRODUCT RANGE:33500 SERIES, NO. OF CHANNELS:1 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, FUNCTION
L7206c	
5063-9219	
3705a	
6294a	
E4417a	
E2308acal	
U8002a-1cm	
6652acaldu	
54833d	, SCOPE BANDWIDTH:1 GHZ, SCOPE CHANNELS:2 SCOPE + 16 LOGIC, SCOPE TYPE:MIXED-SIGNAL, SERIES:54800, MEMORY SIZE:16MB, SAMPLE RATE:4 GSPS, CALIBRATED:NO
N9344ck-Scc	
4285a	
N5750a/903	

1630d	LOGIC ANALIZER 25MHZ/100MHZ 16CHANNEL
6200b	
8640b	SIGNAL GENERATOR 500KHZ-512MHZ
N4010a	
N5181ak-1er	
11692d	COAX COUPLER
1147a	CURRENT OSCILLOSCOPE PROBE, AC/DC, WITH AUTOPROBE INTERFACE, FOR USE WITH:AGILENT TECHNOLOGIES 6000 DSO5000 SERIES OSCILLOSCOPES, BANDWIDTH:50MHZ, I
N1996akp03	
U8903a-113	
Dso1072b	
53230a	(PRICE/EA) FREQ COUNTER, 350MHZ, 12-DIGIT, 0.2PPM, BANDWIDTH:350MHZ, COUNTER MEASURING FUNCTIONS:FREQUENCY, TIME INTERVAL, TEST FREQUENCY RANGE:1MHZ T
V3500a-Ca1	
8496acald	
33522a-Gsa	WAVEFORM GENERATOR ARB / FUNCTION, 30MHZ, SIGNAL GENERATOR TYPE:ARB / FUNCTION, BANDWIDTH:30MHZ, MODULATION TYPE:AM / BPSK / FM / FSK / PM / PWM, SUPP
33521a-400 Cal D	33521A / ADD GPIB INTERFACE
Dso7032b-Gsa	
U8001acald	
N9010ak-Htc	
10631-B	
3497a	DATA AQUUISTION CONTROL UNIT
16034e	
81619a	
85025a	
N2737a	
54502a	
5440b	
E1460a	MULTIPLEXER 64CHANNEL RELAY

909a	
N3304a/R-51b-001-3ccald	
34946a	MICROWAVE SWITCH MODULE, FOR USE WITH:34980A MAINFRAME, RANGE:2 GHZ OR 20 GHZ, ROHS COMPLIANT: NA
5063-9243	
34509a	
331a	DISTORTION ANALYZER
N9343ck-Gpa	
3762a	GENERATOR
651b	
34970a/001caldu	
Hp34401a	
85036ek06	
N9010a-526	
U2651a	
Mso8104a	
83630a	
N2820a	
34970a-Gsa	(PRICE/EA) DATA ACQUISITION, 250CH/S, 22BIT, NO. OF CHANNELS:1CHANNELS, SAMPLING RATE:-, INPUT VOLTAGE MAX:240V, INPUT CURRENT MAX:-, BANDWIDTH:-, EXT
37203a	
34972a/H6587a-0y3(Stdcal)	
3336c	GENERATOR
N5764a	
U1273a	
53150a	
11720a	MODULE
54201a5450	SCOPE
N9000ak-Fsa	
	(PRICE/EA) BENCHLINK DATA LOGGER PRO SOFTWARE,

34830a	ACCESSORY TYPE:BENCHLINK DATA LOGGER PRO SOFTWARE, FOR USE WITH:KEYSIGHT 34970A / 34972A DATA ACQUISITI
N9342ck-Sec	
U1780a	
U1590a	
1156a	TEST EQUIPMENT PROBES, FOR USE WITH:54800-SERIES INFINIUM OSCILLOSCOPE ROHS COMPLIANT: NA
1153a	(PRICE/EA) TEST PROBE, OSCILLOSCOPE, BANDWIDTH:200MHZ, OSCILLOSCOPE PROBE FUNCTION:DIFFERENTIAL, INPUT VOLTAGE MAX:500VDC, TEST PROBE ATTENUATION:10:1
Dso6032acal	
E3641a-Gsa	
N9343c	
18788a	
33250a/Abacald	33250A / ENGLISH PRINTED MANUAL SET (FULL DOCUMENTATION ON CD-ROM), ROHS COMPLIANT: NA
W2635a-010	
1722b	
Msox2014a-Gsa	
U1175a	
Dsox2bw12	
N9917a	
34946a-004	
N6736bcald	
U7231a	
6282a	POWER SUPPLY 10-20AMP 10-20V
5063-9240	
8591a	
85054b	
3437a	HV VOLTMETER
11500d	
N9010ak-1cm	

11975a	HC AMPLIFIER
Dsox3bw24	
8673b	
E1463-80011	SWITCH MODULE 32 CHANNEL
33210a	(PRICE/EA) WAVEFORM GENERATOR, ARB/FUNCTION, 10MHZ, PRODUCT RANGE:332XX SERIES, NO. OF CHANNELS:1 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, FUNCTION
1cm024a	
66103acal	
Dsox2012a	
N5751a	
34952a	(PRICE/EA) MULTIFUNCTION MODULE, ACCESSORY TYPE:MULTIFUNCTION MODULE, FOR USE WITH:KEYSIGHT 34980A MAINFRAME, PRODUCT RANGE:-, ROHS COMPLIANT: NA
6032a/220cald	
5180a	RECORDER
3586b	PREC METER
N6775acald	
34908a17025cald	34908A / SINGLE-ENDED MULTIPLEXER MODULE FOR 34970A, 40-CHANNEL
53131a-Gsa	
E3612acald	
N9916a	
U1881a	
U3606a-1cm	
9133d	
N8801a	
N6761a	
6031a	
8683d	
Msox2014acal	
16380a	(PRICE/EA) 16380A / STANDARD CAPACITORS SET, ROHS

COMPLIANT: NA	
P9404a	
400el	
33521a-002 Cal Du	33521A / 16MSA ARB MEMORY
N4002a	
N5406a	
N9344ck-Bat	
8648b	
N8735a-831-230	
U1732a	
E3640a	
81050bl	
34946a-020	DATA LOGGER, FOR USE WITH:TYPE 34980A MAINFRAME, RANGE:20GHZ ROHS COMPLIANT: NA
L4421a	
R752a	
N2762a	
6611c	
E3630a/0e3caldu	
Mso6104acaldu	
34970a17025cald	34970A / DATA ACQUISITION/SWITCH UNIT. GPIB, RS232
N2738a	
54602a	OSCILLOSCOPE
E1370a	
U1604a-001	
N9330bk-Bcq	
1cp016a	
53230acald	(PRICE/EA) CALIBRATED W/ DATA, 53230A-FREQUENCY COUNTER
N9923a-104/H6584a-0y6	
3785b	SYSTEM
1672g	INTERFACE MOD

34950a	(PRICE/EA) DIGITAL I/O MODULE, ACCESSORY TYPE:DIGITAL I/O WITH MEMORY COUNTER, FOR USE WITH:KEYSIGHT 34980A MAINFRAME, PRODUCT RANGE:-, FEATURES:64
Hpe8460a	
53131a/Aba	
U1242a	
909c	
4145b	ANALYZER
6260b	
33520b	(PRICE/EA) GENERATOR, WAVEFORM, 30MHZ, 2 CH, PRODUCT RANGE:33500B SERIES, NO. OF CHANNELS:2 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, FUNCTION, BANDWI
N9342ck-Bcg	
11716a	
N6743bcald	
9122c	
Mso6034a-Gsa	
1cp020a	
3779b	
3476a	
E3647acald	
16516a	EXPANSION RACK
E3645acald	
A1319b	RACKMOUNT CONTROLLER R382 25MHZ PROCESSOR
N5181a-506	
B2902a	
42942a	
Dso6032a-Gsa	
5334b	
63312da3	
N9342ck-Scc	

R362a	
3570a	
66101a/760	
432b	POWER METER
355d	ATTENUATOR
3480d3482a	
4815a	PREC METER
3458acaldu	3458A / DIGITAL MULTIMETER, 8.5 DIGIT
N8486ar	
E5043c	
6012b-Manual	
478a	
Dso9254a	
5343a	TEST EQUIPMENT
N9344ck-P20	
Dso9254acal	
E3620acald	
11667bh04	
N9910x-825	
4262a	
U1602b	
8471d	
N3305a/A6j	
44476b	
5384a	
N9000aep-005	
U1232acald	
5341a	FREQUENCY COUNTER 4.5GHZ
85024a	
8493c/010	
6612ccaldu	

63312da2	
U1273ax	
Dso1102b	
1158a	(PRICE/EA) TEST, TEST LEADS, BANDWIDTH:4GHZ, OSCILLOSCOPE PROBE FUNCTION:ACTIVE, INPUT VOLTAGE MAX:40V, TEST PROBE ATTENUATION:10:1, FOR USE WITH:KEYS
34939a	(PRICE/EA) GENERAL PURPOSE SWITCH, ACCESSORY TYPE:GENERAL PURPOSE MODULE, FOR USE WITH:KEYSIGHT 34980A MAINFRAME, PRODUCT RANGE:-, FEATURES:64 CHANNEL
6641a	
11636a	
U1186acald	
Mso7032b	
N9343ck-Sim	
33510b	(PRICE/EA) GENERATOR, WAVEFORM, 20MHZ, 2 CH, PRODUCT RANGE:33500B SERIES, NO. OF CHANNELS:2 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, FUNCTION, BANDWI
N9356b	
E8460a	REED RELAY MULTIPLEXER 256CHANNEL HIGH-DENSITY
4396a	
85032f	
34905acal	34905A / RF MULTIPLEXER MODULE FOR THE 34970A, DUAL 4-CHANNEL, 50 OHM
5182a	GENERATOR
N9010aep-003	
54200a	SCOPE
N5181ak-006	
92220r	
355e	ATTENUATOR
34939t	
N8761a-861-208	
35677b	PREC METER

N5427a	
84906k	
N5468a	
6207a	
N5765a/861	
44473a	
34970a/001cald	
N2779a	
34905acaldu	34905A / RF MULTIPLEXER MODULE FOR THE 34970A, DUAL 4-CHANNEL, 50 OHM
B2911a	
N5740a	
54642ddemo	OSCILLOSCOPE, SCOPE BANDWIDTH:500 MHZ, SCOPE TYPE:MIXED-SIGNAL, SERIES:54600, MEMORY SIZE:8MB, SAMPLE RATE:2 GSPS, CALIBRATED:NO ROHS COMPLIANT: NA
Dso1022a	
34931a	(PRICE/EA) ARMATURE MATRIX MODULE, ACCESSORY TYPE:DUAL ARMATURE MATRIX, FOR USE WITH:KEYSIGHT 34980A MAINFRAME, PRODUCT RANGE:-, SUPPLY VOLTAGE MAX:30
8504a	
4935a	PREC METER
8765b/324	
81150a-001	
85093c	
8181b	
N2796a	
16092a	
6653a	(PRICE/EA) POWER SUPPLY, ADJ, 10/P, 15A, 35V, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1 OUTPUT, OUTPUT VOLTAGE MIN:0V, OUTPUT VOLTAGE MAX:
4925b	TESTER
U2922a	
N5477a	

66103acald	
8160a	
34904acal	
Dso9064a	
10541a	
E2308acald	
R1602c	
70900b	
6186c	
N5772acald	
3777a	SELECTOR
1130a	(PRICE/EA) TEST PROBE, BANDWIDTH:1.5GHZ, OSCILLOSCOPE PROBE FUNCTION:ACTIVE, INPUT VOLTAGE MAX:30V, TEST PROBE ATTENUATION:10:1, FOR USE WITH:KEYSIGHT
Dso6052a	
N9342ck-Tpn	
16338a	TEST LEAD KIT , FOR USE WITH:4338A/B MILLIOHMMETERS, KIT CONTENTS:4 TYPES OF TEST LEADS 1 MATING CABLE, ROHS COMPLIANT: NA
3476b	
U1574a	
34945a	(PRICE/EA) MICROWAVE SWITCH MODULE, ACCESSORY TYPE:MICROWAVE SWITCH, ATTENUATOR DRIVER, FOR USE WITH:KEYSIGHT 34980A MAINFRAME, PRODUCT RANGE:-, NO. 0
34330acald	
4953a	
U1604b-001cald	
N6734bcald	
34410acald	
11857f	
4338a	HC AMMETER
Mso6104a-Gsa	

3310b	
E4405bstd	
Dso9024h	
N9342ck-Scn	
N9010ak-P03	
8900b	
34980acald	34980A / MULTIFUNCTION SWITCH/MEASURE UNIT
Dso6052acal	
E3610acaldu	
197b	CAMERA
N8739a-861-208	
8493c/006	
N3306acald	
Mso7012b-Gsa	
N4998c	
Mso6012a-Gsa	
B2912a	
3468a	MULTIMETER
81000ja	
Dso7104a	
E4444a	
E5805a	
83059c	
N8740a	
54600a	OSCILLOSCOPE 2-CHANNEL 100MHZ
4936a	TIMS FOR TELEPHONE UP TO 110KHZ
N9344ck-Tad	
E5061bu-1e5	
53230a/H6587a-0y3	
8558b	SPECTRUM ANALYZER 0.1-1500MHZ
34903a17025cald	

54008a	DELAY LINE 20GHZ
33250a/Abacaldu	33250A / ENGLISH PRINTED MANUAL SET (FULL DOCUMENTATION ON CD-ROM)
85072a	
54602b	
8447e	
3406a	VOLTMETER
33521a	WAVEFORM GENERATOR, ARB/FUNCTION, 30MHZ, SIGNAL GENERATOR TYPE:ARB, FUNCTION, BANDWIDTH:30MHZ, MODULATION TYPE:AM / BPSK / FM / FSK / PM / PWM, SUPPLY
Hp-4273a	PRESET CAPACITANCE METER W/CABLES
3421a022	MULTIPLEXER
33522a	WAVEFORM GENERATOR, ARB/FUNCTION, 30MHZ, SIGNAL GENERATOR TYPE:ARB / FUNCTION, BANDWIDTH:30MHZ, MODULATION TYPE:AM / BPSK / FM / FSK / PM / PWM, SUPPL
3781b	GENERATOR
35676a	TRANS MODULE
53220acald	53220A / UNIVERSAL COUNTER/TIMER, 350MHZ,12 DIGITS/S, 100PS, LAN, USB,GPIB
34902acaldu	
L7206a/T24	
34410acal	34410A / DIGITAL MULTIMETER, 6.5 DIGIT
62605j	
16047a	
70310-60016	
33250aaba	(PRICE/EA) WAVEFORM GENERATOR ARB / FUNCTION, 80MHZ, PRODUCT RANGE:332XX SERIES, NO. OF CHANNELS:1 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, DIRECT DI
N9320b	
5517b	LASER HEAD
1143a	1143A / PROBE OFFSET CONTROL AND POWER MODULE FOR 54701A, ROHS COMPLIANT: NA
N5747acaldu	

Dsox2wavegen	
E5386a	
34980a/Dmmcald	MULTIFUNCTION SWITCH/MEASURE UNIT, ADD INTERNAL 6.5 DIGIT DMM , CALIBRATED BY NEWARK SERVICES.
493a	HC AMPLIFIER
34161a	
33522a Cal Du	33522A / 2-CHANNEL 30 MHZ FUNCTION/ARBITRARY WAVEFORM GENERATOR
423b	
54201a	SCOPE
1142a	(PRICE/EA) PROBE CONTROL AND POWER MODULE, ACCESSORY TYPE:PROBE CONTROL POWER MODULE, FOR USE WITH:KEYSIGHT 1141A DIFFERENTIAL ACTIVE PROBE, PRODUCT
11713a	ATTENUATOR SWITCH DRIVER
N9923au-308	
N9923au-302	
U1162a	
E2669a	
N2863a	
4937a	
3550b	TEST SET
34405a	
350d	
U2542a	
Hpe1418a	
K281c	
E3630a/0e3cal	
10503a	
U1180a	
N9000aep-002	
Dsox4032a	
10898a	PC BOARD VME LASER BOARD 2AXIS

66102a/760caldu	
N3305acal	
1168a	(PRICE/EA) TEST PROBE, OSCILLOSCOPE, BANDWIDTH:10GHZ, OSCILLOSCOPE PROBE FUNCTION:ACTIVE, INPUT VOLTAGE MAX:30V, TEST PROBE ATTENUATION:3.45:1, FOR US
54600b	
E3634a	
Dsox3flex	
34902acal	
1141a	DIFFERENTIAL OSCILLOSCOPE PROBE, FOR USE WITH:AGILENT TECHNOLOGIES 6000 DSO5000 SERIES OSCILLOSCOPES, BANDWIDTH:200MHZ, INPUT VOLTAGE MAX:500V, TEST
N5181aep-Unu	
34970a/001cal	MAINFRAME WITHOUT INTERNAL 6.5 DIGIT DMM, CALIBRATED
44473a-Conn	
6633a	
E3610acal	
83545a	
Y1139a	
11968c	TRIPOD
5316a5316b	COUNTER/TIMER
33210acaldu	33210A / FUNCTION/ARBITRARY WAVEFORM GENERATOR, 10 MHZ
11858a	TRANSISTOR
N6776acal	
33250a	(PRICE/EA) WAVEFORM GENERATOR, ARB/FUNCTION, 80MHZ, PRODUCT RANGE:332XX SERIES, NO. OF CHANNELS:1 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, DIRECT DIG
8601a	
6282a86a91a96a	
34933a	(PRICE/EA) ARMATURE MATRIX MODULE, ACCESSORY TYPE:DUAL/QUAD REED MATRIX, FOR USE WITH:KEYSIGHT 34980A MAINFRAME, PRODUCT RANGE:-, SUPPLY VOLTAGE MAX:1

N6733bcal	
1cm068a	
N5766acal	
54616c	OSCILLOSCOPE 500MHZ
N5181ak-Unu	
N5430a	
34411a	(PRICE/EA) MULTIMETER, DIGITAL, BENCH, 6-1/2 DIGIT, DMM FUNCTIONS:AC/DC CURRENT, AC/DC VOLTAGE, CAPACITANCE, CONTINUITY, FREQUENCY, RESISTANCE, TEMPER
N2894a	
34401a/1cmcald	34401A/1CM CALIBRATED
E2308acaldu	
87301d	
54642dcald	OSCILLOSCOPE 500 MHZ, SCOPE TYPE:BENCH, SCOPE CHANNELS:2 ANALOG + 16 DIGITAL, BA, ROHS COMPLIANT: NA
1cm013a	
E9301h	
N4691b/00f	
53230a-Gsa	(PRICE/EA) FREQUENCY COUNTER, 12-DIGIT, 0.2 PPM, BANDWIDTH:-, COUNTER MEASURING FUNCTIONS:FREQUENCY, TIME INTERVAL, TEST FREQUENCY RANGE:1MHZ TO 350MH
N1921a	
1640a	
44429a	MODULE D-A DUAL VOLTAGE
Y1160a	
8660c	
3746a	PREC METER
N5447a	
34405a Cal	34405A / DIGITAL MULTIMETER, 5.5 DIGIT
N9342ck-Cau	

87222e	
E2640a	
54512b	
N9342ck-Tg7	
438a	POWER METER
N9910x-870	
175a54600a	OSCILLOSCOPE
E4416a/005	
85130d	
8181a	
34902acald	34902A / REED MULTIPLEXER MODULE FOR 34970A, 16-CHANNEL
59501b	
N9311x-508	
Mso7032b-Gsa	
83006a	
E1458a	I/O MODULE 96CHANNEL DIGITAL
Dso1002a	
34401a/120/903caldu	DIGITAL MULTIMETER, 6.5 DIGIT. WITH OPTIONS 120 AND 903
6050a	
1cm029a	
E1463a	SWITCH MODULE 5AMP 32CHANNEL
N6701a	
N9343ck-Adp	
34908a	
E4419a	
E5252a	SWITCH MAINFRAME LOW LEAKAGE DC FUNCTION
N8736a	
606a-34a	
6032acaldu	
U1782a	

1180cz	CART, OSCILLOSCOPE, 130LB TEST EQUIPMENT, CARRYING CAPACITY:130LB, EXTERNAL HEIGHT:920MM, EXTERNAL WIDTH:457MM, BODY MATERIAL:COLD-ROLLED STEEL, EXTER
10834a	
10070c	
Dsox2022acal	
Mso9404a	
N6708a	
4349b	HIGH RESISTANCE METER DC 4 CHANNEL 9.5MS
83592b	
N9311x-500	
1147b	(PRICE/EA) PROBE, CURRENT, 8000/9000 OSCILLOSCOPE, METER SIDE CONNECTOR:KEYSIGHT AUTOPROBE INTERFACE, PROBE SIDE CONNECTOR:CURRENT CLAMP, CURRENT RANG
N9355f	
E5061b-3I5	
U1177a	
N4998a	
3581a	ANALYZER
6263b	
8900d	
3577a	ANALYZER
B2962a	
E34980a	
E89328-C	
N2879a	
37701b	TESTER DATACOM T1
E1400-61601	
1966a	
773d	
Hp4276a	
3853a	

N9320bk/G01	
U1241b-Gsacaldu	
8111a	PULSE/FUNCTION GENERATOR 1HZ-20MHZ
10013a	
Msox2004a	
33521b	(PRICE/EA) GENERATOR, WAVEFORM, 30MHZ, 1 CHANNEL, ARB, PRODUCT RANGE:33500B SERIES, NO. OF CHANNELS:1 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, FUNCTI
N1913a	
Y1135a	
N5445a	
34401a	(PRICE/EA) MULTIMETER, DIGITAL, BENCH, 6-1/2 DIGIT, DMM FUNCTIONS:AC/DC CURRENT, AC/DC VOLTAGE, CONTINUITY, FREQUENCY, RESISTANCE, TEMPERATURE, CURREN
34410acaldu	
11909a	CONTROL
1661a	LOGIC ANALYZER 102CHANNELS
1cp014a	
E3616acaldu	
N6783a-761	
33220acaldu	33220A / FUNCTION/ARBITRARY WAVEFORM GENERATOR, 20 MHZ
6516a	POWER SUPPLY 0-3000V 6M AMP THUMBWHEEL ADJUST
N9344ck-Gpa	
N9923a-106	
N6705b	
Dsox3bw32	
34103a	
N6744bcald	
3852a	
11581a	
34522a	MODULE
U1171a	

44470a	ARMATURE MULTIPLEXER MODULE, INPUT CURRENT MAX:2A, NO. OF CHANNELS:10, SUPPLY VOLTAGE MAX:250V, ROHS COMPLIANT: NA
8657b	
U1273acaldu	
59500a	PROGRAMMER
5370b	HS COUNTER
44422a	MODULE 20 CHANNEL T COUPLE ACO
U1251b17025cald	
N5742a	
16339a	
3577b	ANALYZER
Dso6104a/8mhcald	
3715a	
6220b	
N2750a	
Y1155a	
3305a	
33220a/Abacald	33220A/ABA CALIBRATED
8494acal	
44722a	
N6733b	
N5416a	
N6702a	
33220a/Aba/903/R51b0013c/Calib	AGILENT 33220A/ABA/903/R-51B-001-3C CALIBRATED
E1411b	
N9342ck-Ca7	
N2753a	
8709a/H10	
U1253b	
6033a	POWER SUPPLY 200W 30AMP 20VDC
5180t	RECORDER

N5752a	
33220a/001caldu	33220A / 10 MHZ EXTERNAL TIMEBASE OPTION
8131a	
N9340bk-Bat	
N4001a	
N5171b-501	
8570a	
Mso7052b	
6031acald	
N6733bcald	
W 4000c-Pro	
N6754a	
N9915a	
E1426a	
83597a	
N9342ck-1dn	
N9910x-880	
U2004a	
N9910x-811	
34401a/R-51b-001-3ccald	DIGITAL MULTIMETER, 6.5 DIGIT WITH THE 1 YEAR WARRANTY EXTENDED TO 3 YEARS
N9010ak-1cr	
Dsox3pwr	
34411acald	MULTIMETER, DIGITAL, BENCH, 6-1/2 DIGIT, DMM TYPE:BENCH, VOLTAGE MEASURING RANGE DC:100MV TO 1000V, VOLTAGE MEASURING RANGE AC:100MV TO 750V, CURRENT
4991a	MONITOR
45945c	
34104a	
81110a1cp	
54100d	OSCILLOSCP NS

11900ac08	
335iqpu	(PRICE/EA) I/Q BASEBAND SIGNAL PLAYER, ACCESSORY TYPE:I/Q BASEBAND SIGNAL PLAYER, FOR USE WITH:KEYSIGHT 33500B SERIES WAVEFORM GENERATORS, PRODUCT RAN
Dso5012a	
N9923au-112	
U2781a	
33326-60003	CONNECTOR 26.5GHZ 90DB 15V 2.92MM
34952acal	34952A / MULTIFUNCTION MODULE WITH 32-BIT DIO, 2-CH D/A AND TOTALIZER FOR 34980A
34980a/Dmm	
N6765a	
Dsox4b3t154u	
34951acal	CHANNEL ISOLATED D/A CONVERTER WITH WAVEFORM MEMORY FOR 34980A
33521a/0b0 Cal Du	1-CHANNEL 30 MHZ FUNCTION/ARBITRARY WAVEFORM GENERATOR WITH OPTION 0B0
44471a	
34970a/120	
11970u	MIXER
81160a-001	
11500fc36	
437b	
6813b/020	
N5171b-506	
81110a/81111a-Fg/1cpcaldu	
8496b/002	
Dsox2bw24	
35677a	TESTER
34908acal	
Dsox3audio	
U3000a	

8568b	
83059a	
N9322ck-Scn	
5316b	
11500b	
6116a6115a	
3566a	ANALYZER
N9000aep-Pfr	
3754a	
34906a	(PRICE/EA) COMPUTERS, DATA SWITCHES, ACCESSORY TYPE:DUAL RF MULTIPLEXER 4 CHANNEL, FOR USE WITH:KEYSIGHT 34970A DATA LOGGER, PRODUCT RANGE:-, BANDWIDT
6812b	
3555b	
8720a	
Msox3052a-Gsa	
E3631a-Gsa	
N5745acald	
3330b	
N5181aep-1ea	
10833f	
U1241b-Gsacald	
8495h	
8765d	
53220acaldu	53220A / UNIVERSAL COUNTER/TIMER, 350MHZ,12 DIGITS/S, 100PS, LAN, USB,GPIB
54624acal	OSCILLOSCOPE, SCOPE TYPE:DIGITAL, SCOPE CHANNELS:4 SCOPE, SAMPLING RATE:200MSPS
E3634a-Gsa	
34980a	(PRICE/EA) DATA LOGGER, 1000CH/SEC, 6-1/2DIGIT, NO. OF CHANNELS:80CHANNELS, SAMPLING RATE:-, INPUT VOLTAGE MAX:300V, INPUT CURRENT MAX:1A, BANDWIDTH:4
82350b	

N5752acalibrated	
N6700b	
Dso7054b	
70908a	
N9010aep-004	
Y1131a	
85134f	
N6741b	
U2356a	
33511b	(PRICE/EA) GENERATOR, WAVEFORM, 20MHZ, 1 CHANNEL, ARB, PRODUCT RANGE:33500B SERIES, NO. OF CHANNELS:1 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, FUNCTI
5356d	SYSTEM
N9912au-308	
N9398f	
8175a	
4943a	
6448b	
34513d	
E4419b	
N9020a-526/Ea3/P08	
83020a	
33210a/002cald	33210A / 8 K-POINT ARBITRARY WAVEFORM GENERATOR
4276a	
7090a	
34194a	
Dso7012a	
8757a	
N5454a	
Hp54600b	
6651a	

N2771b	
8012b	PULSE GENERATOR
34937t	
6621a	
8717b	
Dsox3102acal	
33250a/Abademo	SIGNAL GENERATOR, BANDWIDTH MAX:80MHZ ROHS COMPLIANT: NA
335c	
E3642acal	
11707a	
Dso7034a	
E3631a/0em	
85130f	
5063-2140	
N2901d	
8750a	
85133e	
E2659a	
34401acald	MULTIMETER, DIGITAL, BENCH, 6-1/2 DIGIT, DMM TYPE:BENCH, VOLTAGE MEASURING RANGE DC:100MV TO 1000V, VOLTAGE MEASURING RANGE AC:100MV TO 750V, CURRENT
8165a	
U1731c	
Dso6012acaldu	
8511a	
N9340bk1dc	
Dso6014a-Gsa	
N9000aep-006	
Dsox3054acaldu	
E3615a-Gsa	
U1252b-Gsa	

Hpe1340a	
N9344ck-Sim	
N8736a-831-230	
U1701a	
87606b	
Dso6054a-Gsa	
16452a	
N9342ck-Tmg	
E9300b	
E3640a/1cmcal	
4191a	
4204a	
54650a	
N1690a010	
N9010a-503	
N5424a	
8591e	
E1419a	CONTROL MULTI-FUNCTION MEASUREMENT MODULE
N2884a	
U1253a	
34401acalibrated	
11854a	
66309d	
85059a	
N8742a-831-230	
N6732b/H6587a-0y3	
N4998b	
Dsox3bw34	
6627a	
467a	

Dsox3comp	
33522a Cal D	33522A / 2-CHANNEL 30 MHZ FUNCTION/ARBITRARY WAVEFORM GENERATOR
10229a	
N9343ck-Scn	
86240a	
E5394a	
Dso5014a	
N6777a	
Mso6102acal	
85052b	
Dsox2014a	
16521a	
11525a	
6291a	
Msox4154a	
E3640acalibrated	
U1251b-Gsa	
83036c	
8561a	
16048e	
N8738a	
8473d	
8970b	NOISE FIGURE METER 10-1600MHZ
34938t	
3562a	
8494acaldu	
34959a	
8566b	
44711a	
6464c	

E3633acalibrated	
87422a	
33210u-001	
N9343ck-Scc	
N9910x-800	
E4407bstg	
6204b	
81110a/81111a-Fgcald	
34934c	
N6776a	
E5847a	
54833dcaldu	OSCILLOSCOPE 1 GHZ, SCOPE TYPE:BENCH, SCOPE CHANNELS:2 ANALOG + 16 DIGITAL, BAND
E3611acaldu	
34401a/120cal	
83572a	
N2793a	
N2792a	
5063-2136	
19246a	
11612bc07	
Dsox3032a-Gsa	
E9301a	