

Koyo



Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Koyo Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Koyo Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
F2-08DA-2	DirectLogic DL205 analo output module , 8-channel , voltage , 12-bit
APS10-18MG-Z NPN NO M18 3M cable	
F2-08AD-1	DirectLOGIC DL205 analog input module 4-20mA , external 24 VDC
F2-08AD-2	DirectLOGIC DL205 analog input module 0-5 VDC , 0-10 VDC , external 24 VDC
SEIKO 6914	
TRD-2T 100BF	
torrington hj-9612048-m.s.51961-56	
APS-12A-4N	Koyo Inductive proximity sensor, Non-Flush Mount Type, Rectangular made with PBT Resin, Iron /Non Ferrouss metal Reaction Material and Ambient temperature is -10 to 50 Santigrat, Front Surface Detector , 3 wire DC NPN Normally Open(NO) Output Format 500 VAC WithStand Voltage and 20-30 VDC Working Voltage with Rated operating distance of 4 mm, Standard Frequency
ROTARY ENCODER TRD-J500-RZ- 2M	

TRD-N500-RZWD	Koyo TRD-N series , rotary encoder medium duty 5-30VDC 500ppr radial exit push pull(totem) output 8mm solid shaft 500mm Diameter body , IP65 6,5ft/2m cable length pigtails
TRD-N500-RZB	Koyo TRD-N series , encoder Incremental medium duty 5-30VDC 500ppr radial exit push pull(totem pole) output 8mm solid shaft 50mm Diameter body , IP50 (Dust proof) 0.5 meter CABLE Tinned ends MOUNTING screws included
F2-08DA-2	Direct Logic DL205 analog output modul 8-channel voltage 12-bit output voltage signal range of 0-5VDC and 0-10VDC external 24VDC required item shipping weight 0,17lb
MHSA 70928	Outer diameter:92mm Inner diameter: 70mm Thickness: 8mm rotary shaft seal
F2-08AD-1	DirectLogic DI205 analog input module 8channel current 12bit, input current signal nrange of 4-20mA, external 24 VDC required Item shipping Weight 0,25lb
APS4-12M-E-D	inductive proximity sensor rectangular, 12x27x12mm body, polycarbonate housing, front sensing, NPT, N.O output, 4mm sensing distance, non-flush, 200 Hz switching frequency, IP 67, pigtail
F2-04-AD-1	DirectLOGIC DL205 analog input module, 4-channel, current, 12-bit input current signal range(s) of 4-20 mA, external 24 VDC required. Item shipping Wight: 0.24 lb
F2-02-DA-2	DirectLOGIC DL205 analog output module, 2-channel, current, 12-bit output current signal range(s) of 0-5 VDC, 0-10 VDC, +/- 5 VDC and +/- 10 VDC, external 24 VDC required. Item shipping Wight: 0.17 lb
F2-08AD-1	DirectLOGIC DL205 analog input module, 8-channel, current, 12-bit input current signal range(s) of 4-20 mA, external 24 VDC required. Item shipping Wight: 0.25 lb
F2-08DA-2	DirectLOGIC DL205 analog output module, 8-channel, current, 12-bit output current signal range(s) of 0-5 VDC and 0-10 VDC , external 24 VDC required. Item shipping Wight: 0.17 lb
D2-262	DirectLOGIC DL205 CPU 15.8k words ladder memory, (1) RS-232 (RJ12) and (1) RS-232/RS422/RS485 (DB15HD female) port(s), Purchase D2-BAT-1 backup battery separately. Item shipping weight: 0.18 lb
D2-250-1	
TRD-S2000BD	Koyo TRD-S series incremental (quadrature) rotary encoder, light duty, 12-24 VDC, radial exit, NPN open collector output, 2000 ppr, 6mm solid shaft, 38mm diameter body, IP40, 6.5ft/2m cable length, pigtail. Item Shipping Weight: 0.50 lb. Für technische Details siehe Datenblatt TRD-S(H)-Series.
TRD-SR2000AD	Koyo TRD-SR series incremental (quadrature) rotary encoder, light duty, 5-26 VDC, radial exit, NPN open collector output, 2000 ppr, 6mm solid shaft, 38mm diameter body, IP50, 6.5ft/2m cable length, pigtail. Item Shipping Weight: 0.50 lb.

Für technische Details siehe Datenblatt TRD-SR-Series.	
DIRECT LOGIC 405 CPU	
TRD-2TH1024BF	Encoder Incremental Light Duty, 1024 Pulses per Revolution, 8mm Hollow Shaft, 38mm Diameter Body, 12-24 VDC, Push-Pull(Totol Pole), IP50(Dust Proof), 1 meter Cable, Tinned Ends.
TRD-NA360NW 10M	JTEKT(Japan), Encoder, Absolute (Gray Code), Medium Duty, 360 Pulses per Revolution (9 bit), 8mm Solid Shaft, 50mm Diameter Body, 10-26VDC,NPN Open Collector, IP65(Waterjet Proof), 10 meter Cable, tinned Ends, Mounting Screws included
TRD 2T600BF	Encoder Incremental Light Duty 600 Pulses per Revolution 6mm Solid Shaft 38mm Diameter Body 12-24VDC push-Pull totem Pole IP50 Dust Proof 1meter Cable Tinned ends Mounting Screws included Fiber Coupling included
TRD 2T600BF	
Ucfl 205j	
Trd-J10-Rzc	
F2-04ad-1	Automatisierungs-SPS-Module für Klimaanlage Modul Analog Input / F2-04AD-1
1109063	
1109050	
Aps-12a-4n Proximity Sensor Aps-12 Series, Pbt Resin Square Type, 2-Wire/3-Wire Dc System.	
1109913	
Trd-J300-Rz Encoder	
5210-2rs Lager	
Trd-J750-Rzl	
Aps-12a-4n Induktiver	
E-31n	Input Module
Uc 209 Lager	
593x/594 Lager	
Uc 205 Lager	
1109165	
6309-2rs C3 Lager	
Wa-1000 (Red)*100	

6092529 Ysx Lager
04- 16 Tr
1108991
32324 R Lager
6205-2rs Lager
Trd-J60-Rzc
75x95x12 Basl Nbr Blue Lager
6206-2rs Cm Lager
Trd-J40-Sc
Ycrs 24
Trd-J120-Sc
Trd-Na360nwe
6820 Zz Lager
63112rscm Lager
Nj316 Lager
6316-2rs Lager
Ukfc 210 Lager
32015 Jr Lager
Hm 807843/Hm807810 Lager
Trd-J1000-Sc
30209 Jr Lager
Mi 16 Lager
Ys360 400 17 2d6
33211 Jr Lager
Wa-1500 (Green)*50
6308-2rs Cm Lager
Dac 3055 W3cs31 Lager
1108990
614 43-59 Ysx
Trd-J240-Sc

1110002	
Su-6m	CPU Module
Trd-Na360pw5m	
Trd-J60-Rzl	
7311 B Lager	
Trd-J100-Sc	
6205-2rs Cm Lager	
33017 Jr Ya1 Lager	
Trd-J400-Rzvw	
Trd-J200-Rzv	
6313 Zz Lager	
B 2020 Lager	
Ucf 210 J Lager	
6207n Lager	
Ir 162020 Bearing	
1108977	
1109162	
Mr 20 Lager	
640x690x25	
G1760I-7	
Trd-J100-Rzc	
32216-A	
32210jr	
Wa-4000 (Grass Green)*100	
32205 Jr Lager	
1109028	
Dg 3278 Js0-9tcs33 Bearings	
A-1000	
Trd-J60-Sc	
Ucfl 204	
2002htx17	

Wa-600 (Indigo Blue)*50	
33213 Jr Lager	
Trd-J10-Rzl	
Nj 312 Lager	
Sr-400-Ex	Kostac Programming Unit
Ee 7 S-2rs Lager	
Ha 207 Lager	
Nu 313 Lager	
Lm 48548/10 Lager	
Trd-J750-Rz	
Aps4-12m-E2 Sensor	
Dg 176221-2rmzuj4s0ztg Lager	
Trd-J600-Rzv	
Nu 2312 Lager	
Est-1s-Tr	Programming Keyboard Display
Uct 210 J Lager	
Ucc 207 Lageranordnung	
Bfli-150-Ts	OPERATOR INTERFACE 15IN DISPLAY 12VDC 1.5A
Trd-J500-Rzl	
Wr350x414x35-6	
KI5945s	
Su-6-C	CPU Module
E-01b	5 Slot Rack
Esh-1	Programming Keyboard Display
32215jr	
22324 C3, Alternative 22324-Eae4-C3 Bearing	
Rtd-J1000-R2w	
6006-2rscm Lager	
Aps5-12gk-E2 Pnp Induktiver Sensor	

220uc314	
609 A 08-15 Ysx Lager	
32013 Jr Lager	
Trd-J360-Rz-2m Sensor	
Su-6b-Ex	CPU Module
405 Ex - D 4 - Ex	
205 D2-09b-1	
1109338	
Trd-J50-Sc	
Mr20+mi-16 Lager	
Ucf 212 J Lager	
9734801	
Trd-J1000-Rzv	
22312 C3, Alternative 22312-Eae4-C3 Bearing	
Trd-J10-Sc	
Uctx16	
8-Sitzer-Skelett D4-08b-1	
6206 Bearing	
2s5 29z	
J 1012	
Trd-J30-Rzc	
22216rzw33 Lager	
6312-2rs Lager	
D4440b	PROCESSING UNIT CPU 110/220VAC
Trd-J120-Rzvw	
Trd-J1024-Rzv	
Trd-J360-Rzl	
Trd-J1000rz	
Trd-J1024-Rzl	
Trd-J500-Rzvw	

Nu 213 Lager	
33017 - Rulman	
U-03pm2	Pulse Positioner
B-5612-D	
Wa-2000 (Blue)*50	
304210 (Zz)	
Ez-Sp	OPERATOR PANEL 20-30VDC 6.5W
32313 Jr	
6202 Zz Cm Lager	
31314jr/30314 Djr Lager	
Trd-J50-Rzv	
Trd-J200-Rzvw	
Jm 822049/Jm 822010 Lager	
Dg 175218-2rdhcm Fgp0s00k8k Kjp Lager	
Trd-J30-Rzv	
Trd-J400-Rzv	
Trd-J600-Rzvw	
Trd-J50-Rzl	
Trd-J60-Rzv	
32207	
Esp-1s-Tr	Programming Keyboard Display
Trd-J1000-Rzw Encoder	
Ucf 215 Lager	
32007 Jr Bearing	
Su-6b-Y	CPU Module
F2-08da-2	Automatisierungs-SPS-Module für Klimaanlage Modul Analog Out / F2-08DA-2
57305/30207j	
614 13-17 Ysx	
Trd-J100-Rzv	

32213jr	
Esc-1s-Tr	Programming Keyboard Display
Nutr50dz Bearing	
221pp12pt	
T7fc060=jw6049/10 Lager	
Trd-J1024-Sc	
Aps4-12s-E Sensor	
41800356	
1108976	
Trd-J300-Sc	
Trd-J240-Rzv	
D006dd2	
28680/22	
32217-A	
Sr-20-4128	CPU Module
33013 Jr Lager	
220ctx16	
D416ne3(Ti405u55t)	
Sc 0081 Llh1ac Mpx2 Lager	
Sr-21-8365	CPU Module
Ucc 212 Lager	
1124718	
Trd-J400-Rzl	
Wa-1000 (Red)*50	
Trd-J30-Rzl	
Trd-J100-Rzl	
Trd-J750-Rzvw	
6313-2rs Lager	
E-03b	10 Slot Rack w/ Power Supply
Trd-J500-Sc	
6821 Lager	

Sr-21-3365	CPU Module
Trd-J600-Rzl	
Wa-3000 (Light Orange)*50	
Dg2568hnsh2c3 Lager	
6317 Zzx Lager	
Esh-1-Tr	Keypad Display Module for Programmer Unit
Wa-800 (Yellow)*100	
Wa-3000 (Light Orange)*100	
Trd-J200-Sc	
Ucp 213	
1109958	
Ucp212	
1109956	
32218-A	
Trd-J10-Rzv	
Trd-J500-Rz-2m	
Ycrs 24 Lager	
Trd-Na2048nwe-2603	TRD-NA2048NWE-2603
6209-2rs Lager	
Trd-J1024-Rz	
Trd-J50-Rzc	
Sr-21-Ex	CPU Module
Trd-J240-Rzl	
E-01b-4130	5 Slot Rack w/ Power Supply ESC-1S-TR
Ukpb210	
1109192	
D4440(435cpu)	
Trd-J30-Sc	
Trd-J750-Rzv	
6916-2ru=61916-2rz Lager	

1109129	
6211-2rs/C3 Lager	
6204-2rscm Lager	
Mr24+mi-20 Lager	
752525602 Bearing	
50x72x7,5 Babsl Fpm Lager	
Jm 207049/10 Lager	
Wa-600 (Indigo Blue)*100	
F2-08ad-1	Automatisierungs-SPS-Module für Klimaanlage Modul Analog Input / F2-08AD-1
A-20p	Keypad Display Module for Programmer Unit 8407
Trd-J120-Rzl	
D416td2	
30206 Jr Lager	
Trd-J500-Rzv	
Dbf 11015	
33015 - Rulman	
65uzs418t2x-Sx Bearing	
Ucf 210	
E-01t	Output Module
Rb 207-20 Lager	
Trd-J360-Rzv	
Trd-J10-Sw	
Su-6b-C	CPU Module
6319 Zzx C3 Lager	
34300/34478 Lager	
Hvs1m	
7312 B Lager	
220ctx16- Uctx16	
1109163	
Wa-800 (Yellow)*50	

6304-2rs Lager	
Wa-2000 (Blue)*100	
E-05n	Input Module
Trd-J40-Rzl	
Trd-J200-Rzl	
609 25-29ysx	
Sa-20	CPU Module
24124 Cc W33 C3, Alternative 24124-Ce4-C3 Bearing	
Rax718 Lager	
E-01t-4131	Output Module
Wa-400 (Orange)*50	
G-01w	POWER SUPPLY MODULE 100/200VAC
Ea7-T15c-05y16b021	OPERATOR INTERFACE 33W 24V
220pp13	
1109006	
Svm-210	SURESERVO AC BRUSHLESS SERVO MOTOR, 1 KW, 230 VAC THREE-PHASE, MEDIUM INERTIA, 2,500 LINE COUNT ENCODER (10,000 COUNTS PER REVOLUTION), NO BRAKE2:MC
Le1280s Pos.177	
Trd-J1000-Rzl	
Trd-J40-Rzv	
30306 Jr Lager	
22314 C3, Alternative 22314-Eae4-C3 Bearing	
Trd-J300-Rzvw	
Trd-J240-Rzvw	
Sa-21	SA21 CPU Module
E-01t-4157	Output Module
Aps5-12gk-E Npn Induktiver Sensor	
30?42?10 (Zz)	
E-31n-4132	Input Module

Trd-J100-Rzvw	
Sf 1412/2e	
Su-6	CPU Module
E-01n	Input Module
Trd-J1024-Rzvw	
Ucpx14	
Trd-J300-Rzv	
386a/382a Lager	
6207rkmo Bearing For Mitsubishi Mini Bus	
Trd-J40-Rzc	
Sc 0081 Llh1acmpx2 Lager	
Trd-J600-Sc	
30213	
Ucfc 212 J Lager	
Ucc 209 Lageranordnung	
Trd-J750-Sc	
Trd-J300-Rzl	
Nj 311 Lager	
Ucfx-16	
D2-250-1	Automatisierungs-SPS-Module für Klimaanlage Modul PLC / D2-250-1
22328 Rhr W33 C3, Alternative 22328-Eae4-C3, Bearing	
Nutr 17 Lager	
Koyo Aps-12a-4n (Induktiv)	
Trd-J360-Rzvw	
30213 Jr Lager	
G-28b	RACK 11SLOT
5306 Zz Lager	
Ez-S6c-Ks	OPERATOR PANEL TOUCH 6INCH 512K RAM 24VDC
62052rscm	

32307jr	
Dac 357234 Acs20	
B 5612 D Radial Cylindrical Roller Bearings	
65uzs418t2-Sx+15-21 Eccentric Bearing	
614 2935 Ysx Lager	
Nj 218 Lager	
Su-6b	CPU Module
E-15t	Output Module
Mi 20 Lager	
Trd-J360-Sc	
607 Ysx	
Aps5-18f-E2-5m Induktiver Sensor	
Trd-J120-Rzv	
E-20t	Module 891111
672-9/687-1 Lager	
Jlm 710949/10 Lager	
H 62 Uzsf45-1t2s6 Lager	
607 11-17 Ysx	
30310jr	