

Leuze Electronic

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Leuze Electronic Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Leuze Electronic Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
Ht46c/4p-M12	50127048 Background suppression button Limit range: 0.005 ... 3 m Light source: LED, red Supply voltage: 10 ... 30 V, DC Digital switching outputs: 2 pieces Switching output 1: transistor, PNP, light switching Switching output 2: transistor, PNP, dark switching Switching frequency: 250 Hz Connection: round connector, M12, plastic, 4-pin Housing design: cubic Dimensions: 20.5 mm x 76.3 mm x 44 mm Housing material: plastic Controls: multi-speed spindle Ambient temperature operation: -40 ... 60 ° C Degree of protection: IP 67, IP 69K Net weight: 60 g eCl @ ss 9.0: 27270904 Customs tariff number: 85365019 Country of origin: Germany
Is 212mm/4nc-4e0-S12	
Is 212mm/4no-4e0-S12	
	50119673 Light curtain receiver Special design: cross beam scanning, diagonal beam scanning, Parallel beam scanning Operating range: 0.3 ... 7 m Measuring field length: 2,070 mm Beam separation: 20 mm Supply voltage: 18 ... 30 V, DC Cycle

CML720i-R20-2070.A/CN-M12	time: 3.52 ms Response time per beam: 30 µs Interface: CANopen Connection: circular connector, M12, axial, 8-pin Dimensions: 29mm x 35.4mm x 2155mm Net weight: 2200 g eCI @ ss 9.0: 27270910 Customs tariff number: 90314990 Included: 2 pcs BT-NC sliding blocks Country of origin: Germany
CML720i-T20-2070.A-M12	50119435 Light curtain transmitter Special design: cross beam scanning, diagonal beam scanning, Parallel beam scanning Operating range: 0.3 ... 7 m Measuring field length: 2,070 mm Beam separation: 20 mm Supply voltage: 18 ... 30 V, DC Cycle time: 3.52 ms Connection: circular connector, M12, axial, 5-pin Dimensions: 29mm x 35.4mm x 2155mm Net weight: 2150 g eCI @ ss 9.0: 27270910 Customs tariff number: 90314990 Included: 2 pcs BT-NC sliding blocks Country of origin: Germany
LEUZE PRK 96K/P-1360-41	Polarized reflex light barrier
HRT 96M/P-1610-1200	
LEUZE GS 04M/P-50-S8	Fork light barrier
50109295	ODSL 96B M / C66-S12 - Optical distance sensor
IHRT 46B/4.01,200-S12	
0357962	
20050104785	
424421	
426524	
429046	
429056	
50000184	
50000188	
50000215	
50000216	
50000218	
50000558	
50000575	
50000632	
50003186	
50003192	
50006884	
50011213	
50011791	

50018778
50019925
50020358
50020501
50020833
50022192
50022680
50022681
50022815
50022816
50023525
50025126
50025131
50025133
50025182
50025186
50025215
50025228
50025513
50025609
50027095
50029880
50030077
50030648
50030835
50031323
50032129
50032798
50034293
50034294
50034509
50034514
50035674

50036283
50036283 14 Tag(e) 1445,00 36% 924,80
50036354
50036360
50036362
50037134
50037230
50038007
50038538
50038539
50038895
50039565
50039567
50039650
50040097
50040191
50040269
50040278
50040500
50040820
50041203
50041840
50060857
50060858
50060919
50061452
50080081
50080153
50080470
50080724
50081258

50081283
50082007
50082060
50082065
50082067
50083172
50083184
50083188
50101457
50103070
50103082
50104231
50104236
50104365
50104393
50104698
50104700
50104702
50104703
50104762
50104790
50105106
50105986
50106153
50106154
50106155
50106546
50106547
50106549
50106555
50106556
50106560
50106594

50106692
50106807
50106899
50106961
50107223
50107229
50107236
50107243
50107492
50107495
50107869-01
50107914
50108224
50108363
50108364
50108489
50108492
50108494, SLSER 25B/66
50108518
50108535
50108889
50108997
50108998
50109257
50109290
50109640
50109649
50109659
50109679
50109680
50109701
50109717

50110109
50110110
50110112
50110576
50110590
50110592
50110677
50110783
50110784
50110785
50110786
50110792
50110795
50110809
50111161
50111289
50111312
50111321
50111969
50111970
50112115
50112215
50112425
50112428
50112473
50112804
50112889
50112893
50113677
50113678
50113681
50113701

50113710
50114157
50114491
50114707
50114715
50114765
50114872
50114876
50115147
50115193
50115269
50115803
50117253
50117361
50117363
50117374
50117536
50117583
50117695
50117740
50119032
50119369
50119407
50121909
50121910
50121917
50121918
50122702
50122797
50125752
50126782
50126783

50126785
50127012
50127015
50127222
50127773
50128005
50128008
50129377
50129391
50129399
50129403
50129404
50130291
50131259
50132077
50132731
50133692
50133860
50134231
50134259
50134279
50134418
50135124
50135131
50135453
50136146
50137061
50137593
50139619
50139620
50140135
50140950
50144253

50144254
50144258
547813
547933
547958
547958, MSI-TR1B-01
549990
580021
63000101
63000400
63000406
63000409
63000412
63000422
63000650
63000701
63000706
66500100
66500201
66502100
66537100
66568100
66568200
678055
68000115
68000306
68000310
68000312
68001116
68001312
68002312
68002315

68003306
68003310
68004310
68004315
68005310
68005315
68016306
68017306
68020312
68021312
68090306
68090418
6839947
6967253
6967526
AC-AN-A
AC-AN-F1J2
AMS 304i 40H
BPS 304i SM 100 D
BT-2L
CB-M12-25000E-5GF
DLSP160S
ET412B.1/4X-M12
ET5.3/2N
GK 14/24 L
GS 04M/P-80-S8
GS 61/6D-S8
GS 63B/6.3-S8V
GSL 04M/P-80-S8
GSU14D/66D.31-S12
HRTR 3B/66-S-S8
HT3C/4P-M8

HT46CI/4P-M12	
INRT 56B/4,200-S12	
LSE 96M/A-180W-44	
LSIS 122 M6M-R1	
LSS 96M-182W-44	
MLC300T20-600	
MLC310R20-600	
MLC500T30-1050	
MLC510R30-1050	
MSI101	
MSI102	
MSI-SR4B-01	
MSI-SR-LC21-01	
MSI-SR-LC21-03	
MSI-TR1B-01	
ODSL 8/V66.01-500-S12	
ODSL 8/V66-500-S12	
PRK 46B/66.01-S12	
PRK46C.1/4P-M12	
PRK46C/4P-M12	
prkl 53/6.42-S8.3	
RK 93/4-60 L	
RK93/4-150L	
S20-P1C1-M20-FH	
S400-M4CB2-B	
TS 02-4-SA	
LEUZE SET PRK3C.A3/PT-M8	Reflex light barrier polarized
RK 18/4G	
LS5/9D-M8	One-way photocell transmitter
2516680	LEUZE MSI m/R Safety switching device/starting/how start-up lock (RES), selectable, dyn
305329 / OPTICAL DATA TRANSFER	OPTICAL DATA TRANSFER / DDLS 508i 120.4 L, WORKING AREA:100...120.000MM, LIGHT SOURCE:LASER, MEASURES:100X156X99,5 MM, PROTECTION CLASS:IP 65,

NUMBER OF CONNECTIONS:2
Bps 300i
50032129 Lss 96m-1206-43 Einweg- Lichtschränke Sender
50106594 OdsI 96b M/V6-2000-S12 - Optischer Abstandssensor
50110108
Rsl430-M/Cu429-25
Sensor Leuze Electronic Hrt 96m/A-1670- 800-44
50103709 Taster HintergrundausblendunghrtI 8/66-350,5000
Msi-Sr4b-01
50109673 M8/Pnp
50025215 Sensorslss 96m-1080-T2 - 45
Sensor Gabelstapler Leuze Gs 04m/N-50- S8
Bps 8 Sm 102-02
50060858 Sensor Hrt96m/P-3604-200-42
Msi101 Sicherheitsrelais
25 Series
Ddls200/120.1-10
Rsl430-M/Cu429-5
50110786 Sensor
OdsI 8
HrtI 96b M/666.01s-S1250112804
50104364
Bt-2l Halter Lichtschränke Angeschlossen Werden
Ams 304i 200 Nachfolger
50131259 Me 348 104 - Anschlusssteil
50110677 Kb-Rs232-Usb-Adapter-Kabel
50109673 M12/Pnp
63000706 Kontaktelementac -An-F1j2
50119407 Cml720i-T10-480.A- M12lichtvorhang Sender

547951 Msi-Sr4b-02
Rsl410-L/Cu408-M12
Ihrt 96m/A 46b/4 200-44
50109653
429046 Bt-2r1 Set Installation
Inrt 56b/4,200-S12 Der Optische Sensor Leuze Elektronik
Le49ci.Uch/Ts-Tb Sensor
50106549 Optische Sensoren Hrt 46b/4- S12
50034293 Bkl 706 Se 10000p
50104393 Optischer Sensor Reflex Art Prk 46b/44.01-S12
Leu-50104569
Rsl420-L/Cu416-25
50025513 Der Optische Sensor Rk 93/4- 150 L M12 Leuze Electronic N 50025513
50108518 Optischer Sensor Ilser 3b/4, 200-S8
50081258 Sensor Rk 701/0.8.1
50115269 Lichtschränke Hrtr 55/66-S8 Ex
50111321 Krtl 3b/6.3111-S8
Gs 04m/P-80-S8 Sensor
50082067 Prk 96m/A-3410-44 Lichtschränke
50022681 Reflex-Lichtschränke Polarisiertiprk 95/44 L. 3
50083180
Lv463
50125327
Rsl430-L/Cu429-25
50041840 Lrt 8/24.04-50-S12 - Lumineszenztaster
Prk 8/44-S12
50036354 50036354 Lssr 8- S12lichtschränke(Emitter)

[Msi-Sr-Lc21-01 Sicherheits-Relais](#)[Rsl410-L/Cu411-Rs4](#)[50039650 Hrt 8/66.6-350-S12](#)[50134417](#)[50080724 Sensor Frk92ex](#)[500 00390 Rk70](#)[50112425 Gs 61/6.3 - Gabel-Lichtschranke](#)[50025513 Rk 93/4-150 L - Energetic
Diffuse Sensor](#)[50080153 Der Optische Sensor Leuze
Electronic Prk 18/4 DI.4](#)[50108997 Db 18 Up.1-40,2500ultrasonic
Sensor \(Steam\)receiver + Transmitter\)](#)[Ams 304i 40h Optischer Sensor](#)[430 Series](#)[50022816 Tks 100x100reflektor](#)[Ods 96b](#)[Leuze:Hrtr 25b/66-S12 \(Optisch\)](#)[50034514 Sensor Frkr 95/44-350 L Taster
Hintergrundaussblendung](#)[547960](#)[548363](#)[68000312 Mlc500t30-1200 Safety Light
Barrier Transmitter](#)[50020833 Bt 95befestigungsteil](#)[5006626](#)[50106547 Hrt 46b/66-S12](#)[Umlenkspiegel Mld-Xm03 Ersatz Fuer
Rorust Pm2-500v](#)[50003190](#)[Scanner Rs4-4e](#)[50033552 Der Optische Sensor Iprk 18/4
DI.41](#)[28 Series](#)[547958 Sicherheitsrelais Leuze Electronics
Msi-Tr1b-01](#)

678055 Kabelcb-M12-5000e-5gf - Anschlussleitung
Prk 8/66.41-S12
50126781
68005310 Mlc511r30-1050
50112893 Ma 204i Profibus Dp-V0 Connector Unit, Gateway For Bcl 22
Krt 21
50033552 Reflex-Lichtschranke Polarisiertiprk 18/4 DI41 Leuze
50104038
50040191 Sensor Gsu 06/24-2
68005315 Mlc511r30-1500
Hrt 96m/P-1610-1200-41 Optischer Sensor
50119716
L200-M1c3-Slm24-Pb-L2g Sperrvorrichtung
50020358 Iprk 92/4 S. 1 Sensor
68000312 Mlc500t30-1200sicherheits- Lichtvorhang Sender
Rsl430-L/Cu429-5
Ac-An-A Kontaktelement 63000 701
50106807 Vdb 14b/2 - Double Sheet Monitoring Amplifier
66536100
68004310 Mlc501t30-1050
50112473 Sensorprk 3b/6.42-S8 - Reflex- Lichtschranke Polarisiert
Leu-429393
Ht46c/1p-M12
678052
50117363 Prk18b.T2/4p-M12
Les 36
50136146 Kd S-M12-5a-P1-250 Connection Cable
50080153 Optischer Sensorprk 18/4 DI.4
Btl5-E10-M0800-P-S32 (Btl0311) Lineartechnik Frequenzumrichter

Btl7-E500-M1550-K-K10-Wandler Lineartechnik
Msi-Tr1b-01
Polarisiertes Reflektierende Lichtschranke Prk28/4p-M12
Vsu 12
50003186 Reflektor Tk 60
Optischer Sensor Hrtl 8/24-350-S12,5 - 400 Mm Pnp/Npn
50122562
50111161 Sensor OdsI 9/C66-450-S12
50109257 50109257 Tks
Rsl440-M/Cu429-25
50038539 Ts02-4-Sa
50034514 Frkr 95/44-350 L Taster Hintergrundausbldungocub01
Mlc530r30-1050 (68003310)
50109484
50082040 Lss 96m-180w-44 Throughbeam Photoelectric Sensor Transmitter
50129404 Prk3c.A3/4treflex-Lichtschranke Polarisiert
50037134 Optischer Sensorprk 8/66.41-S12 - Reflex-Lichtschranke Polarisiert
50110109 Gs61/6d.2-S8 Gabel- Lichtschalter
429171
50039650 Hrt 8/66.6-350-S12 - Taster Hintergrundausbldung
50041203 Sensor OdsI 30/D232-30m-S12
SlSr 46b
50037134 Prk 8/66.41-S12 - Reflex- Lichtschranke Polarisiert
Ods 96b M/C6-600-S12
50106720 Note: The item you requested has been discontinued. We therefore offer you the following successor product: Optical distance sensor Touch probe: against object Light source: LED, infrared Spot size: 15 mm x 15 mm Measuring range: 100 ... 600 mm Geometric resolution: 0.1 ... 0.5 mm Accuracy: 1.5% Supply voltage: 18 ... 30 V, DC Digital switching inputs: 1 pc. Analog

	outputs: 1 pc. Digital switching outputs: 1 pc. Output: current Connection: Round plug, M12, 5 -pole Dimensions: 30mm x 90mm x 70mm Operating elements: membrane keyboard, PC software Net weight: 380 g eCl @ ss 9.0: 27270801 Customs tariff number: 90318020 Country of origin: Germany
50116450 Scanner Bcl 348i SI102	
50125679	
68000115 Mlc520r14-1500 Security Light Barrier Receiver	
66568200 66568200 Mld530- Rt3mmehrstrahl Lichtausbeute Schleiersicherheit	
Transceiver Robust Rrt 42	
50108363 OdsI 8/V66-45-S12 - Optischer Abstandssensor	
50107495 Hrtr 55/66-S,200-S12 Taster Hintergundausblendung	
50106961 Reflektor MtkS 14x23.P	
Mld 300	
Kds Dn-M12-5a-M12-5a-P3-020	
Rsl420-XI/Cu416-5	
50112802	
50034514 Pnp	
5012xxx	
50121909 Sls46c-40.K28-M12	
50033552 Sensor Iprk 18/4 DI41 Leuze	
50108535 Optischer Sensor Lser 46b/66	
93 Series	
50126785 Igsu 14d/6d.3-S12 - Ultraschall Gabelsensor	
Fotosensor Ls-97/4e-2 L.2	
50110782	
Krt 3b	
50119425	
Prk 96m/P-1370-22	
50039565 Gs 06/66-2-S8	
50112893 Ma 204i Profibus Gateway - Modulare Anschlusseinheit	

429281
Lsis 122 M6m-R1
50106560 HrtI 46b/66-S12 Optischer Sensor
50106691
Krt 20
50104223
Rkr 55
50033552
50127021
50117740 Kf-Lh-305-D 50117740
50117358
Rsl440-M/Cu429-5
Gs 754b
Is 205
50082040
50103070 Prk 46b/66-S12 -
Leu-50104180
50107495 Lichtschränke Hrtr55/66-S,200-S12
Anschlussleitung Cb-M12-5000e-8gf
50134419
Prk 96k/P-1360-41 Optischer Sensor
547958 Sicherheitsrelais Msi-Tr1b-01
678053
50036282 Optischer Sender Ddls 200/120.1-10
50113993
50110782 Gs 04m/P-30-S8
Ac-An-F1j2 Kontaktelement 63000 706
50109680 Induktiver Sensor Typ Iss212mm/4no-10n-S12
50106546 Sensor Hrt 46b/44-S12
50082007 Kb-Ods 96- 1500

50034514 Frkr 95/44-350 L
50127061
50110809 Hrtr 3b/66-S,5000 - Taster Hintergrundausblendung
Prk 18b
50110112 Gs 61/6-S8v - Gabel- Lichtschränke
Odkl 96b M/C6-S12 Distance Sensor
50127048
Leu-50122916
50037784
Mlc 510
13144585
Gs 63
500 11265+500 11791 Vs24/4+bt24
50104569
50112473 50112473 Prk 3b/6.42-S8
50081258 Sensor Leuze Electronic Rk 701/0.8.1
Sensor Ls97/4 E-S. 1
Mld 530
Cb-M12-5000e-8gfanschlussleitung
68090306 Mlc300t30-600 - Sicherheits- Lichtvorhang Sender
68000115 Mlc500t14-1500 Safety Light Barrier Transmitter
50038895 Bcb005barcodeband
50129553
Rsl440-M/Cu429-10
68001312 Sicherheits-Lichtvorhang Sendermlc510r30-1200
50104236 Prk 25b/66.3-S12 Reflex- Lichtschränke Polarisiert
Bes 517-132-M3-H (Bes0201) Induktiver Sensor
50109290 OdsI 96b M/C6-S12

Rsl 400
Bps 34 S M Sensor Laser-Position Des Rohres 100 10-30 V. Dc
Odsl 30
50106547 Hrt 46b/66-S12 - Taster Hintergrundausbblendung
Gsl 04m/P-80-S8 Sensor
Prk28/4p-M12
50104393 Sensor: Prk 46b/44.01-S12, 50104393
Mlc500t30-600 (68000306)
50114872 Sensor Prkl 3b/6.2,200-S8.3
50117361 Prk18b.T2/Px-M12
50105986 Prk 46b/44-S12reflex- Lichtschränke Polarisiert
Rsl440-L/Cu429-25
Leuze:Prkl 318m/P-S12 (Laser)
50025165
50025609 Prk 95/44 L.4 Reflex- Lichtschränke Polarisiert
Lrt 8
50130291 Tk 40 X180.1-Setreflektor
50106153 Kabel K-D M8a-4p-5m-Fab
50109679 Iss 212mm/4no-6e0-S12
50113677 Ams304i 40 Optischer Abstandssensor
50038895 Bcb 005 - Barcodeband
50107243 Sensor Foto 'Hrtr 3b/66-S-S8
Gk 14/24 L Sensor
50134420
Rsl440-L/Cu429-5
Prk46c/4p-M12 50127012
50025228 Lss 96m-1070-43 - Einweg- Lichtschränke Sender
50104762 Kabel Mit Stecker Leuze Electronic Typ K-Dm 12w-5p-5m-Pur

50033552 Iprk 18/4 DI.41 - Reflex-Lichtschranke Polarisiert
50080048 50080048 Hrt96m/A-1670-800-44
50034294 Bkl 706/44 E, 15000p
Rsl430-S/Cu429-10
50113677 Laser-Entfernungsmesser Ams 304i 40 Mit Schnittstelle Profibus/Ssi
50061452 Der Optische Sensor Prk 96m/P-3380-41
50107495 Hrtr 55/66-S,200-S12taster Hintergrundaussblendung
50129403 Prk3c.A3/4t-M8
50080081 Lss 96m-1350-26 - Einweg-Lichtschranke Sender
Leu-50118183
50006884 Sensor Rk 97/4.8-80 1204e031177
50105986 Prk 46b/44-S12 - Reflex-Lichtschranke Polarisiert
50110592 Krtl 3/B4.3111-S8
547813 Msi200
50126783 Gsu14d/66d.31-S12
Rsl430-XI/Cu429-25
50105106 Prk 46b/44.2-S12reflex-Lichtschranke Polarisiert
Slssr 25b.8-S12 Stellungsgeber
50104703 Rkr 3b/6.42-S8 - Reflex-Lichtschranke Unpolarisiert
50020358 Iprk 92/4 S.1reflex-Lichtschranke Polarisiert
Sensor 50022814
50133692 Sensor Prk3cl1.T3/4t-200-M8operating Range 0,5 M, U-10-30v, Output Current 100ma
Kd U-M12-8a-P1-150 (50135124)
50108364 Optischer Abstandssensor Ods1 8/C66-45-S12
Hrt 96k/P-1600-1200-41 (Optisch)

Gs 04
Rsl430-XI/Cu429-10
Mlc 300
Sensor Gabelstapler Leuze Gs 04m/P-50-S8
Prk 46b/66-S12
5 Series
Leu-50123442
Cb-M12-5000e-8gf
678060
50117374 Rk18b.1/4p-6000, Alternativprodukt F. Rk 18/4g.2, 600
Cb-M12-25000e-5gf Kabel Von Der Lichtschranke Angeschlossen Werden
50112473 Der Sensor Polarisiert Reflektierende Lichtschranke
Le49ci.Uch/Ts-Tb
549904 Msi-M/R
Csl 505
50036356
50104231 Prkl 25b/66.1-S12 Reflex-Lichtschranke Polarisiert
678051
50034512 Iprk 95/44 L.5 Reflex-Lichtschranke Polarisiert
50034514 Sensor Frkr 95/44-350 L Taster Hintergrundausblendung
68092306
Cb-M12-5000e-5gfanschlussleitung
50032798 Prk 18/24 DI.46 - Reflex-Lichtschranke Polarisiert
Hrtr55/66.200-S12 Sensor
50129375 Ht3c/4p-M8
50022816 Reflektor Tks 100x100
50030077 50030077
66568100 Mld530-Rt2m

50114157 Ma258i
Rsl420-S/Cu416-10
Csl 780
Gsu 710
50035863 Cb-D9-3000-5gf/Gm Verbindungsleitung
50130463
Iprk95/44 -350l
50108494, Slser 25b/66 Sensor (Alte Bezeichnung 50025798 Ka942 E)
68000312 Sicherheits-Lichtvorhang Sendermlc500t30-1200
50126782 Gsu 14d/66d.3-S12 - Ultrasonic Forked Sensor
Lserl 8/24.01-S12
Optischer Sensor Hrtr 55/66-S,200-S12
Rsl410-S/Cu408-M12
Leuze:Hrt 96k/P-1600-1200-41 (Optisch)
Sensor Gs 04m/N-80-S8
68004315 Mlc501t30-1500 / Sender /
678057
Mld-Udc
50110784 Gs 04m/P-80-S8 - Gabel- Lichtschränke
Sensor Frk 95/44-150 L
50040041
50113678 Sensor Ams 304i 120
Lse 96m/A-180w-44 Der Optische Sensor Leuze Elektronik
Rsl430-L/Cu429-10
Ls49ci.Uch/Tb Sensor
Rsl440-XI/Cu429-10
Rsl430-S/Cu429-25
50129391 50129391 Ht3cl1/4p- M8lichtschränke
547935

50080048 Hrt 96m/A-1670-800-44 - Taster Hintergrundausbblendung
50106560 HrtI 46b/66-S12 Taster Hintergrundausbblendung
50022192 Rk 93/4-60 L Lichttaster Energetisch
Is 204
50117583 MtkS 50x50.1 - Reflektor
50103364 Lseu 18/24-S12
50112804 HrtI 96b M/666.01s-S12
50080048
50135074
50083172 Lichtschränke (Emitter) Leuze Electronics Lssl 318m-S12
Msi-Sr4b-01 Das Relais Der Lichtschränke Angeschlossen Werden
50117361 50117361 Prk18b. T2/Px-M12
50135131 Kd S-M12-8a-P1-250 Connection Cable
50104393 50104393
Rsl410-M/Cu411-Rs4
580021 Asm1/2as-I Sicherheitsmonitor
Opsl 775
50110108 Gs61/6.2-S8 Gabel-Lichtschalter
MtkS 50*50.1
Prkl 318m/P-S12 (Laser)
Lv461
Cml700i
Bt-Set-240bcset Halterung
Leu-53800101
Rkr 53
Leu-53800117
412 Series
Mld 510
Sensor Prk 8/44-S12

50131978
Ls49ci.Uch/Tb
Sls 518
68090418 Mlc300t40-1800 - Sicherheits-Lichtvorhang Sender
50129401
50036283 Optischer Sender Ddls 200/120.2-10
50022192 Sensorrk 93/4-60 L - Lichttaster Energetisch
50108998 Db 18 Up.1-25,2500 - Ultraschall Sensoren
547950 Msi-Sr4b-01
Is 206
50134279 Ersatzleuze Prk25c/4p-M12reflex-Lichtschränke, Polarisiert
50135128
429075
Hrtr 3b/66-S-S8 Hrtr 3b/66-S-S8taster Hintergrundausblendung
50108889 50108889 Hrtl 96bm/66.01 S-S12lichtschränke
678055 Cb-M12-5000e-5gf - Anschlussleitung
50021208
Hrtr 2/42-30f Stellungsgeber
50032128
50104393 Sensor: Prk 46b/44.01-S12
Ls 92/4 E-L 50022704
50114765 Taster Hintergrundausblendunghrtl 3b/66.C2,200-S12
68092418
50030648 Sensor Rk 96 M/P-1440-21
50025186 Prk 96m/P-1370-42 Reflex-Lichtschränke Polarisiert
50112808

Ods 10
Db 12b
50127061 Ht46ci/4p-M12
Msi-Tr1b-02
50106546 Hrt 46b/44-S12 - Taster Hintergrundausbblendung
0357962 Sender
Crt 448
50060857 Optische Sensor Hrt 96m/P- 1600-2000-42
50081283 Tks 20x40 - Reflektor
10 Series
50025126 Hrt 96m/P-1640-800-41taster Hintergrundausbblendung
50117379 Rk18b.T2/4p-M12
Gs 04 M/P – 50 - S8 Sensor
50038539 Ts02-4-Saterminierungsstecker
50117379
OdsI 8/V66-500-S12 Sensor
Cb-M12-25000-5gf (429089)
50110795 Sensor
547958, Msi-Tr1b-01
18 Series
50000558 Sensorrk 97/4-80 S
Mlc510r30-1200
50130464
Fotosensor Hrt 96 M/A-1670-800-44
Bps 304i Sm 100 D Barcode Positioniersystem
50029654
Msi-Sr-Lc21-03 Sicherheits-Relais
50106155 K-D M8w-4p-5m-Fab
50037230 Ms34103
Sensor Prk 8/66.41-S12

Crt 20b
Mldset
50019925 Frk 95/44-150 L Sensor
Rsl420-S
50133644
50000413 Sensor Rk72/4
Prk 18/4 DI.4
50129411
Sensor OdsI 8/V66.03-500-S12
50030077 Lichtschrinkeiprk 18/A L. 4reflex-Lichtschrinke Polarisiert
50038538 Kd02-5-Ba
50032798 Lichtschrinkeprk 18/24 DI.46 - Reflex-Lichtschrinke Polarisiert
Is 212
50112889 50112889 Is 288mp/4no- 3e0induktiver Sensor
50126781 Gsu 14d/66.3-S12 Ultraschall Gabelsensor
547933 Msi-Cm52b-01 - Safety Relay
50111312 Sensor Leuze Electronic Krtm 3b/6 1121
50139619 Ht25c.XI/4p-M12 Taster Hintergrundausbblendung Optical Sensors Extended
50120161
50103709
Is 244
429288
Gsu 14d/66.3-S12
50034514 Frkr 95/44-350 Ltaster Hintergrundausbblendung
Prk 8
Is 255
Is 230
Ams 300i

50109290 Optischer Sensor OdsI 96b M/C6-S12
50000632 Vs9/1
Rsl420-M/Cu416-10
50106555 Hrtr 46b/66-S12optischer Sensor
Rsl420-S/Cu411-Rs4
50020501 Kd 095-5a - Leitungsdose
50103365 Fotosensor Lssu 18-S12
50104703 Reflex-Lichtschränke Unpolarisierterkr 3b/6.42-S8
50104393 Prk 46b/44.01-S12reflex- Lichtschränke Polarisiert
Csl710-T10-320.A-M12
Mld003
Csl 710
50011213 Frk 92/4-300 Staster Hintergrundausbildung
Rsl410-M/Cu408-M12
50109679 Iss 212mm/4no-6e0- S12induktiver Sensor
50110792 Gs 04m/P-20-S8 - Gabel- Lichtschränke
Prk 96
S400-M4cb2-B Schalter 63000 400
50082067 Prk 96m/A-3410-44reflex- Lichtschränke Polarisiert
Sensor Lichtschränke Hrt 96 K/P-1600- 1200-41-2
50031323 Connector Kd 095-4a (M12 4pin Female A-Coded Metal/Plastic Axial)
547950
50038537 Kd02-5-Sa
50113678 Sensor Ams 304i 120 - Optischer Abstandssensor
68002312 Mlc520r30-1200 Security Light Barrier Receiver
Rsl410-M/Cu405-2m12
Ivbr/4-5-35-01-S8

50107229 Hrtr 3b/66-S8 - Taster Hintergrundausbblendung
50106547 Hrt 46b/66-S12 - Muting Hintergrund
Hrt 46b/44-S12 50106546
50025118
50131986
547958 Relais Msi-Tr1b-01
2 Series
50119369 Sendercml720i-T05-160.A-M12
50106511 Sensor With Mating Frame For Connection To The System And Reflectors.Rkr 3b/44d.01
Rsl410-S/Cu411-Rs4
50030835 Ma 31 100, Rs 485, Multinet Master, Flat Housing Cover
50040498
50127773 Ft328i.3/4p-M12p1photovoltaic Sensor
Krtm 20m / V-20-0001-S12
50107241
50019925 Frk 95/44-150 Ltaster Hintergrundausbblendung
Set Halterung Bt-Set-240bc
678059
Is 208
Passive Deflecting Mirror Rorust Pm2-500v
55 Series
50034512 Iprk 95/44 L. 5
Rsl420-L/Cu411-Rs4
50125326
Mlc-Udc
Der Optische Sensor Hrt 96-M/A-1670-800- 44
50129375
Is 240

50036282
50116450
50104700 Prk 3b/6.22-S8 - Reflex- Lichtschränke Polarisiert
50113701 Der Optische Sensor Leuze 338 Amc I 40
Sku 15001668782
Mlc500t30-1350sicherheits-Lichtvorhang Sender
50109290 Optischer Sensor OdsI 96b M/C6-S12 - Optischer Abstandssensor
50060919 Sensor Optische Srk 96m/P- 1210-T2-47
50110590 Der Optische Sensor Krtm 3b/4.1121-S8
Ams 304i 200
63000701 Kontaktelementac-An-A
50109640 Induktiver Sensoris 208mm/4no- 1e5-S8.3
50119032 Lrt 8/24.14-150-S12 - Luminescence Sensor
66557200
50034515 Sensor Frk 95/44-350 L
420 Series
46 Series
Gs 63/6.3-S8v Sensor
66500100 Mld-M002 - Umlenkspiegel
Rsl410-S/Cu405-2m12
150717
53 Series
50104231 Sensor Lichtschränke Typ Prkl 25b/66.1-S12
Der Optische Sensor Iprk 95/44 L. 21
50022681 Optischer Sensor Iprk 95/44 L.3
50034195 Rs4-4 Sicherheits-Laserscanner
Prk 3b
50022192 Der Optische Sensor Rk 93/4-60l

50107223 Upg 10 - Parametrieradapter
50104790 Interface-Modul Ma8-01
Et412b.1/Px-M12 Optische Diffusions-Sensoren
Optische Sensor Modell Rk18b.T2/4p-M12
Rsl420-XI/Cu416-10
Prk 53
50080470 Reflex-Lichtschranke Polarisiertprk 96m/R-1850-25
Gs 61
547954
50105986 Sensor Prk 46b/44-S12
50060858 Hrt96m/P-3604-200-42 10-30vdc
50083188 Lichtschrankertl 318m/P-300-S12
50103082 Fotosensor Prk 46b/66.01-S12
Gsu 06
50080153 Sensor Prk 18/4 DI.4
Der Optische Sensor Hrt 96 M/P-1630-800-41
50020501 Kd095-Sa
50033552 Optischer Sensor Ip 18/4 DI.41
50025609 Optischer Sensorprk 95/44 L. 4
50040097 Connector M12 5pin A-Female Code (Kd 01-5-Ba)
Krt 18b
Bps 8
66500200
429081
Ts 02-4-Sa Terminator
50000188 Lichtsensor Ls 05 Ga Se Art.50000188
Rsl420-XI/Cu416-25
Mlc310r20-600 Reciver Lichtschranke
549982

50114715 Bcl 22 S B 302, Rs 232
50107236 Hrtr 3b/44,200-S12 Taster Hintergrundausbblendung
50025513 Lichttaster Energetischrk 93/4- 150 L
50106155 K-D M8w-4p-5m-Fab - Anschlussleitung
678058
- Sensor Lichtschränke Ka 942 Se (Optischer Sensor S1ser 25b/66-S12)
147/66d.3-S1
50109649 Induktiver Sensor
50104702 Rkr 3b/6.42 - Reflex- Lichtschränke Unpolarisiert
50035863
Rsl440-S/Cu429-5
50036360 Prk 8/44-S12reflex-Lichtschränke Polarisiert
Prk 95
50023525 Reflektor Tks 30x50
50104698 Prk 3b/6.7-S8 - Reflex- Lichtschränke Polarisiert
Btl7-E500-M0750-K-Sr32 (Btl0yz4) Lineartechnik Frequenzumrichter
50107914 Sensor Rkr 3b/6d.42
50109673
50025133 50025133 Hrt96k/P-1600-1200- 41lichtschränke
50112473 50112473
Lv462
50114491 50114491 Hrtr 25b/66- S12lichtschränke
Iprk 18/A L.4
50034514 Sensorfrkr 95/44-350 L - Taster Hintergrundausbblendung
Reflektor 50104132
50103365 Lssu 18-S12
66537200 66500200

Hrtr 3b/66-S8
50029655
SlSr 25b
OdsI 96b M/C6-2000-S12
50127067
50040269 Bt25
50104223 50104223 Prk 25b/66-S12lichtschranke
50028010
50000215 Sensor Ls 71 Se
50106593
50109717 50109717 Is230mm/4no-15n-S12induktiver Sensor
50126130
547951
50000575 Lichttaster Energetisch Rk716
Leu-50119370
50061285
50109290 OdsI 96b M/C6-S12 - Optischer Abstandssensor
Mlc500t30-1050 (68000310)
Rsl440-XI/Cu429-25
50112428 Der Optische Sensor Igs 63/6.3,200-S12
50103074
Lrs 36
Gsu 712
50108998 Sensordb 18 Up.1-25,2500 - Ultraschall Sensoren
50114707 Bcl 21 S B 302, Rs 485
63000400 S400-M4cb2-B
Rsl440-S/Cu429-10
50025609 Reflex-Lichtschrankeprk 95/44 L.4
50103070 Prk 46b/66-S12reflex-

Lichtschranke Polarisiert
Mld 520
50119444
50083184 50083184 Prkl 318m/P-S12lichtschranke
Igsu 14
50109673 Is 212mm/4no-4eo-S12
50127012 50127012 Prk46c/4p-M12lichtschranke
50132731 Prk318b/Px-M12reflex-Lichtschranke Polarisiert
50022680 Fotosensor Iprk95/44l.2 0-4,2 M 10-30
Ddls200/120.2-10
50115803 Sensor Gs 754b/C4-27-S12
Db 14
50034195
Bt-Set-240cc
Rk93/4-150l Sensor
50034512
50011213 Sensorfrk 92/4-300 S
Slser 25b/66-S12 Stellungsgeber
Sensor Rk 97/4.8-80
Rsl440-L/Cu429-10
50103365
Leuze:Prk 25b/66-S12 (Optisch)
50104393 Prk46b/44.01-S12
426524 Set-Ac-Mtx-2s
Rk 72/4-200l.2
50107229 Hrtr 3b/66-S8
50121231
678050
50022192 Sensor: Rk 93/4-60l
Rsl420-M/Cu416-25
Kd U-M12-5a-V1-020 50132077 Adapter

Cable
50039567 Optischer Sensor Gs 06/62-2
50040820 Tks 40x60 Reflektor
Lssl8.9-S12
50122709
50106593 OdsI 96b M/C6-2000-S12
Sensor Ivbr/4-5-35-01-S8
50104703 Der Optische Sensor Rkr 3b/6.42-S
429056 Bt-2I - Set Halterung
50115147 Hrtr 25b/44-S12 Taster Hintergrundausbldung
50117692
50103364
50106593 OdsI 96b M/C6-2000-S12 - Optischer Abstandssensor
50107869-01 Sensor
MId 500
Sensor Lse 96m/A-182w-44
429089
50109701 Is 218mm/4no-8e0-S12 - Induktiver Sensor
50022680 Optischer Sensoriprk 95/44 L.2
96 Series
Hrtr 3b/44,200-S 12
50036352
50111289 OdsI 96b M/D26.01xl-1200-S12
Rsl410-XI/Cu405-2m12
50116450 Bcl 348i SI 102
Et412b.1/4x-M12 Optische Diffusions- Sensoren
SIs 318
Mlc530r30-600 (68003306)
50125752 Rk46c.Dxl3/4p-M12 - Reflex- Lichtschrnke Unpolarisiert

Krt 55
Rsl420-S/Cu416-5
50121917 Sle46c-40.K2/4p-M12
Rsl410-XI/Cu408-M12
Lss 96m-182w-44 Der Optische Sensor Leuze Elektronik
Rsl430-M/Cu429-10
Leu-429046
50114876 50114876 Hrtr 25b/66-XI- S12lichtschranke
Is 288
50106555 Hrtr 46b/66-S12 - Taster Hintergrundausbldung
50032097
Csl710-R10-320.A/L-M12
50035674 Krtm20m/V-20-0001-S1218/A L.4
50003192 Tk 100x100 - Reflector
Hrtr 25b/66-S12 (Optisch)
50140950 Lichtvorhangset Aks 171.2/4.5.1-S12
50033552 Iprk 18/4 DI.41
418 Series
547954 Msi-Rm2b-01 - Safety Relay
50114876 Photoelectric Sensor
Bt-2l (429056)
50106556 Hrtr 46b/66,200-S12 Taster Hintergrundausbldung
Frkr 95/44-350 L
50108224 Sensor Hrtr 8/66-350,5000
50000216 Sensor Ls 71 E
50113678 Ams 304i 120 - Optischer Abstandssensor
68090306 Licht-Schutzmlc300t30-600 - Sicherheits-Lichtvorhang Sender
50109290 Sensor OdsI 96b M/C6-S12

(50109290)
50128005 Gs 63b/6.3-S8vgabel-Lichtschranke
50038537
Mld-Xm03umlenkspiegel
150718
50106899 Kb Et-2000-Ssa - Verbindungsleitung
Rsl440-XI/Cu429-5
Rsl420-M/Cu416-5
Mlc520r30-1500
50111312 Krtm 3b/6.1121-S8
429289
Rk 93/4-60 L (50022192)photo Electric Sensor
Sls 46c
50025131 Hrt 96k/R-1690-1200-25 - Taster Hintergrundausblendung
50124270
50022815 Tks 50x100 Reflektor
50082039
50036362 Prk 8/66-S12
Rsl440-S/Cu429-25
Lps 36
50104365 Reflector
Mlc 500
50104393 Lichtschrankeprk 46b/44.01-S12reflex-Lichtschranke Polarisiert
50112215 Bt-Gs6x.L - Befestigungsteil
Rsl430-XI/Cu429-5
68003310 Mlc530r30-1050
Rsl420-S/Cu416-25
548100
Is 215
Odsl 8/V66.01-500-S12 Sensor

50038537 Kd 02-5-Saleitungsdose
68000310 Mlc500t30-1050
Mld520rt3
Odsl 9
50101457 Optischer Sensor Prk 25/66.41-S12
Sensor Frk 93/44-60
50110785 Gs 04m/P-120-S8 - Gabel-Lichtschränke
50108491, Slssr 25b.8
Mlc300t20-600 Trans Lichtschränke
Rs4
50105986 Prk 46b/44-S12optischer Sensor
66500201 Mld-Xm03 - Umlenkspiegel
Rsl410-L/Cu405-2m12
Reflektor: Tk60, 50003186
50117695 Sensor Sender Ls5/9d-M8
Reflektor: Tk82, 50003187
678064
92 Series
- Sensor Lichtschränke Ka 942 E (Optischer Sensor Slssr 25b.8-S12)
Prk 55
Bt-2hfset Halterung
50103709 Fotosensor Hrtl 8/66-350.5000
Rsl420-L/Cu416-5
Msi102 Sicherheitsrelais
50137052
63000101 S20-P1c1-M20-Fh
50018778 Iprk 92/4 L
95 Series
429056 Befestigungbt-2l - Set Halterung
Rsl420-M/Cu411-Rs4
50000184 Sensoren Optische, Typ Ls 05 E

50082065 Prk 96m/P-3360-21 - Reflex-Lichtschranke Polarisiert
Mlc500t30-1200
Rkr 3b
Rsl420-L/Cu416-10
50027095 Prk 95/A L. 4 - Polarisiertes Reflektiven Photoelektrischen Sensor
50022814
Rsl430-S/Cu429-5
50000184 Optischer Sensor; Ls 05 E Ord.No.: 50000184
Db 112b
K-D M12a-8p-5m-Pur
3 Series
50135131 S-M12-8a-P1-250 Connection Cable
Gsu 14
HrtI 8/66-350,5000 Optical Sensor
S20-P1c1-M20-Fh Schalter 63000 101
50122702 Ls328/9d-M12einweg-Lichtschranke Sender
50116471
Prk 25b/66-S12 (Optisch)
Frkr 95/44-350 L Stellungsgeber
50112473 Prk 3b/6.42-S8 - Reflex-Lichtschranke Polarisiert
Cbm12
Sensor: Prk 95/44 L4, 50025609
50110576 Krtw 3b/4.1121-S8
50110110 Gs 61/6-S8 - Gabel-Lichtschranke
50106560 HrtI 46b/66-S12
50034509 Einweg-Lichtschrank Senderlsr 95/2.8 Se-L.1
Prk 46b/66.01-S12 Sensor
50106692 Kabel Mit Stecker Leuze

[Electronic Typ K-Dm-8w-3p-5m-Pur
8 Series](#)

[50113681 Ams 304i 40 Hoptischer
Abstandssensor](#)

[Et5.3/2n Lichttaster Energetisch](#)

[Rod 4](#)