




Lutze

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapılabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Lutze Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Lutze Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Re 3-4-001/3	
Re 3-3-101/1	
1000 EP 500/4 5: 2 NQ FULL RUBBER BAND (250mt.)	Belt width: 1,000 mm Confection: EP 500/4 Cover plates: 5: 2 mm Quality: NQ - black normal Delivery form: open length
GUMMI-BANDKREUZ MUSTER 600X10MM	ZUCKERLAGERLADEFÖRDERER GUMMIBANDKAUF FÜR. (BREITE: 600 MM; DICKE: 10 MM; Tuchgerichtstyp: EP500; TUCHSCHICHTEN: 4; (ABRASIONSBESTÄNDIG; HÖHE FÜR KREUZFAHRTMUSTER: 13-15 MM BEREICH: 250-400 MM).
1200 EP 500/4 5: 2 NQ FULL RUBBER BAND (200mt.)	GUMMI FÜR BODENFÖRDERER FINITE RUBBER BAND KAUF (BREITE: 1200 MM; DICKE: 12 MM; Tuchgerichtstyp: EP500; TUCHSCHICHTEN: 4; ABRIEBFESTE).
GUMMI-TAPE-TUCHSCHICHT / 850 MM / EP600 /	KLEINER GESETZTER RÜBENKÄSE ENDLICH FÜR FÖRDERER (03C245-246) KAUF VON GUMMIBAND (BREITE: 850 MM; DICKE: 12 MM;

4-12 MM	Tuchgerichtstyp: EP600; STOFF ANZAHL DER BÖDEN: 4; ABRIEBFESTE).
650 EP 500/4 5: 2 NQ FULL RUBBER BAND (250+150mt.)	Belt width: 650 mm Confection: EP 500/4 Cover plates: 5: 2 mm Quality: NQ - black normal Delivery form: open length
EL BUS(C)Y ((2×0,34)+(2×0,22))UL	
OT 4-0801 DC 24V	Switching device Solid state relay DC load> 500mA Minicompact Nominal voltage UN Art DC Switching output Normally open Switching voltage Art DC Nominal voltage UN 24.0V Switching voltage max. 60.00 V. Switching current max. 1.50 A.
LCIS-RGA24UP-S-1U	Switching device Relay coupler Standard contacts LCIS Contact type 1 U Nominal voltage UN Art AC / DC Nominal voltage UN 24.0V
CPSB3-500-48	SNT AC / DC three phase Nominal voltage UN 48.00 V. Nominal current IN 10,000 A Preferential origin no Item net weight 1.3 KG Position reference The requested article number
LRC-M5-0374 3AC 500V 4kW	Engine interference suppression Protective circuit RC element
764020.0091	LCIS-SR-DC-2L-200091-PI switching device solid state relay DC load 500mA LCIS Nominal voltage UN type DC Switching output normally open Switching voltage type DC Nominal voltage UN 24.0 V Switching voltage max. 60.00 V Switching current max. 0.50 A
DGE-22M-0812	diode module Design: Varioprint Number of channels :11 Rated current IN : 1.0 A Blocking voltage :1,600 V Position reference *VE2
770041	REP-0041 2W DC24V switching device relay coupler standard contacts Microcompact case Contact type 2 U Nominal voltage UN type DC Nominal voltage UN 24.0 V Customs tariff number 85364190
730732 RE 4-0732 24V <E> UL	switching device relay coupler standard contacts mini compact Type of contact : 1 U Nominal voltage UN type : AC/DC Nominal voltage UN: 24.0 V Customs tariff number: 85364900 Country of origin : CZ Position net weight : 0.931 KG position hint *Discontinued item, alternative successor LCIS Alternative 760021.0000
760021.0000 LCIS-RGA24UP-S-1U	switching device relay coupler standard contacts LCIS Type of contact : 1 U Nominal voltage UN type : AC/DC Nominal voltage UN: 24.0 V 85364900 EN (Alternative for pos"1)
Motor MI 4 - E / 500W	230V AC/50 Hz 0030-001 Universal motor with speed controller with 5 m connection cable and plug Overcurrent release, protection class IP 24 On/off switch with single pole thermal with double protective insulation, two-pole input power 500 W, 230 V, 50 Hz,
MP-SS WITH MOTOR B 55-T-5 (120 V)	
LOCC-Box-FB 7-6401	716401 LOCC box function type 1-channel 1-pole switching rated current 1A steps signal level DC 12/24 V according to IEC 61131-2
SHAFT SEALING RING WITH RING	N80-50-160 ORDER:52897
819004	NG 6-9004 DC 24-110V DC/DC converter NG 6-9004 DC 24-110V Input: DC 24-110V Output adjustable: DC 5V/12V/15V/24V Power: 15W Spring-loaded terminals
817022	LCON ALSA FDT 1622521-01 Analog-Analog/Limit LCON ALSA 1622521-01 FDT/DTM parameterization DC 24-110V 16-pin, 22.5mm Spring-loaded terminals
722-806	
743105	
00-104-522	
113322	

A61902
Wuaa6-0517
490079
111293
606250
111372
722777
113344
A1381834
Re6-1022 761 022
A1161804
Fmpg7
A3171604
606254
743530
Fpm12b
Lpnpt10b
Cts-V24
111489
722776
A61844
490095
Fmnpt10
Lpnpt34b
A3142210
St3/S-800-572
Dio-3002
Lrc-M1-0490/Is
A3081809
A1241825
117173
Lppg29g
A61800
Fmpg9
A2181404

113302
Dge-12-1a/1600v
600463
117108
600414
600592
Dra30-24a
A3321203
113360
722984
A3211412
113446-Each
A2160204
A1381204
705341
111131
A1161604org
104264
113332
Rps/3n1w
Lv-S6-0324
Df-Di-32
772007
117051
A60400
Re 6-2014
104301
Ls-A-9706
711872
Mps-11l
A3081425
A3311625
A3091407
A3211805
A3132210
A3211403

A3311618	
A3221407	
Wra120-24	
Kug4-M12-5m-Pur	
Fmnpt34	
A3220204	
760102	
Rps-1r/3w	
Lppg13g	
Rps-6k/4w	
A60801	
A3032215	
700426	
Wpt70809	
760927-230v	
A3091825	
A3161604	
Lmm63	
600222	
111464	
A1392003	
A3251607	
A1032220	
A3211209	
111282	
600646	
Ld-S1-0445	LD-S1-0445 DC 24-230V 1A suppressor 1pack = 100 pcs
111466	
104265	
A3132025	
Fmnpt10-C2	
A3132215	
722738	
A1241812	
760822	

A3091818
A3081802
A61803
680575
Npg-24/40-2748
709647
600416
Fmm40-C
772021
600356
111277
113319
700324
0149a5603
772102
711832
108373a
722766
113573
A3081409
728752
Ptc4-285 732853 Is
A3211603
Ngp-24/5-2731
111460
A22025003
A3211807
A2381804
709600
743004
Mpe-6-0626
111290
Lv-Rm2-1534 (701534)
600403
A1392012
113446

104338
113362
490150
A3091604
113577
A1241605
772010
A1171204
722799
600561
A3081634
722782
600638
722736
Lver-V10-5509 Dc 24v/2a
108357a
Dio-3304
700462
A61814
A2200103
772121
709659
700499
Lpm32b
A2381807
Lver-V12-5709 24v 2a Dc
A1391818
108349a
A3251204
111762
600224
711854
A3251819
750370
111420
A3321604

722813
330073
A3311205
600408
600656
117028
A3321818
Cpsb3-500-24 / 722 800
Fppg36b
A1241805
Re3-3-101/1 Artnr. 730527
117182
117042
Cpsb3-960-24
Dra120-4fpb230/115-24v Dc 120w 1.4a
104275
A2170204
In3-4-100/6
113400
700441
716429
Locc-Box-7
111463
A3221807
762089
7600210000
606154
Dio-3052
113324
Lpm16g
743088
600607
Fmnpt12
A3320404
108358a

600337
104397
A1161404
722759
700897
A3211612
Dra10-24
A22035003
772012
A3081805
108351a
705709
743111
706509
A3032008
A3170204
A3211405
716425
A1391804
A1391618
600223
113438
104304
104293
A3221404
760022 Re 6-0022 (Re 6 24v 1w UI) 1 Paket= 5 Pcs
Lver-V10-6509
104246
104214
Ve00140
730022
743402
113431
A3321618
Lmm40

A61904
116408
P/N: 722781 Type: Dra240-24a
A1391604
Re320011
743100
108359a
111548
A3211812
772000
Lds-V10-7519I 24vdc Led 707519
117049
743452
A1161204
A3251612
606201
A61601
772101
108384a
722779
A61604
330072
108378a
716410
104344
Re3-4-100/4
700492
Lpm16b
Fpm63b
117109
606256
600220
Fppg48b
600225
101098
600645

113316
722999a
722986
A61802
A3311407
A3132202
A1211607
111376
A3081205
A2381604
A3081404
A3081204
117172
760922-24v
760752 Re 6-0752
Lpnpt12b
104391
OdsI 96bm/V6-2000-S12
600320
A3091412
A3091205
330071
728764
716439
113315
Fppg13b
A3032015
A1381618
111425
Ld-S1
A3081812
716432
A3160804
A3032225
772133

Fpm16l
A2381404
606260
600462
111371
A3132002
600541
716458
104335
Lver V10-5509 24v/14dc
111295
703546(Lrc-M2-0,47)
A1381805
113312
Lpm20b
Fpm32g-R
A3091804
6143998
Ngp13082700
113363
490113.05
722996
A3081607
A3032203
A3321807
Fppg13g
722730
Re 6-0222 Htv Ac/Dc 24 V, Art.Nr. 760222
722995
Fppg29g
A2171404
919371
Fmpg42
Fpnpt10b-R
110440.1103
Ot3-2-100/2dc

A3321205
104303
760027
743085
730753
A2381805
A3091603
705610
Dio-3530
A3251803
772124
A1241604
Re 6-2002
Df-Mod-Carrier-4
117252
709662
A1241404
710663
600398
A3132020
600359
490129
A62004
111781
272160
A61403
117123
Lmm16
108353a
A2161404
108381a
710828
Lz-V8-0897 Ac/Dc 24v
Fmm25
113314
113364

722805
Fmnpt38-C2
Lppg48b
Fppg11b
A3032025
Lv-S3-125/150
113479
117040
Fpnpt34b-R
722773
Lbs6-Rc
A1391605
111495
600411
Fpnpt12b
Lmpg7
A3311405
117245
490112
A3081612
Lv-S6-1324
Lpnpt38g
117250
Fmm63
772003
In3-4-100/5
772134
720790
Lpm50g
Fl/34m/710868.
Ot3-4-100/2dc
Dra240-24b
108380a
117177
709637

Ngp-24/40-2748
700323
606152
Fmm20-C2
117055
772031
Fl/96m/V.A 0009-01
A2161004
111289
728761
113484
108386a
600565
716422
Fpm50g
600466
600630
111373
Fl/64m.V.A 0009-01
A1171604
Fmm12-C2
706114
111400
A3081605
600641
Dra 240-48a
113402
101100
Fmpg21
606050
100-471
Fppg48g
600353
A1382012
600557
Lver-V10-5509 24v Dc 2 Amper 10ma

490113.008	
A3132003	
A1171404	
Lutze 705509 Lver-V10-5509uspp	
A3211205	
117171	
728766	
A61644	
Dge-22m	
Lz-V4-N1a 24v Led Ac-Dc B.Nr.70711	
A1241204	
600662	
104378	
A3132010	
A2381204	
A3082025	
600347	
600358	
Fppg7g	
A2180804	
Ube-D/37f	
770441	
113409	
A1381803	
A1381812	
A2203/003	
Fppg42g-R	
104396	
104215	
Ng4-0790	
800572	10/16 250V Snap-Fit Socket ST3/S
680572	
A3251837	
113412	
Dio-3111	
A3221618	

Lpnpt10g
110941-Ft
Ldz-V8-0865-P
Type: Re 6-0227
Dra240-24a
111422
716430
Ldz-S9-0220
A2381625
A3321812
Lrc-M1-500-220
Mps-16h/A
722751
Lrc-V2
117190
A3081803
743200
A3321804
701324
104390
716427
Re6-Xxxx 230vuc 6a 2co,531q60eqq
A3081841
Fppg9g-R
Fmm40
A3320604
600352
A2202/003
A3081625
760841
Fmnpt12-C2
A3081407
330060
722983
A3080204

716431
104288
117048
Dio-3413
700910
117103
104247
716428
A1381612
101104
Fmnpt38
111292
A2381618
707514
Lrc-M5-0372
A1382003
743413
A3311004
116418
A1241612
A3092007
113405
111272
Df-Ao-4-Basis-12
A3142202
743086
117253
Lpm25g
A1241818
A2170804
772011
A69501
A1381404
760022
728782
745569

Q-L-40cbl-7m
111412
743406
108376a
600627
111291
A3132208
Fppg11g-R
113426
A61900
113572
111133
707512
Lppg13b
A3081804
111426
A61602
Ld-S8-0313
A3322/004
Fpm20g-R
730841
A1392007
A3091812
A60201
Fppg7g-R
490037
110679
A3132008
A3091403
111462
A3032206
111468
Fmm20
Fpm32b
408050

104347	
A3321/004	
A3211625	
600643	
A3132206	
600640	
Dran120-24b	
A3082007	
A3211804-500	
772014	
Sku 15027326478	
A3221004	
111271	
Fpm50g-R	
600402	
A3081641	
A3221809	
Re40711730711	
A3081412	
772033	
722-762	
706865	
600632	
117046	
A3221605	
Fppg21b	
116406	
111457	
111453	
490107	
113411	
606203	
111003	
600652	
Ot3-1-100/1dc	Variocompact Switch
108387a	

A3092012
A1241407
772131
A1382025
600649
A1381607
600653
700220
Fppg9b
A3221604
A1392005
A1392025
Re4-1737
490108
Lpm40b
Ls-A-9606
600410
Lrc-M3/600
600401
Fpm40g-R
A3091605
Cpsb3-960-48
722808
117124
600790
A3251825
111488
A3221805
111130
Fmm12-L
NIhy025
104307
113300
113571
730511

113366	
606205	
116405	
760846	
117050	
722764	
A3321207	
722787	
113406	
A3081818	
710947	
A3321605	
743080	
Dio-3100	INTERFACE MODULE
Fpm40g	
Lmm12	
Lppg11b	
A3221812	
Fppg42g	
A1391207	
Fmm50	
117112	
A1382004	
600635	
A2381605	
Lă220;T Lver-V10-5509-Dc24v	
Lpm50b	
Amm32-10	
113365	
A3032202	
Fppg21g	
LVER-V10-5509 DC 24V/2A DC	705509 konfektionierbar Connection type screw connection Connection cross-section AWG 20 – AWG 16 Connection cross-section 0.5 – 1.5 mm2 Type A (18 mm) Function type switching amplifier Protective circuit suppressor diode Status indicator LED yellow Cable diameter max. 9.00 mm Cable diameter min. 5.00 mm
111375	
716420	

Lppg16g
A3321412
A3080203
600551
600432
600634
108379a
772100
709636
Rpl-1e2s/2w B.Nr.710763
600562
716426
772020
A2171004
Fmpg13-L
Lpm20g
113415
A3251403
772104
722794
A62002
113347
Ptc 4-2853 Oem
111132
A2381603
Fppg29g-R
111879
Fppg13g-R
Lz-V897 Ac/Dc 24v
490113.02
600651
A61801
P/N: 760821 Type: Re 7-0821 Dc24v (Pack X5)
A3091607
113444

743107	INTERFACE MODULE SERCOS DIOFACE W/AD1 SWITCH
Lverv105509-705509	
113303	
Re3-4-100/1	
Ld-S6-0323	
117041	
A1241807	
490106	
113331	
104387	
108374a	
716421	
113339	
606159	
116415	
A3221007	
Fmm16	
A3251807	
743002	
600413	
A1381841	
111126	
Lrc-S2	
A3142004	
709789	
A61404	
A62001	
A3170804	
330-089	
743206	
716400	
Fpm25b	
113321	
110872	
A3092004	
113340	

A3221207
716457
600637
A1241803
Fpm32g
Dra480-24a
Lppg36g
606202
A1241603
113441
111778
117106
A3221607
117246
111400-Ea
111458
A3170404
772022
491075
750360
Lrc-V2-0.22
716401
A3081807
600636
A3211404
117175
111467
275419
A3251404
108388a
490113.015
Re3-3-101/1 Art.-Nr.730521 - With No
A3092025
A3132015
606002