

Magnaflux

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Magnaflux Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Magnaflux Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
07130-117559	001Y018 ELECTRIC MAGNET AC / DC "Y7" 230V 50 / 60Hz Incl. power plug (501768)
2000-001y020	M001Y020 Yoke magnet tester Y-6 230 V, 50 Hz Incl. power plug (501768)
Y-7, 230v 001y018	Y-7 Yoke AC/DC Electromagnetic Yoke
EV6500	UV LED hand lamp Magnaflux EV6500, EU version incl 24V power pack, carrying case, operating instructions - Complies with AIRBUS AITM 6-1001, NADCAP AC7114, ASTM E3022, ISO 3452 - 5 UV LEDs and 4 additional white light LEDs - UV intensity >50 W/m ² at a distance of 300mm - Risk class 2 according to DGZFP-EM6 - Long service life of the light medium - Protection class IP 67 - Emission only in the UV-A range - no UV-B/C component, therefore no health hazard - no warm-up period - Weight approx. 1.3kg Country of origin: United States Order nr 629 677
Y-7 Non-EU Yoke	Yoke Light PN 623745 620741 230V Y-7 Non-EU yoke, #1 Gray powder, #8A Red powder, paint marker, hand cleaner &
FPT DEVELOPERZP-9F	
DEVELOPER - SKD-S2	
PENETRANT (RED) - SKL-SP2	
SKD-S2	008A007 SKD-S2 spot check developer 400 ml aerosol for dye penetrant testing Available in a box of 10 UN 1950 VOC content 91%

SKC-S CLEANER	
009.903	Y-6 yoke magnet tester 230V/50Hz WITHOUT plug connector with Schuko plug
Zyglo ZL 27 A	
SKL WP2	
SKL SP2	
SKC S	
690.1	Fluoflux magnetic powder 690.1, box of 10 400ml aerosol can, grain size: 3 - 5 µm, fluorescent color: yellow-green oil suspended (Weight: approx. 5kg) item no. of the supplier: 14690-247447 Combined standard code or stat. Commodity number: 32159070 Country of manufacture: UK Customs position number: 3215 9070 Order nr 008 A 185
YOKE Y2	Handmagnet 628 555 230 V, 50-60Hz Connector with EU mains plug, adapter G and carrying case
YOKE Y6	Handmagnet 630 405 230 V, 50-60Hz Connector with EU mains plug, adapter G
6008A016	Dye penetrant type SKL-SP2 400 ml aerosol can, Solvent washable
6008A007	400 ml aerosol can type SKD-S2 developer solvent based
Ferrotest GWH 15, 3 x 400 V , 50 Hz	062 150
Ferrotest GWH 40, 3 x 400 V , 50 Hz	Equipped with: -Impulse magnetization -Demagnetization -Current constant control Test current: alternating and half-wave direct current 062 400
Foot switch, 3m connection cable	056 225
Hochstromkabel, Typ C	For the GWH 40 you need: 056 020
High Current Cable, Type C	Cross-section: 95 mm², length: 2.5 m 1x Dinse connector, 1x cable lug 056 020
serisi 608	
12100-130750	UV LED HAND LAMP EV6000 with power supply and carrying case UV LED light with robust aluminum housing Input power power supply: 100-240V AC / 50-60 Hz UV(A) intensity in 38cm (15in): 5,000 µW/cm² Wavelength (peak): 365nm +/- 5nm Round spot > 1,000 µW/cm² with 23cm (9in) diameter at 38cm (15in) distance Risk class 2 (DGZfP guideline EM 6) White light emission: ASTM (400-760nm): <= 2 ft-candles in 38cm (15in) RRES90061 (390-800nm): <= 20Lux in 38cm (15in) and <= 5Lux in 92cm (36in) Ambient and operating conditions: 5° - 49°C (40-120°F) max. 90% rel. humidity Cable length light to power supply: 5.18m (17ft) Cable length power supply to power source: 2.75m (9ft) Weight light: 0.9kg (2 lb) Delivered in a plastic case including power supply and cable. Incl. CE declaration of conformity. #628000
01-3187-45	(PRICE/DR)ZL-27A PENETRANT 55GL
07130-505333	
07700-100001	
12403-463414	
Ed-520	EDDY CURRENT METER MAGNATEST
2000-001y024	
189838	

Skc-S 1000-2000005	
Skd-S2 (055c014)	
Y-7	
Zb100f/M032b023	
69395	
Rp 20	
1000-2000011/ 008a007 (1x10)	
01-3159-30	(PRICE/DRUM , 20GAL/DRUM) ZL-15B 20 GALLON FLUOR PENETRANT WATER WASHABLE
Skd-S2 1000-2000011 (Package 1 X 10)	
7hf (400 MI Aerosol)	
07130-339234	
M623830	
198500	230V 9-1500 PORTABLE POWER RACK
C 10	
Skd-S2 1000-2000011	
01-5125-45	MF SKL-4C 55 GAL01-5125-45
43530	PART
01-5352-45	SKD-S2 DEVELOPER 55GL
169799	
Wcp-2 (400 MI Aerosol)	
624673	UV-LED BLACKLIGHT
01-3620-30	MF ZR-10B REMOVER 20 GAL01-3620-30
Y-1	
114184	(PRICE/EA) HEAVY DUTY BRAIDED LEAD PAD.12IN X 10.5IN (USED WITH 12X12 CONTACTS ONLY)
Qmnhn7hfs10	
P-1500	
001y019	
01-0130-75	(PRICE/PA, 20LB/PA) 14A POWDER FLORESCENT MAGNETIC PARTICLE MA
169829	CONTROL CARD
01-5190-45	(PRICE/DR)SKL-WP2 PENETRANT 55GL
Skl-Wp2 (008a163)	
600004	ZB-100F BLACK LIGHT
Skd-S2 (008a007)	
Remy6230501	

13304-417974	
21-901	(PRICE/EACH)-PYROGEL GR7 1 GAL
25 L Zyglö ZI-67b	
Sb2824	DEMAGNETIZER 4FT X 4FT X 5FT
Skl-Wp2 (055c071)	
1837a	
Y6	MODULE
621312	MODULE
Mag50/6fr/15+gd50/15	
7-Hf (5-L Kanister)	
01-3123-30	(PRICE/DRM , 20GAL/DRM) ZL-2C SENSITIVITY LEVEL2 PENETRANT 20 GAL DRUM
01-3137-45	MF ZL-4C WATER BASE 55 GAL01-3137-45
Skc-S (054c007)	
2000-001y025	
07700-100003	
2000-005k001	
Skl-Wp2 1000-2000014	
Magnaglo Hand Sprayer (Polyspray)	
8493	
D 30a	
Wcp-2 (5-L Kanister)	
07700-100002	
Skc-S (008a100)	
Bycotest ? D 30e	
07700-114333	
Q058c033m01	
M004g004	