

Megatron



Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için

info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Megatron Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Megatron Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Try14 2 9 1 A 1 1 0 1	Thumb Joystick
Rp 19 R1k /1k W3% L0,5% Dm4	Wire single-turn potentiometer 120198 Note: We only offer the potentiometer. All attachments are not included.
4610 4760	
0603448	
100172	
100196	
100220	
100625	
101099	
101890	
102367	
102913	
103269	
103273	
103302	
103309	
105712	
105716	

106817
107918
109639
110952
110953
111009
112202 RC35 100 S R5K W 20% L0,05%
112890
113522
113766
113846
114277
115175
115177
115279
115302
115331
115777
116918
118122
118633
120192
120199
121297
121488
122460
123558
126127
128546
129868
131113

133451 TRY100 6 5 1 4 8 2 1
134870
300790
358465
370-ra-5k-7437e
38H-360-2MT-8-50-B00ME
4610 R1K
4610 R1K W1% L0.3% CCW
4610 R5K
4620 R5K
4625 R5K
62-10K-85 8E
700G08 1/4"MNPT
812 5 5 1 T 1 P
812-2-5-1-6-O-K 1
82635161400
851 2 1 1 1 1
AC10 R10K W3% L0.2%
AC10/6040A R10K
AC10/6040A R1K
AL 17 ,0M 10K ohm
AL 1703 M
AL 1705 R1K W5% L0,25%
AL 1710 R10K W5% L0,1%
AL 910 R2K W3% L0,25%
AL1703 M R10K W5% L0,25%
AL1703M/7124 OEM
AL1705
AL1710 1k0-+ 5% L-+ 0.1%
AL1710M/6750A OEM!!

AL1905M
AL1910 R10K
AL1910 the same as AL1910 R10K
AL1910M R10K
AL1910M
ALR1910M/7174B OEM
CFL 400 R5K W20% L0,5%
CLP13 13 R1K W10% L1%
CLP13 25 R1K W10% L0,7%
CLP13-100
CLP13-50 R5K W10% L0.5% IP40
CLP20 50 R10K W10% L0.3%
CLP20-50 wid.w. 10K lin. +/- 0.3
CLPR20 30 R10K W10% L0.5%
CLPR20-30
CP22E-200
ENA22 F 1 2410 OCW360
ETA25 6x22 2442 CW360 R1,00B
GPT-4454-V.24 DC/DC-RS232
HELICALOHM 48010
HH1705m
HH2105 R10K W5% L0.25%
IMA2-LVDT
IMA2R
LMC8-11 R5K ±15% L1%
LMCR8-11 R10K ±15% L1%
LMCR8-11 R5K ±15% L1%
M101 B 100 5 B A16
M735.800.254
MAB 36APS

MAB22H 1224 SSICVR1
MAB28A 12HS 2410
MCD1710 R10K KA W5% L0.25%
MCD1710 R5K W5% L0.25%
MCP 50
MCP 50 R5K W5% L0.1 %
MCP30
MCP30 R10K W10% L0.25%
MCP30/4547
MCP40 2K OHM
MD 2210 R10K KA G W5% L0,25%
MD 2210 R5K G W2% L0,25% ART.?NR. 124380
MD 2210 R5K G W5% L0,25% ART.?NR. 115168
MD 2210 R5K KA G W5% L0,25%
MD 3210 R1K KA G
MD2210 R5K KA G
MDCG 10K 2405
MDCL200-K-2410
MDCT - 50 - S - 2424 (24V / 20..4mA)
MDCT 10 K 24 10
MDCT20 K 1555
MDCT20-K-2410
MDCT20-S-2410/6438 OEM
MFP500/4884
MFP500/4884 10K
MHP24
MHP24R1k
MM R 10 11 R10K W15% L2%
MM R 10 11 R2K
MM R 10 11

MM R 20/4719 R1K
MM11 R10K W 10% L1%
MM15R10KW 10%L0.5%
MM15R1KW 10%L0.5%
Model RP20 R200, 103309
MOM18 300 513 BZ K
MP 20 R1K
MP20 /ABC/T246B/5 oem
MP20 1K
MP20 R1K W 15% L1%
MP20/6891 1K? + 15% ,L. + 0,25% ,0306
MP20/7347 OEM
MP21 R10k W 15 L1%
MP21 R1K
MP21 R1K DM4
MP23/4806 R2K RA+ 2 SCHALTNOCKEN 3MM, L±1,0%, 1,0W OEM
MUP1350
P15-10R/100R
P15N/S97N - 1K OHMS
P15P/S30
P15P/S30 - 10K OHMS
P15P/S30 10K
P15P/S45 - 1K OHMS
P15P30 - 1K
P15P30-10K
P15P30-4K7
P15P31-4K7
P15P31-4K79
P15PMK-10K

PFA-T8-062-100
POT. 260 - 2K OHMS - RA - 100387
POT. 260 - 2K OHMS - RA - 100387 AXE 02A25.8-6-30-3 MARQUAGE 260-RA-2K
POT. P15P/S30 - 10K OHMS
POT. P15P/S30 - 22K OHMS
POT. P15P/S31 - 4K7 OHMS
POT. P15P/S34 X2 - 4K7/22K OHMS
PP15P 10 KOHM
PR-01TLG
PR-01TLR
PR-01XSGWC
PR-01XSRS
PR-01XSRWC
PR-01XSYWC
PR19 100 Om
PRVV9020PE
PRVV9025PE
R22M 1K
R22M+RCD22- 4
R5K G
RC13 150 G 1 W20% L0,05%
RC13 50 G 1 W20% L0,1%
RC13-100-G-1
RC13O 150 G/6354
RC20 200 G 1 R8K W20% L0,05%
RC20 75 G 1 R3K W20% L0,1%
RC35 750 K R10K W20% L0,05%
RC35 750 S R10K W20% L0,05%
RC35-400-S
RCD22-10 4

RP 19 100 om
RP 19 R100
RP 19 R1K
RP 19 R2K W3% L0,5%
RP 19/5037 200 OHM (OEM)
RP 20 R10K W3% L0,5%
RP 20 R1K W3% L0,5%
RP 20 R1K W3% L0,5% A30MM
RP 20 R200
RP 20 R200 W3% L0,5%
RP 20 R500 W3% L0,5%
RP 20 S 20 KOmh +- 0,3%
RP 23
RP19 100Om
RP19 R100 W3% L0,5%
RP19 R2K
RP19 R2K W3% L0,5% P/n 103282
RP20
RP20 R200 W3% L0.5%
RP20/7092A
RP20B
RPS45 R2K
S501P 500 R5K L 0,1%
SFCP22
SMT 10/10 R10K W3% L0,25%
SP 6 500 5 B TTL
SPI18 S75 R5K L-0,1
SPR18 S 100
SPR18 S 100 R5K
SPR18 S 50 R1K W10% L0,1% (114509)
SPR18 S 75 R5K W10% L0,1%

SPR18-S-50	
SS-400-1-2	
SS-400-1-4RT	
SS-400-R-6	
SSJU-002R	
SW 61	
Thermal Paper 113.5±0.5mm 80µm O60±0-1 Mint 25.4	
THERMISTOR (PTC)	
TRY14 2 7 1 A 1 1 0 2	
TRY20 - 3 5 1 1 3 1 0	
TRY20-3-5-1-1-3-2-0	
XKDZ15-4K7-TC+	
XKZA15 10K-TC+	
XKZA15 1K-TC+	
XKZA15 P15P/S30 - 10K OHMS	
XKZA15 the same as P15P30 - 4K7	
XKZA15,IK-TC+,12258A/0523,	
XKZA15: 4K7-TC	
XKZA15-4K7-TC+	
MOZ30/100/24/K	
XKZA15	potentiometer
MHP32/7417	
MDCT 50 S 24 24	114674 +-25MM 24V/20-4mA PLUG Inductive displacement sensor with elec.
RP 20 R1K W3% L0,5%	103302 Wire-wound potentiometer
MDCG 100K 24 42	Part Nr:133698 Inductive displacement sensor with elec.
TRY50 3 5 1 R 3 5 2	Hand Joystick 126477
OMS2 450 S2442	Magnetostrictive displacement sensor
OMS2 PMS2	Free locator 134574 Magnetostrictive displacement sensor
OMS2 L	Position sensor guided with low axial joint Magnetostrictive displacement sensor

OMS2 H	
OMS2 W	
WGR50/4.B4.1 10K	PRAZ * POTANTIMETER TYP : WGR50/4.B4.1 LIN : (+-) 0,7% WID.W. : 10K (+-) 5%
MP 20 R1K W15% L1%	Conductive plastic potentiometer
RP 19 R10K W3% L0,5%	103273 Wire-wound potentiometer
AL2520/6046B	
4603 R5K W5% L0,3%	102171 Wire-wound potentiometer
RP20	
mdct20-k-2410	
RP 20 R1K W3% L0,5% Art-No.: 103302	Wire single-coil potentiometer
ENA B 1 2442 OCW P LT	
260ra 2k 2 Ohm	
114509, Spr18 S 50 R1k W10% L0,1%	
Mcp50	
103514	
103218 Mp 23 R2k W5% L1%	
Mm R 10 11 Sensormm R 10 11 R5k W15% L1%	
260-Pa-2k-3683/0047	
Rp19r1-1ka30	
Al2520s	
Clp20-50 Wid.W. 10k? Lin. +/- 0.3 Potentiometersensor	
0506	
Lmcr8-12	
E2813000	
113846 Potentiometer Mp20 R1k	
103265	
Hhs1710	
Art No 4127844	
372 R10k A16mm Dm6,35mm Ct	

Mm15r1kw10%l0.5% Sensor
???-50r1km Potentiometer Megatron Munchen Potentiometer Wid.W 1kom
??Z30/100/24/? Impulsgeber
Art-Nr.113846 / Mp 20 R1k W15% L1%
38h-360-2mt-8-50-B00me Optischer Drehgeber
Mm 10 15 R5k W15% L2%
372 R10k W5% L0,5%
4610
Clpr1325
11532e/0513
S501p-500-R5k
4610 R1k W1% L0.3% Ccw
Hh21101kohn
123159
Hh 2110 R10k W5% L0,25% Art.?Nr. 101090
Mab28a 12hs 2410 Sensor
Al1705 Multi-Turn-Potentiometer (1k)
106704 Mm R 10 11 R5k W15 L2
Try14 2 7 1 ? 1 1 0 2 Joystick
P15p30-2k2 (Ex Xkza15-2k2-Tc+)
Rp 19 R2k W3% L0,5% Potentiometer
Rp20 10
Mup1300 R
Mdct - 10 - K - 2410
42-011644
113583
Axe 02a50-6-30-3 Marquage 260-Ra- A50-1k 113344
Clp21-50

[R22m 1k Multi-Turn Potentiometer](#)[Rp 19 R500 W3% L0,5% B](#)[Mdct10-K-2410](#)[Evv 50 E](#)[107744](#)[48020 Multi-Turn Potentiometer](#)[Al 1710 R10k](#)[103309 Rp 20 R200 W3% L0,5%](#)[812 5 5 1 T 1 P Joystick](#)[Mom18 300 513 Bz K Endlosregler](#)[Rps45](#)[121488 Hhr1910m R10k W10% L0,25%
Dhybrid Potentiometer](#)[Rp 20 R500 W3% L0,5% Draht-
Einwendel Potentiometer](#)[Rp 20 R10k](#)[Mdct20k2410lvdtpc](#)[Mup 1300 R5k W10% L1%](#)[Smh 10885136063 \(- By Mt46-5\)](#)[Ss-400-1-2rt](#)[123176](#)[Md2210](#)[Ac10/6040](#)[R22m R10k](#)[261-2xr1k](#)[115279 Draht-Mehrwendel
Potentiometermd 2210 R50k G W5%
L0,25%\(Ohne Dichtring\)](#)[103218 Mp 23 R2k](#)[Rp 19 R1k W3% L0,5% Dm4](#)[Mm20r1k](#)[Rp 19 R100 /100 W3% L0,5%](#)

Clp13-50
103309 Draht-Einwendel Potentiometerrp 20 R200 W3% L0,5%
Mdct10-K-24-10 Lvt Pc 0-10v
4610 R5k Potentiometer W5% L0,3%
103273 Rp 19 R10k W3% L0,5%draht- Einwendel Potentiometer
101231
103309 Rp 20 R200 W3 L0 5
Mm15r10kw10%l0.5% Sensor
Md3210 R10k Ka S W5% L0.25%
Mms33-Sv900
Rp 19-500 Ohms
R22m + Rcd4
Edct50-S-2410 Linearwegsensör
Clp13 13 R10k W10% L1%
Clp 20-30 R10k
101894
103218 Mp 23 R2k W5 L1
115177 Draht-Mehrwendel Potentiometermd 2210 R10k W G W5% L0,25%
114725
P15-10r/100r Pot. P15 X2 - 10/100 Ohmsaxe 11b30-6
Mm-R-10-11 R5
M735.800.254 Drehgeber
Rp20 Potentiometerrp20, 200 Ohm
114204 Mp 20 R10k
Md 3210 R10k Ka G W5% L0,25%
Mp11 R10k
Rc20p 200 G/7081a
106608

114204 Mp 20 R10k W15% L1%
Mm3010k
128181
Edct50-S-2410 Sensor
Mab22h 1224 Ssicvr1 Endlosregler
Mp 21 R1k
101890 Al 1710m R1k W5% L0,25% Draht-Mehrwendel Potentiometer
Art.?Nr. 109639
Hh2105
F003785 Rc35-300-K 5k
Md 2210 R5k Ka W G W5% L0,25%
P15p30-10k (Ex Xkza15)
Mt46-5
Try103514205v2405
Sp 6 500 5 B Ttl
Mup1350 Potentiometer R1k W5% L0.5%
120199 Mp 21 R1k W15% L1% Dm4mmleitplastik Potentiometer
Mmr10 11 R10k W15% L2%
103282 Potentiometer Rp 19 R2k W3% L0,5%
Al1703
Try103514115
Art-Nr.103309rp 20 R200 W3% L0,5%
81221111r
Ima2-R-24v-0...10v
115302 Md 3210 R5k Ka S W5% L0,25%draht-Mehrwendel Potentiometer
???-50r1km Potentiometer
106609
103282 Rp 19 R2k W3% L0,5% Draht- Einwendel Potentiometer

Ena25 1 2442 Ocw 360 Sensor	
Rc20 100 G 1 R4k W20% L0,1%	
Clp 20 30 R10k	
103282	
Art.No 4127844	
Clp21 30 R2k W10% L0,7% 120487	
Sfcp22 Widerstand 10k	
Mdct50	
Wg020100st	
Ac10s	
Ima2 Lvdt 5 B 24 20	
Rp 19 100 Om Potentiometer	
Hubruckmeldung-Z-Gruppe	
260ra-2k 2 Ohm	
Rp 20, 10 K-Ohm	Potentiometer
Md 2210 R5k Ka G W5% L0,25% Draht-Mehrwendel Potentiometer	
Potentiometer 101896	
L0058571	
Wgo20100	
Al1710	
260 - 2k Ohms - Rear Axe 29,5 Mm	
100595	
Racc 100	
11532e 0513	
82635161400 Joystick	
130668	
Spi18 S75 R5k L-0,1	
Bd20/6224	
Spr18 S 100 R5k Linearwegsensör W10% L0,1%	

[Rp19 R2k W3% L0,5% P/N 103282](#)
[Potentiometer](#)[Rp19 R2k Potentiometerw3% L0,5% P/N](#)
[103282](#)[Clp-13-25](#)[Al 1710m R1k W5% L0,1% D](#)[Hcj 015.8090.922.0](#)[Hh2110](#)[261 2xr1k](#)[131113 Mab40a 12 2442 Nhall-Effekt-](#)
[Singleturn](#)[Mrxct25/7486](#)[4610 R10k W5% L0,3% Art.?Nr. 102243](#)[Al1703 M R10k W5% L0,25% Draht](#)
[Potentiometer Mentwelder](#)[Ac10 6040](#)[109639 Mm R 10 11 R5k W15% L1%](#)[700g08 1/4quot;Mnpt](#)[Md3210](#)[Hh1705m Potentiometer](#)[Clp20 100 R10k](#)[114509 Spr18 S 50 R1k W10 L0 1](#)[Kt801 K 2kn 2410 D](#)[126127 812 2 1 1 1 1 Rfinger Joystick](#)[128546 I/38-1000-5-Bz-N-Cv-](#)
[01optischer Drehgeber](#)[81221111r Joystick](#)[R22m + Rcd4 Potentiometer+timer](#)[851 2 1 1 1 1 Joystick](#)[Ima2 R 24v 0-10v](#)[M105-V5 Hv Rot \(124288\)](#)[42 011644](#)[4610.](#)

Printer Ref. Mth-2523 - (Rs232 - 9 To 40vdc)
Bd20 6224
115169
Clp13-50 R5k
Rp 19/5037 200 Ohm (.)
103265 Rp 19 R100 W3% L0,5%draht-Einwendel Potentiometer
700g08 1/4quot;Mbsp
Try50 351r352
107918 Al 910 R10k W3% L0,25% A14draht-Mehrwendel Potentiometer
103282 Rp 19 R2k W3% L0,5%draht-Einwendel Potentiometer
Ena28f 1 2442 Ocw 360 Sensor
K20837
115175 Potentiometer Megatron Md3210 R1k Ka G
700g31 1/4quot; Mnpt
4610 R5k W5% L0,3%
841211h360
Rc13 50 G 1 W20% L0,1% Sensor
114490
Printer Ref. Gpt-4454 - V.24 - Dc24rs232c - Alimentation 18-36 Vdc - Zoom Function
1k Wgo1030
812-2-5-1-6-O-? 1
Mdcl200-K-2410 Sensor
109343
Moz30 500 24 Bz K
L0058654 (Inaccurate Reference, Use Either Ac10/6040a R1k Or Ac10/6040a R10k) !

Mup4000/4784 R20k C007
Clpr1350
Mp 23 R2k W5% L1%
100596
Cfl400-5??? Sensor Linear +-20% Lin+-0.5 %
Moz30 1000 24 Bz K
103265 Rp 19 R100 W3% L0,5% Draht-Einwendel Potentiometer
65.61.304
61180
Rp19 100?? Potentiometer
Hh211010kohn
Rc20 75 G 1 R3k W20% L0,1% Sensor
115177 Draht-Mehrwendel Potentiometermd 2210 R10k W G W5% L0,25%(Mit Dichtring)
106744
Md 3210 R1k Ka G Draht-Mehrwendel Potentiomete
Mpa20 10kom
120192 Rp 19 R1k W3% L0,5% Dm4mmdraht-Einwendel Potentiometer
103269 Potentiometer: Rp19 R1k W3% L0,5%
Rp 23 Potentiometer
Md2210 R5kg
372 R1k A16mm Dm6,35mm
100625 Potentiometer Pot. 372 - 5k Ohms
Try20-3-5-1-1-3-2-0 Miniatur-Drei-Achsen-Joystick
Rh24pc R5k
Mp 20 R5k W15% L1%
Mcp50 10kohm A

Rp19
Rps45 Potentiometric Sensor
L0752928dis214
118633 Mp 1545 Ashall-Effekt-Singleturn
Rp-19
P15p/S30 - 10k Ohms (Ex. Xkza15-10k-Tc+)
Mup 1300 R5k W 10% L1% Potentiometer
1k (Wgo1030)
19107587
Md 3210 R10k G W5% L0,25% Art.?Nr. 115170
Try20-3-5-1-1-3-1-0