

Mircom

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Mircom Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Mircom Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
Cr-135-2c	
Mtwpb-2475w-Nr	
43t-G10-115-S	
Dbb-W	
Ps-Exp-Retro	
Stwc-Na	
Rss-24mcwh-Fw	
Et70wp-24135w-Fr	
Echsg90-R	
Px62500283	XB11/DB425 UL X(70) RED SPEAKER/STROBE RED LENS,70 VRMS,25W TRANS,CL 1 DIV 2,RED
Ps-8e-B	

S8a-24mcc-Nw	
43t-G10-115-R	
Rssa-24mcc-Alw	
Rss-24mcw-Nr	
Spscwk-Clr-Alert	
B110lp	
En4	
Sth-2r24mcch-Fr	SPEAKER/STROBE CLUST,2 STH 15 SR,RSS 24MCCH,FIRE,RED
E90g-24mcc-Nw	
Stw-Na	
Cf-135-2	
R-24t	
E70-241575w-Nw	
Rsspa-24mcw-Alw	
Amt-12/24-R-Nyc	
Rsswp-2475w-Fw	
Mt-24mcw-Nw	
Cr-200	
Dhe2pc	
Wtp	
Uta-W h-Vps	
Pc4w	
Spmns-Mic	
2251rap	
Rssa-24mcch-Nw	
Px62500284	XB11/DB425 UL X(70) CLEAR RED SPEAKER/STROBE CLR LENS,70 VRMS,25W TRANS,CL 1 DIV 2,RED (CN109209-001
Et70wpa-2475w-Alr	
Nps-Y	
Sth-4r	
Mtwp-24mcch-Fr	

Lens-Ac	
Spbx-160	SAFEPATH SPB 160 REPLACEMENT MOTHER BOARED
E60-24mcc-Fw	
20/20-005	
Ewr	
Cr-135-2-Ewt	
Swhk-P	
Ch70-24mcwh-Fw	
Ft-2145	BATTERY TEST LAMP, INCLUDING UNIVERSAL CHARGER
E60-W	
Trw-Hs	
Et70wpa-2475w-Alw	
Et70wp-2475w-Fr	
Mt4-115-Wh-Vns	
Px869111	DB1PULA024D1D2NNNR HORN MULTITONE,24VDC,93DBA,CL 1 DIV 1,RED
Strc-Na	
Nps-W	
Sti-9604	
Mix-M500ma	
Wtp-Sp	
Sth-15s	
Tr-Hs	
Ch90-24mcc-Fr	
P2wk-P	
Beamhk	
Cvx10-115-S	EXPL. PROOF,VIBRATING BELL,115 VAC,SLVR
Spscwk	
E50-24mcc-Fr	
Sprv	
Cf-200	

E70-24mcwh-Fn	
Swh	
E50a-24mcw-Nw	
Spswk-P	
Lens-G	
Beam1224s	CONVENTIONAL BEAM DETECTOR SINGLE ENDED C/W 8 REFLECTOR INTEGRAL SENSITIVITY TEST
Hs4-24mcc-Fw	
Mtwpb-24mcch-Nw	
5000-012	
Mix2251rap	
Stw-Nb	
Csxg10-115-R	EXPL. PROOF, SINGLE STROKE BELL, OUTDOOR, 115 VAC, RED
Spwv	
Wg-152	
Scwhk	
Et70wp-24115c-Fr	
Et80-24mcw-Fr-Ulc	
Rssrp-W	
Hsr	
2151t	
P2wh-P	
Lens-B	
Cb500	
Px869210	XB11/DB3 UL 110V RED/RED MULTITONE STROBE RED LENS, 110VAC, CL 1 DIV 2, RED
Spscwv	
Nps-G	
Sp40se-B	SAFE PATH MULTIFUNCTION FACILITY COMMUN SYS, 220 VAC, BLK
Rssr-24mcc-Nw	
Mtwp-24mcwh-Fw	

P4rh	
Mr-101/C/R	
Et90-24mcch-Fn	
Spb-160	SP40S SUPERVISED AUDIO POWER BOOSTER,160W ,RED
Mb-G6-24-S	
Sth-2ms-R	
Smb600	
Cf-135-C	
43t-G6-115-R	
Echsg60-Fr	
Rsswpg-24mcch-Nw	
Ec-240	
Spb-80/4-B	SP SUPERV AUDIO POWER BOOSTER,80W ,4A STRB PWR,BLK
E70-24mcw-Alw	
Is-2000	
R-14e	
Wfpa-R	
Scw-Clr-Alert	
Et70wp-2475c-Fr	
Bl-6	
Et70wp-2475c-Alw	
Rssp-24mcw-Fw	
E90-24mcc-Fn	
Spsep-Bbsw	
Rms-6t-Exp-Kl-Lp	
Ch70-24-R	
Mta-121575w-Nw	
Et70-24mcw-Alw	
Cbb-8	
R-10e	

Trw	
Cf-200w	
Sw-Clr-Alert	
E50ssb-R	
Mix-M500ra	
Sth-2r24mcch-Nr	
Rss-24mcwh-Fr	
Echsg70-Fn	
Sg-210s	
Isp2-R	
Pam-3	
Et70wp-24115c-Fw	
Cvxg10-115-S	EXPL. PROOF,VIBRATING BELL,OUTDOOR,115 VAC,SLVR
E50-24mcw-Alr	
2d51	
Nps-B	
1000-021	
Cf-135w	
Sth-90-R24mcch-Fr	
E70-241575w-Fw	
E90a-24mcch-Alw	
Sth-3ms-R	
Et90-24mcc-Fn	
Et70-24mcw-Alr	
Rssg-24mcc-Nw	
Sprm-Gp	
Px869135	DB3UL110N2CNRZ HORN MULTITONE,110VAC,108DBA,CL 1 DIV 2,RED
Hs4-24mcch-Fr	
Ch70-24mcw-Fr	
Spswv	

Dpcvr	
Mtwp-2475w-Fw	
Ac-Max-R	
Echg50-W	
Dscvrw	
302-135	
Sti-8100	
Co1224tr	
Asrs-R-Dc	
Et80-24mcw-Fw	
5151	
Spb-160e	SP40S SUPERVISED AUDIO POWER BOOSTER,160W,RED, 220 VAC
Rsswp-2475c-Fr	
Ssv120-8	
Csx10-24-R	EXPL. PROOF,SINGLE STROKE BELL,24 VDC,RED
Spcw	
Px869171	XB11UL02406RNBNNNR STROBE RED LENS,24VDC,29CD,CLASS 1 DIV 2,RED
Swk-P	
Spsrk	
Psx-Pse	
Mt-12/24-R	
Mcmmix5251rap	
P2r	
Csx10-115-S	EXPL. PROOF,SINGLE STROKE BELL,115 VAC,SLVR
F-A3384-000	
Sp40se-D-B	SAFEPAATH MULTIFUNCTION FACILITY COMMUN SYS, 220 VAC,BLK SYS W/ A 10-MIN TIMEOUT FEATURE
Px869190	XB11UL02406RNBNNNN STROBE RED LENS,24VDC,29CD,CLASS 1 DIV 2,BLK
Trcw-Hs	

Px869398	XB15UL02406RWBNN STROBE RED LENS,24VDC,330CD,CLASS 1 DIV 2,BLK
Strc-A	
Rts151	
Sp40se-D	SAFEPATH MULTIFUNCTION FACILITY COMMUN SYS, 220 VAC SYS W/ A 10-MIN TIMEOUT FEATURE
Et70-24mcwh-Fw	
Mb-G10-12-R	
Rsswpa-2475w-Alw	
Spswk-Clr-Alert	
Scw-P	
E70b-24mcc-Nw	
Et90-24mcch-Nw	
SpscrV	
Swh-P	
Hsrc-N	
Hsw-Al	
Mhr	
Px56201072	SM87HXBAUL024CN4L4RNNR STROBE CLEAR LENS,24VDC,29CD,CLASS 1 DIV 1,RED
Cr-135-2co	
Dhe3pc	
Ap-R	
Spsw-Clr-Alert	
Strc-N	
Pc4rk	
Ch70-24mcw-Fw	
Cf-200-2c	
Aswp-24mcwh-Fr	
30-3003	OPTICAL SMOKE DETECTOR, EXPLOSION PROOF, NOT FM OR ULC APPROVED
E90a-24mcc-Nw	
Cr-200-2c	

Wp-Kit	
Ps-6-Exp	
Swk	
Sa-H15-B	
Rssrp-Fw	
Rts2-Aos	
E90g-24mcch-Nw	
302-Epm-194	
Cr-200-C-Ewt	
P2whk-P	
E70-N	
Ms-401	
Sa-H5-B	
Sbb-W	
Rsswp-24mcwh-Fw	
Mids-R-Ac	
Am-Sp40s-Nbt	
Wfp-R	
Sti-1200	
30-2056b	EXPLOSION PROOF, IR, 24VDC, NOT FM OR ULC APPROVED
Sti-9605	
Mlp-Ar-Apw-Op-Sep	EXPLOSION PROOF INFRARED OPTICAL DETECTOR
Ps-6e-B	
E90-N	
Mix-2251ba	
Wpsbb-R	
Mdl3r	
Hsr-N	
Et70a-24mcwh-Nw	
Wfp-W	

Rsswpa-2475w-Nw	
Ap-W	
Mix5251b	
R-24e	
Sth-15sr-Ulc	
TI-2055	
E60-24mcc-Alw	
E50-24mcwh-Alw	
Ch70-24-W	
Px869408	
Beam1224	
Px869205	DB3/XB11UL 24V RED/RED MULTITONE STROBE RED LENS,24VDC,CL 1 DIV 2,RED
Hs4-24mcwh-Fw	
Px19900177	DB415ULXN2CRZ SPEAKER 70 VRMS,15W TRANSFORMER,CL 1,DIV 2,RED (CN109208-002)
Hs-24-W	
Mr-101/T	
E50a-24mcw-Alw	
Spb-80/4e	SP SUPERV AUDIO POWER BOOSTER,80W ,4A STRB PWR,RED, 220 VAC
Ps-8-B	
Str-Nr	
Nps-Nc	
Sti-6535	
5000-014	
Csxg10-115-S	EXPL. PROOF,SINGLE STROKE BELL,OUTDOOR,115VAC,SLVR
Rsscwp-Fw	
Et80-241575w-Fw	
Et70wp-24185w-Fw	
Rssr-24mcch-Nw	
Sti-6525	

Px869174	XB11UL02406CNBNNNR STROBE CLEAR LENS,24VDC,29CD,CLASS 1 DIV 2,RED
Sth-3r	
Cf-135	
100ru	
Pc4rh	
Px28000043	PBUL4C6C4DSN7R PUSH BUTTON,CL 1 DIV 2,FIRE LABEL,RED
Pam-4	
Et-1010-R	
Rfpw	
Trc-Hs	
Sep-Spsw	
Px869115	DB1HPULA024D1D2NNNR HORN MULTITONE,24VDC,100DBA,CL 1 DIV 1,RED
Awp-24mcwh-Fw	
Sth-3r24mcch-Fr	
E70a-24mcc-Alw	
Et70wp-2475w-Alr	
Dc-Max-A	
E50-24mcwh-Fw	
Rsswpr-24mcch-Nw	
Mt-24mcw-Ar	
Sa-S90-W	
Sep-Bbsw	
Mb-G6-6-R	
Co-Plate	
Stw-Ab	
Sti-1230	
Cf-200-Mp	
E90-24mcch-Nw	
Co1224t	
Et70-24mcw-Nw	

Mtwpr-24mcch-Nw	
Pc2rhk	
E70a-24mcc-Nw	
E70-24mcw-Nr	
E90-24mcc-Alw	
E70-24mcwh-Alw	
Stw-Ala	
Min-Ta	
30-3003d	DUCT, OPTICAL SMOKE DETECTOR, EXPLOSION PROOF, NOT FM OR ULC APPROVED
20/20-003	
Hs4-24mcw-Fr	
Mt-24mcw-Fr	
Amt-241575w-Nw	
Srh	
Spb-80/4	SP SUPERV AUDIO POWER BOOSTER,80W,4A STRB PWR,RED
Px18800386	XB4ULB8D2E3E06ANCN1R STROBE CLEAR LENS,24VDC,355CD,CL 1 DIV 1,RED
P-Union	
E50-24mcc-Fw	
E70a-24mcw-Alw	
Rss-24mcc-Fw	
Echg70-R	
Amt-24mcw-Fw	
Ac-Max-C	
Swh-Alert	
Esbw	
Csx10-24-S	EXPL. PROOF,SINGLE STROKE BELL,24 VDC,SLVR
Spmns	SAFEPATH MNS CONTROL UNIT
Rtc100	
E70-24mcw-Fn	

Cf-135-Ewt	
Wbb-R	
Rssp-24mcw-Nr	
Mr-201/C/R	
Hswc-A	
Sti-6500	
Wpsbb-W	
Hw	
Beamsmk	
Cvx10-115-R	EXPL. PROOF,VIBRATING BELL,115 VAC,RED
E60-24mcch-Fw	
Ssm24-8	
Sym-Dc	
Ps-15a-Wpw	
Mtwp-24mcch-Fw	
Hs4-24mcwh-Fr	
608	
E50ssb-W	
D4s	
Et70wp-24185w-Nw	
Spb-160e-B	SP40S SUPERVISED AUDIO POWER BOOSTER,160W ,RED, 220 VAC,BLK
Ec-100	
Rssp-241575w-Fr	
Px869175	XB11UL11006RNBNNNR STROBE RED LENS,110VAC,29CD,CLASS 1 DIV 2,RED
Sbl2-R	
Sti-1221e	
Cf-200-2	
Px869176	XB11UL11006ANBNNNR STROBE AMBER LENS,110VAC,29CD,CLASS 1 DIV 2,RED
Llc	

Scrh	
Mt4-12/24-R	
Ss2-An	MULTI-SPECTRUM OPTICAL FLAME DETECTOR WITHOUT THE SELF-TEST FEATURE. EXPLOSION PROOF, ALUMINUM HOUSI
E70-24mcw-Alr	
Swhk	
Spcrv	
Spx40s	SAFEPAH SP40S REPLACEMENT MOTHER BOARED
Ps-6	
Psx-Log	
Sp-Svc	
Et70wpa-2475w-Nw	
D4120w	
Mt-121575w-Fw	
Mtwpa-24mcch-Nw	
Mr201c	
E90b-24mcc-Nw	
Rsspa-24mcc-Nw	
Spbps-X	
E90a-24mcc-Alw	
Spscwh-P	
P-Tee	
Px36200102	SM87PBLAUL3T3B3NNR PUSH BUTTON,CL 1 DIV 1,FIRE LABEL,RED
Stwc-Ala	
Rt	
Amt-241575w-Fw	
Spcwv	
Et70-24mcwh-Fn	
BeamIrk	
Et70a-24mcw-Alw	
E60-24mcwh-Fw	

Et70wp-24185w-Fr	
302-Aw-194	
Echg60-R	
Mix2251br	
Batc-R	
Sbl2-W	
Sa-S70-24mcw-Fw	
Str-N	
Sp40s-D-Pik	
31t-115-R	
E70g-24mcc-Nw	
Spb-320e	AUDIO POWER BOOSTER,320W ,E
2w-B	
F2000 Eexd	EXPLOSION PROOF PROJECTED BEAM TYPE SMOKE DETECTOR, 24 VDC, 4-WIRE (TRANSMITTER, RECEIVER AND CONTRO
E60-W-Ulc	
Rj71-C	
Px27600284	XB15UL02406CWBNR STROBE CLEAR LENS,24VDC,330CD,CLASS 1 DIV 2,RED
E70-24mcc-Fw	
Xr2b	
B114lp	
Mix5251ap	
Ec-140	
Px56201144	SM87HXBAUL024RN4L4RNNR STROBE RED LENS,24VDC,29CD, CLASS 1 DIV 1,RED
Aswp-24mcch-Fw	
E50-R	
Sens-Rdr	
Rss-24mcwh-Nr	
	SM87HXBAUL110AN3R3LNNR STROBE AMBER

Px869166	LENS,110VAC,29CD,CLASS 1 DIV 1,RED
Sti-1100	
E70-24mcc-Alr	
Px19900178	DB425ULXN2CRZ SPEAKER 70 VRMS,25W TRANSFORMER,CL 1 DIV 2,RED (CN109208-001)
Rssrp-R	
Psx-Ps	
Rsswpa-2475c-Alw	
Bb-S	
Rssp-24mcw-Nw	
Pr-2	
23835	
Sr-P	
Wbb-R-1/2t-1/2b	
Aswp-2475w-Fr	
Ec-116	
E50-W-Ulc	
5604	
P-Elb-45	
Sti-1227	
Spscrh	
S8b-24mcch-Nw	
Dst10	
Et70a-24mcw-Nw	
Rsswp-2475c-Fw	
Rsswpb-24mcch-Nw	
Et70-241575w-Fr	
Hrk	
Cf-135-2-Mp	
Et70wp-2475w-Fw	
Beammk	

Mrm-Rms6texp	
Apa151	
Vc-10	
Xal-53	
Et70-24mcch-Fw	
Iob-R	
Mtg-24mcch-Nw	
Echg90-W	
Pc4r	
Shmp-S	
Hs4-24mcch-Fw	
Srhk-P	
Dwhk	
Dc-Maxs-A	
Eps-2401	
Rssp-121575w-Fr	
Shbb-R	
P2rhk-P	
Amt-24mcw-Fr	
Rss-24mcc-Nw	
Bat-1265	
Spswh-P	
Cr-135-2-Mp	
Csx10-115-R	EXPL. PROOF,SINGLE STROKE BELL,115 VAC,RED
Str-Nb	
43t-G10-24-R	
Rssp-24mcwh-Fr	
E60-24mcch-Fr	
Rssrp-Fr	
Ps-8-Exp	

Cr-200-2-Mp	
Echg70-N	
302-Epm-135	
P2w-P	
Sth-4r24mcch-Fw	
Asb-24mcw-Nw	
Ch70-241575w-Fr	
M02-09-00	
Cf-135-2-Ewt	
Rsswp-2475w-Fr	
E60-24mcw-Fw	
Spscwvh	
Mt-241575w-Fr	
Px869121	XB4ULB8D2E3E06ANRN1R STROBE RED LENS,24VDC,355CD,CL 1 DIV 1,RED
Rfp	
Et90-24mcch-Fw	
Et70-24mcw-Fr	
2wt-B	
Rss-241575w-Fr	
Et70-24mcwh-Nw	
Cvxg10-115-R	EXPL. PROOF,VIBRATING BELL,OUTDOOR,115 VAC,RED
6500smk	
Ac-Max-A	
Sfp-S	
Lens-R	
Rss-24mcw-Nw	
Sa-S70-24mcw-Fr	
Rsswp-24mcwh-Fr	
Cr-135-2	
Stwc-Nr	

Pc2wh-P
Dsm-12/24-R
Rss-24mcw-Alw
E90-24mcch-Alw
Sth-2r
E50-24mcw-Alw
E50-R-Ulc
P-Label-P
Dc-Max-B
Ec-103
Echsg50-Fw
Rssa-24mcw-Alw
Mb-G6-12-S
Sti-6505
Xr2
Spscw
Mtwp-2475c-Fw
Wbb-S
Beamhkr
Echsg70w-Fr
S8-24mcc-Fw
Aswp-24mcch-Fr
Sth-2g
43t-G6-24-S
Mtwpg-24mcch-Nw
Ac-Max-B
Spscw-Clr-Alert
43t-G6-115-S
Cf-200-2-Mp
Mr-204/T

2wtr-B	
Fls-A-Dc	
Rsspa-24mcc-Alw	
Trcw	
Rssp-121575w-Fw	
R-10t	
Ma-771d	
Px22600456	XB12UL02406CNBNNNR STROBE CLEAR LENS,24VDC,255CD,CLASS 1 DIV 2,RED
Fs24x-211-21	MULTI-SPECTRUM TRIPLE IR OPTICAL FLAME DETECTORS WITH THROUGH-THE-LENS TESTING, IP66 ALUMINUM ENCLOS
Aswp-2475c-Fr	
Dc-Maxs-B	
Rssg-24mcch-Nw	
1000-018	
5000-031	
Ssv120-6	
Lens-Gc	
Stwc-N	
Ms703u	
Spsw	
Lemd-M	
Spb-80/4e-B	SP SUPERV AUDIO POWER BOOSTER,80W ,4A STRB PWR,RED, 220 VAC,BLK
Pc2rh	
Scwh	
Crt-T-40	
Lens-A	
Nps-R	
R-20t	
Sti-9610	

Stb-4r24mcch110b-Nr	
Rss-24mcch-Fw	
P-Samp-Kt	SAMPLING POINT KIT, FAAST. 10 EA
Px29600042	
Et70wp-24177c-Alr	
Sp40s	
Cr-200-Mp	
E60-R	
43t-G6-24-R	
Px62500274	XB11/DB3 UL 24VDC CLEAR/RED MULTITONE STROBE CLEAR LENS,24VDC,CL 1 DIV 2,RED (CN109209-002)
Ssb-4	
Ms403u	
Mth-24	
Fs24x-911-21	MULTI-SPECTRUM TRIPLE IR OPTICAL FLAME DETECTORS WITH THROUGH-THE-LENS TESTING, IP66 ALUMINUM ENCLOS
Et90-24mcc-Nw	
Bat-1212	
5000-103	FIRERAY 5000 REFLECTIVE BEAM SMOKE DETECTOR.ALLOWS UP TO 4 BEAM DETECTORS TO BE INSTALLED AS ONE SY
Coil400	
Lens-Bc	
Wtpw	
Scw	
Et90-24mcc-Fw	
Ssb-8	
Et80-24mcwh-Fr	
Echsg60-Fw	
Bb-210	
St-C8mv	
E50r-24mcwh-Nw	
Spsrv-P	

Strc-AI	
Px869396	XB15UL02406RWPNN STROBE RED LENS,PIPE MT,24VDC,330CD,CL 1 DIV 2,BLK
Wg-010	
Spb-320	
Evax	
Sp4z-A/B	
Srh-P	
E60-24mcc-Fr	
Aswp-2475w-Nr	
Cr-135-C-Mp	
Smb500	
Et70-N	
Tb-592	
Aswp-2475w-Fw	
Ap-S	
Csxg10-24-R	EXPL. PROOF,SINGLE STROKE BELL,OUTDOOR,24 VDC,RED
Ch90-24-R	
Strc-Ng	
Smk400	
Mixm500r	
Sp4-Loc-Kit	
Hnr	
Miz-24s-R	
Hs4-241575w-Fw	
E90-R	
2w-Mod2	
Et80-241575w-Fr	
Ss2-A	MULTI-SPECTRUM OPTICAL FLAME DETECTOR WITHOUT THE SELF-TEST FEATURE. EXPLOSION PROOF, ALUMINUM HOUSI
50ru	

E90-24mcc-Fw	
Rps-2406	
Mwbb	
Sa-Wbbc	
Nacim	
Rssb-24mcwh-Alw	
Mtwp-24mcwh-Fr	
Dbb-S	
Sfp-R	
Cf-285	
St-C8m	
Spscrvh	
Cr-135-Ewt	
Ec-300	
Pc2r-P	
302-194	
5601p	
Strc-Nb	
Rsswp-2475w-Alw	
Dst1.5	
Px869131	DB3UL048N2CNRZ HORN MULTITONE,24VDC,108DBA,CL 1 DIV 2,RED (CN109207-001)
Ah-24wp-R	
Pc4rhk	
Awp-2475c-Fw	
Bbs-2	
302-Aw-135	
Cf-200-Ewt	