



Mobrey

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Mobrey Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Mobrey Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
SK215	SPARE KIT, SWITCH MECH P4 CIRC
MOBREY SOLARTRON VISCOMASTER DYNAMIC	TYPE:7829FEANAJRBBA SERIAL M/E:297944 SERIAL D/G:295246 MAX W.PRESSURE:10.5 BAR PRESSURE TESTED:16 BAR
S36DA/F84	MAGNETIC LEVEL SWITCH G/P
179-326B00	TD 145394 0100
SK339	SPARE LVDT ASSEMBLY
S01DB/F93	MAGNETIC LEVEL SWITCH S01DB/F93 - HORIZONTAL FLOAT SWITCH; SWITCH UNIT; Material (Wetted Parts): Aluminium Bronze. Flange Size: Mobrey A; Contacts: 2 x SPST; Enclosure Material: Aluminium Bronze. End Cap Material: Aluminium. Enclosure Rating: IP66. Conduit Entry: M20; FLOAT UNIT; Material: 316 Stainless Steel. Fitted with Silicone Rubber Gaiter and Stainless Steel Shroud for Dirty Liquids. Min. S.G.: 0.75; Max WP 0 Bar. Temperature Range; Ambient: 0 deg C to + 70 deg C, Medium: 0 deg C to +180 deg C
VT13 LEVEL	MAGNETIC LEVEL SWITCH, MOBREY A FLANGE S36DA/F68/1 is new model code of S36DA/F68. New model has the rod length. F68/1 quoted has 14.2" rod length, if you need longer let me know will requete with F68/4 /F68/1 (6) Horizontal pump control or alarm - Variable differential - overall length 360mm / 14.2" /F68/4 (5)(6) Horizontal pump control or

S36DA/F68/1	alarm - Variable differential - overall length 643mm / 25.3" S36DA/F68/1 - HORIZONTAL FLOAT SWITCH; SWITCH UNIT; Material (Wetted Parts): Stainless Steel. Flange Size: Mobrey A; Contacts: 2 x SPST; Enclosure Material: Aluminum Alloy. Enclosure Rating: IP66. Conduit Entry: M20; FLOAT UNIT; Material: 316 Stainless Steel. Horizontal Variable Differential for Pump Control/Alarm. Min. S.G.: 0.72; Max WP 33.8 Bar. Temperature Range; Ambient: 0 deg C to + 70 deg C, Medium: 0 deg C to +400 deg C
MAGNETIC LEVEL SWITCH	S01DB/F84 S01DB/F84 - HORIZONTAL FLOAT SWITCH; SWITCH UNIT; Material (Wetted Parts): Aluminium Bronze. Flange Size: Mobrey A; Contacts: 2 x SPST; Enclosure Material: Aluminium Bronze. End Cap Material: Aluminium. Enclosure Rating: IP66. Conduit Entry: M20; FLOAT UNIT; Material: 316 Stainless Steel. Minimum S.G.: 0.65; Max WP 18 Bar. Temperature Range; Ambient: 0 deg C to + 70 deg C, Medium: 0 deg C to +210 deg C
7829FEANAJRBBA	VICKOMASTER Serial no: 294505
H120410.25	
S01DB/F84	MAGNETIC LEVEL SWITCH
WS-EU115 891721113	
MAGNETIC LEVEL SWITCH	S01DB/F84 - HORIZONTAL FLOAT SWITCH; SWITCH UNIT; Material (Wetted Parts): Aluminium Bronze. Flange Size: Mobrey A; Contacts: 2 x SPST; Enclosure Material: Aluminium Bronze. End Cap Material: Aluminium. Enclosure Rating: IP66. Conduit Entry: M20; FLOAT UNIT; Material: 316 Stainless Steel. Minimum S.G.: 0.65; Max WP 18 Bar. Temperature Range; Ambient: 0 deg C to + 70 deg C, Medium: 0 deg C to +210 deg C
S195DBL/F84/M03	MAGNETIC LEVEL SWITCH
SMN1 HORIZONTAL	LEVEL SWITCH
MAGNETIC LEVEL SWITCH	S01DB/F68/1
Vt13	
Msp90	
S489/F106	
Sk-190	
Td2rt1-Naa / 2120d2rt1naa	
Sn:294255, Type: 7829fcanaebaba	
Vt00	
Bx08/2	
So1db/F84	

295890	
Sensor 433sd With A Cable Length Of 10 To 12 Meters	
Msp900	
S 16 D/F 19	
Complete Level Switch For X C 12f S Kn I A 1 H4 R B 2 Ac R	
Ls-2050 Part No 30288	
S36da/F104/1	
79550504	
Spcom20-316stsmoa/Sma1	
79513705	
Sk194	Spare Kit,Vert Ctrl Float for 3F and 13F
Bmso1db/F93	
S250da/F104/1	
Mcu201wx-A (Mcu200)	
Sk152	
S2fa150	
Type 2110-1-1a-Na	
9000s1gg1ab1xmk2 By 260/F7/H50/P3/9/Is	
7955 (7955ea)	
Asme B16.5 Class 150 Raised Face (Rf) Flange	
80311	
21201ag1naaa0000	
Model : Zelu-1r Amp; Zelu-1g Power : 110vac	
79510501(79510501-Lvv)	
79513710	
70708/882/1	
79550503(79550503-Bvv)/, No	
So3dbI/F84/M05	SWITCH

70709/881/1
79511206a/ , No
Msp422-B28
94-31-49-00
Type: Ibf25
Mobrey S01db/F84
Bdo 9/1
24680501cvv-1
70632/33
Sk193
Td2rs1naa By Mobrey Squing 2 Td2rt1-Naa
Smd1
70708/ 881/ 1
66-157989
Model: S36 Da/F84
S489da/F107
S183dbI/F21/M03
79550502
S19 L8I7f84
Bmsk79
70709/877/1
Sk181
79553701(79553701-B)
S03dbI/F84/M03
79550502f Obsolete
Type Lti68tfad4gh38b9
G4881/C
Mcu900 (Obsoelte By Msp900)
S418da/F84
(Msp-Brk2) Bsp Boss/Nut, Nylon

Sma1(Ex.Sia-2/F1)	
Sw037534	
G3450	
Msp900sh-A/20	
Smb1 / Ip66-67	
H318	
13is-Lsl-281	
Sk55	
P/N 79510219a	
9790ms1c2- P0cmk2-Range 0-10m/Actual 0-5.5m , No	
Vt10 /Rs	
Vtof	
Msp900sh-A	
Td2rs1-Naa	
79511206	
Ltn00tsan**A00	BOARD
800400380	
Ks12-21-Ids-000-001-A	
Bxm15/1	
Ip66/67	
260/F7/H50/P3/9/Is	
Ibf25-Id1010,1	
830sds00000 (- Last Unit)	
Lts68tsbd**J24(Mod)	
834sds00000	
13is-Lsh-282	
79550503	
Mcu901wx-A	
80436	

Sk339	LVDT ASSEMBLY
2120d1bg1naaa Model: 2120	
Td1ab1naa. Pnp 21201ag1naaa0000	
S179db/F84	
M-12-S-Lp-6ees-1cs-S1-D1-12f300	
7829fennajbhba - No	
S489/F93	
13in-Lsh-282	
Ibf25-Id315.8	
Squing 2 Vibrating Fork Point Level Switch	
Type Ltc60tfad5fa00bb	
459600201	
Bd13/3	
Repair Kit For 80311	
So1pb/F94	
Msp422-28	
522273	S/N 9939 Q63mm Länge: 150mm M6-GEWINDEANSCHLUSS
Sk447	ATEC PCB ASSY
Type No-Bx08/4	
18 Bar Typ. Nr. S01d/F101 Serial No. 8910 Contact Normal Close - Obsolete (Replaced By S01db/F21/	
Msp400-R-H-B28	
Typ 30800 Mk.4 , Without Replacment /	
Sk 79	
Td1bb1naa By 2120d1bg1naaa Model: 2120	
S01db/F21/1	
7955ab No Replacment	
S489/F68	
Water-Level Float For Bx08/3	

S489/F98	
79550502(79550502-Fvv)	
70709/879/1	
79510501	
2t:1040/1300 Mm	
Sk183	Spare Kit, Vert Control Switch Mechanism
Sk179	
Complete Level Switch For X C 12f R Kn I A 1 H4 R C 2 Ac R	
Mobrey Td2gv1exm0200	
Type: Cp810v-Mc1000-Tix	
Bx05/2	
Bx22/2	
Type: Td 110/A (Sandwich)	
Sk37	
Sk192	
D-S-13d-S7a-C-2-D4u/65	
40-300	
Td2rs1-Naa -Old Code The New One Is Td2rt1-Naa Squing 2	
S2fa100	
Sk51	
7655	
Bdo 12/2	
S01db/F84-Db5	
Td1bt1naa	
Ltc67tsad4gl33 D4 -, No	
70800/1230	
211000dna	
S01db/F84	
S183 SI F21/1 Gm M03 Old Code, New Code: S183db/F21/M03	

S489/F96	
246781za	
Vhm 15/1	
Bmso3dbI/F84/M03	
70709/ 880/1	
S01db/F68/1	
Ds13fsknab1p84aar Xxx	VERTICAL LEVEL SWITCH
S489/F21	
Sk50	
Type Lti68tfad2gh38b9	
S25-GI40	
Mcu200	
Sma1/Rs	
79553701	
Mcu200 Controller	
79550504(79550504-Dvv)	
S501ga/F96	LEVEL SWITCH FLOAT 34.5BAR 440VAC 240VDC 2AMP
9790ms1b1/B2 P0c-Range , No Replasement 0-5m/Actual 0-2.7m	
Sk52	
830sds00000	
S489/F88	
Bxm08/6	
S01db/F185	
795112006(795510219-Avv)	
S489/F84	
13in-Lsl-281	
Bx19/2	
Msp900gh-A	LEVEL TRANSMITTER LIQUID ULTRASONIC 4-20MA 12-30V
S01d/F84	
70709/878/1	

Mobrey-Betö;Tiger-F3;R-30800-Mk4-- Without-Replacment--Istanbul-Turkiye
0302789108480060 29-Replaced By 211000dna
3101la2fscna
S163dl/F21/M03
7829feanajrbba - No
Type Lts65tfad5fh31ba
70709/882/1
Smd1(Ex.S62d/F40)
Vhm 08/2
Type Lti68tfad5gh38b9
Spcg143
Sk191
Smn-1
Bx07-2
So1d/F85 !! By S01db/F185
Old No: So1d/F83 - New No: So1db/F84
S250da/F84
Odw-1a1a Oil Detector
Type Lti68tfad4gh8b9
Spcg183
Mcl 901wx-A/20
Mobrey Vertical Boiler Level Switch Type: Bd07/4
830sds00000 Squitch 2
Kks:31-40twc00cl501
Bms36ama/F68/3
S01db/F93
MAGNETIC LEVEL SWITCH Option Values ===== S01DB/F93 - HORIZONTAL LEVEL SWITCH. SWITCH UNIT; Material (Wetted Parts): Aluminium Bronze. Flange Size: Mobrey "A". Enclosure Material: Aluminium Bronze. End Cap Material: Aluminium - Grade LM24. Enclosure Rating: IP66. Contacts: 2 x SPST. Conduit Entry: M20. FLOAT UNIT; Material: 316 Stainless

Steel. Fitted with Silicone Rubber Gaiter with Stainless Steel Shroud. Maximum Pressure: Atmospheric. Temperature Range; Ambient: 0 to 60 deg C, Medium: 0 to 180 deg C. Minimum S.G.: 0.75

[S489/F104](#)