

Nanotec



Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapılabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Nanotec Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Nanotec Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
ZST3,5-1-135,3-1 M3.5	LEAD SCREW MODIFIED (135,3mm)
LSNUT-AAAA-TDBA M3.5X1 NUT	
ST8918M4508-A	Stepper Motor - NEMA 34
As5918L4204-E24-Kima	
DB42L01 - BRUSHLESS DC MOTOR	
11537488	
946KA1	
AL4118L1804-KIMA (OEM)	
AP8918M6404	
AS4118L1804-ENM24B	
AS5918L4204-E24-KIM	
C5-E-1-09	
C5-E-1-81	
C5-E-1-81 2	
DB28-K2V34239	
DBL36M024048-A	
G210X	
LGA201S06-B-TDBA-019	

LSA201S06-B-TDBA-102	
LSNUT-AEAC-TDBA	
PD2-T5718L3204-KBRA 39-06, SN:105332	
PD4-C5918L4204-E-01	
SMCI33-1	
SMCI33-2	
SMCI35	
SMCI36	
ST4118L1206-B	
ST5718L2804-KFMS OEM	
ST5918L2008-A	
ST5918M3008-A	
ST5918X3008-A	
ST6018M3008-A	
ST6018X3008-A	
ST8918S4508-A	
ST8918S4508-B	
WEDS5541-A14	
ZK-JST-EHR-6-0.5M-S	
ZK-PD4-C-CAN-4-500-S	
ZK-VHR-6-300-4	
ZK-XHP2-500-S	
ZK-XHP4-300	
C5-01	Open loop stepper motor controller
Z-K4700/50	Kondensator
ZK-MICROUSB	Micro-USB-Kabel 1.5m
ST5918L3008-A	stepper motor NEMA23; 1.8 degrees Nanotec Drawing Rev.: 06
LA421S14-B-UIEV	Non-captive Linearaktuator – NEMA 17
ZK-JST-EHR-6-0.5M-S	Motor cable 0.5 m

SCREW-ABA-UIEV-200	Spindle with ACME thread
DF45M024053-A	BLDC flat motor 45mm; Hall sensors; Plug 0.084Nm; 50W; 24V; 2.36A; 5260rpm
CSL3-24	BLDC Motor Controller; 10-30V; 3/9A UART; 24V input
ZK-PHR-5-500	PHR5 socket with 500mm cable free cable ends Nanotec drawing Rev.: 00
ZK-GHR10-500-S-COM	GHR10 connector; L=0.5m; shielded free cable ends; PARP-06V or PAP-06V-S for COM Nanotec drawing Rev.: 00
ZK-RS232-USB-1	RS232-USB converter cable USBUART330TTLFTDI100 Nanotec drawing Rev.: 01
ZK-VHR-3-500	VHR3 socket with 500mm cable free cable ends Nanotec drawing Rev.: 01
ZK-VHR-2-500	VHR2 socket with 500mm cable free cable ends Nanotec drawing Rev.: 00
ZK-JST-PHR-6-0.3M	Motor cable for DF45 for Hall sensors; l=300mm Nanotec drawing Rev.: 00
ZK-JST-VHR-5N-0.3M	Motor cable for DF45 for phases U, V, W; l=300mm Nanotec drawing Rev.: 00
LA421S14-B-UIEV	Non-captive Linearaktuator – NEMA 17
SCREW-ABA-UIEV-300	Spindle with ACME thread
ZK-JST-EHR-6-0.5M-S	Motor cable 0.5 m
As5918I4204-E24-Kima (Oem)	
WedI5541-A06	
As5918I4204-E24-Kim B902103 45/09-0072 Oem/Customized	
As5918I4204-Enm24	
St4018m1804-Kowl1 Customized	
As4118I1804	
4h4018s2008 (Obsolete)	
Sh4018I0806-A	
Pd4-N5918x4204	
Db42I01	
St8918I6708-B	
Zk-Rs485-Usb	
CI4-E-2-12 Controller	

Gple80-2s-40-F87	
Brushless Motor With Outer Rotor	12-24-48VDC, 10-50 W, Bei einem Drehmoment von 90-120 mNm Die Scheibe hat einen Durchmesser von 45-50 mm und eine Länge von 45-50 mm. Anhang beispiel bild
G210x Digitaler Schrittmotor Controller - Successor For G210	
Sh5618s1608-Kmem2	PLease see attached photo
As5918l4204-E24-Kim -	
Pd4-N5918l4204-Ip-2	
St5918d4208-A	
St6018	
St4118m1804-L	
Zst3,5-1-500	
Db87m01-Keur1 Fa635441 10/13-0025	
284847	
Cl4-E-2-12	Motor controller for CANopen, Modbus RTU or USB
C5-E-1-81 Controller	
A85918l4204-E24-Kima B907030 03/11-0088	
St5918l2008-A Schrittmotor	
Al4118l1804-Kima (Oem)	
St8918m6708-A	
St8918s4508-B Schrittmotor	
St4118l1206-B Schrittmotor	
Df45l024048-A2 Firçasiz Yassi Motor	
Zd-D40	
St5918l2008-A Stepper Motor	
Noe2-05-K14	OPTICAL 3 CHANNEL ENCODER (5MM)
Smci47-S-2	
As5918l4204	
As6018l 4204-E24-Kima	
L2018s0604-T3,5x1	

60015245-0	
St8918s4508-A Stepper Motor	
Pd4-N5918I4204	
Smc32-3	
L2018s0604-T3,5x1 T3.5x1 30 N Rohs-Konform	
Smci35	
Db87-K2v20765	
Weds5541-A14-Kit Endlosregler (5 Mm)	
St8918m6708-B (8-0004-001)	
C5-E-1-09 Controller	
As5978I4204-E24-Kima	
Smc46-7 - Obsolete, Without Replacement	
Pd6-C8918I9504-E-09	
Db42c03 + Noe2-05-K14 (5 Mm) + Assembly Price	Brushless DC motor + Optical 3-channel encoder + Assembly
Ap8918m6404 Schrittmotorschutzart Ip65gple80-1s-3-F87 Planetengetriebe 1stufig	
Gple40-2s-20	Precision planetary gearboxes
Df45I024048-A2	
Db42m03	
St4118m0406-A	
St5918m3008-A 2.1v 3.0a Elektromotor	
Db87I01-S	
Imt 901q (946ka1) - Obsolete, No Alternative	
Zd-D28	