

Notifier Co

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Notifier Co Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Notifier Co Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
Iso-X	
Aps-6r	
410-1607-N	
Dia-1010	DISPLAY INTERFACE ASSEMBLY
Sfp-5ude	5 ZONE CONVENTIONAL FIRE CONTROL PANEL WITH DACT AND 3 AMP POWER SUPPLY. 240 VOLTS
Ubs-1b	
Nfs-320e-Po	240 VAC, PORTUGUESE
Nion48m	
Nam-232f	NETWORK ADAPTER MODULE, CONNECTS ONE 200/300/400 VIA FIBER TO NFN.
Nfw2-100c	FIREWARDEN-100-2 ADDRESSABLE FIRE ALARM CONTROL PANEL, 198 ADDRESSABLE DEVICES ON ONE SLC, BUILT IN

Fhsc-R	
Act-25	
02-FI01-01	
Nfs-Lbbr	
Aa-120	
Sc811a1007	
Firevu-Demo	FIREVU DEMONSTRATION UNIT
Vsw-356	
Act-70	
Vsw-206	CENTRAL SITE LICENSE – PRIMARY PC
Cpu2-640e-Po	240 VAC-PORTUGUESE WITH CHASSIS
Tc100c1044	
Trabs-4d	
Xpiq-Aib4	
Afp-200pca	FIRE ALARM CONTROL
Vp-Elb-90	
71088	
Bda-25v	
Elr-20k	
Hp512cx	
Nzm-100	
Fsh751	DETECTOR
Cpu2-3030d-Ko	NFS2-3030 CPU WITH 640-CHARACTER DISPLAY-KOREAN
Fco-851	
237-0317-F	
Udact-Pcc	
Seiskit-Commenc	
Nfw-50	
Sib-Net	
Sce-8	
Fdrm-1	

Dr-Ps1	
Vkt-050	VESDA LASERFOCUS DEMO UNIT ONLY, DEMO UNIT WITH POWER CONNECTOR PLUG INSTALLED AND SHORT LENGTHOF P
Mib-W	1010/2020/INA TWISTED PAIR WIRE MEDIA INTERFACE BOARD.
Fsp-851r	
Udact-600	
Bm-1b	
Sfp-2404	
Nca/640-2-Kit	
Mmx-1	
Vsw-346	
Firevu	8-CHANNEL SERVER UNIT.
Vsr-6	
Sfp-2402e	
Wps4004	VOICE CAPABLE ROTATING DIRECTIONAL SPEAKER, 4 CELLS, 129DBC, INCLUDES AMPLIFIERS, CONTROLLER BOX WIT
Nfs-320	NFS-320 INTELLIGENT FIRE ALARM PANEL, SINGLE PRINTED CIRCUIT BOARD WITH ONE SLC LOOP (318 DEVICES),
Zds-8	
Firstvision-Lcd	ONYX FIRSTVISION™ USER INTERFACE SOFTWARE AND HARDWARE PACKAGE. INCLUDES 17" LCD TOUCH-SCREEN PC WIT
Cpu-2	CPU BOARD FOR THE CPU1010-PCA
Ds-Rfm	
Abs-2dr	
Cmx-2	
Cpu2-3030nd-Po	CPU FOR A NFS2-3030 SYSTEM, NO DISPLAY-PORTUGUESE
Afp-200ta	
Nfw2-100e	FIREWARDEN-100-2 ADDRESSABLE FIRE ALARM CONTROL PANEL, 198 ADDRESSABLE DEVICES ON ONE SLC, BUILT IN DACT WITH MODEM FOR REMOTE UPLOAD/DOWNLOAD. , 240V
Hptv2401-E	

Sfp-10ude	10 ZONE CONVENTIONAL FIRE CONTROL PANEL WITH DACT AND 7 AMP POWER SUPPLY. 240 VOLTS
Cpu2-3030d-Sc	NFS2-3030 CPU WITH 640-CHARACTER DISPLAY-SIMPLIFIED CHINESE
Mns-Control16	FACP INTERFACE FOR LED ARRAYS, 16 MESSAGES
Lcd-160	
Bp2-4	
Dr-A4r	
4xarb-1	MOTHERBOARD RP-1001
Sph-15r	
Rp-2002	AGENT RELEASE CONTROL PANEL, 120 VAC.
Eqdr-B4	
Aps2-6r	
Eqdr-D4r	
Mbt-1	
14507371-001	
302-135	
Htp12dc500	
Xal-53	
Modbus-Gw	MODBUS GATEWAY
Hd-602	
Hp24100ulwp	
Hpr2432300cbul	
Nfc-Bda-25v	25V, 50 WATT AUDIO AMPLIFIER MODULE
Nh-100r	
Acc-Mcb	
Fft-7	
01-E922-99	
B210w	
Fsd-751rp	
Dax-3570	

Lcd2-80	
Vp-2b	
Ndm-100	
Ipx-751	
Sib-2048a	SERIAL INTERFACE BOARD M2 7 SYSTEMS INCL 2 OPTICAL
Fcps-24s8r	
Bb-200	
Bng-1fts	
Vprog	PROGRAM CHARGE FOR CUSTOM VROM MESSAGE.ALLOW 10-12 WEEKS FOR DELIVERY
Vp-Tee-Fpt	
E700-Splg	
Hs-Ncm-Sf	HIGH-SPEED NETWORK COMMUNICATIONS MODULE, FIBER-OPTIC CABLE INTERFACE (SINGLE-MODE)
Nmm-100-10	
Lcd-160pca	FIRE ALARM SIGNALING DEVICE SUBASSEMBLY W/PANEL
Hrb5	
Hpr2416ul	
B710lb	
Nfs-320-Sp	FIRE ALARM CNTRL PANEL SPANISH
HI109204-003	STROBE, RED LENS, 21 JOULES, 24VDC, BLK FINISH, CLASS I, DIV 2, GROUPS C,D, NEMA 4X 6
Fs24x-221-21-1	QUADBAND™ IR3+ DETECTOR, COPPER-FREE ALUMINUM ENCL., (2) "NPT ENTRIES FM ATEX APPROVED
Hpr2432600cbul	
Hps3pmpd8	
Gr-1	
Vsr-K	
Xpc-8	
Dpi-232	
Bng-1ts	
Eqdr-C4r	
Hpv2416-1ulcb	

020-638-004	ID60 REPLACEMENT PCB KIT
Ir3120ig	
Scs-8lpca	
HI109204-005	STROBE, AMBER LENS, 21 JOULES, 110VAC, RED FINISH, CLASS I, DIV 2, GROUPS C,D, NEMA 4X 6
N-Ann-80-W	
Hs-Ncm-W	HIGH-SPEED NETWORK COMMUNICATIONS MODULE, TWISTED-PAIR WIRE INTERFACE
7626-5c	
Tr-A4	
Cpu2-640-Sp	120 VAC-SPANISH WITH CHASSIS
Mps-950b	
Rm-1	
17045kit	
Fst-751	
Hpv5dc16ul	
Seiskit-320/B26	
Afaws-Kr	
Sc716b-1027	
Hp2412il8	
Fsp-851	
B610lp	
Sbb-A4r	
Fw-Mm	
Uzc-256	
Nfn-Gw-Pc-F	NFN GATEWAY PC CARD WITH FIBER.
Bng-1tsl	
Kdm-R2	
Fsl-751a	
Tc100c1002-1	
302-Aw-135	

St55	
Cpu2-3030nd	CENTRAL PROCESSING UNIT FOR A NFS2-3030 SYSTEM-NO DISPLAY UNIT, TYPICALLY USED FOR NETWORKED SYSTEMS
Chs-4l	
Sfp-5ud	
4093	
HI109202-005	STROBE, AMBER LENS, 15 JOULES, 120VAC, WIRE GUARD, BLK FINISH, BACKSTRAP, CLASS I, DIV 2, GROUPS A,B
Sfp-10udr	10 ZONE CONVENTIONAL FIRE CONTROL PANEL WITH DACT AND 7 AMP POWER SUPPLY. RED
Hpd4cb	
Almsc119	
Q539a-1014	
Mon-42vert-Dd	VERTICAL WALL MOUNT BRACKET, VERTICAL, FOR DUAL DISPLAYS, FIXED POSITION
Fsp-751	
Eqbb-B4	
Vkt-004-Us	505.
Nfw-50rb	
Nfs640	ALARM
Udact-F	
Bng-1tsr	
Vkt-050-Us	LASERFOCUS 500
Nbg-12lr	
Dpa-2b	
Cpx-551a	
Kms-6-24vdc/P	
Hps5pmpd16	
N-Ann-Rled-R	
Hpcordus12	
Mps-24a	
E700-Sp-Dcl-Pnt	

Fst-851ra	
Rpt-Wf	
71033	
Amps-24	ADDRESSABLE POWER SUPPLY, 120 VAC (NFS-3030/NFS2-3030).
Ir3120hg	
Eqdr-D4	
Tr-Abs2d	
Mib-F	1010/2020/INA FIBER OPTICS MEDIA INTERFACE BOARD.
Xpiq-Sli	
Nfw2-100	FIREWARDEN-100-2 ADDRESSABLE FIRE ALARM CONTROL PANEL, 198 ADDRESSABLE DEVICES ON ONE SLC, BUILT IN
Vsw-216	CENTRAL SITE LICENSE – SECONDARY PC
Dr-A4b	
01-E922-00	
Chg-120	
Ds-Db	DS SERIES DISTRIBUTION BOARD, SUPPORTS ONE TO FOUR DS-AMP OR DS-AMPE
Hpv2404ulcb	
Dr-D4r	
411rk	
Mib-Wf	MIX TWISTED PAIR WIRE AND FIBER OPTICS MEDIA INTERFACE BOARD.
Tr-D4	
Htp2420	
P40-Kitb	
75106	
Bacnet-Gw-3	INTELLIGENT INTERFACE USING BACNET PROTOCOL THAT A PROVIDES A COMMUNICATIONS LINKS BETWEEN A BUILDIN
Nfc-Xrm-70v	
Abf-1	
01-E922-01	
Nam-232w	NETWORK ADAPTER MODULE, CONNECTS ONE 200/300/400 VIA WIRE TO NFN.

Hpv2404-2ul	
F110bp	
30-2021-24	ULTRAVIOLET FLAME DETECTOR, 24 VDC
Sbb-D4r	
Rp-2002e	AGENT RELEASE CONTROL PANEL, 240 VOLTS
4xtm	
Megadot	PROGRAMMABLE LED ARRAY, 4.0" X 45.5" DISPLAY
Hpcordus	
Lem-320	LOOP EXPANDER MODULE.MOUNTS AS DAUGHTER BOARD TO LCM-320 TO PROVIDE EVEN NUMBERED SLC LOOPS.
75557	
Iz8	
Cpu2-3030nd-Tc	CPU FOR A NFS2-3030 SYSTEM, NO DISPLAY-TRADITIONAL CHINESE
Nib-96	
Acm-32a	
Avps-24	
Abs-2b	
Cpu-320-Syse	CENTRAL PROCESSING UNIT FOR NFS-320SYS WITH INTEGRAL 240V POWER SUPPLY, INCLUDES CHASSIS AND 80-CHARACTER DISPLAY KEYPAD. FITS IN CAB-4SERIES CABINET.
Cap-Gw	DRMNS GATEWAY USING CAP PROTOCOL (INQUIRE REGARDING VEND
Nca-2-Tc	NETWORK CONTROL ANNUNCIATOR-2, 640-CHARACTERS-TRADITIONAL CHINESE
Xp5mpca	
Aa-120-Ps	
Nfs-320c	NFS-320 INTELLIGENT FIRE ALARM PANEL, SINGLE PRINTED CIRCUIT BOARD WITH ONE SLC LOOP (318 DEVICES),
Ns-2430w-Fr	
Hptv2416300	
17044	
Eqbb-D4r	

Rp-2001e	
Intru	
Acm-24at	
Hptv2404-E	
Brkg-B	
Cpu2-640e	CENTRAL PROCESSING UNIT FOR THE NFS2-640 WITH INTEGRAL 240V POWER SUPPLY, INCLUDES CHASSIS.
Afp-200rb	
Fcm-1	
Tr-B4	
75161	
Cmx-2a	
Tr-4xr	
75110	
Ir3120hb	
01-E606-01	
Acps-2406	FIRE ALARM POWER SUPPLY
Nbg-12	
N-Ann-Led	
Cb-1	
Fdx-551	
Cpu2-640e-Sp	240 VAC-SPANISH WITH CHASSIS
Crm-4	
Hpr12dc616cbul	
Fsp-851a	
Multimod-Brkt	
Dr-Aa4	
Dr-D4	
Ht28175	
Nca-2-Sc	NETWORK CONTROL ANNUNCIATOR-2, 640-CHARACTERS-SIMPLIFIED CHINESE

Icm-4	
71072	
Cpu2-3030nd-Sc	CPU FOR A NFS2-3030 SYSTEM, NO DISPLAY-SIMPLIFIED CHINESE
Fd-851re	
Prn-7	DESKTOP SERIAL INTERFACE PRINTER
Afl-Rs	AUDIO FIBER LINK, RECEIVER FOR SINGLE MODE FIBER.CONVERTS LOW LEVEL AUDIO TO FIBER.
Natp-W	
Sfp-10udc	ULC/UL LISTED, 10 ZONE CONVENTIONAL FIRE CONTROL PANEL WITH DACT AND 7 AMP POWER SUPPLY. INCLUDES INTERNAL DRESS PANEL WITH BUILT-IN ANNUNCIATOR MODU
Mps-400rb	FIRE ALARM POWER SUPPLY 6AMP
Sgv	
Sdx-751	
Chs-4mb	
Nca-2-He	NETWORK CONTROL ANNUNCIATOR-2, 640-CHARACTERS- HEBREW
Sfp-1024	FIRE ALARM PANEL 24V 10ZONE
Fapt-851	
Eqbb-B4r	
Pd-2	NFS-640 PRIMARY DISPLAY, 80-CHARACTER INCLUDES:KDM-2 80-CHARACTER BACKLIT LCD DISPLAY AND QWERTY
Vsr-V	VLF WITH 7 RELAYS
P-Coupling	
Scs8I-Cbl48	
Sfp-400brb	
Tr-320	
75160	
S464a1144	
Nbg-10	
E700-Tube	
Nca-2retro	

Wps4003	VOICE CAPABLE ROTATING DIRECTIONAL SPEAKER, 3 CELLS, 127DBC, INCLUDES AMPLIFIERS, CONTROLLER BOX WIT
Np-100	
Hpr2416300ul	
N-Ann-S/Pg	
Vps-400us-48	48 VDC MULTI ZONE POWER SUPPLY WITH HOUSING.POWERS UP TO 4 UNITS.
Nmm-100p	
Vsr-2	STANDARD DISPLAY WITH 7 RELAY REMOTE TERMINATION CARD
Abs-1tb	
Vram-1	
Fwh-200fix135	
Fst-851r	
Cpx-551	
Vps-100us-220	
Cr-4l	
Fcps-24fspca	
Xpm-8	
Chs-6	
HI109202-007	STROBE, RED LENS, 15 JOULES, 120VAC, WIRE GUARD, BLK FINISH, BACKSTRAP, CLASS I, DIV 2, GROUPS A,B,C
Eqbb-C4r	
Abs-8rb	
71031	
Hpr2432600ul	
Ir3120ia	
Lcd-80	
N-Ann-Led-W	
Vsw-226	VSM3 UPGRADE – PRIMARY PC
Nbg-12lx	
Vp-Cutter	

Fsb-200	ADDRESSABLE BEAM DETECTOR
Afp-200	
01-V921-15	REMOTE DISPLAY FOR VFT-15
Onyxworks-Ws	UL LISTED ONYXWORKS WORKSTATION ONLY
Dhx-502	
Ht24200	
75136	
Uzc-Hi	
Sbb-C4	
Cpu2-3030d	NFS2-3030 CPU WITH 640-CHARACTER DISPLAY, REQUIRED FOR SINGLE PANEL (ONE CPU2-3030) SYSTEMS.INCLUD
Vft-15	24 VDC, DISPLAY/PROGRAMMER, TCP/IP, 15 INLETS, CLASS A/B/C, 0.0003 TO 6.1% OBS/FT (0.001 TO 20% OBS/
4000tar	
Nca-2-Sp	NETWORK CONTROL ANNUNCIATOR-2, 640-CHARACTERS-SPANISH
75358ta	
Sfp-5udr	
Sc811a1015	
Dia-2020	DISPLAY INTERFACE ASSEMBLY
Xrm-24b	
Mps-24apcc	
Cpu2-3030d-Sp	NFS2-3030 CPU WITH 640-CHARACTER DISPLAY-SPANISH
237-9996	
Cmic-Rp	
Chs-Ps	
Rst-451	
Dp-Cfft	
Ns-24mcw-Fr-UI/Ulc	
Bb-100r	
Bb-Xp	
Nh-12/24-R	

Fdm-1a	
Vsr-4	SCANNER DISPLAY WITH 7 RELAY REMOTE TERMINATION CARD
Cpu2-3030d-He	NFS2-3030 CPU WITH 640-CHARACTER DISPLAY-HEBREW
Onyx-Pager	
Lib200a	LOOP INTERFACE BOARD
Daa2-5025	DIGITAL AMPLIFIER, 50W, 25V, 120 VAC
Firstvision-Enc	ONYX FIRSTVISION™ BACKBOX WITH DOOR
B350lp	
Act-2	
Cre-4	
Sbb-Aa4	
71071	
4074dam	
Aci296en	
01-E624	8 CHANNEL 4-20MA RE-TRANSMISSION MODULE
Esd-100	
410-1608	
Aem-48a	
Fcm-1a	
Cpu2-3030nd-Sp	CPU FOR A NFS2-3030 SYSTEM, NO DISPLAY-SPANISH
Vhx-0300	PC-LINK HLI, OPEN PROTOCOL, RS232 INTERFACE. VHX-0300 HAS PEER TO PEER OPERATIONS.TO BE US
Hpd8cb	
Udact	NOTIFIER UNIVERSAL DIGI ALARM COMMUNICATOR TRANS
75108	
Bp-4	
Xpp-1	
Nbg-12s	
Nfs-320r	NFS-320 INTELLIGENT FIRE ALARM PANEL, SINGLE PRINTED CIRCUIT BOARD WITH ONE SLC LOOP (318 DEVICES),
Dax-5025	

Hs-Ncm-Wmf	HIGH-SPEED NETWORK COMMUNICATIONS MODULE, WIRE AND FIBER-OPTIC CABLE INTERFACE (MULTI-MODE).
71032	
Frm-1	
Acm-48a	
B501bp	
4xzm	
Fwd-200p	
Abf-4b	
Hpv2404-2ulcb	
Hs-Ncm-Mfsf	HIGH-SPEED NETWORK COMMUNICATIONS MODULE, FIBER-OPTIC CABLE INTERFACE (MULTI-MODE FIBER TO SINGLE-MO
Nk-15	
Acps-610	6 OR 10 AMPS, MOUNTS INCAB-PS1, CAB-3/4,EQ CABX, BB-25, OR CHS
E700-Splr	
Ir3120ib	
Chs-M3	
Nca-2-Ko	NETWORK CONTROL ANNUNCIATOR-2, 640-CHARACTERS-KOREAN
Fw-Sq	
Hpv2416ulcb	
Dabc-Sp	
Vsr-J	
Lib-400	LOOP INTERFACE BOARD
Aps2-6rpca	
Hpv2401ulwpz	
HI109204-006	STROBE, RED LENS, 21 JOULES, 110VAC, RED FINISH, CLASS I, DIV 2, GROUPS C,D, NEMA 4X 6
Dr-D4br	
Ldm-Cbl48	
Rome-B	
Ubs-1r	

14502286-006	
Abs-4dr	
Aa-30	
Nfs640pca	
Sc806e-1013	
B710lpgp	
4101925b	
Fsc-851	
4xarb-4	
HI109203-002	STROBE, RED LENS, 15 JOULES, 24VDC, WIRE GUARD, BACKSTRAP,BLK FINISH, CLASS I, DIV 2, GROUPS A,B,C
Nca-2	NETWORK CONTROL ANNUNCIATOR-2, 640-CHARACTERS, ON SINGLE PANEL (ONE CPU2-640) NFS2-640 SYSTEMS, THE
Brg-1r	
Fsp-851t	
Cpu2-640-Po	120 VAC-PORTUGUESE WITH CHASSIS
Sfp-5udc	ULC/UL LISTED, 5 ZONE CONVENTIONAL FIRE CONTROL PANEL WITH DACT AND 7 AMP POWER SUPPLY. INCLUDES INTERNAL DRESS PANEL WITH BUILT-IN ANNUNCIATOR MODUL
Dr-Aa4b	
Cab-Rm	
Np-A100	
Vsr-8	SCANNER DISPLAY WITH 12 RELAY REMOTE TERMINATION CARD
Cpu2-3030nd-Fr	CPU FOR A NFS2-3030 SYSTEM, NO DISPLAY-FRENCH
Cpu2-640-Fr	120 VAC-FRENCH WITH CHASSIS
Kaps-24	
Mps-Dbb	
Abf-1db	
HI109202-004	
Aem-24at	
Aa-100	100 WATT AUDIO AMPLIFIER @70.7 VRMS, 120 VAC

Cpu-3030nd	CENTRAL PROCESSING UNIT FOR A NFS-3030 SYSTEM-NO DISPLAY UNIT, TYPICALLY USED FOR NETWORKED SYSTEMS.
Verifire-Tcd	
Dvc-Kd	
Cab-Bm	B-SIZED MARINE /NEMA APPROVED CABINET WITH NOTIFIER LOGO. MOUNTS A B SIZED CAB-4 SERIES CABINET, NF
Cpu2-3030d-Tc	NFS2-3030 CPU WITH 640-CHARACTER DISPLAY-TRADITIONAL CHINESE
Cpu2-3030d-Fr	NFS2-3030 CPU WITH 640-CHARACTER DISPLAY-FRENCH
Izm-8	
Vt-Tube-500	
Sfp-2404rb	
Sbb-A4	
Daa2-7525	DIGITAL AMPLIFIER 75W, 25V, 120 VAC
Rel-3.3k	
Sfp-10ud	10 ZONE CONVENTIONAL FIRE CONTROL PANEL WITH DACT AND 7 AMP POWER SUPPLY.
Addr-B4r	
Cps-24	POWER SUPPLY
Natp-R	
Eqbb-D4	
Addr-B4	
Afaws-Ks	
Not-Filter-Kit1	
Addr-C4	
P33v-24	
Ftm-1	
Eqdr-C4	
Bb-100	
Ht28100	
N100-Iso	
Fg-1625r	

Nfw-50r	
Nfn-Gw-Pc-W	NFN GATEWAY PC CARD WITH WIRE.
Ca-1	
Act-4	
Cpu2-3030nd-Ko	CPU FOR A NFS2-3030 SYSTEM, NO DISPLAY- KOREAN
Fs24x-221-22-1	QUADBAND™ IR3+ DETECTOR,316 STAINLESS STEEL ENCL., (2) " NPT ENTRIES FM ATEX APPROVED
Hst34	
Tc846a1013	
Cmic-1	
Prn-6	80 COLUMN DESKTOP PRINTER, 120 VAC.
Eqdr-B4r	
02-2002-01p	
Tr-Rp	
Mon-42lcdw	1920X1080P WIDE SCREEN
E700-Fil-Assy	
Bng-1r	
Chs-4	
Trabs-4dr	
Mmx-101	
Chs-M2	
Tc100c1059	
Vp-Tee	
Rp-2002c	AGENT RELEASE CONTROL PANEL WITH LEDS, 120 VAC.
Dr-A4br	
Dacr-Gw	RECEIVERS GATEWAY (PC VERSION)
Bgx-101l	
N-Ann-Rly	
Dr-C4br	
Sbb-D4	
HI109202-006	STROBE, AMBER LENS, 15 JOULES, 120VAC, WIRE GUARD,

BLK FINISH, PENDANT MOUNT, CLASS I, DIV 2, GROUPS	
Fm980	
Dp-1b	
A22p-12	
Nmm-100	
17044kit	
Sbb-B4	
Ica-4l	
Nbg-12lxp	
Cpu2-3030d-Po	NFS2-3030 CPU WITH 640-CHARACTER DISPLAY- PORTUGUESE
Hp312cx	
E50-241575w-Fw	
Cpu2-640	CENTRAL PROCESSING UNIT FOR THE NFS2-640 WITH INTEGRAL 120V POWER SUPPLY, INCLUDES CHASSIS.
Nfs-320e-Sp	240 VAC, SPANISH
Dn2302b20009ue	
302-Aw-194	
Ledsign-Gw	UL LISTED SIGN MESSAGE GENERATOR GATEWAY, USE WITH OAX2-24V.EACH GATEWAY CAN CONTROL UP TO 10 OAX2
Ds-Xf70v	
Rp-2001	
Dr-A4	
B710lpa	
Nfn-Gw-Pc-Hnw	HIGH SPEED NFN GATEWAY PC CARD FOR WIRE (INCLUDED WITH ONYXWORKS-HNW)
237-0244-E	
Dvc-Rpu	REMOTE PAGING UNIT (INCLUDES KEYPAD DISPLAY)
Vkt-002-Us	012.
Nfn-Gw-Pc-Hnsf	HIGH SPEED NFN GATEWAY PC CARD FOR SINGLE MODE FIBER (INCLUDED WITH ONYXWORKS-HNSF).
B501ap	
Ow-Lite-Nw	ONYXWORKS-LITE GRAPHICAL USER INTERFACE PROVIDES THE SOFTWARE AND HARDWARE COMPONENTS FOR A NON-

UL L	
Hpv3dc4ul	
Vhx-0900	
Nca-2-Fr	NETWORK CONTROL ANNUNCIATOR-2, 640-CHARACTERS-FRENCH
Nh-100	
Fst-851	
Ir3120hc	
Bb-Uzc	
Fwd-200acclimate	
Vsr-3	
Nfs-320-Rb	REPLACEMENT BOARD FOR NFS-320, 120 VAC
Rp-2001c	PRE-ACTION DELUGE CONTROL PANEL WITH LEDS, 120 VAC.
Kms-10-24vdc/P	
Ina	
Nh-100h	
Afaws-Bx	
Mon-42vert-Sd	
Xpiq-Aa2270	
Cab-Rmr	
Lib-200	LOOP INTERFACE BD SUPPORTS UP TO 198 INTELLIGENT
Nfxi-Wsf-Rr	
Vp-Elb-45	
Hptv2416300cb	
Xls-Mm-A	
Tubing-250	
30-2021e-24	
Hptv2408300	
Fcps-24s8e	
Nca-2-Po	NETWORK CONTROL ANNUNCIATOR-2, 640-CHARACTERS-PORTUGUESE
Sc716a-1003	

Afl-Ts	AUDIO FIBER LINK, TRANSMITTER FOR SINGLE MODE FIBER. CONVERTS LOW LEVEL AUDIO TO FIBER.
Nfc-Loc	
Hs-Ncm-Mf	HIGH-SPEED NETWORK COMMUNICATIONS MODULE, FIBER- OPTIC CABLE INTERFACE (MULTI-MODE).
HI109202-008	STROBE, RED LENS, 15 JOULES, 120VAC, WIRE GUARD, BLK FINISH, PENDANT MOUNT, CLASS I, DIV 2, GROUPS A
Et70-R	
Wc-2	
Nfs2-640	CONTROL PANEL
Sc813c-1050	
Nfs-320-Po	120 VAC, PORTUGUESE
Vp-Coup	
Q539a-1469	
Addr-C4r	
237-9996-K	
410-1731-E	
Adp2-640	
410189-005	
Seiskit-Bb17	
Dr-Aa4r	
Udact-2	
Fsb-200s	ADDRESSABLE BEAM DETECTOR WITH REMOTE TEST FEATURE
Fhsc-S	
Sfp2402rb	
Ht24100	
Ir3120ir	
Vbt-012	
Nws-3	WEB-BASED HTML SERVER HARDWARE USED FOR REMOTE VIEWING OF ONYXWORKS
Nfn-Gw-Pc-Hnmf	HIGH SPEED NFN GATEWAY PC CARD FOR MULTIMODE FIBER (INCLUDED WITH ONYXWORKS-HNMF).
Ncm-W	

Verifireug-Tcd	
410-1717	
Vsr-7	
Amps-K2v1.01	
Hpv2408ulcb	
Dr-B4b	
Dr-C4b	
Cpu2-3030nd-He	CPU FOR A NFS2-3030 SYSTEM, NO DISPLAY- HEBREW
Hrb1224	
Daa2-5070	DIGITAL AMPLIFIER 50W , 70V, 120 VAC
Nfn-Gw-Em-3	INTELLIGENT GATEWAY INTERFACE FOR THE ONYXWORKS™ FIRE MONITORING WORKSTATION
Hs-Ncm-Wsf	HIGH-SPEED NETWORK COMMUNICATIONS MODULE, WIRE AND FIBER-OPTIC CABLE INTERFACE (SINGLE-MODE).
Hcu484	
Nfw-50c	FIREWARDEN-50 ADDRESSABLE FIRE ALARM CONTROL PANEL, 50 ADDRESSABLE DEVICES ON ONE SLC, BUILT IN DACT
020-543	
Ice-4	
Nbg-12lxsp	
Fm950-B	
Mon-22lcdw-Ts	CAPACITIVE TOUCH-SCREEN, USB CONTROLLER, CUSTOM STAND
17021	
N-Ann-Rled-W	
Acps-610e	6 OR 10 AMPS, MOUNTS INCAB-PS1, CAB-3/4,EQ CABX, BB- 25, OR CHS-PS1, COMES W
Dr-B4r	
Abf-2b	
Sbb-C4r	
Addr-D4	
Nzm-100-6	

S464a	
Ca-2	
Fhs-F	
Udactf-Pcc	NOTIFIER UNIVERSAL DIGI ALARM COMMUNICATOR TRANS
Vhx-1200	MOUNTED HLI.LINKS VESDANET WITH VESDA SYSTEM MANAGER 4 (VSM4) AND VESDA SYSTEM CONFIGURATOR
N-Ann-80	
Mon-22lcdw	22 WIDE-SCREEN LCD, 1680X1050 WSXGA
Fsd-751-P	
Vhx-0200	LINK HLI, SLIDING WINDOWS, RS232 INTERFACE. THE VHX- 200 DOES NOT HAVE MODEM CAPABILITIES.
Nfs23030	
Fsl-751	
Mic-1	
Abs-2d	
Nfw2-100r	FIREWARDEN-100-2 ADDRESSABLE FIRE ALARM CONTROL PANEL, 198 ADDRESSABLE DEVICES ON ONE SLC, BUILT IN
71073	
Vsr-1	
Sc809a1035	
Hps5	
E700-Capkit	
Dp-Disp2	
Hps3pm	
Sfp-2402	
75592	
Acm-32ay	
Nbc-12lo	
Bda-70v	
Nbg-12la	
Hpr2416300cbul	
Fs24x-221-23-1	QUADBAND™ IR3+ DETECTOR, COPPER-FREE ALUMINUM

ENCL., (2) M25 ENTRIES FM ATEX APPROVED	
B200sr-Lf	
Nfs-320e	NOTIFIER, FIRE ALARM SYS 220V
Lcd-80tm	
Hps5pmpd8	
Hpr2416600ul	
Fsd-751pl	
Ncm-Fpca	
Fsl-751dnra	
Hrb610	
Ni-100	
Cpu-2020	REPLACEMENT CPU BOARD FOR THE AM2020