

Omr

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Omr Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Omr Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
F300a20r	INTERFACE FOR CAMERA S
C500-Ct012	HIGH-SPEED COUNTER UNIT, LEADED PROCESS COMPATIBLE:NO, PEAK REFLOW COMPATIBLE (260 C):NO, ROHS COMPLIANT: NO
C500-Tu002-E	CONTROLLER
3g2a5-Id411	I/O MODULE 32IN 48VDC
C200h-W-Nc413	POSITION CONTROL UNIT, 4 AXIS, PULSE STRING OUTPUT, 500KHZ
3g2a5-Ad006	A/D MODULE 4 POINT 1-5V 4-20MA
Cv500-Ic101	PROGRAMMABLE LOGIC CONTROLLER, PEAK REFLOW COMPATIBLE (260 C):NO, LEADED PROCESS COMPATIBLE:NO, ROHS COMPLIANT: NO
F150-C10e	VISION CONTROLLER REPLACED BY F150-C10E-2
C200h-Ts101	TEMPRATURE SENSOR UNIT MODULE 4POINT RTD

Cs1w-Slk21	SYSMAC LINK UNIT, COAXIAL CABLE
Cs1w-Md292	INPUT/OUTPUT UNIT, 48 X 24 VDC INPUTS, 48 X TRANSISTOR OUTPUTS, PNP, 0.1 A, 12-24 VDC
C20h-C6dr-De	PROGRAMMABLE CONTROLLER
F150-Slc-50	CAMERA WITH INTELLIGENT LIGHT SOURCE, 50MM FIELD OF VISION
3g2a5-Oc224	OUTPUT MODULE 32POINT RELAY 2AMP
C200hg-Cpu33-E	C200HG CPU, 15.2K RAM,R.T.CLOCK, COMUN. BOARD
C200hx-Cpu65-Ze	CPU, 63.2K WORDS PROGRAM / 54K WORDS DATA MEMORY, RS-232C PORT, 1184 I/O POINT CAPACITY
F160-C15e-2	VISUAL INSPECTION CONTROLLER, PNP OUTPUTS, RS-232C INTERFACE
B700-AI001	PROGRAMMABLE CONTROLLER
Cvm1d-Bi101	RACK 10 SLOT CPU EXPANSION I/O DUPLEX
3g2a5-Ad005	C500 2-A/D:-5 TO+5V
Z4lcs28	SEPARATE TYPE
C500-Da501	OUTPUT MODULE ANALOG 8POINT
Cs1h-Cpu65h	CPU, 60K STEPS PROGRAM / 128K WORDS DATA MEMORY, 7 EXPANSION RACKS MAX.
F160-C10e	CONTROLLER VISION MATE NPN FOR VISION SENSOR
58020717	
C200h-Pid03	PID MODULE CURRENT OUT
3g2c4-Sc021	PROGRAMMABLE CONTROLLER 100/110/120V 50/60HZ
Idsc-C1dr-A-E	PROGRAMMABLE RFID CONTROLLER
3g2a5-Oa222	OUTPUT MODULE 16POINT TRIAC 100-240V
C200h-Ids21	RF-ID MODULE / V620 SERIES
F350-C12-E	IMAGE PROCESSING UNIT
E5a-Fahf	TEMPERATURE CONTROLLER 1/3AMP 100/240VAC 50/60HZ
C500-Ids02-V1	RF-ID MODULE, LEADED PROCESS COMPATIBLE:NO, PEAK REFLOW COMPATIBLE (260 C):NO, ROHS COMPLIANT: NO
Es100p-Aah04fe	VER 2, RAMP/SOAK PROCESS CNTRL
Es100x-Rrpw04fe	PROCESS CONTROL VER 2 100/240V 50/60HZ
3g2c7-Cpu24e	PLC PROGRAMMING CONTROLLER 100-120VAC 50/60HZ

Cs1w-Da08v	ANALOGUE OUTPUT UNIT, 8 X 1-5V/0-5V/0-10V/-10-+10V OUTPUTS, SCREW TERMINALS, 12 BIT RESOLUTION
C500-Rt002-V1h	, LEADED PROCESS COMPATIBLE:NO, PEAK REFLOW COMPATIBLE (260 C):NO, ROHS COMPLIANT: NO
C200h-Ts102	TEMP SENSOR:DIN STND.PT 100OHM
Cv500-Ii101	PROGRAMMABLE LOGIC CONTROLLER, PEAK REFLOW COMPATIBLE (260 C):NO, LEADED PROCESS COMPATIBLE:NO, ROHS COMPLIANT: NO
3g2a5-Lk003-E	INTERFACE MODULE
3g2a5-Rt001-Ev1	C500 REM SLAVE GLASS 1WA
R88d-Up12v	400W 200V SERVO
3g2a5-Lk010-Pe	C500 I/O LINK
3g2a5-Lk010-E	C500 I/O LINK
3g2a5-Rt002-Ev1	REMOTE I/O SLAVE UNIT, 24VDC, APF/PCF OPTICAL FIBRE
Nt20s-St121b	TOUCH SCREEN-BLACK-FACE
F300p2	POWER SUPPLY UNIT 100/120VAC 50/60HZ 200VA
C500-Lk003-E	INTERFACE MODULE
C200hw-Slk14	MASTER MODULE, LEADED PROCESS COMPATIBLE:NO, PEAK REFLOW COMPATIBLE (260 C):NO, ROHS COMPLIANT: NO
3g2a5-Ad004	C500 2-A/D: -10 TO +10V
E2cd-C1c3a	PROXIMITY SWITCH 0 TO 1MM 5.4MM PRECISION
F160-Slc50	CAMERA WITH INTELLIGENT LIGHT SOURCE, 50MM FIELD OF VISION
E3mc-Ma41	PHOTOELECTRIC AMPLIFIER PNP 4OUTPUT 12-24VDC
Cs1g-Cpu42-E	CPU CS1,10K PROG 32K DATA
F150-Sl20	20MM CAMERA
3g2a5-Rt001-Pev1	C500 REMOTE SLAVE, 1-WAY
E3mc-Mx11	RGB FIBER OPTIC NPN, 4 OUTPUT
3g2a5-Nc111-E-V1	POSITION CONTROL UNIT, 1 AXIS, STEPPER MOTOR CONTROLLER, 200 POINT
3g2a5-Da002	OUTPUT MODULE 2POINT D/A 0 TO +10V
C200h-Ad003	ANALOGUE INPUT UNIT, 8X 4-20MA/1-5V/0-10V/-10-+10V INPUTS, WITH SCREW TERMINALS
Cs1w-Od292	OUTPUT UNIT, 96 X TRANSISTOR OUTPUTS, PNP, 0.1 A, 12- 24 VDC

Cs1g-Cpu42h	CPU, 10K STEPS PROGRAM / 32K WORDS DATA MEMORY, 2 EXPANSION RACKS MAX.
C500-Ts502	RTD INPUT MODULE, LEADED PROCESS COMPATIBLE:NO, PEAK REFLOW COMPATIBLE (260 C):NO, ROHS COMPLIANT: NO
C60k-Cdr-D	60PT CPU MODULE
3g2c7-Cpu38e	PROG CONTROLLER
Cj1w-Etn11	MODULE, ETHERNET CJ1,10 BASE-T
C200h-Da004	ANALOGUE OUTPUT UNIT, 8X 4-20MA OUTPUTS, WITH SCREW TERMINALS
3g8f5-Clk21-E	SYSMAC CONTROLLER LINK SUPPORT BOARD, TWISTED PAIR CABLE, CONNECTS PC/AT OR COMPATIBLE AS NODE IN SYSMAC CONTROLLER LINK NETWORK
3g2a5-Rm001-Pev1	C500 REM.MASTR, PLASTIC
F300-B52	BASE UNIT 5SLOT CE CAMERA
Cv500-Rm211	REMOTE MASTER, SYSBUS II FIBER
C40hc7drdev1	CPU 24VDC 20W
3g2a5-Da005	OUTPUT MODULE 4-20MA 1-5V
3g2a5-Ct001	C500 HIGH SPEED COUNTER
Cs1g-Cpu43h	CPU, 20K STEPS PROGRAM / 32K WORDS DATA MEMORY, 2 EXPANSION RACKS MAX.
Nt2000-Mdt131	OPERATOR INTERFACE TOUCH SCREEN
Cv1000-Dm151	DATA MEMORY EXP BOARD, 128K
3g2c3-Cpuk1	CPU MODULE
C500-Ida02	ID SENSOR ID ADAPTER, LEADED PROCESS COMPATIBLE:NO, PEAK REFLOW COMPATIBLE (260 C):NO, ROHS COMPLIANT: NO
Cs1h-Cpu63-H	CPU, 20K STEPS PROGRAM / 32K WORDS DATA MEMORY, 7 EXPANSION RACKS MAX.
Nt20s-St161b-Ev3	OPERATOR INTERFACE 5INCH TOUCHSCREEN
C200h-Rt202	REM.SLAVE,2-WIRE ,24VDC
C200hs-Cpu03-E	CPU MODULE 16K RAM 24VDC 40W
3g2a5-Da004	C500 2-D/A: -10 TO +10V
C500-Fz001	, LEADED PROCESS COMPATIBLE:NO, PEAK REFLOW COMPATIBLE (260 C):NO, ROHS COMPLIANT: NO
F200-C10e	BACKPLANE FOR IMAGE PROCESSING UNIT 4SLOT

Nt20m-Dn131	CONTROLLERS, DISPLAY, PEAK REFLOW COMPATIBLE (260 C):NO, LEADED PROCESS COMPATIBLE:NO, ROHS COMPLIANT: NO
3g2a5-Da003	OUTPUT MODULE 4-20MA 1-5V
3g8f5-Drm21-E	ISA BOARD CONFIGURATOR
C200h-Id111	64PT,DC12V,IN,GROUP 2 H-D