



Optibelt

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Optibelt Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Optibelt Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
At10/0660x25	Timing belt made of polyurethane with steel cord, metric, Our article number: 1010859 Optibelt
At10/0980x25	Timing belt made of polyurethane with steel cord, metric, Our article number: 791774 Optibelt
T10 660 25 Singles	Flat toothed belt ZRM Manufacturer: Optibelt
T10 980 25 Singles	Flat toothed belt ZRM Manufacturer: Optibelt
Xpcx3550 Xep	SUPER XE-POWER PRO Hersteller: Optibelt
1120-8m	Flat tooth wrap width 500 mm Manufacturer: Optibelt 15 rolls of 500 mm wide Packaging: 1 mm
800-8m	Flat tooth wrap width 500 mm Manufacturer: Optibelt 15 rolls of 500 mm wide Packaging: 1 mm
32x20x9000 (D354)	Keilriemen DIN 2215 VB 600174 Optibelt

V-belt Optibelt SPA 1400	Execution industry
V-belt Optibelt SPB 3400	
10 PL 1194	
10 PL 2476	
10 PL 3124	
10 PL 4470	
1010101	
10T5-610	
1117515	
1118033	
1118986	
1120110	
12T5-245	
32T10-1610	
41000SPZ850	
4T2,5-915	
5M15-ST	
5V 2000	
6T5-455	
D 16T5-600D	
SPA 3000	
SPZ 1987	
ZRS 16T2,5/12-2	
ZRS 21T5/15-2	
ZRS 21T5/30-2	
ZRS 36T5/12-2	
ZRS 36T5/15-2	
ZRS HTD 22-5M-15	
XPAX1432 XEP	SUPER XE-POWER PRO
XPAX1432 QUAD-POWER	QUAD-POWER®4

17X1350	Classic V-belts DIN2215
SPC 3400 Optibelt "7700"	
4 PK 1480	
BELT TIRE-V 1060 RUBBER XP	
Belt At10 L=5670 W=25 F2701F0065	
Belt Alt10 Sv 5130 L=38 F2701F0161	
Belt Alt10 L=4510 W=25 F2701F0057	
Belt Alt10 L=4510 W=25 F2701F0057	
RB22PL1765 MICRO-V®	
RB26PL1765 MICRO-V®	
RB26PL1981 MICRO-V®	
1760 8M 36 POWERGRIP® HTD®	
1760 8M 28 POWERGRIP® HTD®	
1760 8M 12 POWERGRIP® HTD®	
1552 8M 32 POWERGRIP® HTD®	
1552 8M 30 POWERGRIP® HTD®	
1552 8M 16 POWERGRIP® HTD®	
8x5x900	V-belt DIN 2215 VB 600174 Optibelt
3.20 cm	
635 5M 15 HTD	timing belt Gates DIV
SPB 2000	Narrow V-belt DIN 7753 SK 83024 600174 Optibelt
5V 1450	
L 100 STAHL	ALPHA linear gear sold by the metre 600174 Optibelt Minimum quantity = 50 meters
SPB 250X4 / durchmesser 48	
SPB 300X4 / durchmesser 60	
SPZX737	narrow V-belt
10X1750	Classic V-belts DIN2215
10X1150	Classic V-belts DIN2215
10X750	Classic V-belts DIN2215
13X2667	Classic V-belts DIN2215

XPZX2650 XEP	SUPER XE-POWER PRO
XPAX1782 XEP	SUPER XE-POWER PRO
XPZX737 XEP	SUPER XE-POWER PRO
XPZ-737	
SPB-150 Double Channel Pulley	
2012*42 Optibelt Bushing	
Belt suitable for SPB from 2067 mm	
SPZ 1087	
3VX-670 V	
3VX-1060 V	
925 D5M 9mm Double Sided Belt	
4/B158	
Pj711	
Ax34	
Pj1439	
B117	
B1740ld,17×1700li,B67	
14m 4578 (500mm)	OMEGA Wickel (HTD) 600174 Optibelt 25.2020
Spb 2650	
Sv/22 4500	
Zr600l	
5I890	
420I050	
3-3vx670	
5vx1060	
PI-2134	
Spc3350lw	
R87152	
Xpa1600	
400-5m-15	

255I075	
A112	
Spb 3 1800	
260xI025	
A33	
4I240	
8005m9	
2000-8m-36	
2830v393	
4I730	
1260 Xh 200	
Spa-1800	
Spa1120	
A54 13 ×1375 Li	
2-Xpb 1675 (774a)	
150I075	
Spc -4250	
Bx78	
660h075	
40x13x1000	
120xI025	
Tt3	
980xh400	
6-T5-220	
4248m20	
3505m25	
5vx740	
Aa51	
700xh200	
3360-14mgt-85	V-BELT 240TEETH 85MM WIDTH
4/Hb Kb 2650	

Cx128
B39
255I100
4/5vx800
100/3-1610
Z17
C-4000
B144
375-5m-A-8
3vx530
3I440
Bx74
B125
2/Hb Kb 4500
Bx36
4I460
A48
A54
240h200
25t10/980
C144
Spb-2860
12808m30
1200-8m-85
B101
12705m25
Ax60
A65
1040-8m20
Spa-3550

[2926v546](#)[240h100](#)[5v800](#)[B69 17×1750 Li](#)[Ax32](#)[4/Bx55](#)[480h100](#)[5v2120](#)[A39](#)[5I320](#)[Courroie B65](#)[Spc-8000-Lw](#)[2/Hb Kb 2650](#)[A98](#)[259014mgt40](#)[3I240](#)[350014mgt55](#)[B74](#)[4I450](#)[B122](#)[94141120](#)[Spc 75007700](#)[B36-Vb](#)[Spz-1662](#)[A-44](#)[Spz1037-Lw](#)[420h200](#)[6/5vx1180](#)[Courroie B84](#)[500xI025](#)

Ax24	
B46	
B58 17 X 1473 Li	
A-62	
2400-8m85	
25x1240 Rpp5m--No	
5vx650	
560h100	
550-5m-9	
B162	
Xpz900	
4755m15	
C100	
Spa150-2	
C-3585	
16t5/1215	
B57 17 X 1450 Li	
4/Hb Kb 1900	
1304-8m-20	
Bx42	
5608m20	
7405mhp17	
At10/1210x32 Ap O	ALPHA POWER High-performance timing belt from Polyurethane, maintenance-free, with steel tension cord Our item no .: 787328 optibelt
3 Spc Kb 6700	
A85	
1140h150	
1600-8m30	
5v670	
784-8m-40	
130xl037	

4I370Id
3v710
180j4
L114489
Bx68
Courroie B48
C170
C68
B86
345I030
8v1250
Spc 4400
17x11x 1761 Li
200xl150
B35 17 × 889 Li
3I500
Bx60
166xl050
Epdm 750 K
108xl
An194916
B105
A105
4/B55
Spzx2200
Courroie B54
1024262, 267-3m-9
900h100
4I220
12pk 717

5I370
T5-990-20
Ax64
Z31
510h075
5vx1230
A31
300I100
630xh300
B141
4I600
C72
Bx65
3850-14m-55
Spa118-3-2012-38
Spc 3550
Courroie B64
440824
Rb PI 1333
5v710
345I-100
A37
3vx280
21001-4mgt-40
A42
5vx1180
3280-8mhp-50
B63 17 X 1600 Li
550 - 5m-25
3vx425

1440-8m
4I325
1870-5m-15
A93
4I570
730h150
3/5v1000
T10-840-16
2450-14mhp-85
A32 1/2-13x825
A32 13 × 813 Li
1005-25
A56
300h100
T5-660-20
800h075 Tt
Optibelt-Rb Eph 1200 46000003 1n
1024262, 255-3m-9
120xl037
Xpz1000
1009018022
510h100
4578-14m-55
Spb 2 1800
1100h200
1135-5m-09
230xl037
Spb 2240
490h100
Courroie B72
4I540Id

75t10-S-7530
6 Pk 3150
3I480
XI260
Bx64
3vx475
17x11x1473 Li Keilriehmen
25-Pj 559-10
Spa-1957
1760-8m-85
T5/725-St
1610 ? 25
B210
Ax45
784-8m-A-40
1000-H200
B109
Courroie B55
5vx550
5v1800
Pj-955
16 T5/340 Mm
4I840
Spa1300
2830v366
15-2272 Sto58m--No
Ax75
B33 - 17×836 Li
Cx68
5/B82

16at5-600
145 T10 11340
Courroie B56
B67
4/Hb Kb 4500
Spb 1900mml Optibelt-Sk
Spa 1857 Lw
1500-5m-25
16968m30
C175
B1940ld,17×1900li,B75
Courroie B47
25-Pj 610-10
10x775
480l075
1778-14m-55 1024262
2450-14m-55
10b108
3l410
32808m50
3150-14mhp-40
1135-50-09
17x11x1550 Li - 1590 Ld
3v800
310xl050
D225
10t5-185
Xpb 3350
Courroie B80
B115 17×2921 Li

B92
B52
3150-14m-55
Tp2100-14m-55
Xpa1550 Lp
8v-1320
7105m15
Cx-90
480-8m-20
Tt Mini
Xpz1120
Courroie B52
A20
1700h200
600h150
Xpz1087
Spa-2482-Rp
4 Spc Kb 2240
5I1000
5vx1320
5-8v 2800
Tp 3150 14m 115,A003c049
Spzx1450
1610 ? 32
Bx49
2/Hb Kb 1900
Courroie A85
Spa-1320-Lw
8/B158
90xI037
4I370

A1680ld 13 ×1650 Li , A65
560xh200
900I075
Spb2000
1610-14m-40
25x920 Sts S8m
B106
800 Lw-813 La Spz
Xpz1180 Lw
110xl03177za
L115658
Htd2310-14m-55
Pj381
Bx81
8v2360
340h100
1024262, 213-3m-9
225-3m-06
B45
1024262, 216-3m9
285-3m-05
Dd 1600-D8m-50
A81
Bx38
1280 8m 2077za
101mxl025
C180
Ax55
2590-14m-55
Dd1440-8m30

12808m50
101mxl019
B34 1/2 - 17 × 875 Li
13x8x1320 Li
630h075
720-8m-20
700xh300
28008m30
2100-14m-55
Ax105
Omega Fan Kayışı 4578 14m
1056mxl
2926v686
Spb-2360
4I590
B173
840xh400
Ap96
5vx500
150I050
Zr-160-XI
Cx85
Spc 2 4250
Xpz812
3vx-445
5/Bx55
1610-14m-500
4I490
30x1056 8m
700h150

101mxl012
B56 17 X 1422 Li
Bx105
Op 8 Pk 1875
2400-8m-A-20
5vx670
1008mxl025
B37
13x8x600li
A78
200j4
5vx690
16-T5-600
3v500
B-1778
B107
4l390ld
5l580
Fc-B 22439 E
375-5m-A-08
C173
Xpz1250
A82
D158
A21
980xh200
T10-660-16-66
894
Zrm
6/Hb Kb 3750
240j8

C75	
3850-14mhp-85	BELT POWERGRIP GT2 85MM WIDTH
C93	
Tp385014mgt-55	
4/5v1000	
5vx1000	
250xl	
B138	
1000091315087 Kw: 15/2013	
A38	
3048-8m-50	
Spb1850lw	
16008m50	
1432-8m-30	
3vx-560	
2 Spc Kb 2240	
A173	
170xl037	
Ax21	
B-112	
Bx97	
4l170	
Spz-1250	
B110	
Sps 6700	
Z472	
138xl037	
2400-8m-85	
5vx750	
210-L-075	

1120-8mgt-30
Spa-2482
5I650
T10610
2240-8m
B119
5vx730
Bx80
322
N129368
5v630
C73-22×1854li
850h200
Spa1320
Courroie B58
Spcan10
A158
C95
3I360
5vx780
Bx54
1260xh400
A75
Ete816 02246
6/Hb Kb 3600
A35
1440 8m-A
3vx1400
B118
2450-14m-85

Spc4500
Optimat-Oe Din2216 Perfil A/13
3v-400
A25
13x1375li
187l075
B1890ld, 17x1850li ,B73
10 T5/165 Mm
Courroie C84
1922v256
Avx10 x750 La
4/3vx630
Xpb 2800 Alternatiive For Spbx2750
3l320
30-At10/1300
14?1400/55
660h100
C120
5005m25
5l660
A76
Ax120
A32
45vx710
C105
880-8m-30
B58
110xl02577za
1009010935
Zr260xl

N121116	
5vx1700	
3vx600	
A66	
3l400	
A46	
3l190	
B65	
4/C-128	
Courroie B50	
13x841-A33	
1890-14m-A85	
4l620	
16t5/940	
1653m15	
B124	
750h200	
T10/1080x32	ALPHA TORQUE Timing belt made of polyurethane with steel cord, metric, maintenance-free Our article number: 789285 optibelt
Bx66	
3l330	
Rub PI2197	
Xpa-1432-Lp	
B45 17 x 1150li	
141150020	
5vx930	
Vb13686	
B70	
Dd-Htd 3600-8m-50	
4l630	
A110	

966-14m-40
B-2150
Ax69
C162
Spc 2240 Li Kayış
13 X 600 Li
B240
110xI03777za
4I260
2/Hb Kb 2840
Spc 6500
75t10-St-6470
T203334
A89
Ax100
Vb A1071 Ld
B61
3525-75
1075
25-750 Sts Sm
5v950
Bx35
Spz-662
3850-14mfp-55
880-8m-50
2100 - 14m - 85
150I100
Spz787
570h150
Spc-8000-Ld

C195
14-Pm-3124
B96
Ax112
C142
6408m30
1400h300
3l150
B135
Ax25
A1655ld 13×1625li , A64
A58
8x475
A-1350
Bx67
C96
776-8m-30
Pb38
210-L-100
2310-14m-55
A53
Rb 4 Pj762
1778-14m-85
B130
Spa-1507
Spz-1060lw
Re41942
A90
480h200
B30

Courroie B45
3/3vx1000
150xl037
80xl037
1700h100
Spax 12,5 X 2240 Lw
B255
B190
3l340
B99
Vb8530
3vx710
10 T5/270 Mm
B53 17 X 1350 Li
T5-1215-12
Courroie C98
Sps 2 3150
2-Xpb 1650 Tm
Spb-1750
Spb 3550 Lw
6/Hb Kb 4500
100xl025
Courroie C85
Xpz762
2880mxl025
Bx44
4400-8m-30
13x8x630 Li
13x8x1700
A23
3525-60

Spz487
C-Htd231014m115
5/3v950
540I075
4I250
B71
B145
Bx82
Spa 1800 Lw
A-63
360-5m
B72
3I300
R97758
270I100
1108-22 Tb
3 Spc Kb 6000
3vx450
1009010951
Dz9608m30
H32at 10/2900-DI
A60
A1605Id , 13 × 1575li ,A 62
C81
600h200
1890 - 14m - 85
Omega Linear 8m
Xpb 16506axp
400-5m-25
5vx900

8at5/610
Courroie B40
1120-8m-30
Ah96333
2100-14mgt-55
10t5/610
Vb-A68
A74
L114468
760-8m-30
5vx1250
150-3m-15
720-8m-30
B-2057
230h100
Spb-2120-Lw
Courroie C74
1940-T10-25
11208m50
255I050
Spa-1982
804-3m
4I700
Xpz 1162
3I390
B59
Courroie B69
4I510
L115659
Spz887lw
3I460

B36 - 17 × 900 Li
6408m50
1190 - 14m-40
20008m50
13x1175 Li-1805 Lw
14gtr-1400-37
B87
Xpz-1000-Lp
5v850
13x8x1775 Li - 1805 Ld
520-J
Spz875
B55
4230v556
3I130
146454
T5-545-8
16 T5/545 Mm
Spb-3150
6808m20
Spb 1320 Lw
Spb 4 1800
Spb-2650
4/3vx750
7/Bx66
4I320
Spz 2187 For Spzx 2200
Bx55
4I660
Bx59

B40
4I210
B121
Spc-8500
5v1500
Bp116
1450 14m 50
B43
B89
Vb171250
Spa-1532
5I540
5vx710
225I060
B114
Bx57
Spb 2120
367I100
4/Bx56
10568m20
Courroie B38
3/Bx73
B127
2 Spc Kb 6000
Pk-2000
420h300
E61326
Spa1457
Sk Spa 1132lw
367-L-075
4I400

840xh200
3vx750
5vx1600
Bx62
An273251
B45 17 X 1150 Li
Spa-180/2
1160-8mhp-20
370-5m-A-08
Xpb 16506bx
3l370
B115
Bx75
1610-14m-55
13x8x1220 Li - 1250 Ld
B82
10 T5/215 Mm
2l170
Xpa-1150
B84
1615-30
Courroie B44
3vx850
B106 17x2700 Li
17x11x2083 Li - 2123 Ld
Spz962
B151
Courroie B59
8x450
32 Dat10 2900 Txza S

1190-14m-85
13x8x1220 Li
A27
2/3vx600
5v1600
635-5m-15
150 XI 037
330h200
3vx400
Bx90
3I220
Bx 98
255-5m
Zr-240-L-64
B62
A115
330xl
12-Pk-717 1024262
5vx1400
Pj610
3vx670
1190-14m-55
4326-14m-85
400h300
1400 Xh 200
33x10x900-El
Bx51
Bx112
2230-V-275
3vx-495
Manufacturer: ----- Leer ----- 48 Pm

2832
Spc 67007700
10pk2171
A28
A67
6/B158
1100h150
12008m50
2230v273
25x675 Rpp5--No
Spa-2650
420I150
330-5m-A-15
5v500
Htd-4326-14m
2800-14m-55
300h200
10 X 1050 Li
3I550
5vx1030
4326-14m-40
Sps 2 5600
Cx112
390h200
17x11x1560 Li
Xpa 1232 Lw Optibelt Super X - Power
4I450Id
A88
Xpa1507
B1690Id ,17×1650 Li, B65
8pj559

200xI025
3vx355
450-5m
B158
B63
B69
1293
A52
Spc8000
13 X 1350 Li
B132
Courroie C128
12-Pk-2500
112xI025
4I440
A61
Spb-3750
Xpz 1437 For Spzx1450
3v530
B113
Ax-50
Fcb22455h
5vx-1120
4040-60
A91
A59
B126
25x900 Rpp5m
130314
Zr 210 L

4578-14m-85
A120
Bp120
Mega608
345I050
8v2500
D330
4/Bx63
B60 17 X 1525 Li
8v2240
350h100
A1530 Ld ,13 × 1500li ,A59
380xl025
Zr290xl
Cx105
Z17-1/4
5vx950
B120
140014m40
D240
Sps 2 6700
13x1400 Li V Kayış
Pj-457
5I360
4/5vx950
1190
1260xh300
B51
Xpz950
12,5-1900 Fb
5I280

10408m20
255rpp3
Xpc 3750
S/22 4000
Xpz/1400
12,5-1750 Fb Din 7753
N111527
10505m25
C112-22×2845li
Spb 2580 Ld
Spb-4750
Bx61
510l100
140xl037
270h100
Courroie B42
B61 17 X 1550 Li
B26
4505m13
3l-290
6 T2,5-120
Spb1900
770xh200
800h200
A47 13 × 1200 Li
640-8m-A
B33
1400h100
C-5000
17608m

Sps 2 2800
25-T10/720
2590-40-14mm
B55 17x1400 Li
450-5m-A
A45
A43
160j8
Spa 2120
Xpb2840
R73784
A47
B95
B 37.5 - 17 × 950 Li
5v1000
240I100
9608m20
Ax46
B142
615-5m-25
640-8m-Hp-20
2600-8m-85
5vx560
B150
5I680
Courroie B77
Spb 5680
3I-280
Ax-42
Xpz-612
N193822

1400-14mgt-55
1440-8m-30
A177
B42
Spbx2750
1120-8m-20
345I
Bx58
4I670Id
12t5-690
630xh200
835-5m-15
Bx77
250xI025
3I580
3I-260
1280-8m20
Avx 13 X 1250 Tm
500-5m-9
Bx71
161014m85
220xI025
4326-14mhp-40