

Peerless Pump

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Peerless Pump Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Peerless Pump Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
Electric fire pump	The following system is installed on the same chassis, valve, check valve, expansion store, input-output collector, electrical panel, inter-panel-pump-off cable connections, automatic test system and all the necessary equipment to deliver (Pump Electrical Panels separately separately It will be and the system will be fed from the generator in addition to the existing energy). Pumps will have the characteristics in the specification. Fire Pump: 340 m3/H - 104 MSS (1500 GPM - 150 PSI) - Electric (closed valve pressure will be a maximum of 12 bar.) Jockey Pump: 6.8 m3/H - 110 MSS (30 GPM - 160 PSI) - Electric (closed valve pressure will be a maximum of 12 bar)
FIRE WATER PUMP STATION	On the vehicle at the workplace of the fire pump group described in the specification delivery, horizontal and vertical transport, installation in the project, all connections, maintenance and delivery in working condition. Diesel Fire Pump Flow : 2500 GPM one Name. Upper Pressure : 10.5 bar (Valve group+fuel filling and vent line are included.) Electric Fire Pump Flow : 2500 GPM one Name. Upper Pressure : 10.5 bar Electric Jockey Pump Flow : 25 GPM one Name. Upper Pressure : 11.0 bar

Deckeldichtung
96665269
10ah26 No
8aef15a
Inneres Lager
Impeller For 10ah26
8aef20g
Model:6aef 12, S/N:146923b
Th40-45.2
Th40-52.33
5tut16 6quot; X 150
Th40-60
96693907
Model: 4aef12 Sn: 462240
? - Ring Shaft Sleeve
6aef18h
2623324-186
Thrust Ring Of The Bearing Housing
? ? Ring
Ã196;UÃ223;Eres Lager
9927049380-1a
3pvf11m
96694515
Pe-203-3
403 3583 030
31-042-022
Th40-46.1
? - Ring Of The Bearing Housing
T84338-444
Innenlager For Die Pumpe Perless Pump
8196 Mtp Ser.N 244318

Impeller
Th40-10.9
8196 Mtp Ser.N 244318
Wellenhulse
12 Mb 7stg, Serial:723072
6aef12
Face Seal
5tut16 5quot; X 300
96690199
Th40-61