

Pico

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapılabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Pico Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Pico Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
414da-0n	
N-6952	Ultra Miniature 400 Hz Transformer Condition New Release OEM CoC Tariff Number 85043180 Origin US
N-6947	Power Transformer Condition New Release OEM CoC Tariff Number 85043180 Origin US
3205b	SCOPE
Gsx40-0605-Xxx-Bb1-268-Xt-Xh-25813	SERVO MOTOR 5.3A 3000RPM 460V
Pp479	20MHZ OSCILLOSCOPE, SCOPE TYPE:PC BASED, SCOPE CHANNELS:4 DIGITAL, BANDWIDTH:20MHZ, SAMPLING RATE:80MSPS, INPUT IMPEDANCE:1MOHM, RISE TIME:17.5NS, EXT
Pp492	20MHZ OSCILLOSCOPE, SCOPE TYPE:PC BASED, SCOPE CHANNELS:4 DIGITAL, BANDWIDTH:20MHZ, SAMPLING RATE:80MSPS, INPUT IMPEDANCE:1MOHM, RISE TIME:17.5NS, EXT
	OSCILLOSCOPE, PC, 4CH, 100MHZ, 1GSPS,

Pp849	SERIES:PICOSCOPE 8000, SCOPE TYPE:HAND HELD, SCOPE CHANNELS:4 ANALOGUE, BANDWIDTH:100MHZ, SAMPLING RATE:1GSPS, I
Pp846	OSCILLOSCOPE, PC, 4CH, 60MHZ, 1GSPS, SERIES:PICOSCOPE 8000, SCOPE TYPE:HAND HELD, SCOPE CHANNELS:4 ANALOGUE, BANDWIDTH:60MHZ, SAMPLING RATE:1GSPS, INP
Usb Tc-08 17025 Cal D	USB TC08 17025 CALIBRATED BY NEWARK SERVICES
Pp695	PICOSCOPE 4224-IEPE 20MHZ WITH 2 IEPE CURRENT SOURCES
Picoscope3204mso	OSCILLOSCOPE, PC, MSO, 60MHZ+AWG, SERIES:PICOSCOPE 3000, SCOPE TYPE:PC BASED, SCOPE CHANNELS:2 ANALOGUE, 16 DIGITAL, BANDWIDTH:60MHZ, METER DISPLAY TY
Ta045	OSCILLOSCOPE PROBE, 200 MHZ, DIFFERENTIAL, 60 V, 10:1, ALL MAKES MODELS OF OSCILLOSCOPES, ROHS COMPLIANT: YES
Pp843	OSCILLOSCOPE, PC-BASED, 4CH, 500MHZ, 1.25GSPS, SCOPE TYPE:USB MODULAR, SCOPE CHANNELS:4 ANALOGUE, BANDWIDTH:500MHZ, SAMPLING RATE:1.25GSPS, INPUT IMPE
88-38 Sensor	
Picoscope 5203	OSCILLOSCOPE, PC BASED, SCOPE TYPE:PC BASED, SCOPE CHANNELS:2 SCOPE, BANDWIDTH:250MHZ, SAMPLING RATE:1GSPS, INPUT IMPEDANCE:1MOHM, RISE TIME:1.4NS, IN
Picoscope4262	USB OSCILLOSCOPE, 2 ANALOGUE, 5 MHZ, 10 MSPS, 16 MPTS, 70 NS
Sep4	CONTROLLER MODULE
Pp713	OSCILLOSCOPE, PC BASED, 2 CH, 200MHZ, 500MSPS, SCOPE TYPE:PC BASED, SCOPE CHANNELS:2, BANDWIDTH:200MHZ, SAMPLING RATE:500MSPS, INPUT IMPEDANCE:1MOHM
Picoscope4224-Iepe	PICOSCOPE 4224-IEPE 20MHZ WITH 2 IEPE CURRENT SOURCES
90950	CONVERTER DC/DC MATCH SET OF 4
Ta113	TETRIS 1500 1.5 GHZ HIGH IMPENDANCE ACTIVE PROBE 10:1
Pp841	OSCILLOSCOPE, PC-BASED, 4CH, 350MHZ, 1.25GSPS, SCOPE TYPE:USB MODULAR, SCOPE CHANNELS:4 ANALOGUE, BANDWIDTH:350MHZ, SAMPLING RATE:1.25GSPS, INPUT IMPE
Adc-24	DATALOGGER, HI-RES WITH TERMINAL BOARD, READING CAPACITY:-, PRODUCT RANGE:-, SVHC:NO SVHC (17-DEC-2015), NO. OF CHANNELS:16CHANNELS, POWER SUPPLY:USB

Pp628	OSCILLOSCOPE, 4-CHAN, 350MHZ, 5GSPS, SCOPE TYPE:PC BASED, SCOPE CHANNELS:4 DIGITAL, BANDWIDTH:350MHZ, SAMPLING RATE:5GSPS, INPUT IMPEDANCE:1MOHM, RISE
Picoscope5204	OSCILLOSCOPE, 250MHZ, 2 CHANNEL, 1GSPS, SCOPE TYPE:PC BASED, SCOPE CHANNELS:2 DIGITAL, BANDWIDTH:250MHZ, SAMPLING RATE:1GSPS, INPUT VOLTAGE:20V, EXTER
Picoscope3206	PC-BASED OSCILLOSCOPE , SCOPE BANDWIDTH:200 MHZ, SCOPE CHANNELS:2 SCOPE, SERIES:PICOSCOPE 3000, FEATURES:DEEP MEMORY BUFFERS, ADVANCED TRIGGER MODES R
Pp709	OSCILLOSCOPE, PC BASED, 2 CH, 60MHZ, 500MSPS, SCOPE TYPE:PC BASED, SCOPE CHANNELS:2, BANDWIDTH:60MHZ, SAMPLING RATE:500MSPS, INPUT IMPEDANCE:1MOHM, RI
4824	4824 (PP916) SIGNAL VIDEO CARD
Picoscope 2205 Cal Du	OSCILLOSCOPE, 25MHZ, 2 CHANNEL, 200MSPS, SCOPE TYPE:PC BASED, SCOPE CHANNELS:2
Pp672	OSCILLOSCOPE, 100MHZ, 2 CHANNEL, 250MSPS, SCOPE TYPE:PC BASED, SCOPE CHANNELS:2 DIGITAL, BANDWIDTH:100MHZ, SAMPLING RATE:250MSPS, INPUT IMPEDANCE:1MOH
Pp847	OSCILLOSCOPE, PC, 4CH, 60MHZ, 1GSPS, SERIES:PICOSCOPE 8000, SCOPE TYPE:HAND HELD, SCOPE CHANNELS:4 ANALOGUE, BANDWIDTH:60MHZ, SAMPLING RATE:1GSPS, INP
4224-Iepe (Pp695) Scope	
Ta112	TETRIS 1000 1 GHZ HIGH IMPENDANCE ACTIVE PROBE 10:1
Lfa48s	
13795	
Pp795	PICOSCOPE 6407 1 GHZ DIGITIZER WITH CASE, NO PROBES
Pp848	OSCILLOSCOPE, PC, 4CH, 100MHZ, 1GSPS, SERIES:PICOSCOPE 8000, SCOPE TYPE:HAND HELD, SCOPE CHANNELS:4 ANALOGUE, BANDWIDTH:100MHZ, SAMPLING RATE:1GSPS, I
Dc-Dc Lfa-24d Module--Ic	
Lfa24d	
Pp710	OSCILLOSCOPE, PC BASED, 2 CH, 100MHZ, 500MSPS, SCOPE TYPE:PC BASED, SCOPE CHANNELS:2, BANDWIDTH:100MHZ, SAMPLING RATE:500MSPS, INPUT IMPEDANCE:1MOHM
414da-6nit	