



Protectowire

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Protectowire Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Protectowire Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
NEMA-4X	WLM - termination box (fiberglass), (NEMA-4X) with 8.2K ohm resistor & test switch - IP66 housing for terminating a WLM line - including test switch - Delivery takes place with connection terminals - Cable glands must be ordered separately
WLM	WLM - cable gland with lock nut Material: galvanized steel, M For secure screwing of WLM sensor cables in junction boxes & Devices. - Degree of protection: IP68
PHSC-155-EPC 120	
Phsc-190-?Pc	
Phsc-280- Xcr-M (1pc.=50ft)	
Phsc-190-Xcr	
Phsc-155-Xcr	
Protectowire-Kabelkanal-Caddy-F3;R-WIm-Mit-Clip-W 2-Cc-2-100541-Istanbul-Türkiye	

Phsc-356-Erp Replaced By Phsc-356-Xcr	
Phsc 155 Epr Obsolete Alternative WIm - Sensorkabel (A) And WIm - Sensorkabel (Typ F)	
Pim-430e (101093)	
Phsc-280-?Pc	
Pim-430 Zone Interface Module	
Protectowire-Kabelkanal-Caddy-F3;R-WIm-Mit-Clip-N2-Cc-2-100540-Istanbul-Turkiye	
Pim-430d	
Sg-42sk2	
Elr-Hd-1a-Qc (N4x)	
Phsc-190-Epr - Obsolete, Replaced By Phsc-190-Xcr	
Protectowire-Trö;Gerklammer-Mit-Kabelclip-F3;R-WIm-Bc-2-100534-Istanbul-Turkiye	
Phsc-220-Epc	
2113.510.046	
Waw-P	
Phsc-356-Xcr	
Mfl- 92	
Sr-502	
Phcs-190-Epr	
Elr-Hd-4-Qc	
Phsc-155-Epr	
Phsc155edc	DETECTOR 1000FT
Phsc-280-Xcr	
Srp4x4	CONTROL PANEL
Phsc-155-Epc	
356-Xcr	
Phcs-155xcr	

Phsc-280-Epc (1pc.=50ft)
Apl-90
Phsc-155-Epc 155; (68;C)
Protectowire-Befestigungsclips-F3;R- WImnylonpolyamid-Waw-100531- Istanbul-Turkiye
Phsc-155-?Pc (1pc. = 460m.)
Phsc-280-Epr ()
Protectowire-Befestigungsclips-F3;R- WIm-Polypropylen-Waw-100532- Istanbul-Turkiye
Phsc- 220-Xcr