

Rema Tip Top

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapılabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz. **Rema Tip Top** Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Rema Tip Top Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
5952373	
5952139	
5954553	
5952548	115X6X22
FROG CLAMP, TRACTION POWER 1000 KG, FOR RUBBER BELT	
STITCHER 4MM W/BALL BEARING PN - 595 1044	
STITCHER 12MM W/BALL BEARING PN - 595 1123	
STITCHER 45MM W/BALL BEARING PN - 595 1130	
NEEDLE STITCHER 46MM PN -595 1154	
STITCHER 45MM CORRUGATED PN -595 1051	

Rema Tip Top	
Rema Tip Top	
Rema Tip Top	
Rema Tip Top	
Rema Tip Top	
5126051	PN DIAGONAL PLASTER BLUE 05 PU/10 pcs Alternative for 5126116
5126037	PN DIAGONAL PLASTER BLUE 03 PU/10 pcs
5021159	WHEEL 115 TL PREMIUM / 20pc.
4. DUBLEX TIRE VALVE 5 CM – LONG NUT TYPE	
TIRE RIM ORIGINAL 10 MM (29.5 R25 – 26.5 R25)	
65/CN	10mm
5380031	RUBBER COVER PLATE, unvulcanized 5x500x3300mm =10 pieces a 10kg
5380062	GUMIDECKPLATTE, unvulkanisiert 1x500x17800mm =5 Stk a 10kg
5440283	Intermediate rubber strips Stz NL, unvulcanized 2.5x8x7200mm 12 pieces a approx. 7200 mm long, ZWG strips
5722200	Intermediate rubber strips STZ NL, unvulcanized
5021551	RAD 155 TL PREMIUM / 5pc. Net Weight: 9,000KG The reference product from passenger cars to OTR/EM • Bimodal connection layer (manufactured in one piece) • Reinforcement Rayon Cord • Padding at cord end • universally applicable • indispensable when repairing forklift and OTR/EM tires • 5 years shelf life
5021654	RAD 165 TL PREMIUM / 3pc Net Weight: 13.356KG PU 3 pcs The reference product from passenger cars to OTR/EM • Bimodal connection layer (manufactured in one piece) • Reinforcement Rayon Cord • Padding at cord end • universally applicable • indispensable when repairing forklift and OTR/EM tires • Can be stored for 5 years
5021506	RAD 150 TL PREMIUM / 5pc The reference product from passenger cars to OTR/EM • Bimodal connection layer (manufactured in one piece) • Reinforcement Rayon Cord • Padding at cord end • universally applicable • indispensable when repairing forklift and OTR/EM tires • 5 years shelf life
5642896	Protractor W FIX 5, cutting width 10-14 mm, PU/20 pcs.
5959560	

5177402	T2-CL cleaning rubber, 5 rolls of 3x18x3000mm, approx. 1kg
5496517	
Sc 4000	
5629644	
5253112	
Remaclean 60/ 7022054	
5302507 (1 Pack = 25 Pcs)	
5959307	
5620045	
5251043	
Remaclean Kwa	
5253105	
5492998	
5494972	
5496555	
5380316	
5159389	
5709270	
5620083	
5381316	
5302545 (1 Pack = 25 Pcs)	
5496523	
5253121	
5380017	
Pr304 Art No:5254112	
5954656	
5496530	
5380000	
5930515	
Pr200 Art No:525 2406	

5507630	
5253160	
Remaline 60	
525 2029 , 5253160	
5930649	
Type:Remaline 65/Cn Ref.No:549 0062	
Remaline 60/Cn	10x2000x10000mm TARIFF : 40082190
5954508	