


Rickmeier



Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Rickmeier Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Rickmeier Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
R45/125 FL-Z-Db16-W-Sae2.1/2-R	330227-0 Gear pump as supplied under 512544 Sequence number: 1-1 Customer 1 Net weight: 18.50 kg / each Customs tariff number: 84136031
6970584181	OIL SYSTEM FOR COMPRESSOR
MODEL: KC080A40A42-21	FLEXIBLE COUPLING ,
GEAR PUMP CLOCKWISE ,	6 BAR , MAX FLOW: 358 L/MIN , SEAL: NBR , 1470 RPM , VISCOSITY: 240 MM² , MODEL: R65/250 FL-Z ,
PRESSURE RELIEF VALVE	RSNE1/2
R35/25 FL-Z-DB-SO332559-4	
R2-2/24-5 MD-Z-W-G1/2-R	
Pump gear oil with seal FPM Type:R25/6.3 FL-Z-R	Dwg.No:FZ 0-7822-418471//0 Pos.No:1.1 Q:4.8 l/min P:10 bar n:920 /min For Oil supply system of RM Drive Asset Code:3F1.RM01 Manufacture: RICKMEIER Mate.no.80002293
Valve pressure relief Type:RSN1/2-SO FPM	Dwg.No:406059 Pos.No:4.6 Material No:11854820 for RICKMEIER OIL SUPPLY UNIT of RM Drive
340120-5	RSNE1 SO Pressure relief valve as delivered under 5036809 according to the attached data sheet 243319 Consecutive number: 1-2 Customer 1 Net weight: 3.80kg / piece Customs tariff number: 84814010
R45/80FL-Z-W-SAE-R (HLPT208DMLG4G4B0)	
R65/315FL-Z-W-R-SO	
466196	SPARE PARTS SET R65 / 400 ... 630 FL-Z-NBR-P10 according to drawing RZ3-2803-401579 // 1 Position: 1,2,6,7,8,9,13,14,15 + 16 Net weight: 0.59kg / piece Customs tariff number: 84139100
466256	Wheel set R65 / 630 Z Position: 3 + 4 Net weight: 15.50 kg / piece Customs tariff number: 84139100 ===== Recommended spare parts for gear pump R65 / 500 FL-Z, according to Rickmeier Item No. 330033-2, as supplied under 5024771

=====	
466196	SPARE PARTS SET R65 / 400 ... 630 FL-Z-NBR-P10 according to drawing RZ3-2803-401579 // 1 Position: 1,2,6,7,8,9,13,14,15 + 16 Net weight: 0.59kg / piece Customs tariff number: 84139100
466255	Wheel set R65 / 500 Z according to drawing RZ3-2803-401579 // 1 Position: 3 + 4 Net weight: 13.10kg / piece
R65/630 FL-Z-W-SAE4-R (330034)	Gear pump R65 / 630 FL-Z-W-SAE4-R as delivered under 5024771 - free shaft end - Serial number: 1-1 Customer 1 Net weight: 49.00 kg / piece Customs tariff number: 84136031
R65/500 FL-Z-W-SAE4-R (330033)	Gear pump R65 / 500 FL-Z-W-SAE4-R as delivered under 5024771 - free shaft end - Customer 1 Serial number: 1-1 Customer 1 Net weight: 48.00 kg / piece Customs tariff number: 84136031
R65/250 FL-Z	
R35/50 FL-Z-W-SAE2-R-SO	330103-3 Gear pump however only the pump with free Shaft end (without motor) according to the attached data sheet 249000 Serial number: 1-1 Customer 1 Net weight: 9.10kg / piece Customs tariff number: 84136031
DB9 B-P40-SAE(4)-BII-SCN	
R46/160 FL-Z-W-SAE2.1/2-R	GEAR PUMP 1: 1 replacement for our former Material number 330028-2, position 10 according to TD 0-5350-446599 according to the attached data sheet 250934 Serial number: 1-1 Customer 1 Delivery time after receipt of order: approx. 8 weeks, departing from Rickmeier GmbH Net weight: 15.00 kg / piece Customs tariff number: 84136031
466192	SPARE PARTS SET R45 / 125 ... 200 FL-Z-NBR-P10 according to drawing RZ3-2803-401579 // 1 Position: 1,2,6,7,8,9,13,14,15 + 16 suitable for Gear pump R45 / 160 FL-Z-W-SAE2.1 / 2-R, 330028-2
466250	Wheel set R45 / 160 Z according to drawing RZ3-2803-401579 // 1 Position: 3 + 4 suitable for Gear pump R45 / 160 FL-Z-W-SAE2.1 / 2-R, 330028-2 Delivery time after receipt of order: approx. 2 weeks, departing from Rickmeier GmbH Net weight: 4.24kg / piece
R25/10 FL-DBI-G	Pump unit as delivered under 510501 however the current version according to the attached data sheet 251811 Current number Article no. : 8069-3250-340 : 1-1 Customer 1 Net weight: 17.40 kg / piece
R35/40 FL-Z-DB4-W-SAE1.1/2-R-SO	330492-0 Gear pump as delivered under 570608 - free shaft end - ***** according to the attached data sheet 251863 Serial number: 1-1 Customer 1 Net weight: 9.00 kg / piece Customs tariff number: 84136031
R45/160 FL-Z	
R45/100 FL-Z	
000000	
1.0095G25-A00-00B	
1.0095G25-A00-00B 1,5-S0P00	
1.0095G25-A00-00-M	
1.0145 G40-000-0P	

1000.406.10.B.P
115
1221 3951
1440U
161859-4
166772-4
166773-2
166776-5
166804-5
166805-2
166805-2 / R25/16
166886-2
166890-4
166931-6
166932-4
167225-2
167826-7
168028-9
174219-6
176700-3
182004-2
182004-2 E
182010-9 E
188168-9
188174-7
188174-7 / R25
188218-2
18900-4
18901-4
2.0004G25-AE0-0V
2.04.5.110.210
20-63383

20901-4
21003674
24-47194
24-47194 (340173-4)
24-72321-09,340048-8
25/12.5
251965-0
251988-2
253821-3
254542-4
254686-9
258248-4
258374-8
258374-8 / WP-N8-1515-01- 66,4X1,78-FKM75 (2-038) FKM75
259216-0
259279-8
259283-0
259602-1
259649-2
259654-2
260510-3
262771-9
262792-5
262795-8
262830-3
262875-8
284023-9
284027-0
284062
284062-7
284070-0

284376-1
320020-1
320039-1
320067-2
320071-4
320152-2
320256-1
320269-4
320793-3
324
330009-2
330021-7
330022-5
330025-8
330029-0
330030-8
330033-2
330083-7
330084-5
330088-6
330089-4
330101-7
330103-3
330129-8
330168-6
330203-1
330205-6
330207-2
330208-0
330224-7
330225-4
330226-2

330227-0
330228-8
330231-2
330231-2 R65/315 FL-Z-DB16-W- SAE3-R
330248-6
330264-3
330478-9
330514-1
330517-4
330530-7
330541-4
330541-4 / R65/315 FL-Z-DB16-W- SAE3-R-SO
332559-4
332559-4,
332559-4, R35/25 FL-Z-DB16-W- SAE1.1/2-R-SO
333358-0
333719-3
333751-6
333833-2
333851-4
340052-0
340066-0
340066-0 RSNE2
340090-0
340096-7
340225-2
340239-3
350024-6
3760-AS30X40X7-NBR
3771-148,
3771-148. 82 X 3.53 NBR 70

3771A-66,
404395
405042
407042
407042, R4,0/35 FL-Z-UNI-SO
407234
407235
407245
407409
408386
408613
408727
409379
40LD0003G25-AE0-08B4
40LD0003G25-AE0-08B4.2
4103
411179
411560
411560, R65/400 FL-Z-DB40-SAE4-L-SO
412196
412594
412941
413202
414016
414016 R25/16 FL-Z-DB16-W-G1-R-SO
414324
416466
416813
417027
417523
419368

419623
421225
426130
429428
434416
434858
435283
436398
437671
437672
440263
440263 / DIN 3760-AS16X28X7-FKM FKM
440392
440393
442135
442135 EXTCOI
444003
447668
453491
454607
457018
457103
457104
457821
459061
459184
460878
461078
462529
462978
463956
464984

466153
468556
468557
468558
468559
472-28XI,2
472-28XI,2 11 251965-0
472-60X
472-60X 2
4AP90I
4AP90I-8
5030782
544158
5AP71M-4K
5APE160M-4S-B35-FF3-00-IP55-F
630.10.VG.10.B.P
70049522
7232390
7639001/021
80002290
98608
ARE15/250/31
B1.05.08.256417
DB9
DB9-B-P40-BII-SCN
DB9-B-P40-SAE(0)-BII-SCN
DIN 3760-AS30X40X7-FKM
DIN 472?32X1,2 FEDERSTAHL PM 251968?4
EZPA2
F1.5 GW02 00P
FIG.10.G1-1/2

FIG.10.G1-1/2 284639-2
FIG.10-G1
FIG.10-G1/4
FIG.50 G1 284424-9
FIG.50 G3/4 284423-1
FL-K-DBI
FL-Z-DB-SO.
FL-Z-W -UNI-SQ-433390
KA055A20B24-11
KB095A40A48-21
KL-1520
KS12-ACN-421-L1000
KS12-ACN-421-L600
KS12-ACN-421-L900
KS12-CAN-421-L800
KS20-ACN-421-L28000
KS20-AEH-410-L2500
KS20-BCN-420
KS25-ACN-421
KS25-ACN-421-L2500
KS25-AEN-421-L2300
KS25-CAN-421
MP65.355-R65/315
MS 930 310
MV 42C-160
P/N : 10
P45/80-FL-Z
PT2SO?35.300 S235JRG2 PM 412136
R 35/40 FL-Z-DB-R
R 41/50 – FL – K – BDI – SO
R 4,5/54 FL-Z-UNI-SD165-SO
R2-1,5/12-5

R2-1,5/12-5 MO-Z-W-G1/2-R
R2-1,5/12-5+1/12-5
R2-1.5/12-5 MO , Q : 2,6 LIT/MIN , NR: 22-21297 , N : 705 1/MIN , P : 50 BAR
R2-1/12-5
R2-2.75/36 MO-Z-W-G3/4-R
R2-2.75/36 MO-Z-W-G3/4-R
R2-2/24-5
R2-2/24-5 MO
R2-2/24-5-MO-Z-W-G1/2-C
R2-2/36-5+2/24-5
R25/10 FL-Z-DB-SO
R25/10 FL-Z-W-G3/4-R-SO
R25/10FL10
R25/10FL-Z-DB
R25/12,5 F2-F
R25/12,5 FL-Z-DB16-W-G1-R-SO
R25/12,5 FL-Z-DB-SO
R25/12.5FL-Z-DB
R25/16 -25/10FL Z-DB
R25/16 FL-2-DB425476
R25/16 FL-Z-DB16-W-G1-R
R25/16+25/10
R25/16+25/10 FL-Z-W-G1+DB16- G3/4-R
R25/16+25/26
R25/16+25/26 FL-Z-W-G1+DB16-G1- R-SO
R25/16+25/4 FL-Z-W-G1+G3/4-R-SO
R25/20
R25/20 FL-2-W-R-50
R25/20 FL-M-G1-R-50
R25/20 FL-Z-DB16-W-G1-R-SO

R25/20 FL-Z-DB16-W-SAE1-R-SO
R25/20 FL-Z-DB4-W-SAE1-R-SO
R25/20 FL-Z-W-G1-R
R25/20 FU-Z-DB16-W-G1-R
R25/20FL-Z-DB16-W-G1-R
R25/3 15-Z-W 4166886-2
R25/3,15 FL-Z-DB16-W-G3/4-R
R25/6,3 FL-Z-DB2-DB
R25/8 FL-Z-DB4-W-SAE3/4-R-SO
R25-8-FL-Z
R28/38-D-MX60
R3/50 MO88-Z-W-G1-R-SO
R31/16+31/4
R31/8 FL- - SO 31/4
R31/8+31/4
R35
R35/25 FL-Z-DB16-W-SAE1.1/2-R
R35/25 FL-Z-DB6-W-SAE1.1/2-R
R35/25 FL-Z-W-SAE3/4-R
R35/25...40
R35/31,5 FL-Z-SO
R35/31,5 FL-Z-W-SAE1.1/2-R
R35/31,5 Z
R35/40/FL-Z
R35/50
R35/50 FL-Y-GLRD-SO
R35/50 FL-Z-DB-SO
R35/63FL-Z-DB16-W-SAE2-R-SO
R35/86+35/50
R35-25 FL-Z COUNTER CLOCK WISE
R35Y50
R4 0/25FL 2 UNIT SO

R4,0/35FL-Z-UNI-SO
R41/63 FL-Z-UNI
R41/80 FL-K-DBI15-W-R
R41/80 oem
R45/100 FL-Z-SAE2-L-SO
R45/100 FL-Z-W-R SAE2
R45/125 FL-Z-DB4-W-SAE2.1/2-R-SO
R45/125 FL-Z-SO
R45/125-FL-Z-DB-SO
R45/125FL-Z-VSAE201/2R-SO,
R45/125FL-Z-W-SAE2.1/2-R
R45/160 FL-Z-DB16-W-SAE2.1/2-L
R45/160 FL-Z-DB16-W-SAE2.1/2-R-SO
R45/160 FL-Z-DB-W-SAE2.1/2-R
R45/80 FL-Z-DB16-W-SAE2-R
R45/80 FL-Z-W-SAE2-R
R4580 FL-2
R65 / 250/450L / MIN 10 kg / c? GG25
R65/ 200
R65/250 FLZ
R65/250 FL-Z 330030-8
R65/250 FL-Z-DB16-W-SAE3-R
R65/250 FL-Z-DB16-W-SAE3-R-SO
R65/250 FL-Z-W-SAE3-R-SO
R65/315 FL-Z-DB16-GLRD-SAE3-R-SO
R65/315 FL-Z-W-SAE3-R
R65/400 FL-Z
R65/400 FL-Z-50
R65/400 SO
R65/400 Z-W-SO
R65/400FL-Z-W-SAE4-R
R65/500 FL-Z-W-SAE4-R
R65/500 FL-Z-W-SAE4-R (330033-2)

R65/630
R95/1120 FL-Z-W-F132GS-L-S0
RFR100-250
RFR63-16
RFR63-250
RHD 35 PL
RHD 42-PU
RHD18-PL
RHD20-PS
RHD22-PL
RHD22-PL 284007-2
RHD28-PL
RHD28-PL 284008-0
RHD42-PL
RSN1-1/2-P12-SAE-F-LCN-SO
RSNE1.1/2
RSNE1/2
RSNE1/2 340096-7PCVP02G5.002
RSNE1/2-P10-G-F-LCN-SO
RSNE1-1/2-6.7-SHE-F-LCE
RSNE2 SAE-SO
RSNE3/4-P10-G-F-LCN-SO
SNP 2/14 DC002
SNP3NN/22-R-N-06AA-P1-BB-BA
VL 10 F2
WN277- 85/390.1 946445VA155/19A 1.36.2
WN277-85/210
WN277-85/210 (MW0,070 MM)
WP?N 8?2114?PTFL300 AL PN 407780
WP-N 134
WP-N 8-1585/01 SV45X

WP-N 8-2360-KC065A28B38-11	
WP-N8-1515-03-101,27X2,62-NBR70	
WP-N8-1515-03-101,27X2,62-NBR70 (2- 155)	
WP-N8-1515-03-148	
WP-N8-2362-KZ105-2	
DRW MZ330192-6	GEAR PUMP R65/630-FL-Z-DB16-W-SAE4-L-SO
R35/31,5 FL-Z-DB-SO	pump unit 352084-8 as supplied under 5095026 according to the enclosed data sheet 254282 Consecutive number : 1-1 Net Weight: 10.00kg/pc Customs tariff number: 84136020
R4,5/45 FL-Z-D60-UNI-SO	gear pump (CENTERING D=310) according to drawing MZ 428951//1 Set of loose parts, consisting of: Item 110: 2 O-rings Item 120: 2 O-rings Item 130: 2 O-rings Item 140: 14 screws Consecutive number : 1-1 Net Weight: 33.60kg/pc
Cat CG170-20	Prelubrication Pump-Motor of GEG Pump Brand: RICKMEIER GMBH. Type:R2-2/24-5 Poe: 3.5 Bar Motor Brand: WEG Type: W22 3 71-04 IP55 INS CL. F ΔT 80 K S1 SF 1.00 AMB:40C R2-2/24-5
GEAR PUMP R12/12.5 FL-Z-DB-SO	
1 1 Gear pump 330080-3	R25/2,5 FL-Z-W-G3/4-R-SO
2 1 Three-phase motor 413085	5AP71M-4KV*U-B35-FF130-IP55-F
3 1 Bracket 259955-3	WP-N 8-2101-PT160A063-090
4 1 Claw coupling 262735-4	WP-N 8-2360-KA040B14A15-11
DIN 933-M8X22-8.8	6 4 Hexagonal head screw 250064-3
DIN 912-M8X20-8.8	7 4 Cheese-head-screw 250518-8
SPECW1045	Encoder 10mm Hollow Bore 1024PPR EMAG Encoder Series 15T 10mm Hollow Bore 1024 PPR 15T-05-FF-1024-NC-HV-R-V1-G2-ST-IP50
R3/50 M0-S0	
R95/1000 FL-Z-W-DN132-R	403075 gear pump according to the enclosed data sheet 259645 Consecutive number : 1-1 Net Weight: 88.00kg/pc Customs tariff number: 84136031
330262-7	Gear pump R35/40 FL-Z-DB16-W-SAE1.1/2-R as supplied under 5085764 according to the enclosed data sheet 260072
R95/900 FL-Z-W-DN132-R-SO	gear pump 437610 as last delivered under 5004915, but without weld-on flanges FGS132 according to the enclosed data sheet 260935
Acceptance test certificate according to EN 10204-	(pump test run + pressure test) incl. works certificate according to EN 10204-2.1 (housing and wheel shaft material) pump
R95/1000	FL-Z-W-DN132-R Q=952 dm³/dk P=10 bar 952 rpm
03607 /10.74	

R69/550 FLZ0	
R35/25 FL-Z-DB16-W-SAE1.1/2-R	330260-1 gear pump As supplied under 5067744 according to the enclosed data sheet 263674 Consecutive number : 1-2 customer 1 Net Weight: 8.20kg/pc Customs tariff number: 84136031
GEAR Pump,TYPE: R35/40 FL-Z-DB6-W-SAE1.1/2-L-SO	
GEAR PUMP RICKMEIER,MODEL:R65/250 FL-Z-R	
GEAR PUMP TYPE:R35/31.5 FL-Z	
Hydraulic pump Gear pressure 5 Bar	Model R35/31.5FL-Z-R
FL-DB1-G , Rickmeier R25\12.5	
R25/12,5 FL-Z-DB4-W-SAE1-R-SO	Gear pump but only the gear pump - Free shaft end according to the enclosed data sheet 264878 Consecutive number : 1-1 Net Weight: 5.80kg/pc Customs tariff number: 84136031
R45/125 FL-Z- DB/R	
R89 900	
Gear pump 330476-3 Rickmeier R25/10 FL-Z-DB-SO	Register: B/R Original catalog number: 330476-3 Product Type: GEAR PUMP Manufacturer Additional: RICKMEIER Model (designation) SPTA: R25/10 FL-Z-DB-SO
R45/80 FL-Z-W-SAE2-R-SO	330105-8 Gear pump , but only the gear pump -bare shaft endacc. to enclosed data sheet 270673 Customer 1 Consecutive : 1-1
R45/100 FL-Z-W-SAE2-R	Gear pump 330026-6 Only the gear pump -bare shaft endacc. to enclosed data sheet 272750 Consecutive : 1-1 Customer 1 Delivery time: approx. 19 weeks, outgoing Rickmeier GmbH Net weight: 14,80 kg / pc. customs tariff code: 84136031
R35/31,5 FL-Z-SO	403455 Pump unit As supplied under 503626 according to the enclosed data sheet 273471 Consecutive number : 1-1 customer 1
R65/315 FL-Z-W-SAE3-R	330031-6 gear pump as supplied under 4009512, only the pump, free shaft end
R95/1250FL-Z-R	
R35/25 FL-DBI-G	as delivered with 566228, but the current version acc. to enclosed data sheet 273923
R35/40 FL-Z-W-SAE1.1/2-R	-only the pump, free shaft end-
R25/12,5 FL-K-DB16-W-G1-R-SO	333744-1 acc. Drawing MZ 333744-1//3 as delivered with 516732 - bare shaft end- Consecutive : 1-1 Customer 1 Net weight: 7,90 kg / pc.
333744-1	
R65/200EL-Z-DB-SO	
320360-1	
R45/100FL-Z	
R35/40 FL-Z-DB	

R35/40 FL-Z-DB	
R65/200 FL-Z-DB16-W-SAE3-R-SO	Gear pump 330539-8 as delivered with 5020426, but only the gear pump -bare shaft endacc. to enclosed data sheet 277974 Consecutive : 1-1
R35/31,5 FL-Z-W-SAE1.1/2-R-P	Gear pump 473288 -only the pump, free shaft end
474569	Gear pump R25/20 FL-Z-DB16-W-G1-R-P as delivered with 23-71382, but only the gear pump, in current lead-free version acc. to enclosed data sheet 278917
340136-1	Pressure relief valve DBV40 SO as delivered with 502572 and 24-59358 Execution acc. Drawing MZ 340136-1//3 Data Sheet TD 340136-1 Setting pressure regulating valve: po = ? bar acc. to enclosed data sheet 279368 Consecutive : 1-2 Customer 1
R45/100FL-Z	
334744-0	Gear pump R95/800 FL-Z-W-DN132-R Documentation MZ334730-9 Shaft sealing simply RWDR Connection suction side DN132 Connection pressure side DN132 Direction of rotation (viewed on the drive shaft) Right Weight [kg] 84 Dimension (length/width/height) [mm] 495/240/269 Design data: * Operating data (general) www.rickmeier.de/downloads/downloads Rickmeier data sheet R5 Operating data (specific) * Pumped medium: lubricating oil ISO VG 32 Start Nominal Max. Medium inlet temperature [°C] 20 40 80 Kinematic viscosity [mm²/s] 75 32 10 Inlet pressure during operation [bar] 0 0 0 Outlet pressure [bar] 10 10 10 Speed [rpm] 1450 1450 1450 Flow rate (calculated) [dm³/min] 1143 1119 1073 Power requirement (calculated) [kW] 33.7 31.9 29.7 Recommended drive power [kW] 37.1 35.1 32.7 Materials: * Housing 5.1301 (EN-GJL-250) Gear parts 1.7139 (16MnCrS5+FP) Radial shaft seal FKM O-ring NBR Bearing bush bearing material on steel back Coating: * External coating RM standard 1005-C2 Based on ISO 12944-5/C2.07-PUR Zn(PO) Color RAL 7021 (black gray) Color base 2K polyurethane base with zinc phosphate Target layer thickness [µm] 80 Installation conditions: * Destination country --- Installation location --- Height above sea level [m] < 1000 Ambient temperature [°C] -20...60 Explosion protection -- - Remark: --- Test data (pump): * Pumping medium mineral oil HLP 22 Medium inlet temperature [°C] 30 Kinematic viscosity [mm²/s] 33 Speed [1/min] 1450 Inlet pressure during operation [bar] -0.1 Outlet pressure [bar] 10 Test pressure (hydrostatic) [bar] --- Test pressure (dynamic) [bar] --- Flow rate (calculated) [dm³/min] 1119 Flow rate (min.) [dm³/min] 1063 Flow rate (max.) [dm³/min] 1231
Gear pump	R4,5/54 FL-Z-UNI-SD165-SO acc. drwg. MZ 422226//1 Loose parts kit, consisting of: item 150: 4 pieces screw as delivered with 5014550 Consecutive : 1-5
Gear pump	R6,0/80 FL-Z-SAE2.1/2-UNI-SO as delivered with 571269 acc. to enclosed data sheet 281153 Customer 1 Consecutive : 1-8
473283	Gear pump R25/6,3 FL-Z-W-G3/4-R-P as delivered with 5069726, but the current lead-free version acc. to enclosed data sheet 281203
R35/31.5 FL-Z/5 BAR	
474050	Gear pump R45/80 FL-Z-W-SAE2-R-P as delivered with 520014, but only the gear pump, in current lead-free version acc. to enclosed data sheet 281664
472614	Gear pump R25/16 FL-Z-W-G1-R-P as delivered with 521299, but only the gear pump, in current lead-free version acc. to enclosed data

172911	the gear pump, in current lead free version acc. to enclosed data sheet 281665
R35/63 FL-Z-DB16-W-SAE2-R-P	Gear pump 474276 as delivered with 514840, but only the gear pump, in current lead-free version acc. to enclosed data sheet 282136
262792-5	Claw coupling WP-N 8-2360-KA055A20B24-11 AL/T-PUR92
Gear pump	461224 R6,0/100 FL-Z-SAE2.1/2-UNI-SO as delivered with 5083218 acc. to enclosed data sheet 282513 Consecutive : 1-1
R35/40 FL-Z-W-SAE1.1/2-R-P	Gear pump acc. to enclosed data sheet 282954
251885-0	Circlip DIN 471-60X2 SPRING STEEL
257963-9	O-ring WP-N8-1515-03-7,65X1,78-NBR70 (2-011) NBR70
258146-0	O-ring WP-N8-1515-03-94,92X2,62-NBR70 (2-154) NBR70
258258-3	O-ring WP-N8-1515-03-183,74X3,53-NBR70 (2-263) NBR70
464693	Mechanical seal L4KD060DINB10Q20VFF-U6CC KU060S0BQVFF ***Exchange for ident no. 259426-5***
R35/40 FL-Z-DB16-W-SAE1.1/2-R-P	Gear pump acc. to enclosed data sheet 282955
475212	Gear pump R25/16 FL-Z-DB16-W-SAE1-R-P as delivered with 568386, but only the ger pump, in lead-free version acc. to enclosed data sheet 284871
474065	Gear pump R25/20 FL-Z-DB16-W-G1-R-P as delivered with 22-13181, but only the gear pump, in lead-free version acc. to enclosed data sheet 285287
R65/200 FI-Z-Db16-W-Sae3-R-So	
188178-8	
R35/63 FI-Z-Db	
R65/250 FI-Z-W-Sae3-R-So Zahnradpumpe	
R35/63 FI-Z-Db16-W-Sae2-R	
254542-4 Buchse	
330530-7 R35/25 FI-Z-Db-S0	
330028-2	
1000 406 10 B P	
Rebuild Kit For R2/5 FI-Z-Db-So	
R45/160 FI-Z-Db	
R25/20 FI-Z Pumpe	
Compression Spring For Rsn1.1/2 Sae-So	
R45/125/FI-Dbi-G	

166773 2	
258146-0	
188153-1	
320360-1	
423399	
166886 2	
440780	
Reguliertventil	
R35/63 FI-Z-Db-Glrd-So	
330027-4	
188218-2 Raedersatzr35/25 Z(Antriebsradwelle, Laufradachse Undpassfeder)	
620800	
R25/10 FI-Z-Db4-W-Sae3/4-R-So (330486-2)	
1221 3950	
R25/16 FI-Z-Db4-W-G1-R	Gear Pump 330168-6 Gear pump free shaft end as supplied under 5027988. according to enclosed data sheet 216992
11557320	
166931-6 R25/12.5 Z-W	
R45/160 FI-Z-W-Sae	
Kkn28/28-45028	
R 25/4 FI-DbI-G Replaced By R25/4 FI- Z-Db4-W-G3/4-R-So (330472-2)	
Overhaul Set For Lubricating Oil Pump R95 1000fi-Z-Db-L-So	
Far1/2	
Cover For The Pump AtI 350	
251965-0 Sicherungsring	
0660 R 010 Bn4hc	
0160 R010 Bn3hc	
R61 S (D40xd79,6x146,54x41)	
4820-12-340-5237	
R45/80-FI-Z-O108	

440263 Wellendichtung	
Fma1,5/12-5 So	
333201-2	
403072	
R35/86+35/50 FI-Z-W-Sae2+db4-Sae2-R-So (334549-3)	
R65/315 FI-Z-W-Sae3-L	
R35/40 FI-Z-Db6-W-Sae1.1/2-L	As delivered under 503818, but only the pump is free shaft end. Interchangeable with ID 401959. according to the enclosed data sheet 204926 Running number: 1-1 Customer 1 Net weight: 8.80 kg / piece Customs tariff number: 84136031
Rsne2	
258374-8 O-Ring (Gehaeuse)	
R35/ 31.5 FI-Z	
173082-9	
174219 6	
411179 Satz Dichtungendichtungssatzr65/200...315 FI-Z-Db-Glrd-Sozolltarifnr.: 84849000	
R35/31.5fl-Z-Db-So	
458305 Pumpe R35/25	
167877-0	
R35/50 FI-Z-W-Sae2-R	Gear pump Art nr. 330023-3 As delivered with 93-22-42464, but only the pump bare-shaft end acc. enclosed data sheet 216636 Consecutive : 1-1 Customer 1 Net weight: 9,10 kgs / pc. customs tariff code: 84136031
330031-6	
Typ R35/25 FI-Z-D3	
Oil Seal For R2/5 FI-Z-Db-So	
168028 9	
O-Ring For R25/12.5 FI-Z-Db-So.	
O-Ring Pos.15 For Rsn1.1/2 Sae-So	
251965 0	
R45/80 FI-7-330025-8	Pump Serial nr . :-7-330025-8
Parallel Pin For Rsn1.1/2 Sae-So	
R45/125 FI-Z-Db	180 l/min 1450 rpm PRV 10 bar

163264-9	
460878 Pumpenaggregatr41/80 FI-Kwie Geliefert Unter 575020,Jedoch Mit Motor In Aktueller Version!	
Grub Screw For Rsn1.1/2 Sae-So	
22-47221/3 Pumpe R2-2/24-5 Mo	
4,5 45 FI-Z-Uni-Sd165-S0	
185715-0	
R2-1/12-5 Fu-Z-W-G1/2-R	
R65/200 FI-Z-W-Sae3-R	
R25/12,5 FI-Z	
R28/38-D-Mx60	
R 3/50 Mo88-Z-R-So Pumpe	
406750(Ex. 23995)	
458305	
R2-2/24-5-Mo-Z-W-G1/2-C Zahnradpumpe	
O-Ring Pos.14 For Rsn1.1/2 Sae-So	
R65/250 FI-Y-Db-Glrd-So	
R2- 2/36-5- Mo-Z-W-G1/2-R(Ex R2-2/36-5-Fj)	
R45/100 FI-Z-W-Sae2-L	As delivered under 22-50457, however only the pump (free shaft end) , according to the enclosed data sheet 203563 Running number: 1-2 Customer 1 Net weight: 15.00 kg
R25/10 FI-Z-W-G3/4-L	
R35/25fl-Dbi-G	
10 046 Dn 40 284053 6	
R61/100 FI-K-W-R	
Rsn-1/2\" (Id. 340048-8)	
413867	
R2-2/24-5-Mo-Z-Wg1/2-C Zahnradpumpe	
330102-5	
0110 5109	
Rbd 10 Er F 250 Replaced By Are15/250/31 (284023-9)	

Rsn-1-1/2\" (Id. 340157-7)
166772 4
R65/315 FI-Z-1 402141 , R65/315 FI-Z-W-Sae3-L
R25/6,3 FI-Z-W-G3/4-R
188155-6
330485-4
176700 3
330544-8
284035-3
1 0095g25 A00 00 M
253821 3
411179 Dichtungssatzr65/200...315 FI-Z-Db-Glrd-Sozolltarifnr.: 84849000
262749-5
R35/63-FI-Z-Db6-W-Sae2-R
407565
R25/16 FI-Z-Db-So
- O-Ring P. 12 Fuer Ventil Rickmeier Rsne1/2 340096-7
254542-4 Buchseiso 3547-16b18x25-P1p1
320067-2 Pumpe R2-2/24-5 Mo-Z-W-G1/2-C
320152-2 , Type R2-2/36-5 Mo-Z-W-G3/4-R
R25/12,5 FI-Z-Db16-W-G1-R-So Zahnradpumpeas Delivered With 5020815. But Onlythe Pump Bar-Shaft-End.
R35/25fi-Z-De
Type: R65/200 - 106411
R45/160 FI-Z-W-Sae2.1/2-R
R35/86 FI-Zf35/50 Db-So
330227-0 330227-0 Pumpe Mit Regelventil RI45/125 FI-Z-Db16-W-Sae2.1/2 R
R25/4 FI-Z-Db4-W-G3/4-R-So

(330472-2)	
0110 1334	
180780-9_E	
167351-6	
330022-5 Zahnradpumper35/40 FI-Z-W-Sae1.1/2-R	
R35/63 FI-Z42-30692	
R25/6.3fl-Z-Db	
Pumpe Mit Antrieb	
1227 6593	
R65/250 FI-Z-W-Sae3-R (330070-4)	
R45 / 160 FI - 4 - Db - Low Pressure Oil Pump	
320328-8	
R2-2.75/36 Mo-Z-W-G3/4-R Zahnradpumpe	
Hdl 2/2 2,1-D Replaced By Snp3nn/22-R-N-06aa-P1-Bb-Ba (284027-0)	
Hidrolik Pompasi - Typ R25/6.3 FI-Z Q:7.2 l/Min N:1380 1/Min P:16 Bar	
258230-2	
Ins-Kkn28/28-45028	
404450	
R2-2.75/36 ??-Z-W-G3/4-R Zahnradpumpe	
14208010	
320039-1 Zahnradpumper2-1,5/12-5 Mo-Z-G-G1/2-R-Sowie Geliefert 22-51753,Pumpe Frei Wellenende	
Rsnej1.1/2 Druckentlastungsventil	
R25/40 FI-M-G1-R-So	gear pump R25 / 40 FL-M-G1-R-SO As delivered under 575579 Running number: 1-2 Net weight: 4.60 kg / piece Customs Tariff Code: 84136031
R25/20 FI-Z-Db	
Wt 3/16	
R35/63 FI-Z-W-Sae2-R	gear pump Item No. 330024-1 with free shaft end Pump unit ID406015, like delivered under 515133
R 35/40 FI-Z-Db-R Kraftstoff-	

Zahnradpumpe	
H62785	
420690	
454673	
R65/250 FI-Z-Db16-W-Sae3-L	as supplied under 5041761 however only the pump (free shaft end) Thank you for your comprehension. according to enclosed data sheet 223587 Running number: 1-1 Net weight: 39.00 kg / piece Tariff code: 84136031
Din 3760-As16x28x7-Nbr (416813)	
R25/20fl-Z-Db-16-W-G1-R	
284024-7	
167222-9	
251988 2	
Type: R25/10 FI-Dbi-G Replaced By R25/10 FI-Z-Db4-W-Sae3/4-R-So (330486-2)	
405306/1	
Rsne3/4	
330209-8	
R25/16	
258424-1	
330260-1	
320360-1 Zahnradpumper3/50 Mo88- Z-W-G1-R-So	
R2-1,5/12-5+1/12-5 Mo (320799-0)	
R916570632	
408386 Wellendichtringdin 3760- As30x40x7-Fkmmfkm	
168107-1	
330261-9	
R35/50fl-Z-W-Sae2-R	
The Impeller For The Pump Atl 350	
284050-2	
351913-9	
R95/1000 FI-Z-W-Dn132-R	Art Nr. 403075 Gear Pump As delivered with 5034592. Pump barshaft- end according to the enclosed data sheet 213108 Running number: 1- 1 Customer 1 Net weight: 88.00 ka / piece Customs tariff number:

84136031	
330228-8 Zahnradpumper45/160 FI-Z-Db16-W-Sae2.1/2-R	
R35/40	
284047-8	
166804-5 R25/12.5	
12 046 Dn65 284054 4	
R35/50-FI-Z-Db16-W-Sae2-R	
258409-2	
444-V7 Paf	
R25/6,3 FI-Z-Db16-W-G3/4-R	GEAR PUMP as delivered under 5005869 according to the enclosed data sheet 204678 Customer 1 Running number: 1-1 Net weight: 4.70 kg / piece Customs tariff number: 84136031
Are15/250/31 (284023-9)	
R45/160fl-4-Db / Düşük Basınç Yağ Pompası	
440263 Wellendichtringdin 3760-As16x28x7-Fkmfkm	
R25/16fl-Z-W-G1-R	