

Ringspann



Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Ringspann Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Ringspann Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Sx 85-50/10	3673.085.826.000000 STAHLBANDREDUZIERERSCHLOSS
Fxm 86-25h40	
Z	Freewheel FXM 86-25 DX / F D = 150 h7 Hole D = 50 H7, groove 14JS10x3.8 Weight: 3.920 KG / ST Customs tariff number: 84836080
4867-120517-075H49	Freewheel FXM 120-63 MX spec. Bohrg D = 75 H7, slot 20JS10x4.9
Serie F21	
3021-100008-999999	Disc block LBD 100 - ___, __- 10.0 Weight: 0.350 KG / ST Customs tariff number: 84662020 With the following configuration Diameter 131.00 mm
3021-065005-999999	Disc block LBD 065 - ___, __- 10, With the following configuration Diameter 91.00 mm
4418-486420-xxxxxx	RBC 4200 HFI-STA-0FB340-0PE730 Barrel coupling, heavy-duty version Hub: steel, standard, pre-drilled with. Passport groove according to DIN 6885/1 d = 340 Connection flange according to catalog T = 730 Execution according to PI06.007
4821-082161-065F23	Freewheel special with SF 82-25 / 36P Bohrg D = 65 F7, slot 18JS10x2.3 Weight: 3.680 KG / ST Customs tariff number: 84836080
4829-069101-045H38	Freewheel FNR 45 R Bohrg D = 45 H7, slot 14JS10x3.8 Weight: 3.850 KG / ST Customs tariff number: 84836080
Freewheel FXM 86-25 NX / H40	4867-086310-040H33 Bohrg D = 40 H7, slot 12JS10x3.3

	Weight: 4.520 KG / ST Customs tariff number: 84836080
Cage freewheel SF 127-25 / 56K	3673-127007-000000
FK 20 028125	
4201-060001-000000	Clamping element RLK 200 size 60x90
4201-050001-000000	Clamping element RLK 200 size 50x80
RLK 200 50X80 Art nr : 4201-050001-000000	
Artikel: Spannelement RLK 200 Größe 50x80	
4873-034102-025H20	Freehub FCN 25 R Bore D = 25 H7, slot 8JS10x2.0
4829-057113-040H33	Freewheel FB 57 SFT spec. with spur gear z=58, m=3 Bore D = 40 H7, slot 12JS10x3.3
RINGSPANN FB107SFT KAPLIN	
Ø125xØ107x25 mm One Way	
4871-040002-000000	Freilauf FD 40 CFR
4871-050002-000000	Freilauf FD 50 CFR
4479-625001-Mxxxxxx	Durchratsch-SIKUMAT STE 30.1 – spielfrei – M = 5 – 14 Nm Bohrung d3 = 28 mm (Maximalbohrung) Bohrung d = 20 mm
OPTIONAL:	With the following configuration Torque xx.00 Nm
3505-012001-A00002	Inductive proximity switch M12 ESC standard, 2m cable
3502-010001-B240VW	Mechanical limit switch
4828-061400-035H33	Freewheel FGR 35 SF Bore D = 35 H7, slot 10JS10x3.3
4470-018900-070H49	Synchronous cutting SIKUMAT SB18 Bore d = 70 mm Feather key according to DIN 6885-1
Torque 4,000.00 Nm	
BW133403B	
RLK 350-17x35	4208-017001-000000 Cone clamping elements RLK 350
4201.070.001.000000	RLK 200-70x110
FXM 66-25 DX/H4 series L20	clutch lock
Load moment lock IR 12 140	4883-021101-000000 load moment lock
4867-086300-060H44	Freewheel FXM 86-25 NX Bore D = 60 H7, groove 18JS10x4.4
4867-085512-050H38	Freehub FXM 85-50 SX/H50 Bohrg D = 50 H7, groove 14JS10x3.8

FXM170-63SX/H80	
4867-140523-065H44	Freehub FXM 140-50 SX/H65 Bohrg D = 65 H7, groove 18JS10x4.4
4205-340201-TC0000	Clamping element RLK 402TC size 340x425
4200-400301-000000	Shrink disc RLK 603-400
RLK 402-40x65	4205-040201-000000
B15R (GB30-GB24)	
4867-056350-040H33	Freehub FXN 56-25 NX Outer ring 80x90x35, housing total P6 Bohrg D = 40 H7, groove 12JS10x3.3
4884-104111-070H49	Freewheel FGR 70 R A1A2 in the UZS Bore D = 70 H7, groove 20JS10x4.9 Direction of rotation in UZS:
1051-027001-000000	27,7X15X0,65
FXM 86-25DX 4867-086300-040H33	Freewheel FXM 86-25 NX Bohrg D = 40 H7, groove 12JS10x3.3
RLK 404TC	RLK404 TC220x285 4205-220401-TC000
RLK404TC	RLK404TC120x165 4205-120401-TC0000
RLK404TC	RLK 404TC 180x235 4205-180401-TC0000
RKL404TC	RLK404TC 240x305 4205-240401-TC0000
RLK 404 TC	RLK 404TC 190x250 4205-190401-TC0000
RLK 404 TC	RLK404 TC 130x180 4205-130401-TC0000
RLK 404 TC	RLK 404TC 160x210 4205-160401-TC0000
RLK 404 TC 4205-130401-TC	
RLK 404 TC 4205-090401-TC	
RLK 404 TC 4205-160401-TC	
RLK 404 TC 4205-120401-TC	
RLK 404 TC 4205-090401-TC	
RLK 404 TC 4205-070401-TC	
RLK 404 TC 4205-120401-TC	
RLK404	RLK404-70X110 4205-070401-00000
RLK404	RLK404-90X130 4205-090401-00000
4863-072101-050H38	Freewheel FON 72 SFT Bohrg D = 50 H7, groove 14JS10x3.8
FXM100-50SX/H55	REDUCER LOCK 080 BE 05 RINGSPANN 4867.100.511.0 55H43 FXM 100-50 SX/H55 SERIE:Z40 (Ø: 55MM)

FXM 86-25DX/140	REDUCER LOCK FXM86-25DX/140 BUCKET BAND208
FXM100-50SX/H55	REDUCER LOCK 080 BE 05 RINGSPANN 4867.100.511.0 55H43 FXM 100-50 SX/H55 SERIE:Z40 (Ø: 55MM)
FXM 86-25DX/140	REDUCER LOCK FXM86-25DX/140 BUCKET BAND208
4457-901142-000000	Brake DV 30 FPA BS25
2751-125101-000000	Piston D30FPA
FXM 170-63 (1504	
RLK 350-25 X 47 4208-025001-000000	
Bm 60 R	
4204032201	
Bc 30 R	
413316001100	
Bm 60 Sx	
4867-120501-070h49 Freilauf Fxm 120-50 Sx Bohrg D = 70 H7, Nut 20js10x4,9	
4883-068101-000000	Load moment lock IR 35 140 Weight: 3,300 KG / ST Customs tariff number: 84836080
Rlk 402	
4822.057.401.030h33	
4204032001	
Precision Clamping Fixtures	
Bc 35 R	
4867-056105-040h33	
Z 47 / 4828.057.400.030h33	
Rs Fxm 100-50sx/H55	
4867-085310-050h38 Fxm 85-50 Mx/H50	
Fxm240-63ux	
4205.055.201.000.000	
Bc 45 Sxg	
4133047900000000	
Bc 50 R	
Fde 80 Cfh	

4821-076520-000000
3198-018-180-033.60
1064070001000000
Bc 70 R
4867-061140-035h33
4867-076350-055h43
4867-085300-050h38
4821.038.526.016h23
4867-086310-040h33 Fxm 86-25 Nx/H40
Shaft Hub Connections
Bc 40 Sxg
Bm 70 R
Bc 70 Sxg
Rs Fxm 140-50sx/H65
Hog10
Fr 400
4133.037.952.000000
3021-100004-999999 Ex (3021 130 004 094.00)
4457-103907-000000
Clutches
4867-076350-050h38 Fxn 76-25 Nx
Fk24ap
FREEWHEEL CLUTCH BALL BEARING
Brakes
Bc 30 Dxg
4867-076105-050h38 Freilauf Fxn 76-25 Dx Ari 100x120x32, Gehã196;Usetol.J6 Bohrg D = 50 H7, Nut 14js10x3
Bc 55 Sxg
Fxn 61-19 Nx
Fkhe24atr
Freewheels

400120165
Fxm140-50mx
Bwx 1310003
4204025001000000
4205060201
4867 076350 050h38
A057042,00i
Bc 55 R
Rlk131
4867.140.502.070h49
4871-050002-000000 Fd 50 Cfr
.3514.100.116.00000
4883-044101-025h35
4867-085512-050h38 Fxm 85-50 Sx/H50
Bwx 1310145
1473-130001-000000
4867-086101-B062f6
4867-066201-040h33 Fxm 66-25 Dx/F D=125 H7
3674.076.801 - Kw375x
Bc 40 R
4867-086204-040h33
Fxn 66-25/100 Internal Freewheels Fxn
4867-076112-050h38
4867-051310-030h33 Fxm 51-25 Nx/H30
Bwx 1310226
4201.020.001.000000
Bm 80 R
4867-085530-065h44
Bm 70 Sx

4457 103908 000000
3674 038 801 Dx38
Bc 90 R
4883-024101-000000
Fxm 200 63 Mx
4457103907
4867.086.202.065h44 Freilauf Fx 86-25 Dx Mit Klemmstuckabhebung X Bohrg D = 65 H7, Nut 18js10x4,4
Pw308lpt5
Fxm100-50sx-H55w5813-St
4867-038300-025h20
867 076350 050h38
100204700403495
Bwx 13143a
3133047000000000
Fde 40 Cfh
4873 033104 025h33 Fnd 453 Z
4873-040104-000000 Freilauf Zzn6206/25m D=25; Nut 8p9x2,0
4867-046200-025h33 Freilauf Fxm 46-25 Dx Bohrg D = 25 H7, Nut 8js10x3,3
Bc 80 R
4867-200501-120h74
Fxn 66-25/110 Internal Freewheels Fxn
2471.355.150.000000(Ex 2471.355.100)
Bm 90 R
Fxm66-25
Fxm86-25
L27
4883-068101-000000 Lastmomentsperre Ir 35 140
Bc 60 Sxg

4883-021101-000000
Bc 52 Sxg
Rs Fxm 85-50sx/H50
1032.062.002.000000
4867-076300-045h38 / Fxm 76-25 Nx
FdZ-74-Lzr-D-61348
4457103161
B020032,00i
1196035601000000
4867 085501 050h38
4822-057504-030h33
21093500000-03
Bwx 1310445
4867-051200-025h33
Bm 95 R
4867-056350-040h33
4867-076112-050h38 Freilauf Fxn 76-25 Dx Ari 100x115x40, Gehã196;Usetol. P6 Bohrq D = 50 H7, Nut 14js10x
0169.043.002.071,60 000000
Din6885bl1
4873-033104-025h33 (Fnd 453 Z)
Bwx 1310147
Bwx 1310172
4883-024101-000000 Lastmomentsperre Ir 16 140
A032020,00i
Fgr25r
4883-021101-000000 Lastmomentsperre Ir 12 140
Hw-063-Hfa
Rs Fxm 86-25dx/H40

Bc 45 R	
Fxm 100 50 Sx H55	
Rs Fxm 66-25dx/H40	
4045ba44	
4867.076300.045h38 / Fxm 76-25 Nx / 01835130 Serie Y 16	
4133052952000000	
Fb107 Sft	
Dv/Dh 30fpa 090-Bs25	
4821-057500-030h33	
3640 000 036 000000	
2472 005 013 A00112	
Bc 60 R	
Fb107	
4867-100350-055h43	
Rlk 400 55x85	CLAMPING ELEMENT
Bwx 1310080	
Bc 52 R	
4867 120501 065h44	
5116110002-116130002-5155145071- 5155190071	
4821-107501-060h44	
Fxm 86 25 Dx H40	