

Rotabroach



Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapılabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Rotabroach Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Rotabroach Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
49250.0180	CLASSIC - core drill HSS-XM2 short Ø 18.0 mm
49250.0240	CLASSIC - core drill HSS-XM2 short Ø 24.0 mm (core hole M27)
49250.0350	CLASSIC - core drill HSS-XM2 short Ø 35.0 mm
49250.0340	CLASSIC - core drill HSS-XM2 short Ø 34.0 mm
49250.0380	CLASSIC - core drill HSS-XM2 short Ø 38.0 mm
49250.0400	CLASSIC - core drill HSS-XM2 short Ø 40.0 mm
49301.0050	Guide pin / ejector for Core drill Ø 6.35 x 102 mm (≥13mm Core drill)
49354.3200	M-Railcutter (core drill for rails) Ø 32.0 x 35 mm W19
49500.0140	Kernbohrer HSS-XM2 lang Ø 14,0 mm (Kernloch M16)

49500.0290	Kernbohrer HSS-XM2 lang Ø29,0 mm
49500.0310	Kernbohrer HSS-XM2 lang Ø31,0 mm
49500.0340	Kernbohrer HSS-XM2 lang Ø34,0 mm
49500.0350	Kernbohrer HSS-XM2 lang Ø35,0 mm
49500.0360	Kernbohrer HSS-XM2 lang 36,0 mm
49500.0370	Kernbohrer HSS-XM2 lang Ø37,0 mm
49500.0430	Kernbohrer HSS-XM2 lang Ø43,0 mm
49500.0500	Kernbohrer HSS-XM2 lang Ø50,0 mm
49500.0610	Kernbohrer HSS-XM2 lang Ø61,0 mm
49500.0160	Core drill HSS-XM2 long Ø 16.0 mm Rotabroach RAPL
ROTABROACH RAPK2000	Rotabroach 3 cutter kit 5pce. Ø 14-16-18-20-22 mm + pilot
49354.3200	HM rail cutter (core drill for rails) Ø 32.0 x 35 mm W19 (ROTABROACH™ SCRWC32)
Pilot Pin short Series SRA2	
HSS Twist Drill RRTW10	
HSS Cutter RAP14	
HSS Cutter RAP17	
HSS Cutter RAP20	
RD 25513	Spare part RD 25513 control unit 230V Cobra
49171.EAGLE	ROTABROACH™-EAGLE EAGLE aus VA bis Ø 52x50 mm ATEX approved; Pneumatic ROTABROACH-Code RD130C
49350.3200	
Rda4017	
Element 30	
Rd4098	
11099 Master Kit 16 Sizes (1/4 - 3/4") Cutters	
Rd4313	
Rda2016	
Scrwc32 - 32 Mm Dia / Tct Rail Cutters	
49354.1900	HM-Rail Cutter HM-Railcutter (core drill f.Schienen) Ø 19.0 x 35 mm W19 Origin Rotabroach SCRWC 19mm

11099 - Obsolete, Alternative - Art.Nr. 49400.Rk604	
Cm/705/1a	
Rd3303 Obsolete!! Replaced By Rd33090	
Rd33090	
49250.0250	CLASSIC - Core drill HSS-XM2 short Ø 25,0 mm ROTABROACH "RAPTOR"
Scrcw32	
Rd23099	
Sra25	
49250.0260	
49354.2600	
Scrcw32	ROTABROACH 32MM TC RAIL CUTTER SCRW 32
Ra355	
Cm/200/3ax	
Rda3045	
Rd45624	
Rd33341	
49354.3600	
123-9946	
W 19 Scrcw32	
Element 40/49130	
Rd25620	
Art.Nr. 49400.Rk604	
Rd33155	
Rd23623	
Scrcw32 1109	