

Satron

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Satron Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Satron Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
HG6 S42 SH0	
NFD 250MD	
VDT4SD22ST0	
VDtL 3 SSA2222SDN0	
VG 4 S 42 SN0NG2/G	
VG 4 S 43 SH0N	
VG 6 S 42 SM0N	
VG 6 S 42 SN0N-K31	
VG5S45ST0N0	
VG6S42SN0N/K31	
VG6S43SH0HG2P	
VL4SDC02ST0G	

VT 6 S 322 SM0	
VT6S166SN	
VG6S42SN0N/G/K31	SATRON VG pressure transmitter Span, min: 0.03 MPa (0.3 bar) Span, max.: 3 MPa (30 bar) Measuring range: -0.1 ... + 3 MPa (-1 ... 30 bar) S: Output: 4-20mA DC / HART® protocol 4: Process seal: metal / metal cone 2: Wetted materials: Material: AISI316L (EN 1.4435) S: Filling liquid: silicone oil N: Enclosure type: Enclosure with junction box / terminal block, with display, Inlet M20x1.5 0: Explosion-proof: No explosion-proof classification N: Process temperature limits: -20 ... +125 ° C G: Electric inlet special size: Pg 13.5 K3: remote electronics (specify only if the housing with the cable connected to the sensor element) Connection cable with protective hose Hose protected with PTFE / AISI316 braid, 90° angle Length of connecting cable between sensor element and housing: 3 m cable 1: Mounting parts for remote electronics for tube Ø 51 mm: mounting parts
T1050452	
Satron-Vg6s42sn0n Dn 65	
Vg 5 S 42 Sh0n	
72900011	
Vvf4s02sm0p20	
Satron-Vg6s42sn0n Dn 100	
Satron-Vg6s42sn0n Dn 80	
Hvf4-S02sm0b25	
Vg6s42sn0n Dn 80	
Vg6s42sn0n Dn 150	
Vt8 S 126 T0	
Vg6s42sn0n Dn 100	
Vg 7 S 42 Sh0n/G2	
Vvf4s02mop25e15/1g/L31aeieo	
Vg 4 S 42 Sh0n/G2	
HI 5sf632 Sa0	
Satron-Vg6s42sn0n	
Vg 5 S 42 Sn0ng2	
Vg 4 S 42 Sh0n	
Vvf 4 S 02 Sm0p25	

VI5sdc632sp0g
Vg 5 S 48 Sh0n
Pistor 75/ 300 M845005
Satron-Vg6s42sn0n Dn 150
Vvf4502smop25e15/Og/L31/Aeie0
Vvf 4 S 02 Sn0 P20
Vle 4 S Dc 022sh0
Vvfe4s02sm0p25e
Avg6s42sh0n
Satron-Vg4s42sn0n Å39;-1?1 Bar
Vg4 S 42 Sn0n