

Saunders



Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Saunders Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Saunders Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
DA015E2	Replacement diaphragm for diaphragm valve type A DN015, material: 425 EPM HS Code: 84819000, Country of Origin: United Kingdom (UK)
Dn 80	
DN50	
DA050XB	Replacement diaphragm for diaphragm valve type A DN050, material: IIR (butyl) (Old coding: DA050B1)
IB150F4CXN1M65RHN	Saunders Diaphragm Valve Type KB Flanged ends ANSI 125/150 Body material Cast Iron GG25 Diaphragm Neoprene with pneumatic actuator ES65, spring-to-close and emergency handwheel DN150 ANSI150
IA080F4ZCXEM55RNN	Saunders Diaphragm Valve Type A Flanged ends ANSI 125/150 Body material SG-Iron (GGG40) Diaphragm EPDM with pneumatic actuator type ES55, double-acting DN080 ANSI150
AVM234SF132-5	ELECTRIC VALVE MOTOR AND ITS SIGNAL SPLITTER CARD
KB Valve Comp flanged DN50 PN10 L=190mm	
Diaphragm KB Valve DN50,EPDM DB050XE	
Type KB (ST STEEL BS EN 10088-3 1.4307)	DN200 PN10
Pkn2c010001a / By Rd5025005000000	
A Gg Hrl Q Esc 62 Dn 80	
Typea Dn80	
Ia050f4zep1h04	
Ib100f3cxa1h02	
Da025p2(Exda025p4)	

214s/425-Dn40
4? 3422 ? 603 - D
Saunders A Type 25mm Diaphragm Valve
Part Number: A20dc
20448 00001
50 Mm
Natural Rubber, Cao:2 In.(50 Mm)
20448.00018
Ia050d1ccb1ho1
Ebvc3b0a100+ric6986520m+ricsdbd10lm
Diaphragm Valve
A Type
40 Mm
Vsxxx64rsp
Type A Grade 3 Size 80
Da008e2
Ia080f4zep1h04
20448.00002
20 Mm
Anbd2e100f
A/Gg-Hrl/Q/Esc 63 Dn 100
80 Mm
Nul52z
A20vsbspmipc
20448.00001
K3100b5-111eboc
A Type 150mm Grade Xa Epdm Diaphragm
A Dn 80
Iao050s1sxc1h01
K30080a1221eeoagg25
20448.00024

20448.00061	
20448.00022	
Flanged Pn10/16	
Da015p2(Exda015p4)	
A Dn 200	
Ndp62z	
Sa20402gb1vs1aa	
214s/425-Dn15	
20448.00010	
20448.00019	
A4dn100	
20448.00059	
Typea Dn65	
A Dn 250 Pn 10	
Ia015s1sxa2c6rbnn	
20448.00015	
Asgn1b100g	
Ha080h03	
A Type 8mm 214/425 Ptfе/Epm	
K3080b5-111eboc	
20448 00010	
20448.00060	
A/Gg-Hrl/Q/Esc 64 Dn 125	
Kbdn80	
Ia025f4zep2h02 (Us Code 1?-3449-X-11t-P2)	
A80d300	
Pn 20 Diaphragm Valve, Dn150	6"VALVE, PN20
Pn 20 Diaphragm Valve, Dn 25	1"VALVE
20448.00012	
As Dn 125 Pn 16 Ci	

Argn1v1u9h
214s/425-Dn20
Vs02561rc2
20448.00003
Ia025f3zpa2h01-9632101595-Pop
9717100592a150
9632006612
A040/1.5b
25 Mm
K20300a5-111ebog
20448.00043
Sp-51 7n (3071240157f)
302 Amb302
Gg25 Flanged Valve Din2632 Dn25 Pn16
A25d300
K20125b1221ee0cdn125
20448.00006
872281104
Vsxxx63rsp
Sg025syaeaep2h60
20448.00005
20448.00016
Ansi B16.5 150 Lbs
100mm 214/226 Ptfе/Viton
20448 00005
Ia032s1sxc1h01
20448.00023
425 Epm
Ia020f3zep1h02
A Type 50mm 214/425 Ptfе/Epm

Da025p2	
Ia040f3cxv1h01-9632113163	
Valve 1-1/2quot; F.F, Tag N. Lv-411 X	
20448.00046	
20448.00044	
Saunders A Type 100mm Grade Xa Diaphragm	
13449502p3	VALVE
Type A Grade B Size125	
Kb dn50	
Da020p2(Exda020p4)	
1 3449 11 P2	
20448.00062	
20448.00013	
Da100b1	
Ia025f3cxv1h01-9632111451	
50106009	
K20100b1221ee0cdn100	
Typ.A Dn200	
A 1quot;1/2 Dn.40	
20448.00011	
20448.00021	
Ahgn1b100f*- Mrs050501*+rd7006005000000(Ex.K3050b5- 111eb0a+rp300605000a00+8210297-02)	
Dn 125	
Ia050df3cxv1h01-9632117766	
Ia020f3cxa2h01-9632100401	
K30100c1221efoagg25	
325 03	
Sp 51 7n 3071240157f	
Ia040f3cxa2h01-9632101401	

Ia010s1sxe2c6rbnn
Apgd1b100h - 9631027891
20448.00124
20448.00020
Type A Grade B Size200
Dn50 Da 050 P2 By Saunders A Type 50mm 214/425 Ptfе/Epm
20448.00004
Ia080f3cxa2h03
K30125c1221eoagg-5
00htj49aa301
150mm 214/226 Ptfе/Viton
Kb40aa - Type K3 Dn40
20448.00008
A/Gg-Hrl/Q/Esc 62 Dn 80
A40d300
Ia032f3cxa2h01-9632102811
Dn8 Dp 008 P2 By Saunders A Type 8mm 214/425 Ptfе/Epm
Da065e2(Ex.A065325)
20448.00058