

Schenck

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz. **Schenck** Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Schenck Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
Vs-068	Vibration speed sensor Standard for stationary use, 5 m cable With the following configuration: Temperature range: -40 ... + 80 ° C Measurement direction: horizontal Cable length K: 5 m, open end Cable protection: with steel protection hose Order code: VS-068 Material no .: X081242.07 Stat. Item no .: 9031 90 00 Country of origin: DE
V064082.B01	Control unit VHM20110 with lower cover Version without connection cable
V089990.B03	DISOCONT Tersus HL, VCU 20100 with software VLW 20172 and fieldbus PROFIBUS VPB 28020
Flb400	
Vibrocontrol 1000 VC-116 VC1000	
Vibrocontrol 1000 typ CV-110	
RTN 10t C3	D726176.02 Load cell RTN 10t C3 Execution according to data sheet BV-D2019DE
SPM 10t	SENSiQ self-aligning bearing SPM 10t SENSiQ Pendulum Mount SPM 10t without footplate Execution according to data sheet BV-D 2025 DE
RTN 1t C3	D726173.02 Load cell RTN 1t C3 Execution according to data sheet BV-D2019DE
SSM 1t/2.2t	SENSiQ storage unit SSM 1t / 2.2t SENSiQ Secure Mount SSM 1t / 2.2t Design according to data sheet BV-D 2083 DE Construction and production certified according to DIN EN 1090-2 EXC 2

VST-100 KIT 2	
Vibrocontrol 900	
80035785-1000-SCHENCK BLUETOOTH	ADAPTER DELOCK 61477
NAMUR M12 ATEXII 4MM EGE IGEX 04 IDN: P31152	S160
VS-068	Vibration Velocity Sensor Standard for stationary use, 5 m cable With the following configuration: Temperature range : -40...+80°C Measuring direction : horizontal Cable length K : 5 m, open end Cable protection : with protective steel tube Order code : VS-068 Material no.: X081242.07 Stat. Goods no.: 9031 90 00 Country of origin: DE
24B33 1316D2 +571AE	
V003853.B13	DISOCONT system unit VSE 20100 program VDD 20150 Software switchable to VDM 20150
V022761.B03	Circuit board VLP 112V for DISOCONT VLG with program VLG 20150-XX
F217905.04	DISOCONT VLB 20120 operating unit in field housing
LOADCELL 500Kg (RTB)	493081-1 - T42-1100223579-
V713566.B41	SENSiQ weighing disc WD 200t + connection cable Execution according to data sheet BV-D2454 with 15 m cable and connector plug
V713566.B21	SENSiQ weighing disc WD 50t + connection cable Execution according to data sheet BV-D2454 with 15 m cable and connector plug
VS-068 S/N: 00229VRU	HORIZONTAL
VPN 28020	Communication module PROFINET for data exchange via PROFINET
VME 21044 VA	Evaluation device DISOBOX® Plus calibratable analogue-digital converter with 4 measuring channels in a stainless steel housing Execution according to data sheet BV-D 2397 DE
WD 50t	Weighdisc SENSiQ® with plug in the outgoing cable Execution according to data sheet BV-D 2454 DE.
Schenck controller frs0052	
VSE 20100	
VEA 20100	
VLG 20100	
VLG 20105	
VLB 20150	
load cell- RTN 1t C3- Order no. K-RTNC3/1T	
load cell- RTN 4.7t C3- Order no. K-RTNC3/4.7T	
load cell- RTN 2.2t C3- Order no. K-RTNC3/2.2T	
LOAD CELL RTR 2.2 2,85MV/V (POL)	RTR 2.2 2,85MV/V Ln=2,2t,Ll=3,3t,Ld=6,5t,Re=4400ohm,Ra= 4010ohm Cn=2,85mV/V,Usmax=100V
LOAD CELL VBB.D1 0,02 t 2 MV/V	Schenck Emax=0,021t,Emin=0%,Elim=150%,Vmin=0,036%,Cn=2mV/V,TC 5182 KOD=1400980/10
50025966	LOADCELL RTN 33T 33t.2,85Mv/v wagazalle RTN 0,05t

RTN10	Weighing load cell
B03466101	SUPPORT SYSTEM
1111kwk703ag	
Vc-1000-Cv110	VIBRATION MONITORING UNIT 230/115VAC 50/60HZ
B03465901	BRIDGE
3649102	
F217904.02	INPUT MODULE 24-48VDC/115-230VAC
Ac 180	
2490426	
3721977	
Vb-430	VIBROCONTROL 4000 Module
3211510	
Besbeav005	
B04932701	BRIDGE
F201007.01	I/O MODULE
Cv-110/1/1/2 /2/1/2/1/1/1/1/1/0/125	
Vc-920	
Rv-116	POWER SUPPLY VC-1000 24VDC 10W
3721978dp317	
Rtn 10t/C3	
121ara	SERVO VALVE
2235759	BALL JOINT
B04000601	SENSOR
3721041	
Sem 10/15/22t	
Rtn 15t C3	
Besarev700	
Course	
Cpu68020mpvme	
B03463901	BASE
F020401.01	FGA20RSLE,ZINC,FRICTION WHEEL,SUPPORT 4.1KG/842390
2460540	
Vs-069 Vertikal	VIBRATIONSENSOR
V081539.B09	
K00318203	PC BOARD

9031 80 80 B04000701	MODULE
Tp-419	VIBROCONTROL 4000 Switch Panel
D726174.04	
X04462701	PICK UP
Besanh700/1	
Rc-400	VIBROCONTROL 4000 Rack
Vibrocontrol 960	
Ps-420	Power Supply
1006487272 00	
3721976	
Ci 411	
3721042	
F020401 01	
Aan-V590-D-018-327/5-2	PC BOARD
Sd053/3/030/10/0/0/096	SENSOR
4486/Sx	
Ref-500	Digital I/O Power Control Module
X081242.07	VELOCITY TRANSDUCER VIBRATION SENSOR 15FT HOSE
F020401 02	
Ac608	
3721975	
F217765.01	VLB20120 CONTROL UNIT
D13733501	SUPPORT SYSTEM
Frs 0052	
Dallas 24b33 1332d2+ 215af	Memory chip
Rtn 33 T C3	
B03465701	SUPPORT SYSTEM
Sfplpzus	
E101489.01	
4606829	
Sa130cpump1021	
Course-Book	
Vs-068/1/1/1/0/071	
Mla12b	
5000107677	

Mat. No: F202524.03	
Besaic700	
Gp-410	VIBROCONTROL 4000 Module
Cab750	KEYBOARD
Besbamv001	
D724781.02	
Lneg600	
Type: For 0052	
An700.4	
4606857	
1000 Cv 110	
Besbcpv001	
Besbeav007	
Fsr0052	
E101489.02	
Bskv001	
24904229	
Hlpld10513d	PUMP
As 030	
Asiv700 6094	Discrete Function Interface Unit ASI 700-1
Besbykv002	
1000rv116	CONTROL
B03465801	PICK UP
4217162	
Cv 110 1522222211110 134	
A909001.02	POWER SUPPLY
Bedienungskurs Für Vibrotest 60	
Ci-411	VIBROCONTROL 4000 Module