

Seg

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Seg Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Seg Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
IGNITION DEVICE ZSM230 V1.0	ZSM230 V1.0 replaces for ZSM2-30 AvK
S05-0180-01-00	
S05-0185-01-00	
Zsm230 V1.0	
Seg-Mbs10	Load cell SEG-MBS10 € 1.830,00 m 4-core connection cable number: 8423 90 00 manufacture: Sweden Rated load 10 t, 7 Customs tariff Country of
Gme8440-Xxx	
Xc48-30	
81000	JTAG EMULATOR, J-TRACE ARM, USB, IC PRODUCT TYPE:USB JTAG EMULATOR, FEATURES:SUPPORTS ARM7 AND ARM9 DEVICES, USB INTERFACE
Zsm2-30 Obsolete, Replacement Ni910044328	

Psy5-Fu-D Obsolete, Replacement Gme8440-Psy5-Fu-D	
80814	JTAG EMULATOR AND J-LINK SOFTWARE, USB, IC PRODUCT TYPE:USB JTAG EMULATOR, FEATURES:SUPPORTS ARM, CORTEX-M, CORTEX-A, RX000 SERIES CORTEX-R4 MCUS, U
8.10.00j-Tracearm	(PRICE/EA) JTAG EMULATOR, J-TRACE, USB, FOR ARM, SILICON FAMILY NAME:-, CORE ARCHITECTURE:-, CORE SUB-ARCHITECTURE:-, IC PRODUCT TYPE:USB JTAG EMULATOR
50-Xc48	
50x50x5	
30x30x2	
51501	FLASH PROGRAMMER, RENESAS RX600 SERIES MCU, IC PRODUCT TYPE:PROGRAMMER, FEATURES:FLASH PROGRAMMER FOR RENESAS RX600 SERIES MCU, JTAG TARGET INTERFACE
80-Xc48	
Kn4-100	
150x25	
Zsm 2-30	
Psy3-N1-50-E Obsolete, Replacement Gme8440-Xxx	
81300	JTAG EMULATOR, J-TRACE, CORTEX-M, USB, IC PRODUCT TYPE:USB JTAG EMULATOR, FEATURES:SUPPORTS CORTEX-M AND ARM SERIES CORES, USB 2.0 INTERFACE
Seg Mrd1-G1la/89925109-001	
81200	JTAG EMULATOR, J-LINK PRO, USB2.0 ETHERNET, IC PRODUCT TYPE:USB JTAG EMULATOR, FEATURES:SUPPORTS ARM, CORTEX-M, CORTEX-A, RX000 SERIES CORTEX-R4 M
60 X 60 X 5	
J-Linkultra	, CORE ARCHITECTURE:ARM, FEATURES:VERY HIGH PERFORMANCE FOR ALL SUPPORTED CPU CORES, HIGH SPEED USB2.0 INTERFACE, ROHS COMPLIANT: YES
Zsm2-30 Obsolete, Replacement Zsm230 V1.0	
100x50	
Ni910044328	
100x100x5	
FLASH PROGRAMMER, POWERPC MCU, IC PRODUCT	

51001	TYPE:PROGRAMMER, FEATURES:FLASH PROGRAMMER FOR POWERPC BASED MCU, USB, ETHERNET RS232 HOST INTERFACE, JTA
60x60x2	
30-Xc48	
Xc48-40	
Gme8440-Psy5-Fu-D	