


Sika

Garanti: 12 ay
Bu ürüne ait Türkiye
içi kapı teslim fiyat
ve teslim süresi
içeren teklifimizi
almak için
info@yursat.com.tr
e-posta adresine
başvuru yapabilir ya
da ayrıntılı bilgi için
+90 224 240 03 04
numaralı
telefonumuzdan
bizlere
ulaşabilirsiniz.
Sika Markası,
tedarik süresi için
lütfen bizimle
iletişime geçiniz.

*Firmamız Sika Türkiye
Distribütörü veya temsilcisi
değildir. Firmamız sipariş
durumunda, belirtilen
ürünlerde sadece Orjinal ve
yeni ürün teklifi
sunmaktadır. Bu sitede
gösterilen Özel marka adları
ve ticari markalar ilgili
sahiplerinin
mülkiyetindedir, talep
durumunda
kaldırılmaktadır.*





Ürün	Açıklama
Vhs	
VHS25M01171I51	Brass, SP-S3592 Brass pipe section, G1 internal thread DN 25, PN 25 max. medium temperature 110 ° C Potential-free contact output Device plug + cable socket EN 175301-803-A Position weight: 0.5680 kg
VKS 10 MOP19PI21	
FILTER SONDE SIKA R20 25 CM FOR GAS ANALYSIS	
VKS 10M	
	Turbine flow sensor VTH 15 K5-41, SP-T1242 Pipe piece PPE+PS-GF30

VT1540KBRUKE02	Noryl Turbine Internals PEI Ultem G3/4 external thread DN 15, PN 10 max. medium temperature 85°C Measuring range 2...40 l/min Output 855 pulses / liter, NPN open col. 9-pin D-Sub connector PVC sheathed cable 1500mm
VHS06M2P171R21	Flow switch VHS 06 MK Brass, Paddle PPE+PS-GF30 Noryl, SP-S7447 Brass screw-in spigot G1/2 male thread. for direct installation in DN 20... DN 200, PN 25 max. medium temperature 110°C Output potential-free contact Device plug + line socket EN 175301-803-A
VHS00M01171R31	Level monitor VHS 00 M Brass, float PVDF, SP-3600 Brass screw-in spigot G3/4 male thread for lateral installation, PN 25 max. medium temperature 110°C Output potential-free contact Device plug + line socket EN 175301-803-A
VHS25M0REGIN05	Flow switch VHS 25 M Brass, SP-3512 Brass pipe piece, G1 internal thread DN 25, PN 40 max. medium temperature 110°C Output potential-free contact Switching point 10.0 - 12.0 l/min Contact opens when the value falls below the limit 4-pin connector M12x1 strengthened construction
VHS25M01171I51	Flow switch VHS 25 M Brass, SP-S3592 Brass pipe piece, G1 internal thread DN 25, PN 25 max. medium temperature 110°C Output potential-free contact Device plug + cable socket EN 175301-803-A
VHS25M01171/51	
VT1541KTRUMP14	Turbine flow sensor VTH 15 K5-41, SP-T2507 Pipe piece PPE+PS-GF30 Noryl Turbine internal parts PEI Ultem G3/4 external thread DN 15, PN 10 max. medium temperature 85°C Measuring range 1.67 - 17 l/min NPN open collector 4-pin connector M12x1
VK306M2P10PR21	Flow switch VK 306 M PPE+PS-GF30 Noryl, SP-S8771 Brass screw-in spigot G1/2 external thread. for direct installation in DN 20...DN 200, PN 10 max. medium temperature 100°C Output potential-free contact PVC sheathed cable 1500 mm Adjustment screw secured with seal label
VKS05M0TRANE01	Flow switch VKS 05 M PPE+PS-GF30 Noryl, SP-S6992 blue union nut G3/4 for direct installation in DN 50, PN 10 max. medium temperature 100°C Output potential-free contact Switching point 0.32 m/s ± 10% Contact opens when the value falls below the limit 4-pin connector M12x1 Auto drain version
EPPM0400BL0000	SIKA pneumatic hand test pump Model: P40.2 Pressure range: -0.95...40 bar Pressure medium: air Reference pressure gauge connection: G1/4 Connection test item: G1/4 including 1 m pressure hose A reference pressure gauge is also required for use as a pressure calibrator needed. Includes transport case with adapters and seal set.
EME8REF-D2-0040	SIKA print reference Type: D2, -1...40 bar Pressure medium: air, gases, liquids Pressure measuring range: -1...40 bar Display: multifunctional LCD display, 50 x 35 mm Function key: ON/OFF,MIN/MAX/FS,MENU/ZERO,RESET/OK Pressure connection: G 1/4 external thread Power supply: 2x1.5 V AA battery Resolution: 0.01bar Accuracy: 0.1% FS +/- 1 digit with rubber protective cap and test certificate
EKDRUCK000000W	Factory test certificate for pressure for pressure reference D2 Measuring range: -1...40 bar
Vmm1ci2111kama41	
Vmm2ci1011gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0...4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Xvt2014k (Ex Xvt2014)	
Vmm80i2121gama41	

Vmm3li20	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE, 0....2801 GPM, NOMINAL DIAMETER 6, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MAT
Vmmv3i1120kama31	
Vmm80i2111gama41	
Vmm1ci2012gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm40i2121kama31	
Vmm2ci1120gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmm40i1010kama21	
Vmm3li2021kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm2ci20	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE, 0....4980 GPM, NOMINAL DIAMETER 8, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MAT
Apa0100	PRECISION, 0.05% FS, RELATIV (PR)0.100 BAR
Vmm1ci2021gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmz08as1deg24cv0	
Vmm2ci2121kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
1570	
Vmm3li2122kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm50i1022kama21	
Apa0010	PRECISION, 0.05% FS, RELATIV (PR)(-1)0.10 BAR
Vmm2ci1022gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Bpr0040	PRECISION, 0.025% FS, RELATIV (PR)0.40 BAR
Vmm40i1022kama31	
Vmm2ci1120gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Apa0010	PRECISION, 0.05% FS, RELATIV (PR)(-1)0.10 BAR
Vmm40i2022kama21	
4 Sika Æ174; Dilatec Æ174; B-Edge !!	
	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE, 0....4980 GPM,

Vmm2ci10	NOMINAL DIAMETER 8, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MAT
Vhs00m03173r33	
Bpaa0004	PRECISION, 0.025% FS, RELATIV (PR)(-1)0.4 BAR
Vmmzpr65a0	
Apr0030	PRECISION, 0.05% FS, RELATIV (PR)(-1)0.30 BAR
Vmmv3i2121kama41	
Ez10018xxxht00	
Vmm32i2021gama31	
Vmm2ci1110gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vks15m2leybo77	
Vmm32i2111kama21	
Vmm3li2012gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm40i2120kama21	
Vmm50i2022gama31	
Vhso5m-Kunststoff	
Vmm32i1120kama21	
432062	
Tp 17650m	
Bpaa0135	PRECISION, 0.025% FS, RELATIV (PR)0.135 BAR
Cpaa0004	PRECISION, 0.01% FS, RELATIV (PR)(-1)0.4 BAR
Cpa0400	PRECISION, 0.01% FS, RELATIV (PR)0.400 BAR
Vmm3li1112kama21	
Vmm3li1121kama41	
Vhs25m01171/51	
Vmm32i1012gama21	
Vmm65i10	
Vmm50i2110kama41	
Vmmv3i1111gama21	
Vt1540mshnp0a4h	
Vmm65i1022gama41	
Vmm40i2111kama41	
Vmm50i1010kama41	
Vmm1ci21	
Vmmv3i2012gama31	

Vmm1ci1122kama41	
Cpa0200	PRECISION, 0.01% FS, RELATIV (PR)0.200 BAR
233.20.100	
R-100	
Vmm1ci2110gama21	
Vmm32i1022gama41	
Vmm80i2012kama31	
V3025-MS	
Cpr0012	PRECISION, 0.01% FS, RELATIV (PR)(-1)0...12 BAR
Vmm40i1011gama21	
Vz-S5va	
4393	
Vmm3li2020kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vk305m1ttran15	
Drum Of Antisol-E 15	
Vmm40i1111kama21	
Vmmv3i2122gama41	
Vmm50i2022gama21	
Vmm40i1122gama21	
Vhs06m2p171r21	
Vmm40i20	
Vmm2ci2022gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm3li2111kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Apr0120	PRECISION, 0.05% FS, RELATIV (PR)0.120 BAR
Vmm40i1021gama41	
Ed825a60	
Vmm2ci1022gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Sikafleks 221 300 MI	
Vmm40i1110gama41	
Vmm50i1120kama41	
Vmm40i1022kama41	

Vhs10m01171i21 90261089	
V1015s01351g3r	
Vmm80i1111gama21	
Cpr0010	PRECISION, 0.01% FS, RELATIV (PR)(-1)0.10 BAR
Apr0012	PRECISION, 0.05% FS, RELATIV (PR)(-1)0...12 BAR
L-10	
Tp17200s	TP SOLID, DRY BLOCK WITH INTERNAL REFERENCE, -55C...200C, +/- 0.2C ACCURACY 100-240 VAC, 50/60HZ
Vz1va	
42 He	
Vmmv3i2121gama31	
Apa0007	PRECISION, 0.05% FS, RELATIV (PR)(-1)0.7 BAR
Vmm32i1121gama21	
Vmm2ci2012kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm50i1120gama31	
Vmm2ci1022gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm2ci1010kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm1ci2010gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm32i2022gama41	
Vmm65i2020gama31	
Vmm2ci1011kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm40i2110gama41	
Vmmzewv3a0	
Vmmv3i1122kama21	
Vmm2ci1112gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmm3li2111kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm40i1011kama41	
	VKS10M0P17PI21 90261089/DE Flow switch VKS 10 M PPE + PS-GF30 Noryl, SP-S3627 Brass pipe section G3 / 8 female thread DN 10, PN 10

Vks 10 M	Max. Medium temperature 100 ° C Output potential-free contact Appliance plug + cable socket EN 175301-803-A
Fqm150	
2722101110031	
Vmm3li1112gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmm50i2121kama21	
Vmm50i2020gama41	
Vmm65i2021kama21	
Vmm65i2010kama31	
Cpaa0300	PRECISION, 0.01% FS, RELATIV (PR)0.300 BAR
Vmm32i1110gama21	
Vmm3li1012gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm65i2111gama21	
Vmm1ci1011kama21	
Vmm2ci1012kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Bpa0135	PRECISION, 0.025% FS, RELATIV (PR)0.135 BAR
Vmm32i2120kama21	
Bpa0020	PRECISION, 0.025% FS, RELATIV (PR)(-1)0.20 BAR
Vmmv3i2021gama21	
VKS10M0P17PI21	Flow switch VKS 10 M PPE+PS-GF30 Noryl, SP-S3627 Brass pipe piece G3/8 internal thread DN 10, PN 10 max. medium temperature 100°C Output potential-free contact Device plug + line socket EN 175301-803-A Weight of item : 0.2670 kg
Vmm3li2022gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm3li2010gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm3li1122gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmm2ci2010gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vt1540kbruke02	
Bpa0060	PRECISION, 0.025% FS, RELATIV (PR)0...60 BAR
Vmmv3i2121gama41	
Vvxbben2ubu1251e	

Analogoutput-4...20maor0...10vdc	
Vsapps	
Glf401	
Vmm1ci1112kama41	
Vmm3li2010kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm40i2021gama41	
Vmm2ci1022kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm1ci10	
Vvxaaen1ua00121c	
L-200	
Vmm2ci1121gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vhs01m0117d13	
R38	
Vmm3li2112gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Type D2, -1 To 40 Bar	
Vmm2ci1120kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Apa0070	PRECISION, 0.05% FS, RELATIV (PR)0.70 BAR
Vmm1ci1122gama31	
Sikaflex 11 Fc+ Fb 600 MI (1x20)	
Vhs20m0ipsen02	
Vmm65i1121kama21	
Vmm1ci2010kama41	
Vvxbbeg20000151e	
Vmm3li2021gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm50i11	
Vhs01m2kelvi04	
Vmm3li1121kama31	
Bpa0200	PRECISION, 0.025% FS, RELATIV (PR)0.200 BAR
Vmmv3i1010gama31	

Vmm1ci1011kama41	
Vmm32i2020kama21	
Vmm80i1011gama41	
Vmmv3i2111kama31	
Vmm40i1012gama21	
Vmm50i2110kama21	
Ectc	
Vth15 K5-41 - Turbinen-Durchflusssensor	
Vmm50i2112gama41	
Cpaa0030	PRECISION, 0.01% FS, RELATIV (PR)(-1)0.30 BAR
Vmm65i2111kama31	
528950	
Software data calforucrt/Uctc	
538743 , Sikafloor-264 (??) (30 Kg Pack)	
Vmm2ci2111kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm32i2122gama31	
R-20	
Vvxaaeg10000151c	
Vmm1ci2121kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER 4 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Cpa0020	PRECISION, 0.01% FS, RELATIV (PR)(-1)0.20 BAR
Vmm50i1021gama41	
Vmm40i1111kama41	
Vmm32i1020kama31	
Apr0200	PRECISION, 0.05% FS, RELATIV (PR)0.200 BAR
Vmm2ci1020kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Apa0004	PRECISION, 0.05% FS, RELATIV (PR)(-1)0.4 BAR
Vmm65i1120kama41	
Vmm80i1021gama31	
Vmm3li2022kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
0 50 C 0 120 F	
Vt1541krofin05	

Vmm3li2021gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm3li1110gama41	
Tp17165m	TP BASIC, DRY BLOCK WITH INTERNAL REFERENCE, -35C...165C, +/- 1C ACCURACY, ACCURACY 100...240VAC, 50/60 HZ
Vmm80i1022gama41	
Mc75	MULTIFUNCTION CALIBRATORS, RESISTANCE 0.400 O / 0...4000 O, TYPE B / U / L / N / E, VOLTAGE: 0.100 MV / 0...10 V / 25 V / 50 V, 1...100 HZ / 1...1
Vmm2ci2022gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm3li1011kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Bpa0700	PRECISION, 0.025% FS, RELATIV (PR)0.700 BAR
Vmm2ci2021kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm65i1012kama21	
Type D2, -1 To 60 Bar	
Cpa0030	PRECISION, 0.01% FS, RELATIV (PR)(-1)0.30 BAR
Vmm1ci2111gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER 4 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Apr0004	PRECISION, 0.05% FS, RELATIV (PR)(-1)0.4 BAR
Vmmv3i2022kama41	
Vmm3li2112kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Tlk43	
Vmm3li1111gama31	
Vhs 32 M	
Vmm80i2120gama31	
Bpr0070	PRECISION, 0.025% FS, RELATIV (PR)0.70 BAR
Vmm3li1022gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm2ci1111gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmm2ci2012gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Tpm225s-U	TP SOLID, MULT-FUNCTION TEMPERATURE CALIBRATOR,RT...225C, +/-

	0.2/0.4/0.5C ACCURACY, 90-240 VAC, 50/60HZ
Vmm50i2012gama41	
Vmm80i1022kama21	
Cpa0007	PRECISION, 0.01% FS, RELATIV (PR)(-1)0.7 BAR
Bpa0400	PRECISION, 0.025% FS, RELATIV (PR)0.400 BAR
Bpr0012	PRECISION, 0.025% FS, RELATIV (PR)(-1)0...12 BAR
P60	
Vmm65i1010kama41	
Vmm3li1012gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
271510112158a1	
Vmm1ci1022gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
R-2000	
Vmm2ci2111gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmmzpr40a0	
Vmm1ci2021kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vth15k5-11	
Vmm80i1120kama31	
2136	
Vmm80i2110kama31	
Vmm40i2011gama21	
Vmm1ci1020kama41	
Tlk43hvcr-Sk100-240vac	
Vmm65i1011kama31	
Vmmv3i1120gama31	
Vmm3li1011kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Sikaã174; Geotextile !!	
Vmm3li1021gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vhs05m1971z21	
Transportcasegk3600	
Vmm65i2121gama31	

Vmm65i1012kama41	
Vmm2ci2112kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vtr 1015	
Vvxbbeg2rrm151e	
Vmm2ci2010gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmmv3i1122kama41	
Vmm2ci2121gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vz-S1gg	
Vmmv3i2011kama41	
Vmmv3i2121kama21	
Vmm3li2020gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm65i2020gama21	
Software	
Sme8c031tk250ki7	
Bpa0007	PRECISION, 0.025% FS, RELATIV (PR)(-1)0.7 BAR
Xvt2053	
Vmm50i1011kama31	
Vmm2ci2020kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm50i2120kama41	
Apaa0004	PRECISION, 0.05% FS, RELATIV (PR)(-1)0.4 BAR
Vmm1ci2022gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmmv3i2011gama31	
Vmm3li1010gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm2ci1010gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmmv3i1111gama31	
Vmm80i1020kama31	
Cpa0012	PRECISION, 0.01% FS, RELATIV (PR)(-1)0...12 BAR

Vmmzew80a0	
Bpaa0070	PRECISION, 0.025% FS, RELATIV (PR)0.70 BAR
Vmm50i1122kama41	
Vmmzsc000z0010	
Vmm80i2020gama21	
Vmm50i1010gama31	
Vmm2ci2120kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vvxbbeg2rrrp121e	
Vmm40i2110gama31	
Vmm1ci1120gama21	
Vhs00m01181r31	
Vmm80i1111kama31	
Vmm3li1021kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vhs-05-M - Vks 06	
Vmm3li1011kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vhs06m	
Apr0020	PRECISION, 0.05% FS, RELATIV (PR)(-1)0.20 BAR
Vmm80i2121gama21	
Vmm1ci1121gama31	
Vmm2ci2010kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm40i1022gama41	
Vmm80i2111kama21	
Tp37165e	TP PREMIUM, DRY BLOCK TEMPERATURE CALIBRATOR,-35C...165C, +/- 0.2C ACCURACY, 100-240 VAC, 50/60HZ
Vmm32i1011gama41	
Vmm3li2122kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm1ci2012kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm80i1120kama21	
Apr0300	PRECISION, 0.05% FS, RELATIV (PR)0.300 BAR

Vmm80i2121kama31	
Vmm32i1022kama21	
Vmm40i1121kama31	
Bpr0700	PRECISION, 0.025% FS, RELATIV (PR)0.700 BAR
Vmm80i1021gama41	
Vmm2ci2121gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm32i1111gama41	
Vmm65i1022gama31	
Apa0400	PRECISION, 0.05% FS, RELATIV (PR)0.400 BAR
Vmm32i1122kama31	
Apr0060	PRECISION, 0.05% FS, RELATIV (PR)0...60 BAR
Art. Nr. Ep18850e181000, Type Tp 18850 E	
Vmm3li2011kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm65i2122kama21	
Vh 305	
Vmm1ci1021gama41	
Wkb8210000f	
Vmm2ci2021kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Bpr0400	PRECISION, 0.025% FS, RELATIV (PR)0.400 BAR
Vz-S3gg	
750x500x100	
Vmm3li1122gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmm80i2020gama41	
Tp17166s	TP SOLID, MULT-FUNCTION TEMPERATURE CALIBRATOR, -35C...165C, +/- 0.2/0.5C ACCURACY, 100-240 VAC, 50/60HZ
Vmm65i1111kama41	
2226	
Vmm80i2111gama31	
Vmm2ci1112gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmm3li1111gama41	
Vmmv3i1110gama31	

Vmm80i2122gama31	
Vmm32i2022gama31	
Cpr1000	PRECISION, 0.01% FS, RELATIV (PR)0.1000 BAR
Vks10m0p19pl21	
Cpr0700	PRECISION, 0.01% FS, RELATIV (PR)0.700 BAR
Vmm50i1110gama31	
Vmm2ci1020kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm50i1112kama41	
Vmm80i1121kama21	
Cpa0160	PRECISION, 0.01% FS, RELATIV (PR)0.160 BAR
Vmz08as1peg14cv0	
Vmmv3i2122gama31	
Vmm40i1121gama41	
10.06.0037 (7380024)	
Vmm40i2122kama41	
Vmm1ci1010gama41	
Vmm1ci2012kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vz0.4gg	
Vvxaaep10000221c	
Vmm3li2122kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm32i1020gama41	
Vmm1ci1011gama41	
Vmm1ci1120kama31	
Vmm1ci2110kama41	
Vmmv3i2122kama21	
Vmm40i1120gama41	
Bpaa0012	PRECISION, 0.025% FS, RELATIV (PR)(-1)0...12 BAR
Type: 192b	
Vmm2ci1021gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm3li2012gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm1ci1011gama21	

Vhs 00 M Va	
Vz004alv31k00s	
Vt1331	
Transportcasegk3100	
Bpa0030	PRECISION, 0.025% FS, RELATIV (PR)(-1)0.30 BAR
Vz-S0.04gg	
Vmm32i1012gama31	
Vmm2ci2121gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
L-1000	
Vmmv3i2010kama41	
Vmm1ci2020kama31	
Vmm32i11	
Tp17650m	TP BASIC, DRY BLOCK WITH INTERNAL REFERENCE RT...650C, +/- 1C ACCURACY 90.240 VAC, 50/60HZ
Vmm1ci1111gama31	
174-2-10-2-1-100-2-1	
Vmm1ci2111gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER 4 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm65i2011gama21	
Vmm2ci2011kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm65i2111kama21	
Vt1541mshns0a406	
Vmm1ci1022gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm1ci2022kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vt1541ktrump14	
Vmm80i2021kama21	
Apa0300	PRECISION, 0.05% FS, RELATIV (PR)0.300 BAR
Vmm2ci2010gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm80i2022kama41	
Sme8c051tk100ki6	

1e56150365	
Vmm65i2022kama41	
Cpr0100	PRECISION, 0.01% FS, RELATIV (PR)0.100 BAR
Vmm2ci1110gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmm32i1111kama21	
Vt2511khutti29	
Vvxbbeb20000251e	
780102	
Sikalastic 200w	
Vmm3li2110gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vhs 00 M Ms	
Vmmv3i2011gama41	
Vmm2ci2022kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vhs25m01171i51	
Apa0020	PRECISION, 0.05% FS, RELATIV (PR)(-1)0.20 BAR
Vmm2ci21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm40i1110kama41	
Vmm2ci2110gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmz08as1deg14ey0	
Vmm50i2022kama21	
Vmm40i2121gama41	
Vmm2ci2020kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm80i1010gama21	
Vt1540mshns0a406+xvt2053	
Vvxbben2ub00251e	
Vvxaaen1ua00221c	
Vmi0720k7cpt0n3	
Pm40d	
Vmm3li2012kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE

Vmm32i1022gama21	
Tp281300	TP PREMIUM, DRY BLOCK WITH INTERNAL REFERENCE, 400C...1300C, +/- 2C ACCURACY, 230 VAC, 50/60HZ
Vmm1ci1110gama21	
Apaa0012	PRECISION, 0.05% FS, RELATIV (PR)(-1)0...12 BAR
Vmm32i1111kama31	
Vmm40i2112kama41	
Vz020alv31i00s	
D-Ex-3	
Vmmv3i1010kama21	
Vmm2ci11	
Vmm3li1121gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmm65i1122gama41	
Vmm32i1021gama31	
Vmm32i2012gama41	
Vmm50i1112kama31	
Vmm1ci1111gama21	
Vmm3li1122gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmm65i1120kama31	
Vmm50i2121kama41	
Vmmv3i1021gama31	
Vmm80i1121kama41	
Apr0135	PRECISION, 0.05% FS, RELATIV (PR)0.135 BAR
Vmm40i2022gama21	
Vs2575va0000a5	
Vmm32i2121kama21	
Vmm80i1021kama31	
Vmm2ci1121gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmm1ci1010gama31	
Apr0400	PRECISION, 0.05% FS, RELATIV (PR)0.400 BAR
Tp17200	TP BASIC, DRY BLOCK WITH INTERNAL REFERENCE, -55C...200C, +/- 0.4C ACCURACY, 100...240 VAC, 50/60HZ
Vmm80i1121gama31	

Vmm40i2021gama31	
Bpaa0020	PRECISION, 0.025% FS, RELATIV (PR)(-1)0.20 BAR
Vmm65i1021gama21	
Vmm3li2011kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Bpr0010	PRECISION, 0.025% FS, RELATIV (PR)(-1)0.10 BAR
Vmm1ci2021gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm2ci2110kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm2ci2011gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm40i2012gama21	
Vmmv3i1022kama41	
Vmm3li1022kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm65i2121kama21	
Vmm1ci2012gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm2ci2011kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm65i2012gama21	
P700.2 Obsolete, Replaced By P700.3	
Vhs15m0ipsen02	
P4	
Vmm50i2111gama41	
P1000.1	PRESSURE PUMP,0...14500 PSIG, HYDRAULIC, PUMP WITH, CASE, HOSE, ADAPTORS, SEALS
Tpm165s	TP SOLID, MULT-FUNCTION TEMPERATURE CALIBRATOR, -35C...165C, +/- 0.1/0.3/0.5C ACCURACY, 100-240 VAC, 50/60HZ
Apaa0160	PRECISION, 0.05% FS, RELATIV (PR)0.160 BAR
Vmm3li1121kama21	
Vmm32i1122gama31	
P1000.1-Oem	
Vmm50i2121gama31	
Vmm40i1020gama21	
Vmm40i1022kama21	

Vvxbbeg2rrrp151e	
Vvxbben2ubu1221e	
Vmm80i10	
Vs2074va0000a4	
Vk306m2hisen02	
Vmm50i2020kama31	
Vmm2ci1010kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Sme8c151tk100ki6	
Wh505m	
Apa0120	PRECISION, 0.05% FS, RELATIV (PR)0.120 BAR
Vvxaaen1ua00151c	
VKS10M0P19PI21	Flow switch VKS 10 M PPE + PS-GF30 Noryl, SP-S3763 Brass pipe section G3 / 8 female thread DN 10, PN 10 Max. Medium temperature 100 ° C Output potential-free contact Appliance plug EN 175301-803-A + LED cable socket
Vmm32i1011kama41	
Din Single Adapter P4/P40.2/P60-Npt 1/4"	
Vmm3li10	
Vmmv3i1022kama21	
Vmm50i1021kama31	
Vmm3li1122kama21	
Apaa0020	PRECISION, 0.05% FS, RELATIV (PR)(-1)0.20 BAR
Vzs0.025gg	
Vmm80i1122kama31	
Vmm1ci2112gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER 4 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
2297	
Vxk15m2warmf01	
Vmm1ci1121kama21	
Vmmv3i2110gama41	
Vmmv3i2022kama21	
Tp17650s	TP SOLID, DRY BLOCK WITH INTERNAL REFERENCE, RT...650C, +/- 0.4C ACCURACY, 90-240 VAC, 50/60HZ
Sme8c031tk250ki6	
Vmm1ci1021gama21	
Vmm50i1110kama31	

E2-1000	
Vmm32i2112gama41	
Bpa0100	PRECISION, 0.025% FS, RELATIV (PR)0.100 BAR
P60 Bar Pump With Complete Kit & 2 Years Warranty	
Vt1541khutti20	
Vmm80i2121kama21	
Cpaa0007	PRECISION, 0.01% FS, RELATIV (PR)(-1)0.7 BAR
Vmm65i2112kama31	
Vmm2ci1022kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Apa0200	PRECISION, 0.05% FS, RELATIV (PR)0.200 BAR
Vmm32i2020gama41	
Vmm2ci2012kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm50i1021kama21	
Vmm3li2011kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm40i1122gama31	
Apr0700	PRECISION, 0.05% FS, RELATIV (PR)0.700 BAR
Vvxbbep2rrm251e	
R-5	
Type 26 Bq010	
Vmm2ci1010kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm2ci2120kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm65i1112kama21	
Apa0012	PRECISION, 0.05% FS, RELATIV (PR)(-1)0...12 BAR
Vmm40i1110gama31	
Vmm1ci2121gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER 4 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmmv3i2112gama21	
Vmm2ci1021gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Mc50	MULTIFUNCTION CALIBRATORS, PT50 PT100 PT200 PT500 PT1000, ACCURACY +/- 0,017% V.M. +K, RESISTANCE 0.400 O / 0...4000 O,

VOLTAGE: 0.100 MV /	
Vhs-05-M - Strömungsschalter Typ Vhs	
Vmm80i2020gama31	
Vhs25m0regin05 (90261089/De)	
Vmm65i1012gama31	
Vmm50i1020gama31	
Vmm32i2022kama41	
Vmmv3i2020kama21	
Vmm1ci2010gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm65i2021kama31	
Tp17166	TP BASIC, DRY BLOCK WITH INTERNAL REFERENCE -35C...165C, +/- 0.4C ACCURACY ACCURACY 100...240VAC, 50/60 HZ
Bpr0200	PRECISION, 0.025% FS, RELATIV (PR)0.200 BAR
Vmm65i1020kama31	
432064	
Vmm1ci2112gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER 4 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Tlk35	
Vmm50i2012kama41	
Tlk94hvrrrh New Version	
Vmm65i1121gama31	
Vmm80i2112kama31	
Ad3026	
Vmm1ci1112gama41	
Vmm32i2021kama41	
Cpr0135	PRECISION, 0.01% FS, RELATIV (PR)0.135 BAR
Sikaflex -11fc+ Betongrau 600ml	
R-700	
Apa0400	PRECISION, 0.05% FS, RELATIV (PR)0.400 BAR
Vmm3li2012kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm65i1111gama21	
Vmm2ci1120kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Tp37166e	TP PREMIUM, MULTIFUNCTION TEMPERATURE CALIBRATOR, -35C...165C,

	+/- 0.2/0.5/1C ACCURACY, 100-240 VAC, 50/60HZ
Cpa0120	PRECISION, 0.01% FS, RELATIV (PR)0.120 BAR
Vmm2ci1022kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Pm110pic	
Vmm3li2120gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm32i1112kama41	
Vmm65i1020kama21	
Vmm2ci1011kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm80i2021gama41	
Vmm1ci2022gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm32i1121gama31	
Vks 10 M Pn10	
Vmm3li1020kama21	
Vmm40i2120kama41	
Apa0700	PRECISION, 0.05% FS, RELATIV (PR)0.700 BAR
Apa0030	PRECISION, 0.05% FS, RELATIV (PR)(-1)0.30 BAR
Cpaa0010	PRECISION, 0.01% FS, RELATIV (PR)(-1)0.10 BAR
Vmm2ci1011kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmmv3i1122gama21	
Vmm32i20	
Antisol E-40	
Vmm32i1021gama41	
Vmm2ci2112kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm3li2110gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Apaa0007	PRECISION, 0.05% FS, RELATIV (PR)(-1)0.7 BAR
Pm040d00000300	
Vmm3li1010gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA

Vmm80i11	
Vvxb bep2rrm221e	
Vmm3li1022kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Sikament 90 Mf	
Vmm3li1012kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm1ci2122gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER 4 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm80i1112gama31	
Izai3103	
Vvxb ben2ub00151e	
Vmm1ci2022gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vk350moairbl05	
Vmm50i2112kama31	
Vmz081s1peg24310	
Vmm3li2021gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Cpaa0070	PRECISION, 0.01% FS, RELATIV (PR)0.70 BAR
271-2-10-1-1-160-2-1	
Vks15m0arden97	
Vmm40i2112kama21	
Apaa1000	PRECISION, 0.05% FS, RELATIV (PR)0.1000 BAR
Mm Hose For P700.2 Pump	
Vmm1ci1112kama31	
Bpaa0700	PRECISION, 0.025% FS, RELATIV (PR)0.700 BAR
Vvxb bep20000221e	
27221011100	
Apa0135	PRECISION, 0.05% FS, RELATIV (PR)0.135 BAR
Vmm1ci2010gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
E2 700	
Apaa0040	PRECISION, 0.05% FS, RELATIV (PR)0.40 BAR
Vmm1ci1121gama41	
Vsappsht	

Vmm2ci2110gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Cpa0135	PRECISION, 0.01% FS, RELATIV (PR)0.135 BAR
Vmm1ci2011gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vks20m2leybo79	
Trolleyfortransportcase	
Vhs25	
Vmm80i2021kama31	
Vmm3li1122kama41	
Vmm50i2112kama21	
Vmm2ci1122gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmmv3i2110gama31	
Vmm3li1012kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm65i1110gama41	
Vmm80i2011gama41	
Vvxbben2ubu1121e	
Probe Dor Sensor Vhs00m	
Vmm2ci1021kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm3li2020kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm40i1112kama31	
Bpaa0300	PRECISION, 0.025% FS, RELATIV (PR)0.300 BAR
Vmm3li2122gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm1ci2020gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm40i1020kama31	
Cpaa0700	PRECISION, 0.01% FS, RELATIV (PR)0.700 BAR
Vmm3li2122gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm40i2120gama21	

Vvxa1snhrrhttr04	
Vmmv3i2011kama31	
Cpa0700	PRECISION, 0.01% FS, RELATIV (PR)0.700 BAR
Vt2511khutti31	
Bpaa0100	PRECISION, 0.025% FS, RELATIV (PR)0.100 BAR
Apr0070	PRECISION, 0.05% FS, RELATIV (PR)0.70 BAR
Vvxaaen1uarn251c	
Vmm65i2122kama41	
Apa1000	PRECISION, 0.05% FS, RELATIV (PR)0.1000 BAR
Vmm2ci2111kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
R-250	
Vmmv3i1120kama41	
Vmm50i1122gama21	
Bpaa0007	PRECISION, 0.025% FS, RELATIV (PR)(-1)0.7 BAR
Apaa0060	PRECISION, 0.05% FS, RELATIV (PR)0...60 BAR
Vmm2ci1122kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Mh3710	
Vmm3li1111kama41	
Vmm2ci2122gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vvxbbeg2rrm121e	
D2-700	
Vmm50i1020kama41	
Vmm2ci1122kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Tpm255s	TP SOLID, MULT-FUNCTION TEMPERATURE CALIBRATOR, RT...255C, +/- 0.2/0.4/0.5C ACCURACY, 90-240 VAC, 50/60HZ
Vvxbbep2rrrp251e	
Vvxbben2ubrn121e	
Vmm50i1121gama31	
Vmm50i1010kama31	
Vmm2ci1021gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm32i2011gama31	

Vmm2ci2112gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm2ci1120kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
1012-000878 Sikafleks-11fc+	
Vmm2ci1111kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmm65i2012gama41	
Vmm65i1111gama41	
Sikadurã174; 30 !!	
Vmm1ci2020gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Cpa0004	PRECISION, 0.01% FS, RELATIV (PR)(-1)0.4 BAR
Bpr0007	PRECISION, 0.025% FS, RELATIV (PR)(-1)0.7 BAR
Vmmv3i2022gama41	
2294	
Cpaa0060	PRECISION, 0.01% FS, RELATIV (PR)0...60 BAR
Vhs05m-Va	
Cpr0300	PRECISION, 0.01% FS, RELATIV (PR)0.300 BAR
Vmmzpr1ca0	
K110121602311	
Vmm1ci2011gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm2ci2012gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm32i1012kama41	
Vmm1ci2111kama21	
Vmmv3i2022gama31	
Vmm40i2020kama21	
R-350	
Vmm80i2012kama21	
Vk325m0debel71 No.:4sw04143-3 D	
Tlk38-Aer	
Vmm80i2112gama31	
Vmm80i1021kama41	

Vmm32i2010gama21	
Vmm3li1112kama31	
Vhs05m01171r21	
P700_2	
Bpa0012	PRECISION, 0.025% FS, RELATIV (PR)(-1)0...12 BAR
Cpaa0135	PRECISION, 0.01% FS, RELATIV (PR)0.135 BAR
Vmm40i1010gama41	
Vmm2ci1112gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmm3li2111gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vh020i	
Vmm65i2110gama31	
Vmz08as1deg24fz0	
Cpaa0040	PRECISION, 0.01% FS, RELATIV (PR)0.40 BAR
Vmm50i2010gama41	
Vmm3li1110kama41	
Vmm2ci1111kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmi1040k7cpt0n3	
Vh305m0111r21	
Tp3m165e	TP PREMIUM, MULTIFUNCTION TEMPERATURE CALIBRATOR, -35C...165C, +/- 0.1/0.3/0.5C ACCURACY, 100-240 VAC, 50/60HZ
Vmm2ci1110kama21	
Vmm80i1010gama31	
Vmm2ci1111gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vvxaaeg1rrm121c	
Vmmv3i1021gama21	
Vmmv3i1010kama31	
Vmmv3i1110kama21	
Waterbar Ar !!	
Vmm80i2011kama31	
Vmm40i2010kama31	
Vmm80i1022gama31	
Vmm65i1111kama31	
Cpr0007	PRECISION, 0.01% FS, RELATIV (PR)(-1)0.7 BAR

Vt2511meloth01	
Vmm65i2120kama31	
Vh015i	
Bpa0040	PRECISION, 0.025% FS, RELATIV (PR)0.40 BAR
Vmm2ci2011gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm32i1010kama41	
Vmm1ci2122gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER 4 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vhs15m01171i31	
Vt1541mshnp0a4	
Vhs32m0carri03	
Vmm3li2120gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm80i2010kama31	
Vmm3li2120gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
E2-700	
Vmm80i1110gama21	
2673	
Vmm3li1022gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
V1020s01351g4r	
Vmm3li1012kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmz08as1peg24dw0	
Vmm32i2110gama31	
Bpa0004	PRECISION, 0.025% FS, RELATIV (PR)(-1)0.4 BAR
Vz1gg	
Vmmv3i2112kama41	
2279	
Apr0040	PRECISION, 0.05% FS, RELATIV (PR)0.40 BAR
Vmm1ci2121kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER 4 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm65i2021gama21	

Vmm65i2020kama41	
Vmmv3i2020gama41	
Vmm50i1121gama41	
Vmz08as1deg14cu0	
Vmm40i1112gama21	
Vmm80i2110gama41	
Vmm2ci2012kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm50i1111gama41	
Vmz08as1deg14dw0	
Vz0.04va	
Vmm80i1020gama31	
Vmm3li1110kama31	
E2-60	
Vmm80i1110kama21	
Cpaa0012	PRECISION, 0.01% FS, RELATIV (PR)(-1)0...12 BAR
Cpa0060	PRECISION, 0.01% FS, RELATIV (PR)0...60 BAR
Vmm3li2022kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm1ci2010kama31	
Vmm32i1121kama41	
Vmm1ci1122gama41	
Rs232cable	
Vmm65i1112gama21	
Vmm1ci2122kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER 4 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm1ci2122gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER 4 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
85065p53360	
Vmm50i2122gama21	
Vmm50i1012gama21	
Vmm3li2112kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm3li1020kama41	
Vmmv3i1110kama31	

Vmmv3i1110kama41	
Vmm50i1022gama41	
Vmm80i2022kama31	
Vmm32i2112kama21	
Apa0200	PRECISION, 0.05% FS, RELATIV (PR)0.200 BAR
P-0.5	
Tp17650	TP BASIC, DRY BLOCK WITH INTERNAL REFERENCE RT...650C, +/- 0.8C ACCURACY 90...240VAC, 50/60 HZ
Vmmv3i2112kama21	
Vmm3li2112gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm1ci2112gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER 4 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm3li2012kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm2ci1121kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vh3/4\"	
Vmm40i2120kama31	
Vmm3li2021kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Apa0300	PRECISION, 0.05% FS, RELATIV (PR)0.300 BAR
E2-400	
Vvxbben2ubrp221e	
Sikaflex 290i Dc	
Vmm2ci2022kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm80i1020gama41	
Bpa0120	PRECISION, 0.025% FS, RELATIV (PR)0.120 BAR
Vmm50i2011kama31	
Vmm65i1110kama41	
Vks10m0metsa01	
Vmm1ci1022gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm2ci1021kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA

Vmm2ci2111gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vt1541vadnp0a4	
Vmm40i1111gama31	
Vmm3li2010gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm2ci1121kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmm2ci2022kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm2ci2122gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm2ci2120gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Apa0060	PRECISION, 0.05% FS, RELATIV (PR)0...60 BAR
Cpaa1000	PRECISION, 0.01% FS, RELATIV (PR)0.1000 BAR
Glasfaser Salmaster	
Vmm2ci2120gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm80i2021gama31	
Vmm2ci1112kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmm80i1012gama41	
Vmmv3i1012kama41	
Vhs00moriets11	
Vmmv3i2020gama21	
Vhs20mo1171/41	
Vmm65i1011kama21	
Vmm65i1122kama31	
Vmmzprv3a0	
Vmm2ci1111gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmm50i1110kama41	
Vmm50i2022gama41	
Vmm32i10	
Vh010i-Ms	

Vmm2ci2120gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm80i2122gama41	
Vmm32i1012kama21	
Vmm1ci2021gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm50i1020gama21	
Vz-Siva	
Vmm40i1020gama31	
Vmmv3i2110kama31	
Vmm50i2010gama21	
Vmmv3i1020kama31	
Vmm1ci1111gama41	
Vmm2ci1122kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Cpr0040	PRECISION, 0.01% FS, RELATIV (PR)0.40 BAR
Vmm2ci2020kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm32i2012gama21	
Vmm80i2110kama21	
Vmm65i1012kama31	
Bpaa0160	PRECISION, 0.025% FS, RELATIV (PR)0.160 BAR
Vmm32i1010gama41	
Vmm40i2011gama41	
Vmm3li2011gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
V3040s01751g7r	
Tp18200e	
Vmm1ci2021kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vt1541mhwg-08	
Vmm32i2111kama31	
Vmm40i2012gama31	
Vmm80i2112kama21	
Ez999999990004	

Bpa0120	PRECISION, 0.025% FS, RELATIV (PR)0.120 BAR
Vmm3li1111kama31	
Tpm165s-U	TP SOLID, MULT-FUNCTION TEMPERATURE CALIBRATOR, -35C...165C, +/- 0.1/0.3/0.5C ACCURACY, 100-240 VAC, 50/60HZ
432063	
Vmm50i1120kama31	
Vmm32i2112gama31	
Vmm50i2111kama31	
Vmm32i1022gama31	
Vmm1ci2011kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm32i2020kama31	
Vmmv3i20	
Vmmv3i2020kama31	
Sikaflex 1 A	
Vvxbben2ubrp121e	
Bpa0160	PRECISION, 0.025% FS, RELATIV (PR)0.160 BAR
Vmm40i1110kama31	
Cpa0300	PRECISION, 0.01% FS, RELATIV (PR)0.300 BAR
Ed825a50	
Vmm50i1021gama31	
Vhsoomohuba-12	
Vmm2ci2110kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Apr1000	PRECISION, 0.05% FS, RELATIV (PR)0.1000 BAR
Vmm3li11	
Vhs05m03173r23	
Vmm65i1010gama41	
Vmm80i1121gama41	
Vmm1ci2121kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER 4 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Bpa0300	PRECISION, 0.025% FS, RELATIV (PR)0.300 BAR
Vmm80i2112kama41	
Cpa0100	PRECISION, 0.01% FS, RELATIV (PR)0.100 BAR
Vmm40i1012kama31	
Vmm32i1110gama31	

Ad3004	
Vmm2ci1012gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vvxaaeg10000121c	
Vmm40i2122kama31	
Vmm50i2112gama31	
Vmm65i2120kama41	
Sika Activator	
Apr0007	PRECISION, 0.05% FS, RELATIV (PR)(-1)0.7 BAR
Vmm65i1120gama41	
Vt1541meldec02	
Vmm65i2022kama21	
Bpa0010	PRECISION, 0.025% FS, RELATIV (PR)(-1)0.10 BAR
Vmm2ci1012gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vh25m01wepa25	
Vmm32i2020kama41	
Vmm3li1120gama41	
Vmm3li1112gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmm3li2110kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Sme8c03a41250is5	
Vmm40i10	
Vmmv3i2012gama41	
Vmm2ci1121gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmm2ci1020gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Tpm225s	TP SOLID, MULT-FUNCTION TEMPERATURE CALIBRATOR, RT...225C, +/- 0.2/0.4/0.5C ACCURACY, 90-240 VAC, 50/60HZ
Vmm40i2020kama41	
Apa0040	PRECISION, 0.05% FS, RELATIV (PR)0.40 BAR
Vmm2ci2122gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm80i1122kama41	

Vmm32i1120kama31	
Vt151ktrump14	
Vmm50i2122gama31	
Vmm80i2122kama21	
Vmm50i2122kama31	
Vmm32i2111gama41	
Vmm32i2110kama41	
Vmm80i21	
2137	
Vmm3li2010gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm40i1120kama31	
Vmm1ci1020gama31	
Vmm32i2121gama21	
Vmm1ci2012gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Pm040d00053000	
Vt1541kmatts01	
Vmm80i2021gama21	
Vmm1ci1110gama31	
Vmm32i1012kama31	
Apaa0120	PRECISION, 0.05% FS, RELATIV (PR)0.120 BAR
Vmm3li2121gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm3li2110gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm65i2122gama31	
Vmm40i2122gama31	
Vmm3li2121gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vhs10m01171i21	
Cpr0200	PRECISION, 0.01% FS, RELATIV (PR)0.200 BAR
Vmm1ci2112kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER 4 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Mbps2504bs1	
	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM,

Vmm2ci2011gama21	NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm32i2011kama21	
Vth 15 K5-41	
Vmm3li1020gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vvxbben2ubu1151e	
Vmm40i1121gama31	
Vmm32i2011gama41	
R-50	
3355	
Vmm65i1112kama41	
Vmm40i1010kama41	
Vmm40i1010gama31	
Vmm2ci2111gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm3li2120kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Cpr0004	PRECISION, 0.01% FS, RELATIV (PR)(-1)0.4 BAR
Vmm1ci1012gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Tp17166s-U	TP SOLID, MULT-FUNCTION TEMPERATURE CALIBRATOR, -35C...165C, +/- 0.2/0.5/1C ACCURACY, 100-240 VAC, 50/60HZ
Vmm2ci1112kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmm3li2022kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Xvt2009	
Vmm3li2112gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm3li2111gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Apr0010	PRECISION, 0.05% FS, RELATIV (PR)(-1)0.10 BAR
Vmm80i2120kama21	
Vmm65i21	
Vks32m2leybo84	

Vmm32i2012kama31	
Vmm1ci2022kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm80i2020kama31	
Vmm2ci2021gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm3li1010kama31	
Bpaa0200	PRECISION, 0.025% FS, RELATIV (PR)0.200 BAR
Vmm65i2111kama41	
Vmm40i2012kama21	
Vmm50i2010kama31	
Vmmv3i2111gama41	
Vmmv3i2111gama21	
Vmm1ci1012gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm50i2011gama41	
Vmm40i2120gama31	
Vmm80i2010gama21	
100092596	
Bpr0060	PRECISION, 0.025% FS, RELATIV (PR)0...60 BAR
Vmm3li2011gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm3li1022gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm40i2121gama21	
Vmm50i1110gama41	
Vmm1ci1122kama31	
Vmm2ci2021gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm80i1112kama31	
Vmm50i2120kama31	
Vt1541trupm14	
Vmm3li2110kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Cpaa0200	PRECISION, 0.01% FS, RELATIV (PR)0.200 BAR
700704	

Cpr0030	PRECISION, 0.01% FS, RELATIV (PR)(-1)0.30 BAR
622820-0809	
Vmm32i1111gama31	
Vmm3li2121kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmmv3i2112kama31	
Vmm3li2012gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm40i2120gama41	
Vvxbben2ubrp151e	
Vmm40i1012kama21	
Vmm65i2022gama41	
Vmm40i2110kama31	
Vmm1ci1121kama41	
Vmm40i2022gama41	
Vti 15ms-41	
Bpr0100	PRECISION, 0.025% FS, RELATIV (PR)0.100 BAR
Vmm2ci2112gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmz08as1peg14fz0	
Vmm32i1011gama21	
Vmmv3i1020gama41	
Vmm2ci1110gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmm3li2112kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm3li2121kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Cpaa0120	PRECISION, 0.01% FS, RELATIV (PR)0.120 BAR
Cpa0010	PRECISION, 0.01% FS, RELATIV (PR)(-1)0.10 BAR
Vmm50i1011gama41	
Vmm50i2121gama41	
Vmm3li2022gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm65i2121gama41	

D-Ex-30	
Tp17zero	TP SOLID, DRY BLOCK WITH INTERNAL REFERENCE, -10C...100C, +/- 0.05C ACCURACY, 100-240 VAC, 50/60HZ
Vmm2ci2112kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Transportcase	
Vmm65i2011gama41	
Vmm3li1112gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmm2ci2122kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
D-Ex-60	
Apr0100	PRECISION, 0.05% FS, RELATIV (PR)0.100 BAR
Vmm40i1020kama41	
Vmm2ci2021kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vhs-01m0-1-17-1-D1-1	
Vmm80i1121gama21	
Cpaa0020	PRECISION, 0.01% FS, RELATIV (PR)(-1)0.20 BAR
Vmmzew3la0	
Vmm1ci2111gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER 4 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm65i1121gama21	
Vhs15m0c0nas02	
Vmm3li21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmz08as1deg24ex0	
Vhs 00 M-Va	
Vmm3li1120kama41	
Vmm3li2020gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm40i2012gama41	
Vmm1ci2120kama21	
Bpr0004	PRECISION, 0.025% FS, RELATIV (PR)(-1)0.4 BAR
Vmm40i2112kama31	
Vmm40i1112kama21	

Vmm80i1120gama21	
Xvvx018	
Vmm3li2110kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm65i1011kama41	
Vmm1ci2112kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER 4 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm1ci1011kama31	
W173p53100238305	
Wh58m-0020	
Vhs_00 M-Ms	
Vhs25m	
Vmm40i2121gama31	
Vmmv3i2022kama31	
Vmm1ci2120kama31	
Vmm2ci2022gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm2ci2020gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmmv3i2010gama31	
Vmmv3i2112gama41	
Vmm1ci2021kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm40i2011kama31	
Vmm65i2010gama41	
Vvxaaen1uarpi51c	
Vt1541msins0a4	
Vmm40i1120kama21	
Vmm80i1122gama31	
Cleaner 205	
Ed825r50	
Vmm2ci1012kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vhs_05 M	
Vmm32i2110kama31	

Vmmv3i2011kama21	
Vmm65i2011kama31	
Cpr0020	PRECISION, 0.01% FS, RELATIV (PR)(-1)0.20 BAR
Vmm2ci1110kama41	
Vmm2ci1120gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmm3li2111kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm65i1011gama21	
Vmm40i2011kama21	
Vmm3li2120kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Bpr0160	PRECISION, 0.025% FS, RELATIV (PR)0.160 BAR
Vks05m0carri05	
Vmm3li1021kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
D-Ex-300	
Apaa0135	PRECISION, 0.05% FS, RELATIV (PR)0.135 BAR
Vmm65i1110kama31	
Vmm1ci2020gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm40i1022gama21	
Vmmv3i2021gama41	
Vmm1ci1122kama21	
Vhso5m-Messing	
Vmm50i1020gama41	
Sikadurã174; 31 !!	
Vz3va	
Apaa0100	PRECISION, 0.05% FS, RELATIV (PR)0.100 BAR
E2-40	
Xvvx017	
Uctc	
Vmm65i1110gama21	
Vmm3li1011gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA

Vmm80i20	
Vmmv3i2012kama31	
Vmm32i2112kama41	
Tp37200e	TP PREMIUM, DRY BLOCK TEMPERATURE CALIBRATOR, -55C...200C, +/- 0.2C ACCURACY, 100-240 VAC, 50/60HZ
Ec25	MULTIFUNCTION CALIBRATORS, PT100 PT200 PT500 PT1000, ACCURACY+/- 0,02% OF RDG. +K, RESISTANCE 0.400 O / 0...4000 O / 0...40000 O, VOLTAGE: 0.1
Vmz08as1peg24ex0	
Vmm40i2022gama31	
Vmmv3i1111gama41	
Vmm32i1020gama21	
Vmm3li1121gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmm3li1111gama21	
Vmm80i2022kama21	
Cpaa0100	PRECISION, 0.01% FS, RELATIV (PR)0.100 BAR
Vmm2ci1012gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Apaa0030	PRECISION, 0.05% FS, RELATIV (PR)(-1)0.30 BAR
Vmm50i2010kama41	
Vmm65i2112kama21	
Vmm50i2111kama41	
Apaa0700	PRECISION, 0.05% FS, RELATIV (PR)0.700 BAR
Vmmv3i2121kama31	
Vmm1ci2120gama41	
Vt1540k5ips0a4+xvt2053	
Vmm1ci2110gama41	
Sikadur 42 He	
Vmm80i2021kama41	
Dsp341a3h126	
Vmm32i2022kama21	
Vmm3li2020gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Bpaa0040	PRECISION, 0.025% FS, RELATIV (PR)0.40 BAR
Vmm50i2120gama31	
Vmm3li2010kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE

Vmm1ci1022kama41	MATERIAL: STAINLESS STEEL, LINING MATE
Vmm2ci1011gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm1ci1012kama31	
Vmm2ci1122gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmm40i2110kama41	
Vmm65i1022kama21	
Drum Of Sikament-163n	
Vmm2ci1010gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm65i1120kama21	
Vmmv3i1020gama21	
Vmmv3i2012gama21	
R-1500	
Vmm3li2022gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm40i2021kama31	
Vmm2ci1020gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm32i2010gama41	
Vmm1ci1022kama31	
Vmm3li2010kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm65i1021gama31	
Vmm50i2122kama41	
Connector Dor Sensor Vhs00m	
Vmm80i1120gama31	
Vmm32i1110kama41	
Vmm65i2010gama31	
Vmm80i2022gama31	
Vmm3li1021kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm32i2110kama21	
Bpa0070	PRECISION, 0.025% FS, RELATIV (PR)0.70 BAR

Vmm40i1120gama31	
Vmm2ci2020gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmmv3i1121gama31	
Vmm80i1111kama41	
Vmm3li2120kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vhs_00 M / Vhs00m01171r31	
Vmm2ci2111kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Swivel - Rotary Unit For P4/P40.2/P60	
Vk340m2sanhe03	
Vmm80i2012kama41	
Vmm3li1120gama21	
Vmm2ci1121kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmmv3i2122kama41	
Vmm32i1022kama31	
Vmm1ci1012gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm2ci1111kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmm2ci1011gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm40i2122gama21	
Vmm40i1112gama41	
2824	
Vmm40i1122kama31	
Vmm3li1012gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Bpaa0030	PRECISION, 0.025% FS, RELATIV (PR)(-1)0.30 BAR
Vmm65i2022gama31	
Vmm65i1112gama41	
Vmm3li1112kama41	
Vhs_05-M / Strömungsschalter Typ Vhs	

Vmm80i1111gama31	
Vmm1ci2121gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER 4 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm32i2010kama21	
Vmm50i2021gama21	
Vmm40i1020kama21	
Bpr0030	PRECISION, 0.025% FS, RELATIV (PR)(-1)0.30 BAR
Vmm50i1110kama21	
Vmm2ci2121kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vvxbben2ubrn221e	
Vt1541mshns0a406 (Ex. Vt1540mmieba01)	
Vmm32i1022kama41	
Vmm80i2112gama21	
Vmz08as1peg14cu0	
Vmm50i1121gama21	
Vmm50i2020gama31	
Sikaflex Pro 11 Fc	
Vmm32i1110kama21	
Vmm3li2111gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
R-2.5	
Vmm1ci2011kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm2ci2021gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmmv3i1011gama41	
Tp 18850	
Cpa1000	PRECISION, 0.01% FS, RELATIV (PR)0.1000 BAR
Vmm2ci1122gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmm1ci2112kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER 4 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Cpr0060	PRECISION, 0.01% FS, RELATIV (PR)0...60 BAR
Vmm2ci2122kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA

Vmm50i2020gama21	
Vmm2ci2110kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm50i1112gama31	
Bpr0120	PRECISION, 0.025% FS, RELATIV (PR)0.120 BAR
Bpaa0060	PRECISION, 0.025% FS, RELATIV (PR)0...60 BAR
Eu705520000006	
272b	
Cpr0070	PRECISION, 0.01% FS, RELATIV (PR)0.70 BAR
Vmm65i2122kama31	
Vmm80i2012gama31	
Vmm2ci2010kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Bpa1000	PRECISION, 0.025% FS, RELATIV (PR)0.1000 BAR
Vt1541vaipn0a4	
Vmz08as1peg14ey0	
Vmm2ci2110gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm2ci1012kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm80i1112kama41	
Vz-S3va	
296 Or Sika Trak Go	
Vmm32i2021gama41	
Vks15m0p19pi31	
Vmm80i1020kama21	
Vmm2ci1020kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
271-2-10-11-100-2-1	
Vmm2ci1020gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Apaa0070	PRECISION, 0.05% FS, RELATIV (PR)0.70 BAR
Vmm2ci2120kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm2ci2121kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE

	MATERIAL: STAINLESS STEEL, LINING MA
Vmm1ci2022kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm80i1012kama41	
Vmm3li2122gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm80i1111gama41	
Vmm2ci2011kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm1ci2011kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm65i1022kama41	
0-50 C / 0-120 F	
Vmm80i2010gama41	
Apa0160	PRECISION, 0.05% FS, RELATIV (PR)0.160 BAR
Sme8c031tk100ki6	
Vmm3li2121kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm1ci2122kama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER 4 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vhs-08-M	
V1020s01351g4r Pressure: Pn16, Din 20, Max Medium Temp: 100 Deg C, Output Potential Free Contact	
Vmm1ci1010kama21	
Bpr1000	PRECISION, 0.025% FS, RELATIV (PR)0.1000 BAR
R-500	
Vmm3li2020kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm80i1021kama21	
Cpr0120	PRECISION, 0.01% FS, RELATIV (PR)0.120 BAR
157433 , Sikafloor-264 (??) (30 Kg Pack)	
Vmm32i21	
Vmm65i1111gama31	
Vmm1ci2122kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER 4 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA

Vmm50i1012kama41	
Sikaplanã174; Wp 1100-20hl !!	
Cpr0160	PRECISION, 0.01% FS, RELATIV (PR)0.160 BAR
Vvxaaen1uarn121c	
P4-Oem	
L-20	
Vmm3li2021kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmmv3i1122gama31	
Vmm2ci1112kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmm65i1010gama31	
Vmm3li1020gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Bpr0300	PRECISION, 0.025% FS, RELATIV (PR)0.300 BAR
175-2-10-2-1-063-2-1	
Vmm40i2020gama41	
Vmmv3i1012gama41	
Vmm1ci1110kama21	
Bpr0135	PRECISION, 0.025% FS, RELATIV (PR)0.135 BAR
Vmm32i2120gama41	
V3025s01751g5r	
Vhs05m	
Vmmv3i1012gama31	
2712101116021	
Cpaa0160	PRECISION, 0.01% FS, RELATIV (PR)0.160 BAR
Bpaa1000	PRECISION, 0.025% FS, RELATIV (PR)0.1000 BAR
Gtf401	
Vmm2ci2020gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm80i2111kama31	
Vmm40i2111gama41	
Vmm2ci1021kama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm3li1021gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA

Vmm65i2022gama21	
Vmm40i2121kama21	
Vmm50i2010gama31	
Vhs05m0117-1r21	
Vmm1ci2121gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER 4 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Izah3102	
Vispp-Ht	
Vmm3li1020gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vvxbbeg20000121e	
Vmm3li1021gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm50i2020kama41	
Vmm3li1121gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATER
Vmm80i2121kama41	
Vmm65i1121kama31	
Vmm2ci2112gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vt1541khutt122	
Vmm1ci2020kama41	
Vmm50i1111gama31	
Vmm1ci2011gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm65i2121kama41	
Apr0160	PRECISION, 0.05% FS, RELATIV (PR)0.160 BAR
Vmm50i1010gama21	
Vmm32i2010gama31	
Vmm40i2110gama21	
Bpaa0400	PRECISION, 0.025% FS, RELATIV (PR)0.400 BAR
Cpa0040	PRECISION, 0.01% FS, RELATIV (PR)0.40 BAR
432059	
Plastiment Bv 40	
Vmm50i2011gama21	

Tlk43hvccr-Sk	
Tp17165	TP BASIC, DRY BLOCK WITH INTERNAL REFERENCE, -35C...165C, +/- 0.4C ACCURACY, 100...240 VAC, 50/60HZ
Vmm32i2021kama31	
Vmm2ci1010gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm40i1121kama41	
Servicebag	
Vmm1ci1021kama31	
Vmm3li1022kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmi2011k7gpt0n5	
Sikadur-Combiflexã174; Sq System !!	
Vmmv3i2110kama41	
Vmm80i1011kama31	
Vmm1ci11	
Vz-S5gg	
Vmm40i1021kama31	
Vmmv3i1022kama31	
Vz0.025va	
Vmm3li2011gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
R-1000	
Bpaa0010	PRECISION, 0.025% FS, RELATIV (PR)(-1)0.10 BAR
Vmm65i2120kama21	
Vmm65i2020kama21	
Cpa0070	PRECISION, 0.01% FS, RELATIV (PR)0.70 BAR
Vmm1ci2012kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....1245 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vhs00m01171r31	
Vmm65i2110gama21	
Sme8c031tk100ki7	
Vvxaaeg1rrm151c	
Vmm65i2021gama31	
Vmm32i1021kama31	
Vmm32i2121gama31	

Bpr0020	PRECISION, 0.025% FS, RELATIV (PR)(-1)0.20 BAR
Vz0.2va	
Vmm80i1110kama41	
Cpaa0400	PRECISION, 0.01% FS, RELATIV (PR)0.400 BAR
Vth 15ms-41ve	
W083p310902302	
Vmm32i2120kama41	
174989 , Sikafloor-169 (Ab) (10 Kg Pack)	
Vmmv3i2120kama31	
Vmm3li1011gama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm2ci2122kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER 8 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vmm1ci1010kama31	
Vmm3li2121gama31	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER 6 CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MA
Vvxaaen1uau1221c	
700104	
Vmm50i2020kama21	
Vmm3li1011gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....2801 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: CARBON STEEL, LINING MATERIA
Vmm50i2121kama31	
Vhs25m0regin05	
Vmm80i1111kama21	
Vmm2ci2010kama41	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmmv3i2111kama21	
Vmm2ci2012gama21	VMM ELECTROMAGNETIC FLOW METER, FLOW RATE 0....4980 GPM, NOMINAL DIAMETER, CONNECTION: ANSI B16.5 150# RF, FLANGE MATERIAL: STAINLESS STEEL, LINING MATE
Vmm80i2110gama21	
Vhs10m	
Vmm65i1122gama21	
Vmm40i1120gama21	
Vmm32i2112kama31	
Cpr0400	PRECISION, 0.01% FS, RELATIV (PR)0.400 BAR

[Vmm32i2022kama31](#)

[Vz004alv31i00s](#)

[Vmm65i2112gama21](#)

[Ucmav](#)

[Vmmv3i1011kama21](#)

[Vmmv3i1112gama21](#)