

Staubli

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapılabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Staubli Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Staubli Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
RME12	
RBE03.6150/IC/HPI	PLUG NIPPLE
RPL08.1414/KB	SOCKET BLUE PU = 10 pieces
RPL08.1414/KR	SOCKET RED PU = 10 pieces
N00882108	SPT10.1153/RE/L/JE/CG QUICK COUPLING
N00884508	SPT10.7153/L/CG/JE
NSI08.1102	QUICK COUPLING AIR
NSI08.1103	
NSI08.1153	
NSI08.1810	
RBE08.6151	
RBE08.6152	
RBE08.6153	
RBE08.6810	
HCB12.1103/IC/6/BM/JK	QUICK COUPLER

HCB12.7103/IC/6/BM/JK	LOCK NIPPLE
HCB12.1103/IC/3/BM/JK	QUICK COUPLER
HCB12.7103/IC/3/BM/JK	LOCK NIPPLE
MC4 Multicontact	
Quick coupling	Material: Stainless steel Feature: Leakproof Temperature: -40°C/+75°C Pressure: Max 5 bar Fluid: 50% Mono ethylene glycol/50% water Connection: Male part ½" 60° Female part ½" 60° Flow rate: 10 lpm Quantity: 2 sets Maximum pressure drop: 0.2 bar
Quick coupling	Material: Stainless steel Feature: Leakproof Temperature: +15°C/+75°C Pressure: Max 5 bar Fluid: 50% Mono ethylene glycol/50% water Connection: Male part ½" 60° Female part ½" 60° Flow rate: 10 lpm Quantity: 2 sets Maximum pressure drop: 0.2 bar
Quick coupling	Material: Brass or Stainless Steel Feature: Leakproof Temperature: 0°C/+40°C Pressure: Max 5 bar Fluid: Water Connection: Male part ¾" 60° Female part ¾" 60° Flow rate: 33 lpm Quantity: 4 sets Maximum pressure drop: 0.2 bar
Quick coupling	Material: Brass or Stainless Steel Feature: Leakproof Temperature: 0°C/+40°C Pressure: Max 5 bar Fluid: Water Connection: Male part 1 1/2" 60° Female part 1 1/2" 60° Flow rate: 100 lpm Quantity: 2 sets Maximum pressure drop: 0.3 bar
SCA16	
STAUBLI STA06.1101	
66.9425-150-22	LEAD, TEST, 10A, 1kV, RED
66.9425-150-21	LEAD, TEST, 10A, 1kV, BLACK
R30811025	RBE08.1102/IA/HPL/OD STAEUBLI KUPPLUNG RBE_1XXX Produkttyp: Kupplung Nominal Diameter: 8 mm Seal: STD - Nitrile (NBR) End Connection: 102 - G3/8 F Valving: OD - Double shut-off
R30871024	RBE08.7102/IA/HPL STECKNIPPEL RBE_7XXX Produkttyp: Verschlussnippel Nominal Diameter: 8 mm Seal: STD - Nitrile (NBR) End Connection: 102 - G3/8 F
R10845201	RBE08.6151 Free flow plug RBE_6XXX Product type: plug Nominal Diameter: 8mm End Connection: 151 - G1/4 M
RBE08.6151	RBE_6XXX Product type: plug nipple Nominal diameter: 8mm End Connection: 151 - G1/4 M
R33222413	SPH06.2424/IA/MA/JV STAEUBLI CLUTCH SPH_MX_2XXX Product type: coupling for mounting Nominal diameter: 6mm Seal: JV - Fluorocarbon (FPM) End Connection: 424 - M24 x 1.5M Valving: STD - Double shut-off
SPH06.2424 IA /MA /JV	
R10845201	RBE08.6151 Free flow plug nipple Product type: plug nipple Nominal diameter: 8mm End Connection: 151 - G1/4 M
S00154605	
Rmi09.1102/Jv	
S00734501	
K4n002426	
K85539063	
FI3-Vt-2+pe-Bs8 Pa	

N00342606	
Rea13.6002.2515	
B24592504	
Sph08.9100/Jv (Wartungskit Ursprungsland/Zolltarifnr.:Frankreich / 73269098)	
Rpi50.06	
Mpx 16.1104 / Jv	
K85536025	
Rbe11.7203/Ia/Js30	
FI3-Kp8I/35	
Spi06.7151/Ia/Jv	
Mpx06.1101/Jv	
FI3-Sg-36+pe-Sp1,5/0,5-1,5 Ag Pa	
Rmi209.12.1102/Jv	
Rbe116152	
K81558946	
K81558699	
Rmp49.06.7203/Jv	
Spc05.5414/Ia/Md/Jv	
FI3-Kp8r/35	
K81558916	
Rma252106od	
Spc08.2000/Ia/Jv	
J29564700	
Rmi09.7152/Jv	
Qmc121-3a	PC BOARD MODULE
Rmi094102	
K4n004543	
FI3-Sg-2+pe/35 Pa	
Rbe111103	
Rmi 09 7151 Jv	
35-067265	ROBOT TS-60
Mpx06.8500	
Cn0282002k	
B818670332642	

Dmb-G4-Sq	
Rmi09.6152	
Sph 08.9700/Jv (Wartungskit Ursprungsland/Zolltarifnr.:Frankreich/84818099)	
R25472010	PENDANT WITH 10 METER CABLE
K4n004224	
Rbe11.7203/Ia/Js36	
D21142665sp1	TEACH PENDANT
Sph08.5103/Ib/Ma/Jpv	
B27585236	
K81560310	
K81558638	
N00729213	
K86300347	
K81558167	
Rbe11.7203/Ia/Js33	
Oas/N-P30rg2k	
K81558647	
K81699984	
Rbe03.6150/Ic	
K4n004509	
Gpl25.1105/Ic	
K85534758	
Fl3-Kp8/35	
Kn5084802	
N00454008	
Rbe06.1102	
K4n005725	
Hpx 25.1106	
01132ee7bq1a	
Fl3-Vt-2+pe-Sd8 Pa	
Mpx06.7101/Jv	
D221.356.02	CONTROLLER BOARD
Rmi09/Jv	
5218100a	
Rbe062103/Od/Jv	

Rbe087151	
N 008 734 08	
K81562375	
N00729905	
S003.575.04	
Rbe061101odovdfb	
Rmi-066205	
Spc12.2000/Ia/Jv	
K81560307	
Rbe062103/Od/Jv + Rbe067101/Ia/Jv	
K4n005727	
Rbe061806	
K81564518	
Sph15.9100/Jv (Wartungskit Ursprungsland/Zolltarifnr.:Frankreich / 84818099)	
Cs8c-Tx40	CONTROLLER FOR ROBOTIC PARTS TX40 1X230V-50/60HZ
00112593	
Rbe06	
K81556285	
Cs7b-Rx60bl	ROBOTIC PART FOR MACHINE 208B 3700VA 50/60HZ
Mag-10-X25	
K81558971	
Rmi16.1104/Je	
Rcs08.1103	
Rmi 09 1812	
N00730005	
Rpi10.06.150	
Rbe06.6808	
N00732697	
B27583934	
Hpx20.1105/Jv	
D22152769	
N00736605	
S00154505	
Cbii06	
N00917294	

Rbe06.2102/Ic/Od/Hpi	
Rbe062103/Ia/3/Od/Hp/Jv	
K86300476b	
Hpx 20.1105	
Vag-10-X25	
K81830216	
Man100.100/Ln	
K4n002941	
N00112693	
K4n002427	
Qmc10012013sp	
Fl3-Bg-36+pe-Bp1,5/0,5-1,5 Ag Pa	
K85539000	
K81560309	
F12/5pc5a1/C/01	CONTROLLER FOR ROBOTIC PARTS TX40 1X230V-50/60HZ
K81707447	
Spc08.5418/Ia/Md/Jv	
Rbe03.1906	
Spc05.2000/Ia/Jv	
Rcs06.2102	
Tcp D25 Lg 900	
Cs7b-Rx60b	CONTROLLER FOR ROBOTIC PARTS 3X208V 3700VA 50/60HZ
K81558947	
K85502351	
Delta 110	
Spi06.1101/Ia/Jv	
Cn028p15	
B27583933	
K81560308	
K81605344 Sph 12.2104 Ma/Ia/Jv	
Kn5041002	
184608	
33.4005	
N00334806	
33.0541	

Rmi09.6102	
Cn028s15	
Rmp40-10	LOCKING MECHANISM UNIT
Kn5070112	
Sph12.5104/Ia/Ma/Jpv	
K81558949	
Rbe 06.1101/Od	
K4n004539	
R15600200	
Rpi10.04.150	
Cs7b-Rx60	CONTROLLER FOR ROBOTIC PARTS 3X208V 3700VA 50/60HZ
Rmi 09/Jv	
Fl3-Bg-2+pe/35 Pa	
Kn5070111	
Mpx06.8550	
B24582504	
K81544760	
N00428895	
Hpx 20.7105	
Werkszeugnis	
Rbe062103/Od/Jv + Rbe067906/Ia/Jv	
Rep03.4012	
N00114898	
Spc12.5424/Ia/Md/Jv	
K4n004511	
N00260306	
33.4014	
Sph08.5103/Ib/Ma	
C19423700	INSTALL KIT FOR SR8+ ROBOT SR8+
Rbe06.7250/Ia/0	
N00324006	
N00729313	
B24144386	
K4n002939	
Sph12.5104/Ia/Ma	
K81558963	

Socket_Sph12.2436
Gpl25.6105/Ic
Sph 15.9700/Jv (Wartungskit Ursprungsland/Zolltarifnr.:Frankreich: 84818099)
00112693
B81867100000001
Hpx 25.7106
D22152669
K4n004227
N00813700