

Stegmann



Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Stegmann Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Stegmann Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Stegmann	
Stegmann	
VK30	
ENCODER AG 626 WSR ART.-NR. 4626WSR00000	
ART: 2103100139400	
Absolute singleturn encoder	ssi output ag 615 wsas, 8192
ER20-XX-1XXLB1	
BS001368	
SN 5W1WC2F00K00-000016	
9C0001592	
SN 5VT9M0J00F00	
DFS60E-S1AA01024 INCREMENTAL ENCODER	1036678 Incremental encoder DFS60, DFS60E-S1AA01024 Mechanical design: solid shaft servo flange 6 mm x 10 mm Communication interface: 4.5V...5.5V, TTL, RS-422 Connection type: Plug, M23, 12-pin, radial Pulses per revolution: 1,024
DFS60E-BBEK00500 INCREMENTAL ENCODER	1059861 Incremental encoder DFS60, DFS60E-BBEK00500 Mechanical design: hollow shaft 8 mm Communication interface: 10 V ... 32 V, HTL, push pull Connection type: cable, 8-wire, universal, 1.5 m Pulses per revolution: 500
BEF-DS07XFX TORQUE SUPPORT	2059368 flanges Mounting flange, BEF-DS07XFX Description: Torque arm with bolt circle diameter Ø72 mm
DFS60E-BBEK01000 INCREMENTAL	1053361 Incremental encoder DFS60, DFS60E-BBEK01000 Mechanical design: hollow shaft 8 mm Communication

ENCODER	interface: 10 V ... 32 V, HTL, push pull Connection type: cable, 8-wire, universal, 1.5 m Pulses per revolution: 1,000
DOL-0J08-G10MAA3 LEITG 10M0 JST	2046877 Connectors and cables Connection cables, DOL-0J08-G10MAA3 Connection type head A: Socket, JST, 8-pin, straight Connection type head B: Open cable end Signal type: Incremental, SSI Cable: 10 m, 8-core, PUR, halogen-free Description: Incremental, shielded, head A: socket, JST, 8-pin, straight head B: Cable Cable: Incremental, suitable for drag chains, PUR, halogen-free, shielded, 4 x 2 x 0.15 mm², Ø 5.6 mmSSI
DFS60E-S4AA01024	INCREMENTAL ENCODER DFS60, DFS60E-S4AA01024 Mechanical design: solid shaft clamping flange 10 mm x 19 mm Communication interface: 4.5V...5.5V, TTL, RS-422 Connection type: Plug, M23, 12-pin, radial Pulses per revolution: 1,024 Vibration-resistant nickel code disk, reduced installation depth of the encoder, large Ball bearing distance of 30mm
DFS60E-S1AA02000	Incremental encoder DFS60, DFS60E-S1AA02000 Mechanical design: solid shaft servo flange 6 mm x 10 mm Communication interface: 4.5V...5.5V, TTL, RS-422 Connection type: Plug, M23, 12-pin, radial Pulses per revolution: 2,000 Vibration-resistant nickel code disk, reduced installation depth of the encoder, large Ball bearing distance of 30mm
Ag626sr	
Ag664m2y309c1100	
Hg660akr360f	
P553ssabb	
49h6d01cd002	TIMING BELT
042281	SIDE READING, HIGH SPEED, RS 232/422/485 AND ETHERNET
1033308	AG661-466109000000 (1033308)
043740	FRONT READING, MID RANGE, RS 232/422/485 AND ETHERNET
026040000350	
710044300	ENCODER
Sf 2/6 Rd	
710088200	ENCODER
B 2-24 Rd	
426x00d0000	
1031605	
2029161	

Ag100mssic1	S/N 412400000001 Please see attached Photo
Ask25	
022500002230	
Dg60l/L=15m	
1030083	60MM CORETECH INCREMENTAL ENCODER 10V-32V HTL FACE FLANGE 10MM AFT CABLE 1000PPR
Dg905f1xk0e00500	ENCODER
042341	SIDE READING, STANDARD, RS 232/422/485 AND ETHERNET
042388	SIDE READING, STANDARD, RS 232/422/485 AND ETHERNET
1034324	PRF13-A1AM0520 ENCODER, PRF WIRE DRAW, TTL, 4-6V, MEASURING LENGTH 5 M
Hg650-Axsr1000-G10	
Srm25-7-H10s-Ga	7102361 / SRM25-7-H10S-GA,
Ag1004604p5ge08s0	
042282	SIDE READING, LOW CONTRAST FOR PCB, RS 232/422/485 AND ETHERNET
Srm 50 C9	MAT 6CR100200018 SNR F30002769 VDC 7-12 V 004/03
Ag1014j1xv3a44n0	ENCODER
140002449	
043739	SIDE READING, MID RANGE, RS 232/422/485 AND ETHERNET
042280	FRONT READING, STANDARD, RS 232/422/485 AND ETHERNET
1030063	60MM CORETECH INCREMENTAL ENCODER 10V-32V HTL BLIND HOLLOW QUICKDISCONNECT 512PPR
Rsm01	
81a001000026	
Hg660akr100f	
812860000000	
Ag-101	ENCODER ABSOLUTE 10-32VDC
Dg60lwsr1000	
S20flp100a	
1030053	60MM CORETECH INCREMENTAL ENCODER 10V-32V HTL BLIND HOLLOW QUICKDISCONNECT 3840PPR

Srm50-Hfa0-K01	ENCODER MOTOR FEEDBACK 80MA 7-12VDC 182BYTE
Ag626-Wkrdp	
4j1xv36c1200	
5dbya0700g00dg60d	
Prf13-E1am1020	(1034337), PRF13-E1AM1020 ENCODER, PRF WIRE DRAW, HTL, 10-30V, MEASURING LENGTH 10 M
042277	FRONT READING, STANDARD, RS 232/422/485 AND ETHERNET
Dg60lxsr/750	
Dg60d5000i46	
Ag661-466109000000	AG661-466109000000, (1033308)
042500000610	
1030073	60MM CORETECH INCREMENTAL ENCODER 10V-32V HTL BLIND HOLLOW QUICDISCONNECT 800PPR
Hg660 12dkr 1024	
Srm50-Hwao-K01	
1034337	PRF13-E1AM1020 ENCODER, PRF WIRE DRAW, HTL, 10-30V, MEASURING LENGTH 10 M
Ag101mgen3836	
Dg60lwsr5000	
81700200	
Ag664h2y30c81100	
Eg 343-81b001012018	
Dfs60e-S4em00250	
026020200700	
Dg60d500465d4xc0700f00500	
026040000180	
Scm70dwa	ENCODER
Ag661-466122-1033319	
Ag612wsrp4096	
Ag100-412400000000	AG100-4124000000001, (1033902)
Dg60-A1a10000	