



Stucchi

Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine bařvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulařabilirsiniz.

Stucchi Markası, tedarik sresi iin ltfen bizimle iletiřime geiniz.

Firmamız Stucchi Trkiye Distribtr veya temsilcisi deęildir. Firmamız sipariř durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
3423-B-E-IRBO	SVK socket IRBO 3/4 "BSP size 4 pieces 1,014.60 ISO 7241-1 B - Brass EPDM seal Data sheet attached. Presumably IRBO series with EPDM seal, please check
1222-B-BIR	SVK-Muffe BIRG 1/2" BSP Bgr. 3 ISO 7241-1 A Weight: 0.2460kg / 7.3800kg
3423-B-IRBX	SVK-Muffe IRBX 3/4" BSP Bgr. 4 ISO 7241-1 B Stainless steel - O-ring Viton Housing in AISI 316 / 1.4401 Stainless steel spring and ball Brass guide Weight: 0.5760 kg / 17.2800 kg
Multi Fix Gr10 8A V03- SN: 870004125	
Multi Mobile Gr10 8A V03-SN: 870004225	
Fix Multicoupling Gr 175x117xV03-	: 815606286
Multicoupling Gr 180x120xV01	815606259
VU12-BSP-5-PSI	Check Valve 1/2 inch: Maximum operating pressure: 300 bar Burst pressure: 1200 bar Maximum suggested flow: 90 L/min BSP thread
VU38-BSP-5-PSI	Check Valve 3/8 inch
VU200-BSP-5-PSI	Check Valve 1 inch: Up to 350 bar, up to 600 L/min Sizes from 1/8 up to 2 Standard opening pressure of 5 PSI (0.35 bar) and 65 PSI (4.5 bar)
VU100-BSP-5-PSI	Check Valve 1 inch: Up to 350 bar, up to 600 L/min Sizes from 1/8 up to 2 Standard opening pressure of 5 PSI (0.35 bar) and 65 PSI (4.5 bar)
12 VU-0,35	Check valve G 1/2 "BSP galv. PN 0.35; 5 PSI
1/4" BSP Bgr. 1	

1001204-QV-B
10014-B-BIR
10014-VEP-B
10015-A-1SAE
10025-A-1SAE
1141105-B-QV
1141205-QN-B
121102-B
121102-N
121203-A-B-QN
121203-A-N
1212-B-BIR
1213-VEP-B
1222-A-15L-OK
1223-VEP-B
1223-VEP-B SCHRAUBMUFFE VEP13P 1/2" BSP BGR. 3
1345/FAU-10,5
1345/MAU-10,5
16 S (m-24)
1602/VCB-M-5
1810-A-B
1810-A-N
1820-A-N
1820-B-IRB
3345/FAU-10,5-TR
341203-B
341204-A-B-QN
3413-B-BIR
3701/A
381202-BE

[3812-B-BIR](#)[402/VA](#)[4730-12-329-0946](#)[7241-1](#)[800.000.000](#)[800.000.023](#)[800.501.001](#)[800201008](#)[800500002](#)[800500003](#)[800500004](#)[800500005](#)[800501008](#)[800501009](#)[80080000](#)[800800000](#)[800800002](#)[800800003](#)[800800006](#)[800800008](#)[800800009](#)[800900006](#)[800900007](#)[800900010](#)[800900011](#)[800900206](#)[800900207](#)[800900210](#)[800900211](#)[800900212](#)

800900213
801300002
801300003
801300008
801300031
802.400.115
802000115
802400100
802400101
804600101
804600104
804600105
804601106
804601107
807.200.006
807.200.007
807.200.010
807.200.011
807.300.002
807.300.003
807200012
807200013
807200016
807200017
807300004
807300005
807300007
807301011
807301017
808.101.015
808100014

808100015
809500003
809608000
809608012
809608013
810200104
811201000
811201001
815.700.348
815000005
815000014
815000005
815305053
815305054
815405012
815405013
816005002
816005003
822-B-BIR
8242 B
8248
8249
A17-MUFFE1"SAE BGR.4
A5 HP-Muffe 3/8" NPT Bgr. 1
B16
F. VD 100 S25
F. A7 14 NPT
F. BIR 114 BSP
FAQ 13P - Muffe 1/2" BSP
FF1004

FIRG 1/2" BSP Bgr. 2	
FIRG 3/4" A BSP Bgr. 4A	
FIRG 34M	
FIRG-MUFFE 1/2" BSP BGR. 2	
FIRG-MUFFE 1/2" BSP BGR. 2 ISO 16028 - DN 10	
FIRG-MUFFE 1/4" BSP BGR. 1 ISO 16028 - DN 6,3	
FIRG-MUFFE 3/4" A BSP BGR. 4A	
FIRG-MUFFE 3/4" BSP BGR. 3	
H 11 F - FIRG 38 BSP	
IRB 1	
M. A7 14 NPT	
M. BIR 114 BSP	
M. IR 38V NPT	
M. VD 100 S25	
MULTI CFP 70	
QRC12FBF	
QRP04FBF	
QRP12FBF	
SKS IG 1/4" NPT PN 700 DN 6	
SVK-MUFFE IRBX 3/4" BSP BGR. 4	
VEP 21 1 1/4 1223-A-B	
VEP13P 1/2 BSP	
VEP13P 1/2" BSP 1213-VEP-B Gewicht: 0,5900 kg / 0,5900 kg	
141201-B	FIRG sleeve 1/4" BSP Bgr. ISO 16028 - DN 6.3 Attention: Operating pressure of the uncoupled sleeve = 120 bars. Weight: 0.1400kg / 7.0000kg
141101-B	FIRG male 1/4" BSP size 1 ISO 16028 - DN 6.3 Weight: 0.0860kg / 2.1500kg
1810-B-IRB	SVK connector IRB 1/8" BSP size 0 ISO 7241-1B Weight: 0.0180kg / 0.1800kg
Coupling -F-BIR V12 BSP-E 21 DORUK	

Coupling -M-BIR V12 BSP-I 20 DORUK	
QUICK COUPLING 1/2" FL13N FEMALE	
MALE QUICK COUPLING 1/2" FL13N	
1222-B-BIR-V	SVK-Muffe BIRG 1/2" BSP Bgr. 3 Viton ISO 7241-1 A
F-FIRG 14SA	
1411-B-IRB-V	SVK connector IRB 1/4" BSP size 1 ISO 7241-1 B - Viton
114991	SVK sleeve BIRG 1/2" BSP size 3 ISO 7241-1 A ; VITON
117427	SVK connector BIRG 1/2" BSP size 3 ISO 7241-1 A ; VITON
130651 (old: 141201-B)	FIRG sleeve 1/4" BSP size 1 Compatible with ISO 16028 - DN 6.3 Attention: Operating pressure of the uncoupled sleeve = 120 bar.
130470 (old: 1222-A9-6)	Parking station for GR6 DN 09 GR3 DN13 / GRI3 / GRI4 / GRB4 INDEX 01
135758 (old: 381102-B-V-FL)	FIRG connector 3/8" BSP FL9 size 2 Compatible with ISO 16028 - DN 10 - Stainless steel Viton
135835 (old: 381202-B-V-FL)	FIRG sleeve 3/8" BSP FL9 size 2 Compatible with ISO 16028 - DN 10 - Stainless steel Viton
Firg-Muffe 3/4quot; A Bsp Bgr. 4a	
141201-B-Qv	
1222-A-15I-Ok Quick Disconnect Coupling	
1222-B-Irbx	
381202-B-Qv	
1001204 B	
807304013	
807300014	
808100014 Brs F. Vep21hd 1-1/4 Bsp Buchse	
807301007	
801300040	
1411-B-Irb	
801300050	
807301014	
80654005	

807300015
807300018
8068010001 Coupler F.A13hd 1/2npt
F-IP12-C16
10024-Vep-B Schraubmuffe Vep17p 1quot; Bsp Bgr.4
381102-N
16/Ast
800800001
FIRG 34f
14 Vu-4,5 Rueckschlagventil L11an Stand.
3423 Ae 15l Ok
807301013
807301015
00824700 Skm Ag 1/4 Npt Pn700 Dn6 Schraubkupplung-Muffe
F-Irb 38 Bsp 3/8 Iso B
Faq 13pa - Muffe 3/4quot; Bsp
807301012
8247, 00824700 Skm Ag 1/4
3812-B-Irbx
801300013
80654004
1222-B-Bir SvK-Muffe Birg 1/2quot; Bsp Bgr. 3
807200013 Brs M. Vep17p 1" Bsp Nippel
800800004
3414-B-Ir
1810-A-N A4-Stecker 1/8" Npt Bgr. 0iso 16028 - Dn 4
121202-Qv-B

141101-B
F Irbx12 Npt Quick Release Kit
807300019
16 Ast
1820-A-N A4-Muffe 1/8" Npt Bgr. 0iso
16028 - Dn 4
M-A4-A16 Jag Female
824600824600
Firg 1/2quot; Bsp Bgr. 2
800201008 (F. Ivhp Ã188;? Npt Ext)
Female Coupler
800501009 Svk-Steckerbirg 1" Npt Bgr. 6
Firg-Muffe 1/2quot; Bsp Bgr. 2
Irbx38 Ss Female
14 Vu-4,5
1212-Vep-1/2sae
1212 Vep 1 2sae
3423-Ae-15I-Ok
Ff A Bsp 1/8 Nippel
805201005 Nipple M.Apm 13 1/2npt
14 Vu-0,35 Sae
1411-A-B, A7-Stecker 1/4quot; Bsp Bgr.
1
F-Bir 12 Bsp I 14 Kupplung Quick
Release
141201-B
Firg-Muffe 3/4quot; Bsp Bgr. 3
M-A4-A16 Jag Male
801300014
Ff1004 Steckdose
1213-Vep-B Schraubstecker Vep13p
1/2quot; Bsp Bgr. 3
801304016

1421-A-B, A7-Muffe 1/4quot; Bsp Bgr. 1 Vep 13 1/2 1223-A-B
1222 Vep 1 2sae
1212-A-B
1810 B Irb
Stucci-F-Bir12 Bsp-E12
807200012 Brs F. Vep17p 1" Bsp Rosette
381202-N
14 Vu-0,35
Irbx12 Ss Female
8246, 00824600 Sks Ig 1/4quot;
Rhz35I-Ag 1 1/4
10024-Vep-B
A13-Muffe 3/4quot; Bsp Bgr. 3 Viton
801300051
Firg Stecker 3/4quot; A Bsp Bgr. 4a
824700824700
808100015 Brs M. Vep21hd 1-1/4 Bsp Nippel
800800020
800900105 M
801300041
3811 B Hp
800900104 F
1212-B-Irbx
Irbx38 Ss Male
800501008 Svk-Muffebirg 1" Npt Bgr. 6
1212 B Bir
Irbx12 Ss Male
3811-B-Hp
Firg 100f

[10014-Vep-B Schraubstecker Vep17p
1quot; Bsp Bgr.4](#)[3423-Vep-3/4sae](#)[Firg-Muffe 1/2quot; Bsp Bgr. 2 Iso
16028 - Dn 10](#)[M-Bir 12 Bsp I 15 Kupplung Quick
Release](#)[3413 A 15l](#)[11216-Vep-B](#)[141101-B](#)[3414-A-Vep-3/4sae](#)[8008000005](#)[802404117](#)[3413-A-15l](#)[1222-B-Bir](#)[8008000004 Steckdose 2ffn38-Gas F 3/8
Bspp](#)[112 D M Vep 30 Hd](#)[141101-B Firg-Stecker 1/4" Bsp Bgr.
1iso 16028 - Dn 6,3](#)[00824600 Sks Ig 1/4quot; Npt Pn 700
Dn 6 Schraubkupplung-Stecker](#)[3702/V-N](#)[3812-A-B](#)[Firg-Muffe 1/4quot; Bsp Bgr. 1 Iso
16028 - Dn 6,3](#)[1223-Vep-B Schraubmuffe Vep13p
1/2quot; Bsp Bgr. 3](#)[80654006](#)[1001204-B](#)[1222-Vep-1/2sae](#)[800501003](#)[F-Vep17sn 1 Bsp-F09](#)[Firg-Muffe 1/2quot; A Npt Fl13 Bgr. 3](#)

M-I12gs-L14	
Faq 13p - Muffe 1/2quot; Bsp	
121102-Qv-B	
M-A9 1/2 Bsb-L 15	
800800021	
F-Firg	
100 D Fap 17 A	
3413-B-Bir Svk-Stecker Birg 3/4" Bsp Bgr.4 Iso 7241-1 A	
Firg 34m	
381102-B-Qv	
Vep 45 2	
1222 B Bir	
81500013	
800800005 Nippel 2ffn38-Gas M 3/8 Bspp	
Firg 3/4quot; A Bsp Bgr. 4a	
3822-A-B	
1212-B-Bir	
130629 (old: 141101-B-BK)	FIRG connector 1/4" BSP size 1 Compatible with ISO 16028 - DN 6.3 with backup ring seal (O-ring + backup ring)
807301006	
Ff A Bsp 1/8 Steckdose	
3822-B-Irbx	
M Irbx12 Npt Quick Release Kit	
3424-A-Vep-3/4sae	
'800800000	
Mir 38v	
341203-B Schnellkuplungfirg-Muffe 3/4" Bsp Bgr. 3iso 16028 - Dn 12,5	